

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6565.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6552.125000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6552.125000	-0.6	0.0	-0.6	PASS
6554.375000	-0.8	0.2	-0.6	PASS
6547.625000	-0.9	0.3	-0.6	PASS
6547.875000	-0.9	0.3	-0.6	PASS
6548.125000	-0.9	0.3	-0.6	PASS
6546.875000	-1.0	0.4	-0.6	PASS
6558.125000	-1.0	0.4	-0.6	PASS
6552.375000	-1.0	0.4	-0.6	PASS
6553.125000	-1.0	0.4	-0.6	PASS
6546.375000	-1.0	0.4	-0.6	PASS
6558.375000	-1.1	0.5	-0.6	PASS
6563.875000	-1.1	0.5	-0.6	PASS
6557.875000	-1.1	0.5	-0.6	PASS
6551.625000	-1.1	0.5	-0.6	PASS
6554.125000	-1.1	0.5	-0.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6685.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6701.375000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6700.625000	-0.7	0.0	-0.6	PASS
6694.625000	-0.7	0.0	-0.6	PASS
6700.875000	-0.8	0.1	-0.6	PASS
6697.875000	-0.9	0.2	-0.6	PASS
6694.875000	-0.9	0.3	-0.6	PASS
6698.375000	-1.0	0.4	-0.6	PASS
6701.125000	-1.0	0.4	-0.6	PASS
6698.125000	-1.0	0.4	-0.6	PASS
6699.375000	-1.1	0.4	-0.6	PASS
6698.875000	-1.1	0.5	-0.6	PASS
6693.125000	-1.1	0.5	-0.6	PASS
6703.125000	-1.2	0.5	-0.6	PASS
6694.375000	-1.2	0.5	-0.6	PASS
6697.375000	-1.2	0.5	-0.6	PASS
6703.625000	-1.2	0.6	-0.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6685.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6691.375000	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6691.375000	-0.1	0.0	-0.1	PASS
6696.625000	-0.4	0.2	-0.1	PASS
6692.625000	-0.4	0.2	-0.1	PASS
6670.625000	-0.4	0.3	-0.1	PASS
6697.375000	-0.4	0.3	-0.1	PASS
6678.875000	-0.5	0.3	-0.1	PASS
6680.875000	-0.5	0.3	-0.1	PASS
6669.625000	-0.5	0.4	-0.1	PASS
6696.375000	-0.5	0.4	-0.1	PASS
6699.375000	-0.6	0.4	-0.1	PASS
6678.625000	-0.6	0.5	-0.1	PASS
6674.625000	-0.6	0.5	-0.1	PASS
6675.625000	-0.6	0.5	-0.1	PASS
6681.875000	-0.6	0.5	-0.1	PASS
6691.875000	-0.6	0.5	-0.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6845.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6830.875000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6827.375000	-0.9	0.0	-0.8	PASS
6856.625000	-0.9	0.1	-0.8	PASS
6835.625000	-0.9	0.1	-0.8	PASS
6826.625000	-1.0	0.1	-0.8	PASS
6832.375000	-1.0	0.2	-0.8	PASS
6847.875000	-1.1	0.3	-0.8	PASS
6843.875000	-1.1	0.3	-0.8	PASS
6861.625000	-1.1	0.3	-0.8	PASS
6856.375000	-1.2	0.3	-0.8	PASS
6856.125000	-1.2	0.4	-0.8	PASS
6834.375000	-1.2	0.4	-0.8	PASS
6832.125000	-1.2	0.4	-0.8	PASS
6855.375000	-1.2	0.4	-0.8	PASS
6831.875000	-1.2	0.4	-0.8	PASS
6836.125000	-1.3	0.4	-0.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6845.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6845.875000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6831.625000	-0.8	0.1	-0.7	PASS
6840.125000	-0.8	0.2	-0.7	PASS
6830.875000	-0.8	0.2	-0.7	PASS
6831.125000	-0.9	0.2	-0.7	PASS
6846.125000	-0.9	0.2	-0.7	PASS
6827.625000	-0.9	0.2	-0.7	PASS
6847.125000	-0.9	0.2	-0.7	PASS
6858.875000	-0.9	0.3	-0.7	PASS
6852.625000	-0.9	0.3	-0.7	PASS
6857.375000	-1.0	0.3	-0.7	PASS
6859.125000	-1.0	0.3	-0.7	PASS
6829.625000	-1.1	0.4	-0.7	PASS
6860.125000	-1.1	0.4	-0.7	PASS
6861.875000	-1.1	0.4	-0.7	PASS
6836.125000	-1.1	0.4	-0.7	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6885.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6867.625000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6868.375000	-0.9	0.1	-0.8	PASS
6877.375000	-0.9	0.2	-0.8	PASS
6882.625000	-1.0	0.2	-0.8	PASS
6871.875000	-1.1	0.3	-0.8	PASS
6878.125000	-1.1	0.4	-0.8	PASS
6877.625000	-1.1	0.4	-0.8	PASS
6867.375000	-1.1	0.4	-0.8	PASS
6903.375000	-1.1	0.4	-0.8	PASS
6882.125000	-1.2	0.4	-0.8	PASS
6876.625000	-1.2	0.5	-0.8	PASS
6877.875000	-1.2	0.5	-0.8	PASS
6881.125000	-1.3	0.5	-0.8	PASS
6872.375000	-1.3	0.5	-0.8	PASS
6890.625000	-1.3	0.5	-0.8	PASS
6870.625000	-1.3	0.6	-0.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6885.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6877.375000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6868.125000	-1.2	0.1	-1.1	PASS
6869.875000	-1.2	0.1	-1.1	PASS
6868.375000	-1.2	0.1	-1.1	PASS
6890.125000	-1.3	0.2	-1.1	PASS
6901.375000	-1.3	0.2	-1.1	PASS
6873.125000	-1.5	0.4	-1.1	PASS
6866.875000	-1.5	0.4	-1.1	PASS
6870.125000	-1.6	0.5	-1.1	PASS
6871.125000	-1.6	0.5	-1.1	PASS
6872.375000	-1.6	0.5	-1.1	PASS
6889.875000	-1.6	0.5	-1.1	PASS
6877.625000	-1.6	0.5	-1.1	PASS
6873.625000	-1.6	0.5	-1.1	PASS
6867.125000	-1.6	0.5	-1.1	PASS
6883.125000	-1.7	0.6	-1.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6906.625000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6906.625000	-0.9	0.0	-0.9	PASS
6909.375000	-1.0	0.1	-0.9	PASS
6910.625000	-1.1	0.2	-0.9	PASS
6911.625000	-1.1	0.2	-0.9	PASS
6909.875000	-1.1	0.2	-0.9	PASS
6907.625000	-1.1	0.3	-0.9	PASS
6909.125000	-1.2	0.3	-0.9	PASS
6906.875000	-1.2	0.3	-0.9	PASS
6906.375000	-1.2	0.4	-0.9	PASS
6914.125000	-1.2	0.4	-0.9	PASS
6907.375000	-1.3	0.4	-0.9	PASS
6939.375000	-1.3	0.4	-0.9	PASS
6916.875000	-1.3	0.4	-0.9	PASS
6920.125000	-1.3	0.4	-0.9	PASS
6910.875000	-1.3	0.5	-0.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6941.875000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6941.875000	-0.7	0.0	-0.7	PASS
6942.125000	-0.7	0.1	-0.7	PASS
6939.375000	-0.7	0.1	-0.7	PASS
6943.125000	-0.8	0.1	-0.7	PASS
6937.875000	-0.8	0.1	-0.7	PASS
6910.125000	-0.8	0.2	-0.7	PASS
6938.125000	-0.8	0.2	-0.7	PASS
6933.375000	-0.9	0.2	-0.7	PASS
6938.375000	-0.9	0.3	-0.7	PASS
6919.875000	-1.0	0.3	-0.7	PASS
6906.875000	-1.0	0.3	-0.7	PASS
6936.125000	-1.0	0.4	-0.7	PASS
6935.875000	-1.1	0.4	-0.7	PASS
6908.875000	-1.1	0.4	-0.7	PASS
6941.375000	-1.1	0.4	-0.7	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
7005.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6988.875000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.875000	-0.9	0.0	-0.9	PASS
6988.375000	-1.1	0.2	-0.9	PASS
6988.125000	-1.2	0.3	-0.9	PASS
6993.375000	-1.2	0.3	-0.9	PASS
6994.125000	-1.2	0.3	-0.9	PASS
6986.875000	-1.3	0.4	-0.9	PASS
6989.125000	-1.3	0.4	-0.9	PASS
7022.375000	-1.4	0.5	-0.9	PASS
6991.625000	-1.5	0.6	-0.9	PASS
6990.875000	-1.5	0.6	-0.9	PASS
6990.125000	-1.5	0.6	-0.9	PASS
6987.875000	-1.5	0.6	-0.9	PASS
6993.625000	-1.6	0.7	-0.9	PASS
7016.875000	-1.6	0.7	-0.9	PASS
7002.875000	-1.6	0.7	-0.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
7005.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7017.875000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7017.875000	-0.9	0.0	-0.9	PASS
7018.125000	-1.3	0.4	-0.9	PASS
7022.625000	-1.3	0.4	-0.9	PASS
6992.375000	-1.4	0.5	-0.9	PASS
7022.125000	-1.4	0.5	-0.9	PASS
7018.875000	-1.4	0.5	-0.9	PASS
7016.625000	-1.4	0.5	-0.9	PASS
7019.625000	-1.4	0.5	-0.9	PASS
6995.875000	-1.5	0.5	-0.9	PASS
7017.625000	-1.5	0.6	-0.9	PASS
6993.625000	-1.5	0.6	-0.9	PASS
7022.375000	-1.5	0.6	-0.9	PASS
7019.125000	-1.5	0.6	-0.9	PASS
6998.875000	-1.5	0.6	-0.9	PASS
7016.375000	-1.5	0.6	-0.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
7085.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7096.375000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7096.375000	-0.9	0.0	-0.9	PASS
7070.375000	-1.0	0.1	-0.9	PASS
7066.625000	-1.2	0.3	-0.9	PASS
7071.375000	-1.2	0.3	-0.9	PASS
7069.625000	-1.3	0.4	-0.9	PASS
7073.125000	-1.3	0.4	-0.9	PASS
7072.375000	-1.3	0.4	-0.9	PASS
7067.375000	-1.3	0.4	-0.9	PASS
7098.125000	-1.4	0.5	-0.9	PASS
7099.625000	-1.4	0.5	-0.9	PASS
7070.625000	-1.4	0.5	-0.9	PASS
7072.625000	-1.5	0.6	-0.9	PASS
7100.375000	-1.5	0.6	-0.9	PASS
7070.125000	-1.5	0.6	-0.9	PASS
7071.625000	-1.5	0.6	-0.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
7085.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7098.875000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7097.625000	-1.0	0.1	-0.9	PASS
7102.125000	-1.3	0.3	-0.9	PASS
7076.125000	-1.3	0.4	-0.9	PASS
7070.125000	-1.4	0.4	-0.9	PASS
7069.125000	-1.4	0.4	-0.9	PASS
7097.375000	-1.4	0.4	-0.9	PASS
7082.125000	-1.4	0.5	-0.9	PASS
7097.125000	-1.5	0.5	-0.9	PASS
7101.875000	-1.5	0.5	-0.9	PASS
7096.375000	-1.5	0.6	-0.9	PASS
7100.125000	-1.5	0.6	-0.9	PASS
7087.375000	-1.6	0.6	-0.9	PASS
7067.875000	-1.6	0.6	-0.9	PASS
7095.875000	-1.6	0.7	-0.9	PASS
7078.375000	-1.6	0.7	-0.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
5985.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6010.250000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6014.250000	1.6	0.3	1.9	PASS
6019.750000	1.6	0.3	1.9	PASS
6022.250000	1.6	0.3	1.9	PASS
6001.250000	1.5	0.3	1.9	PASS
6006.750000	1.5	0.4	1.9	PASS
6005.750000	1.5	0.4	1.9	PASS
5999.250000	1.5	0.4	1.9	PASS
6016.750000	1.4	0.4	1.9	PASS
6018.250000	1.4	0.4	1.9	PASS
6013.750000	1.4	0.5	1.9	PASS
6022.750000	1.4	0.5	1.9	PASS
6002.750000	1.4	0.5	1.9	PASS
6008.250000	1.4	0.5	1.9	PASS
6021.250000	1.4	0.5	1.9	PASS
6017.250000	1.4	0.5	1.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
5985.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6019.250000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6019.250000	1.8	0.0	1.8	PASS
5997.750000	1.5	0.3	1.8	PASS
6005.250000	1.5	0.3	1.8	PASS
6014.750000	1.4	0.4	1.8	PASS
6009.750000	1.4	0.4	1.8	PASS
6007.250000	1.4	0.4	1.8	PASS
6005.750000	1.4	0.4	1.8	PASS
5995.750000	1.4	0.4	1.8	PASS
6011.750000	1.4	0.4	1.8	PASS
6017.250000	1.4	0.4	1.8	PASS
6013.250000	1.4	0.4	1.8	PASS
6010.250000	1.3	0.4	1.8	PASS
5992.750000	1.3	0.5	1.8	PASS
6000.250000	1.3	0.5	1.8	PASS
6003.250000	1.3	0.5	1.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6145.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6182.750000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6111.750000	1.8	0.2	2.0	PASS
6110.750000	1.8	0.2	2.0	PASS
6119.250000	1.7	0.3	2.0	PASS
6125.250000	1.7	0.4	2.0	PASS
6114.250000	1.6	0.4	2.0	PASS
6147.750000	1.6	0.4	2.0	PASS
6162.750000	1.6	0.4	2.0	PASS
6164.750000	1.6	0.4	2.0	PASS
6120.250000	1.6	0.4	2.0	PASS
6135.250000	1.6	0.4	2.0	PASS
6172.750000	1.6	0.4	2.0	PASS
6108.250000	1.6	0.4	2.0	PASS
6180.750000	1.6	0.4	2.0	PASS
6143.750000	1.5	0.5	2.0	PASS
6181.250000	1.5	0.5	2.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6145.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6158.750000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6158.750000	2.0	0.0	2.0	PASS
6155.750000	1.9	0.1	2.0	PASS
6130.250000	1.9	0.1	2.0	PASS
6160.250000	1.8	0.2	2.0	PASS
6133.250000	1.8	0.2	2.0	PASS
6162.750000	1.8	0.2	2.0	PASS
6165.750000	1.7	0.2	2.0	PASS
6112.750000	1.7	0.2	2.0	PASS
6175.250000	1.7	0.3	2.0	PASS
6157.250000	1.6	0.3	2.0	PASS
6154.250000	1.6	0.4	2.0	PASS
6149.250000	1.6	0.4	2.0	PASS
6162.250000	1.6	0.4	2.0	PASS
6156.250000	1.6	0.4	2.0	PASS
6178.750000	1.6	0.4	2.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6385.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6415.250000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6422.250000	1.9	0.1	2.0	PASS
6418.750000	1.7	0.2	2.0	PASS
6350.750000	1.6	0.3	2.0	PASS
6366.250000	1.6	0.3	2.0	PASS
6403.750000	1.6	0.4	2.0	PASS
6356.750000	1.5	0.4	2.0	PASS
6389.750000	1.5	0.4	2.0	PASS
6358.250000	1.5	0.5	2.0	PASS
6423.250000	1.5	0.5	2.0	PASS
6417.250000	1.5	0.5	2.0	PASS
6366.750000	1.5	0.5	2.0	PASS
6419.750000	1.5	0.5	2.0	PASS
6422.750000	1.4	0.5	2.0	PASS
6420.250000	1.4	0.5	2.0	PASS
6372.750000	1.4	0.5	2.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6385.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6347.250000	1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6420.250000	1.3	0.1	1.4	PASS
6355.250000	1.3	0.2	1.4	PASS
6420.750000	1.2	0.2	1.4	PASS
6349.250000	1.2	0.2	1.4	PASS
6358.750000	1.2	0.3	1.4	PASS
6423.250000	1.2	0.3	1.4	PASS
6351.750000	1.2	0.3	1.4	PASS
6409.750000	1.1	0.3	1.4	PASS
6357.250000	1.1	0.3	1.4	PASS
6422.250000	1.1	0.3	1.4	PASS
6346.750000	1.1	0.3	1.4	PASS
6348.750000	1.1	0.4	1.4	PASS
6358.250000	1.1	0.4	1.4	PASS
6408.750000	1.1	0.4	1.4	PASS
6411.750000	1.0	0.4	1.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6465.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6448.750000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6448.750000	1.7	0.0	1.7	PASS
6443.750000	1.5	0.1	1.7	PASS
6455.250000	1.5	0.2	1.7	PASS
6445.250000	1.5	0.2	1.7	PASS
6435.250000	1.5	0.2	1.7	PASS
6445.750000	1.4	0.2	1.7	PASS
6461.250000	1.4	0.2	1.7	PASS
6439.750000	1.4	0.3	1.7	PASS
6453.250000	1.3	0.3	1.7	PASS
6461.750000	1.3	0.3	1.7	PASS
6433.750000	1.3	0.3	1.7	PASS
6492.250000	1.3	0.3	1.7	PASS
6487.250000	1.3	0.3	1.7	PASS
6452.250000	1.3	0.3	1.7	PASS
6478.250000	1.3	0.3	1.7	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6465.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6438.250000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6437.750000	1.8	0.2	2.0	PASS
6435.750000	1.7	0.3	2.0	PASS
6447.750000	1.6	0.4	2.0	PASS
6448.750000	1.6	0.4	2.0	PASS
6442.250000	1.6	0.4	2.0	PASS
6459.250000	1.6	0.4	2.0	PASS
6434.250000	1.6	0.4	2.0	PASS
6442.750000	1.6	0.4	2.0	PASS
6427.750000	1.6	0.4	2.0	PASS
6443.250000	1.5	0.4	2.0	PASS
6444.750000	1.5	0.5	2.0	PASS
6434.750000	1.5	0.5	2.0	PASS
6445.250000	1.5	0.5	2.0	PASS
6460.750000	1.5	0.5	2.0	PASS
6458.250000	1.5	0.5	2.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6545.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6534.750000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6534.750000	1.7	0.0	1.7	PASS
6513.250000	1.6	0.0	1.7	PASS
6539.750000	1.6	0.1	1.7	PASS
6537.250000	1.6	0.1	1.7	PASS
6549.750000	1.6	0.1	1.7	PASS
6558.750000	1.5	0.1	1.7	PASS
6515.250000	1.5	0.1	1.7	PASS
6548.250000	1.5	0.2	1.7	PASS
6509.250000	1.5	0.2	1.7	PASS
6516.250000	1.4	0.2	1.7	PASS
6522.250000	1.4	0.2	1.7	PASS
6541.750000	1.4	0.2	1.7	PASS
6521.250000	1.4	0.2	1.7	PASS
6550.250000	1.4	0.2	1.7	PASS
6534.250000	1.4	0.2	1.7	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6545.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6530.750000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6530.750000	1.9	0.0	1.9	PASS
6513.750000	1.8	0.1	1.9	PASS
6516.750000	1.8	0.1	1.9	PASS
6512.750000	1.8	0.1	1.9	PASS
6546.750000	1.7	0.2	1.9	PASS
6531.750000	1.7	0.2	1.9	PASS
6536.750000	1.7	0.2	1.9	PASS
6535.250000	1.7	0.2	1.9	PASS
6528.250000	1.7	0.2	1.9	PASS
6529.750000	1.6	0.3	1.9	PASS
6522.250000	1.6	0.3	1.9	PASS
6520.750000	1.6	0.3	1.9	PASS
6512.250000	1.6	0.3	1.9	PASS
6521.750000	1.6	0.3	1.9	PASS
6515.750000	1.6	0.3	1.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6625.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6605.750000	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6605.750000	1.6	0.0	1.6	PASS
6630.250000	1.6	0.0	1.6	PASS
6612.750000	1.6	0.0	1.6	PASS
6634.750000	1.5	0.1	1.6	PASS
6616.750000	1.5	0.1	1.6	PASS
6620.250000	1.5	0.1	1.6	PASS
6610.250000	1.4	0.1	1.6	PASS
6613.750000	1.4	0.1	1.6	PASS
6630.750000	1.4	0.2	1.6	PASS
6612.250000	1.4	0.2	1.6	PASS
6610.750000	1.3	0.2	1.6	PASS
6615.750000	1.3	0.3	1.6	PASS
6642.750000	1.3	0.3	1.6	PASS
6588.750000	1.3	0.3	1.6	PASS
6613.250000	1.3	0.3	1.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6625.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6595.250000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6595.250000	2.2	0.0	2.2	PASS
6601.250000	2.0	0.2	2.2	PASS
6599.750000	2.0	0.2	2.2	PASS
6591.250000	1.9	0.2	2.2	PASS
6603.250000	1.9	0.3	2.2	PASS
6594.750000	1.9	0.3	2.2	PASS
6614.250000	1.8	0.3	2.2	PASS
6602.750000	1.8	0.3	2.2	PASS
6615.750000	1.8	0.3	2.2	PASS
6606.750000	1.8	0.4	2.2	PASS
6603.750000	1.8	0.4	2.2	PASS
6596.250000	1.8	0.4	2.2	PASS
6610.250000	1.8	0.4	2.2	PASS
6613.750000	1.7	0.4	2.2	PASS
6619.750000	1.7	0.4	2.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6705.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6717.250000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6695.750000	1.8	0.0	1.8	PASS
6696.750000	1.8	0.0	1.8	PASS
6706.750000	1.7	0.2	1.8	PASS
6711.250000	1.5	0.3	1.8	PASS
6703.250000	1.5	0.3	1.8	PASS
6673.250000	1.5	0.3	1.8	PASS
6686.250000	1.5	0.4	1.8	PASS
6699.750000	1.4	0.4	1.8	PASS
6687.250000	1.4	0.4	1.8	PASS
6689.250000	1.4	0.4	1.8	PASS
6689.750000	1.4	0.4	1.8	PASS
6686.750000	1.4	0.4	1.8	PASS
6707.750000	1.4	0.4	1.8	PASS
6712.250000	1.4	0.4	1.8	PASS
6723.750000	1.4	0.5	1.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6705.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6695.750000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6693.750000	2.1	0.1	2.2	PASS
6674.250000	2.1	0.1	2.2	PASS
6694.250000	2.1	0.1	2.2	PASS
6691.750000	2.0	0.2	2.2	PASS
6671.250000	2.0	0.2	2.2	PASS
6686.250000	2.0	0.2	2.2	PASS
6684.250000	1.9	0.3	2.2	PASS
6679.750000	1.9	0.3	2.2	PASS
6695.250000	1.9	0.3	2.2	PASS
6691.250000	1.9	0.3	2.2	PASS
6681.750000	1.9	0.3	2.2	PASS
6689.750000	1.8	0.4	2.2	PASS
6667.750000	1.7	0.4	2.2	PASS
6670.250000	1.7	0.5	2.2	PASS
6687.250000	1.7	0.5	2.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6785.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6790.750000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6790.750000	1.8	0.0	1.8	PASS
6781.250000	1.7	0.0	1.8	PASS
6788.250000	1.7	0.1	1.8	PASS
6805.750000	1.5	0.2	1.8	PASS
6793.250000	1.5	0.3	1.8	PASS
6811.750000	1.5	0.3	1.8	PASS
6782.750000	1.5	0.3	1.8	PASS
6815.250000	1.5	0.3	1.8	PASS
6813.750000	1.4	0.3	1.8	PASS
6790.250000	1.4	0.4	1.8	PASS
6775.750000	1.3	0.4	1.8	PASS
6796.250000	1.3	0.5	1.8	PASS
6807.750000	1.3	0.5	1.8	PASS
6802.750000	1.3	0.5	1.8	PASS
6810.750000	1.3	0.5	1.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6785.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6756.250000	2.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6756.250000	2.2	0.0	2.2	PASS
6767.250000	1.8	0.3	2.2	PASS
6766.250000	1.7	0.5	2.2	PASS
6774.750000	1.7	0.5	2.2	PASS
6822.250000	1.6	0.6	2.2	PASS
6775.250000	1.6	0.6	2.2	PASS
6763.250000	1.5	0.7	2.2	PASS
6781.750000	1.5	0.7	2.2	PASS
6758.750000	1.5	0.7	2.2	PASS
6764.750000	1.5	0.7	2.2	PASS
6748.750000	1.4	0.7	2.2	PASS
6819.750000	1.4	0.7	2.2	PASS
6770.750000	1.4	0.7	2.2	PASS
6772.750000	1.4	0.8	2.2	PASS
6778.750000	1.4	0.8	2.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6865.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6844.250000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6844.250000	1.5	0.0	1.5	PASS
6839.750000	1.5	0.1	1.5	PASS
6844.750000	1.5	0.1	1.5	PASS
6839.250000	1.5	0.1	1.5	PASS
6835.250000	1.4	0.1	1.5	PASS
6848.250000	1.4	0.2	1.5	PASS
6852.250000	1.4	0.2	1.5	PASS
6829.250000	1.4	0.2	1.5	PASS
6870.250000	1.4	0.2	1.5	PASS
6848.750000	1.4	0.2	1.5	PASS
6892.250000	1.4	0.2	1.5	PASS
6834.250000	1.3	0.2	1.5	PASS
6861.750000	1.3	0.2	1.5	PASS
6830.250000	1.3	0.2	1.5	PASS
6855.750000	1.3	0.2	1.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6865.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6850.750000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6856.750000	1.8	0.0	1.8	PASS
6847.250000	1.7	0.0	1.8	PASS
6859.750000	1.7	0.0	1.8	PASS
6837.250000	1.7	0.1	1.8	PASS
6849.750000	1.7	0.1	1.8	PASS
6874.250000	1.6	0.2	1.8	PASS
6844.250000	1.6	0.2	1.8	PASS
6851.250000	1.5	0.2	1.8	PASS
6853.750000	1.5	0.2	1.8	PASS
6843.250000	1.5	0.3	1.8	PASS
6860.750000	1.4	0.3	1.8	PASS
6839.250000	1.4	0.4	1.8	PASS
6830.750000	1.4	0.4	1.8	PASS
6858.750000	1.4	0.4	1.8	PASS
6835.750000	1.4	0.4	1.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6945.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6909.250000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6907.750000	1.4	0.1	1.5	PASS
6918.750000	1.4	0.1	1.5	PASS
6912.250000	1.3	0.2	1.5	PASS
6908.750000	1.2	0.3	1.5	PASS
6921.250000	1.1	0.4	1.5	PASS
6918.250000	1.1	0.4	1.5	PASS
6906.750000	1.1	0.4	1.5	PASS
6910.750000	1.0	0.5	1.5	PASS
6947.750000	1.0	0.5	1.5	PASS
6913.250000	1.0	0.5	1.5	PASS
6961.250000	1.0	0.5	1.5	PASS
6914.250000	1.0	0.5	1.5	PASS
6935.250000	0.9	0.6	1.5	PASS
6920.250000	0.9	0.6	1.5	PASS
6914.750000	0.9	0.6	1.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6945.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6938.250000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6938.250000	1.9	0.0	1.9	PASS
6950.250000	1.8	0.1	1.9	PASS
6949.750000	1.6	0.3	1.9	PASS
6925.250000	1.6	0.3	1.9	PASS
6953.250000	1.6	0.3	1.9	PASS
6925.750000	1.6	0.3	1.9	PASS
6958.250000	1.6	0.3	1.9	PASS
6909.250000	1.6	0.3	1.9	PASS
6943.750000	1.5	0.4	1.9	PASS
6939.250000	1.5	0.4	1.9	PASS
6927.250000	1.5	0.4	1.9	PASS
6910.750000	1.5	0.4	1.9	PASS
6952.750000	1.5	0.4	1.9	PASS
6946.750000	1.5	0.4	1.9	PASS
6939.750000	1.5	0.4	1.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
7025.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6990.250000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6990.250000	1.8	0.0	1.8	PASS
6993.750000	1.7	0.1	1.8	PASS
6988.750000	1.7	0.1	1.8	PASS
7042.750000	1.7	0.2	1.8	PASS
7041.750000	1.7	0.2	1.8	PASS
6993.250000	1.6	0.2	1.8	PASS
6996.750000	1.6	0.2	1.8	PASS
7052.750000	1.5	0.3	1.8	PASS
6995.750000	1.5	0.3	1.8	PASS
6998.250000	1.5	0.3	1.8	PASS
7000.750000	1.5	0.3	1.8	PASS
7021.250000	1.5	0.3	1.8	PASS
6991.250000	1.5	0.4	1.8	PASS
6988.250000	1.5	0.4	1.8	PASS
7033.250000	1.4	0.4	1.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
7025.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7011.250000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7013.750000	1.8	0.1	1.8	PASS
7036.250000	1.6	0.2	1.8	PASS
7040.750000	1.5	0.3	1.8	PASS
7042.250000	1.5	0.3	1.8	PASS
7033.750000	1.5	0.3	1.8	PASS
7010.750000	1.5	0.3	1.8	PASS
7030.750000	1.4	0.4	1.8	PASS
7017.250000	1.4	0.4	1.8	PASS
7038.250000	1.4	0.4	1.8	PASS
7035.250000	1.4	0.4	1.8	PASS
7032.250000	1.4	0.4	1.8	PASS
7035.750000	1.4	0.4	1.8	PASS
6991.750000	1.4	0.4	1.8	PASS
7018.750000	1.4	0.4	1.8	PASS
7016.750000	1.3	0.5	1.8	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6025.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6095.500000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6095.500000	5.0	0.0	5.0	PASS
6101.500000	5.0	0.0	5.0	PASS
6087.500000	5.0	0.1	5.0	PASS
6097.500000	4.9	0.1	5.0	PASS
6081.500000	4.9	0.1	5.0	PASS
6074.500000	4.9	0.1	5.0	PASS
6093.500000	4.9	0.1	5.0	PASS
6086.500000	4.8	0.2	5.0	PASS
6096.500000	4.8	0.2	5.0	PASS
6088.500000	4.8	0.2	5.0	PASS
6090.500000	4.8	0.2	5.0	PASS
6092.500000	4.8	0.2	5.0	PASS
6078.500000	4.8	0.3	5.0	PASS
6076.500000	4.7	0.3	5.0	PASS
6072.500000	4.7	0.3	5.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6025.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6093.500000	5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6093.500000	5.1	0.0	5.1	PASS
6082.500000	5.0	0.1	5.1	PASS
6097.500000	5.0	0.1	5.1	PASS
6070.500000	4.9	0.2	5.1	PASS
6073.500000	4.8	0.3	5.1	PASS
6075.500000	4.8	0.3	5.1	PASS
6074.500000	4.7	0.3	5.1	PASS
6084.500000	4.7	0.4	5.1	PASS
6061.500000	4.7	0.4	5.1	PASS
6088.500000	4.7	0.4	5.1	PASS
6091.500000	4.6	0.4	5.1	PASS
6100.500000	4.6	0.4	5.1	PASS
6087.500000	4.6	0.5	5.1	PASS
6050.500000	4.6	0.5	5.1	PASS
6096.500000	4.6	0.5	5.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6185.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6188.500000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6207.500000	5.0	0.0	5.0	PASS
6192.500000	4.9	0.1	5.0	PASS
6189.500000	4.9	0.1	5.0	PASS
6208.500000	4.9	0.2	5.0	PASS
6195.500000	4.8	0.2	5.0	PASS
6205.500000	4.8	0.2	5.0	PASS
6213.500000	4.8	0.2	5.0	PASS
6116.500000	4.7	0.3	5.0	PASS
6193.500000	4.7	0.3	5.0	PASS
6210.500000	4.7	0.3	5.0	PASS
6174.500000	4.7	0.4	5.0	PASS
6179.500000	4.7	0.4	5.0	PASS
6196.500000	4.6	0.4	5.0	PASS
6198.500000	4.6	0.4	5.0	PASS
6206.500000	4.6	0.4	5.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6185.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6167.500000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6174.500000	5.0	0.0	5.0	PASS
6161.500000	5.0	0.1	5.0	PASS
6165.500000	4.9	0.1	5.0	PASS
6112.500000	4.9	0.1	5.0	PASS
6133.500000	4.9	0.2	5.0	PASS
6178.500000	4.8	0.2	5.0	PASS
6170.500000	4.8	0.2	5.0	PASS
6150.500000	4.8	0.2	5.0	PASS
6155.500000	4.8	0.2	5.0	PASS
6177.500000	4.8	0.2	5.0	PASS
6162.500000	4.8	0.2	5.0	PASS
6166.500000	4.8	0.2	5.0	PASS
6179.500000	4.8	0.2	5.0	PASS
6157.500000	4.8	0.3	5.0	PASS
6169.500000	4.7	0.3	5.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6345.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6372.500000	5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6372.500000	5.6	0.0	5.6	PASS
6366.500000	5.5	0.1	5.6	PASS
6358.500000	5.5	0.1	5.6	PASS
6364.500000	5.4	0.1	5.6	PASS
6367.500000	5.4	0.2	5.6	PASS
6368.500000	5.4	0.2	5.6	PASS
6393.500000	5.3	0.2	5.6	PASS
6415.500000	5.3	0.3	5.6	PASS
6380.500000	5.3	0.3	5.6	PASS
6382.500000	5.2	0.3	5.6	PASS
6365.500000	5.2	0.4	5.6	PASS
6390.500000	5.2	0.4	5.6	PASS
6387.500000	5.2	0.4	5.6	PASS
6357.500000	5.2	0.4	5.6	PASS
6379.500000	5.2	0.4	5.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6345.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6351.500000	5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6351.500000	5.1	0.0	5.1	PASS
6278.500000	5.0	0.1	5.1	PASS
6330.500000	5.0	0.1	5.1	PASS
6350.500000	5.0	0.1	5.1	PASS
6271.500000	5.0	0.1	5.1	PASS
6333.500000	5.0	0.1	5.1	PASS
6358.500000	4.9	0.2	5.1	PASS
6417.500000	4.9	0.2	5.1	PASS
6415.500000	4.9	0.2	5.1	PASS
6339.500000	4.9	0.2	5.1	PASS
6414.500000	4.8	0.3	5.1	PASS
6352.500000	4.8	0.3	5.1	PASS
6281.500000	4.8	0.3	5.1	PASS
6416.500000	4.8	0.3	5.1	PASS
6332.500000	4.8	0.3	5.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6505.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6456.500000	5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6456.500000	5.6	0.0	5.6	PASS
6444.500000	5.4	0.2	5.6	PASS
6453.500000	5.4	0.2	5.6	PASS
6452.500000	5.4	0.3	5.6	PASS
6461.500000	5.3	0.3	5.6	PASS
6467.500000	5.3	0.3	5.6	PASS
6530.500000	5.3	0.3	5.6	PASS
6451.500000	5.3	0.3	5.6	PASS
6447.500000	5.2	0.4	5.6	PASS
6457.500000	5.2	0.4	5.6	PASS
6460.500000	5.2	0.4	5.6	PASS
6515.500000	5.2	0.4	5.6	PASS
6523.500000	5.2	0.4	5.6	PASS
6473.500000	5.1	0.5	5.6	PASS
6436.500000	5.1	0.5	5.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6505.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6446.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6440.500000	5.2	0.1	5.3	PASS
6433.500000	5.2	0.1	5.3	PASS
6454.500000	5.1	0.2	5.3	PASS
6528.500000	5.1	0.2	5.3	PASS
6535.500000	5.1	0.2	5.3	PASS
6473.500000	5.1	0.2	5.3	PASS
6513.500000	5.1	0.2	5.3	PASS
6537.500000	5.1	0.2	5.3	PASS
6448.500000	5.1	0.2	5.3	PASS
6526.500000	5.1	0.3	5.3	PASS
6430.500000	5.0	0.3	5.3	PASS
6437.500000	5.0	0.3	5.3	PASS
6521.500000	5.0	0.3	5.3	PASS
6462.500000	5.0	0.3	5.3	PASS
6442.500000	5.0	0.3	5.3	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6665.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6622.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6622.500000	5.3	0.0	5.3	PASS
6615.500000	5.2	0.1	5.3	PASS
6621.500000	5.1	0.2	5.3	PASS
6629.500000	5.0	0.2	5.3	PASS
6614.500000	5.0	0.2	5.3	PASS
6618.500000	5.0	0.3	5.3	PASS
6619.500000	4.9	0.3	5.3	PASS
6607.500000	4.9	0.3	5.3	PASS
6627.500000	4.9	0.3	5.3	PASS
6628.500000	4.9	0.4	5.3	PASS
6609.500000	4.8	0.4	5.3	PASS
6610.500000	4.8	0.5	5.3	PASS
6588.500000	4.8	0.5	5.3	PASS
6636.500000	4.8	0.5	5.3	PASS
6632.500000	4.8	0.5	5.3	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6665.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6604.500000	5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6604.500000	5.2	0.0	5.2	PASS
6619.500000	5.2	0.0	5.2	PASS
6612.500000	5.2	0.0	5.2	PASS
6621.500000	5.2	0.1	5.2	PASS
6610.500000	5.2	0.1	5.2	PASS
6602.500000	5.2	0.1	5.2	PASS
6607.500000	5.1	0.1	5.2	PASS
6599.500000	5.1	0.1	5.2	PASS
6678.500000	5.1	0.2	5.2	PASS
6606.500000	5.0	0.2	5.2	PASS
6601.500000	5.0	0.2	5.2	PASS
6692.500000	5.0	0.2	5.2	PASS
6611.500000	5.0	0.2	5.2	PASS
6623.500000	5.0	0.2	5.2	PASS
6609.500000	5.0	0.2	5.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6825.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6792.500000	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6798.500000	5.4	0.1	5.5	PASS
6799.500000	5.4	0.1	5.5	PASS
6791.500000	5.4	0.1	5.5	PASS
6819.500000	5.4	0.1	5.5	PASS
6795.500000	5.4	0.1	5.5	PASS
6770.500000	5.3	0.2	5.5	PASS
6794.500000	5.3	0.2	5.5	PASS
6801.500000	5.3	0.2	5.5	PASS
6851.500000	5.3	0.2	5.5	PASS
6787.500000	5.2	0.3	5.5	PASS
6773.500000	5.2	0.3	5.5	PASS
6813.500000	5.2	0.3	5.5	PASS
6796.500000	5.2	0.3	5.5	PASS
6848.500000	5.2	0.3	5.5	PASS
6788.500000	5.2	0.3	5.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6825.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6848.500000	5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6839.500000	5.4	0.0	5.4	PASS
6770.500000	5.4	0.0	5.4	PASS
6758.500000	5.3	0.1	5.4	PASS
6837.500000	5.3	0.1	5.4	PASS
6849.500000	5.2	0.2	5.4	PASS
6780.500000	5.2	0.2	5.4	PASS
6765.500000	5.2	0.2	5.4	PASS
6757.500000	5.2	0.2	5.4	PASS
6855.500000	5.2	0.2	5.4	PASS
6767.500000	5.2	0.2	5.4	PASS
6871.500000	5.2	0.2	5.4	PASS
6851.500000	5.2	0.2	5.4	PASS
6857.500000	5.2	0.2	5.4	PASS
6772.500000	5.2	0.2	5.4	PASS
6759.500000	5.2	0.2	5.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6985.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6910.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6910.500000	5.3	0.0	5.3	PASS
6913.500000	5.1	0.2	5.3	PASS
6964.500000	5.1	0.2	5.3	PASS
6931.500000	5.1	0.3	5.3	PASS
6967.500000	5.0	0.3	5.3	PASS
6935.500000	5.0	0.3	5.3	PASS
6928.500000	5.0	0.3	5.3	PASS
6920.500000	5.0	0.3	5.3	PASS
6962.500000	5.0	0.3	5.3	PASS
6908.500000	5.0	0.3	5.3	PASS
6922.500000	5.0	0.3	5.3	PASS
6972.500000	4.9	0.4	5.3	PASS
6927.500000	4.9	0.4	5.3	PASS
6918.500000	4.9	0.4	5.3	PASS
6969.500000	4.9	0.4	5.3	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6985.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6931.500000	5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6935.500000	5.3	0.1	5.3	PASS
6918.500000	5.2	0.1	5.3	PASS
6929.500000	5.2	0.1	5.3	PASS
6925.500000	5.2	0.2	5.3	PASS
6930.500000	5.1	0.2	5.3	PASS
6953.500000	5.1	0.3	5.3	PASS
6926.500000	5.1	0.3	5.3	PASS
6933.500000	5.0	0.3	5.3	PASS
6939.500000	5.0	0.3	5.3	PASS
6942.500000	5.0	0.4	5.3	PASS
6937.500000	5.0	0.4	5.3	PASS
6948.500000	4.9	0.4	5.3	PASS
6916.500000	4.9	0.4	5.3	PASS
6957.500000	4.9	0.4	5.3	PASS
6947.500000	4.9	0.4	5.3	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6105.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6111.250000	8.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6193.750000	8.4	0.0	8.4	PASS
6086.250000	8.3	0.0	8.4	PASS
6191.250000	8.3	0.0	8.4	PASS
6206.250000	8.3	0.0	8.4	PASS
6208.750000	8.3	0.0	8.4	PASS
6116.250000	8.3	0.0	8.4	PASS
6198.750000	8.3	0.1	8.4	PASS
6123.750000	8.3	0.1	8.4	PASS
6121.250000	8.3	0.1	8.4	PASS
6196.250000	8.3	0.1	8.4	PASS
6201.250000	8.3	0.1	8.4	PASS
6211.250000	8.3	0.1	8.4	PASS
6176.250000	8.3	0.1	8.4	PASS
6118.750000	8.2	0.1	8.4	PASS
6158.750000	8.2	0.1	8.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6105.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6161.250000	8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6161.250000	8.5	0.0	8.5	PASS
6173.750000	8.3	0.1	8.5	PASS
6158.750000	8.3	0.2	8.5	PASS
6168.750000	8.3	0.2	8.5	PASS
6166.250000	8.3	0.2	8.5	PASS
6176.250000	8.2	0.2	8.5	PASS
6178.750000	8.2	0.3	8.5	PASS
6126.250000	8.2	0.3	8.5	PASS
6083.750000	8.2	0.3	8.5	PASS
6163.750000	8.2	0.3	8.5	PASS
6151.250000	8.2	0.3	8.5	PASS
6098.750000	8.2	0.3	8.5	PASS
6156.250000	8.2	0.3	8.5	PASS
6128.750000	8.2	0.3	8.5	PASS
6153.750000	8.2	0.3	8.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6265.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6366.250000	8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6371.250000	8.5	0.0	8.5	PASS
6363.750000	8.4	0.1	8.5	PASS
6368.750000	8.4	0.2	8.5	PASS
6373.750000	8.3	0.2	8.5	PASS
6376.250000	8.3	0.2	8.5	PASS
6361.250000	8.3	0.2	8.5	PASS
6358.750000	8.3	0.2	8.5	PASS
6356.250000	8.3	0.3	8.5	PASS
6286.250000	8.2	0.3	8.5	PASS
6378.750000	8.2	0.3	8.5	PASS
6278.750000	8.2	0.3	8.5	PASS
6391.250000	8.2	0.4	8.5	PASS
6353.750000	8.2	0.4	8.5	PASS
6388.750000	8.1	0.4	8.5	PASS
6288.750000	8.1	0.4	8.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6265.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6173.750000	8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6173.750000	8.5	0.0	8.5	PASS
6163.750000	8.5	0.1	8.5	PASS
6168.750000	8.5	0.1	8.5	PASS
6171.250000	8.5	0.1	8.5	PASS
6161.250000	8.4	0.1	8.5	PASS
6166.250000	8.4	0.1	8.5	PASS
6176.250000	8.4	0.1	8.5	PASS
6156.250000	8.4	0.1	8.5	PASS
6121.250000	8.4	0.2	8.5	PASS
6256.250000	8.4	0.2	8.5	PASS
6128.750000	8.3	0.2	8.5	PASS
6153.750000	8.3	0.2	8.5	PASS
6158.750000	8.3	0.2	8.5	PASS
6138.750000	8.3	0.2	8.5	PASS
6191.250000	8.3	0.2	8.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6425.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6446.250000	8.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6446.250000	8.7	0.0	8.7	PASS
6456.250000	8.7	0.1	8.7	PASS
6448.750000	8.6	0.1	8.7	PASS
6443.750000	8.6	0.1	8.7	PASS
6461.250000	8.6	0.1	8.7	PASS
6438.750000	8.6	0.1	8.7	PASS
6471.250000	8.6	0.2	8.7	PASS
6458.750000	8.6	0.2	8.7	PASS
6473.750000	8.5	0.2	8.7	PASS
6451.250000	8.5	0.2	8.7	PASS
6441.250000	8.5	0.2	8.7	PASS
6453.750000	8.5	0.2	8.7	PASS
6478.750000	8.5	0.2	8.7	PASS
6378.750000	8.5	0.2	8.7	PASS
6468.750000	8.5	0.2	8.7	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6425.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6521.250000	8.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6521.250000	8.6	0.0	8.6	PASS
6446.250000	8.6	0.0	8.6	PASS
6533.750000	8.5	0.1	8.6	PASS
6453.750000	8.5	0.1	8.6	PASS
6458.750000	8.5	0.1	8.6	PASS
6528.750000	8.5	0.1	8.6	PASS
6353.750000	8.5	0.1	8.6	PASS
6443.750000	8.5	0.1	8.6	PASS
6451.250000	8.5	0.1	8.6	PASS
6438.750000	8.4	0.1	8.6	PASS
6436.250000	8.4	0.2	8.6	PASS
6351.250000	8.4	0.2	8.6	PASS
6448.750000	8.4	0.2	8.6	PASS
6441.250000	8.4	0.2	8.6	PASS
6431.250000	8.4	0.2	8.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6585.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6458.750000	9.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6458.750000	9.2	0.0	9.2	PASS
6443.750000	9.1	0.1	9.2	PASS
6456.250000	9.0	0.2	9.2	PASS
6448.750000	9.0	0.2	9.2	PASS
6481.250000	9.0	0.2	9.2	PASS
6453.750000	9.0	0.2	9.2	PASS
6461.250000	8.9	0.2	9.2	PASS
6471.250000	8.9	0.3	9.2	PASS
6473.750000	8.9	0.3	9.2	PASS
6431.250000	8.9	0.3	9.2	PASS
6438.750000	8.9	0.3	9.2	PASS
6468.750000	8.9	0.3	9.2	PASS
6433.750000	8.8	0.3	9.2	PASS
6451.250000	8.8	0.3	9.2	PASS
6486.250000	8.8	0.3	9.2	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6585.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6533.750000	9.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6528.750000	9.0	0.1	9.1	PASS
6443.750000	9.0	0.1	9.1	PASS
6538.750000	9.0	0.1	9.1	PASS
6536.250000	8.9	0.1	9.1	PASS
6526.250000	8.9	0.2	9.1	PASS
6521.250000	8.9	0.2	9.1	PASS
6451.250000	8.9	0.2	9.1	PASS
6531.250000	8.8	0.2	9.1	PASS
6523.750000	8.8	0.2	9.1	PASS
6518.750000	8.8	0.3	9.1	PASS
6436.250000	8.8	0.3	9.1	PASS
6511.250000	8.8	0.3	9.1	PASS
6553.750000	8.8	0.3	9.1	PASS
6431.250000	8.7	0.4	9.1	PASS
6433.750000	8.7	0.4	9.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6745.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6618.750000	8.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6618.750000	8.7	0.0	8.7	PASS
6621.250000	8.6	0.0	8.7	PASS
6631.250000	8.6	0.0	8.7	PASS
6616.250000	8.6	0.1	8.7	PASS
6628.750000	8.6	0.1	8.7	PASS
6633.750000	8.6	0.1	8.7	PASS
6636.250000	8.5	0.1	8.7	PASS
6611.250000	8.5	0.1	8.7	PASS
6613.750000	8.5	0.1	8.7	PASS
6638.750000	8.5	0.2	8.7	PASS
6626.250000	8.4	0.2	8.7	PASS
6608.750000	8.4	0.2	8.7	PASS
6641.250000	8.4	0.3	8.7	PASS
6606.250000	8.4	0.3	8.7	PASS
6623.750000	8.4	0.3	8.7	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6745.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6606.250000	8.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6608.750000	8.6	0.1	8.6	PASS
6611.250000	8.6	0.1	8.6	PASS
6601.250000	8.5	0.1	8.6	PASS
6613.750000	8.5	0.1	8.6	PASS
6616.250000	8.5	0.1	8.6	PASS
6603.750000	8.5	0.1	8.6	PASS
6598.750000	8.5	0.1	8.6	PASS
6618.750000	8.5	0.2	8.6	PASS
6596.250000	8.4	0.2	8.6	PASS
6593.750000	8.4	0.2	8.6	PASS
6621.250000	8.3	0.3	8.6	PASS
6591.250000	8.3	0.3	8.6	PASS
6628.750000	8.2	0.4	8.6	PASS
6631.250000	8.2	0.4	8.6	PASS
6633.750000	8.2	0.4	8.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6905.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6791.250000	8.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6791.250000	8.6	0.0	8.6	PASS
6793.750000	8.6	0.0	8.6	PASS
6776.250000	8.5	0.0	8.6	PASS
6778.750000	8.5	0.1	8.6	PASS
6796.250000	8.5	0.1	8.6	PASS
6788.750000	8.5	0.1	8.6	PASS
6781.250000	8.5	0.1	8.6	PASS
6798.750000	8.5	0.1	8.6	PASS
6803.750000	8.5	0.1	8.6	PASS
6773.750000	8.5	0.1	8.6	PASS
6808.750000	8.5	0.1	8.6	PASS
6771.250000	8.5	0.1	8.6	PASS
6801.250000	8.4	0.1	8.6	PASS
6811.250000	8.4	0.2	8.6	PASS
6816.250000	8.4	0.2	8.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6905.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6856.250000	8.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6856.250000	8.1	0.0	8.1	PASS
6858.750000	8.0	0.1	8.1	PASS
6848.750000	8.0	0.1	8.1	PASS
6853.750000	8.0	0.1	8.1	PASS
6763.750000	8.0	0.1	8.1	PASS
6761.250000	8.0	0.1	8.1	PASS
6771.250000	8.0	0.1	8.1	PASS
6766.250000	8.0	0.1	8.1	PASS
6851.250000	7.9	0.1	8.1	PASS
6768.750000	7.9	0.1	8.1	PASS
6861.250000	7.9	0.2	8.1	PASS
6843.750000	7.9	0.2	8.1	PASS
6758.750000	7.9	0.2	8.1	PASS
6846.250000	7.9	0.2	8.1	PASS
6773.750000	7.9	0.2	8.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamplifier	off	off

FCC 15.407 U-NII-5/6/7/8 Phase 1 2021

Hardware Setup: WMS Measurements\TS8997

Spectrum Analyzer:	SA FSV3044(1) (SA FSV3044) @ VISA (ADR TCPIP::192.168.48.20::inst0::instr), SN 1330.5000K43/101416, FW 1.90
OSP:	OSP-B157W8PLUS (OSP-B157W8PLUS) @ VISA (ADR TCPIP::192.168.48.157::inst0::instr), SN 1527.1144.05 / 100850, FW 2.10.0.23

Power Spectral Density (5955 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5960.346535	-2.397	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.09 dB	0.50 dB

Power Spectral Density (5955 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5960.940594	-2.206	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.06 dB	0.50 dB

Power Spectral Density (6175 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6175.000000	6180.940594	-2.332	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6175 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6175.000000	6169.851485	-2.197	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.06 dB	0.50 dB

Power Spectral Density (6415 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6421.534653	-2.271	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (6415 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6421.138614	-2.114	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (6435 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6440.742574	-2.685	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6435 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6440.544554	-2.572	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (6475 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6468.267327	-2.795	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.15 dB	0.50 dB

Power Spectral Density (6475 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6470.841584	-2.600	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.18 dB	0.50 dB

Power Spectral Density (6515 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6507.673267	-3.115	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.16 dB	0.50 dB

Power Spectral Density (6515 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6521.732673	-2.817	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.16 dB	0.50 dB

Power Spectral Density (6535 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6540.940594	-2.960	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.12 dB	0.50 dB

Power Spectral Density (6535 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6540.544554	-2.608	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.17 dB	0.50 dB

Power Spectral Density (6695 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6702.326733	-3.018	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.68500 GHz	6.68500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.13 dB	0.50 dB

Power Spectral Density (6695 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6690.247525	-2.453	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.68500 GHz	6.68500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.16 dB	0.50 dB

Power Spectral Density (6855 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6855.000000	6850.247525	-3.272	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.14 dB	0.50 dB

Power Spectral Density (6855 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6855.000000	6850.247525	-2.745	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.20 dB	0.50 dB

Power Spectral Density (6875 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6867.871287	-2.183	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6875 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6870.445545	-1.763	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.06 dB	0.50 dB

Power Spectral Density (6895 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6895.000000	6887.871287	-2.030	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (6895 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6895.000000	6890.049505	-2.337	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (6995 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6995.000000	6987.871287	-2.248	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.00500 GHz	7.00500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (6995 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6995.000000	6989.257426	-2.312	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.00500 GHz	7.00500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.06 dB	0.50 dB

Power Spectral Density (7095 MHz; 11a20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7095.000000	7101.336634	-2.427	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.08500 GHz	7.08500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.07 dB	0.50 dB

Power Spectral Density (7095 MHz; 11a20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7095.000000	7101.336634	-2.106	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.08500 GHz	7.08500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.08 dB	0.50 dB

Power Spectral Density (5955 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5947.079208	-2.254	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (5955 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5955.000000	5962.920792	-1.945	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.96500 GHz	5.96500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6175 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6175.000000	6183.514851	-2.192	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6175 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6175.000000	6167.871287	-2.052	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.16500 GHz	6.16500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6415 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6423.514851	-2.263	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6415 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6415.000000	6423.316832	-2.102	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.40500 GHz	6.40500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6435 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6443.514851	-2.917	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6435 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6435.000000	6427.277228	-2.806	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.44500 GHz	6.44500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6475 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6467.673267	-2.876	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6475 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6475.000000	6466.881188	-2.987	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6515 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6523.316832	-2.805	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6515 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6515.000000	6523.118812	-2.661	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6535 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6543.514851	-2.741	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6535 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6527.079208	-2.654	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6695 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6702.722772	-3.200	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.68500 GHz	6.68500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6695 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6687.079208	-2.749	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.68500 GHz	6.68500 GHz
Stop Frequency	6.70500 GHz	6.70500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6855 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6855.000000	6846.683168	-3.060	---	PASS

Ports

Port	State
1	used
2	not used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6855 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6855.000000	6846.881188	-2.697	---	PASS

Ports

Port	State
1	not used
2	used
3	not used
4	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6875 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6866.485149	-2.601	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6875 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6867.277228	-2.182	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	6.88500 GHz	6.88500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6895 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6895.000000	6887.871287	-1.991	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6895 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6895.000000	6887.079208	-2.211	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.88500 GHz	6.88500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6995 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6995.000000	6987.277228	-1.985	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.00500 GHz	7.00500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6995 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6995.000000	6986.881188	-1.973	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.00500 GHz	7.00500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (7095 MHz; 11be20 (20 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7095.000000	7103.316832	-2.323	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.08500 GHz	7.08500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (7095 MHz; 11be20 (20 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
7095.000000	7103.316832	-2.000	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	7.08500 GHz	7.08500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (5965 MHz; 11be40 (40 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5965.000000	5982.029703	-2.312	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.98500 GHz	5.98500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	≤ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (5965 MHz; 11be40 (40 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5965.000000	5982.821782	-1.911	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	5.98500 GHz	5.98500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6165 MHz; 11be40 (40 MHz)) - Ant0


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6165.000000	6180.841584	-2.098	---	PASS

Ports

Port	State
1	used
2	not used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB

Power Spectral Density (6165 MHz; 11be40 (40 MHz)) - Ant1


Customized settings.

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6165.000000	6171.336634	-2.168	---	PASS

Ports

Port	State
1	not used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.14500 GHz	6.14500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.00 dB	0.50 dB