

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5255	1	56.4	11	1990.0	3	1
	5254	2	81.5	8	1442.6	1	
	5255	3	58.7	10	1367.1	3	
	5253	4	59.8	6	1749.4	3	
	5255	5	83.2	9	1207.7	3	
	5257	6	73.4	14	1094.2	3	
	5258	7	92.7	18	1438.7	3	
	5258	8	90.8	18	1857.0	3	
	5255	9	67.8	9	1585.5	2	
	5257	10	82.0	15	1431.1	3	
	5254	11	86.6	8	1971.3	1	
	5259	12	56.2	19	1741.2	2	
	5254	13	85.1	8	1065.2	1	
	5256	14	84.6	13	1031.3	3	
	5256	15	82.6	12	1475.3	1	
	5259	16	81.1	19	1695.5	3	
	5256	17	89.7	13	1314.6	1	
8	5257	1	69.2	14	1816.9	1	1
	5253	2	65.5	5	1729.3	3	
	5259	3	99.1	19	1446.7	3	
	5259	4	98.9	19	1994.4	3	
	5253	5	80.0	5	1967.1	2	
	5256	6	78.5	13	1769.2	3	
	5258	7	78.1	17	1261.1	2	
	5254	8	57.2	7	1217.9	1	
	5258	9	91.7	17	1104.8	2	
	5255	10	71.6	9	1431.1	3	
	5257	11	75.7	14	1715.7	1	
	5258	12	66.1	17	1929.4	2	
	5257	13	79.7	14	1444.0	2	
	5258	14	57.6	17	1778.9	1	
	5257	15	74.3	14	1061.2	2	
	5256	16	56.0	13	1803.4	1	
	5256	17	82.3	13	1067.7	3	
	5257	18	59.5	16	1896.6	3	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5253	1	66.9	6	1785.7	1	1
	5255	2	54.2	11	1744.2	1	
	5259	3	51.3	19	1841.7	2	
	5257	4	65.8	14	1007.9	3	
	5254	5	86.9	7	1246.8	1	
	5258	6	61.1	18	1865.1	3	
	5253	7	59.7	6	1450.8	2	
	5257	8	52.8	15	1276.3	3	
	5257	9	59.0	14	1820.0	3	
	5255	10	96.0	11	1105.5	3	
	5255	11	66.8	9	1820.6	1	
	5253	12	92.0	5	1592.8	2	
	5254	13	71.9	7	1543.8	3	
	5258	14	93.0	18	1305.6	1	
	5255	15	98.4	10	1473.7	1	
	5253	16	59.0	5	1911.2	2	
	5258	17	63.7	17	1086.8	1	
	5255	18	86.5	11	1449.2	3	
	5255	19	84.1	9	1669.3	3	
10	5255	1	53.8	9	1788.0	2	1
	5256	2	67.5	12	1629.2	2	
	5255	3	76.5	10	1005.8	3	
	5258	4	64.5	17	1393.0	3	
	5256	5	87.9	13	1979.1	3	
	5257	6	77.7	16	1640.1	2	
	5257	7	66.3	15	1190.6	2	
	5258	8	77.3	17	1266.5	1	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5290	1	98.3	10	1066.2	2	1
	5290	2	66.5	12	1957.0	2	
	5290	3	72.2	15	1143.8	3	
	5290	4	64.9	17	1151.1	3	
	5290	5	56.9	8	1304.0	2	
	5290	6	57.4	7	1208.7	2	
	5290	7	89.2	9	1674.2	3	
	5290	8	85.8	10	1661.3	3	
	5290	9	65.3	11	1102.9	3	
	5290	10	74.4	14	1052.9	3	
	5290	11	58.4	7	1807.6	1	
	5290	12	52.2	17	1157.3	1	
	5290	13	50.3	13	1785.1	1	
	5290	14	71.1	8	1134.1	2	
	5290	15	97.2	7	1571.8	3	
	5290	16	53.9	11	1465.2	3	
12	5290	1	78.5	19	1380.6	3	1
	5290	2	97.4	20	1040.2	2	
	5290	3	78.8	19	1163.0	1	
	5290	4	78.6	10	1507.1	1	
	5290	5	64.5	17	1653.8	3	
	5290	6	63.3	17	1830.5	2	
	5290	7	81.9	10	1361.7	2	
	5290	8	92.3	8	1513.7	3	
	5290	9	88.4	12	1220.0	3	
	5290	10	64.5	19	1532.0	1	
	5290	11	56.4	10	1262.7	2	
	5290	12	91.9	15	1343.1	2	
	5290	13	52.0	7	1514.1	1	
	5290	14	95.4	6	1672.0	2	
	5290	15	53.4	6	1138.5	1	
	5290	16	87.3	9	1568.1	2	
	5290	17	71.0	18	1936.5	2	
	5290	18	61.2	6	1244.2	1	
	5290	19	51.4	16	1456.8	2	
	5290	20	91.7	9	1065.2	3	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5290	1	85.2	9	1633.7	2	1
	5290	2	82.3	16	1472.6	1	
	5290	3	77.4	13	1016.8	2	
	5290	4	89.7	9	1427.1	1	
	5290	5	63.3	16	1621.3	2	
	5290	6	92.6	18	1823.1	2	
	5290	7	58.6	20	1660.0	2	
	5290	8	62.2	19	1050.2	2	
	5290	9	70.5	16	1778.3	3	
	5290	10	71.7	8	1751.3	2	
14	5290	1	58.6	11	1474.6	1	1
	5290	2	95.2	14	1263.1	3	
	5290	3	76.8	13	1098.1	3	
	5290	4	73.6	10	1934.8	1	
	5290	5	57.4	17	1220.1	3	
	5290	6	56.4	18	1922.6	3	
	5290	7	57.1	17	1034.4	1	
	5290	8	65.1	6	1794.0	3	
	5290	9	65.5	9	1788.3	3	
	5290	10	57.9	14	1614.8	3	
	5290	11	91.5	12	1487.2	2	
	5290	12	52.7	18	1007.9	2	
	5290	13	98.6	7	1468.8	3	
	5290	14	56.7	19	1097.7	2	
	5290	15	52.1	9	1776.2	3	
	5290	16	92.5	13	1384.8	1	
	5290	17	74.9	8	1967.6	1	
	5290	18	71.8	6	1581.2	3	
	5290	19	94.4	6	1264.5	3	
	5290	20	73.3	18	1474.6	2	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5290	1	85.3	10	1159.9	2	1
	5290	2	76.3	17	1866.7	2	
	5290	3	95.9	10	1520.9	1	
	5290	4	57.4	9	1600.1	3	
	5290	5	78.3	9	1877.1	3	
	5290	6	71.7	5	1091.4	3	
	5290	7	67.5	15	1555.7	1	
	5290	8	97.7	8	1826.0	3	
	5290	9	94.3	12	1533.7	3	
	5290	10	64.0	8	1120.9	3	
	5290	11	98.4	15	1921.4	3	
	5290	12	66.1	18	1674.7	3	
	5290	13	81.9	8	1510.5	1	
	5290	14	78.0	5	1904.3	3	
	5290	15	83.2	8	1659.0	2	
	5290	16	79.9	7	1062.4	3	
	5290	17	50.8	10	1922.8	3	
	5290	18	67.8	14	1386.4	1	
	5290	19	51.0	9	1580.4	1	
16	5290	1	98.8	5	1872.5	2	1
	5290	2	67.2	19	1120.3	2	
	5290	3	75.1	7	1395.8	1	
	5290	4	98.0	8	1268.2	2	
	5290	5	67.0	14	1001.0	1	
	5290	6	72.9	15	1961.2	3	
	5290	7	95.1	7	1002.4	3	
	5290	8	76.4	18	1864.4	3	
	5290	9	63.5	11	1237.9	2	
	5290	10	66.3	10	1523.6	3	
	5290	11	97.5	17	1915.0	1	
	5290	12	99.4	12	1125.1	2	
	5290	13	100.0	14	1301.2	2	
	5290	14	66.7	6	1430.1	1	
	5290	15	60.3	10	1237.0	2	
	5290	16	64.1	7	1473.7	3	
	5290	17	54.1	18	1513.2	3	
	5290	18	70.8	9	1829.2	3	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5290	1	91.9	11	1134.1	2	1
	5290	2	66.1	11	1190.9	3	
	5290	3	74.6	10	1626.9	1	
	5290	4	83.2	6	1698.5	2	
	5290	5	68.0	14	1439.0	1	
	5290	6	51.1	14	1631.6	2	
	5290	7	91.5	10	1458.2	2	
	5290	8	99.1	15	1774.4	1	
	5290	9	92.2	11	1801.0	2	
	5290	10	68.0	11	1521.2	2	
	5290	11	68.5	7	1981.4	1	
	5290	12	71.8	18	1866.7	1	
	5290	13	61.3	16	1168.9	3	
	5290	14	94.1	19	1767.6	2	
	5290	15	83.3	6	1157.4	1	
	5290	16	82.6	19	1667.8	3	
	5290	17	64.9	15	1113.3	3	
18	5290	1	60.0	7	1521.4	2	1
	5290	2	87.6	12	1362.3	1	
	5290	3	67.2	8	1052.7	1	
	5290	4	96.4	8	1640.8	3	
	5290	5	72.5	10	1572.2	3	
	5290	6	73.2	7	1106.0	3	
	5290	7	98.3	5	1093.2	1	
	5290	8	62.6	14	1178.5	2	
	5290	9	67.1	9	1901.6	1	
	5290	10	96.4	13	1094.7	3	
	5290	11	68.0	14	1423.8	1	
	5290	12	61.6	20	1187.6	1	
	5290	13	70.2	15	1676.1	3	
	5290	14	87.3	7	1791.7	1	
	5290	15	63.0	16	1832.6	1	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5290	1	55.4	20	1315.0	1	1
	5290	2	80.2	20	1151.0	3	
	5290	3	72.5	18	1198.1	2	
	5290	4	54.2	7	1318.8	3	
	5290	5	70.8	17	1783.5	2	
	5290	6	84.8	15	1076.2	3	
	5290	7	85.9	14	1298.2	3	
	5290	8	50.6	19	1805.3	2	
	5290	9	60.9	12	1846.5	3	
	5290	10	62.0	9	1295.6	1	
	5290	11	69.2	11	1412.2	2	
	5290	12	82.5	17	1870.4	2	
	5290	13	61.0	7	1601.3	1	
	5290	14	75.0	11	1531.5	2	
20	5290	1	86.1	7	1372.1	3	1
	5290	2	89.3	12	1144.1	1	
	5290	3	88.0	17	1190.2	3	
	5290	4	74.5	14	1420.6	2	
	5290	5	98.8	13	1916.0	3	
	5290	6	82.5	11	1255.7	1	
	5290	7	79.8	16	1970.5	3	
	5290	8	83.0	14	1143.3	1	
	5290	9	67.5	10	1930.3	1	
	5290	10	75.7	13	1666.6	2	
21	5324	1	90.0	13	1575.2	3	1
	5323	2	92.4	14	1457.1	2	
	5325	3	79.2	11	1806.7	3	
	5325	4	50.6	10	1399.9	2	
	5325	5	92.6	11	1580.0	1	
	5327	6	55.0	6	1922.3	2	
	5326	7	53.1	7	1731.2	1	
	5323	8	88.8	16	1450.2	3	
	5324	9	78.2	13	1596.3	3	
	5324	10	74.1	12	1456.9	2	
	5325	11	51.8	9	1978.5	1	
	5323	12	93.9	16	1506.5	2	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5323	1	54.7	15	1634.2	3	0
	5323	2	50.1	15	1063.8	3	
	5322	3	85.4	17	1525.6	3	
	5327	4	86.8	5	1013.8	1	
	5321	5	96.1	19	1240.5	2	
	5324	6	94.1	13	1578.1	1	
	5323	7	50.7	14	1125.4	1	
	5325	8	88.3	11	1441.9	3	
	5323	9	56.7	15	1039.4	1	
23	5325	1	66.7	9	1057.3	1	1
	5326	2	55.0	7	1951.4	3	
	5324	3	64.4	12	1131.1	3	
	5322	4	63.0	18	1243.8	3	
	5321	5	96.6	19	1454.3	2	
	5327	6	84.4	6	1644.0	3	
	5323	7	61.5	15	1296.6	1	
	5326	8	51.6	7	1251.8	2	
	5325	9	74.7	9	1023.1	3	
	5325	10	55.6	11	1560.1	3	
	5324	11	70.5	12	1921.7	2	
	5325	12	88.5	9	1114.3	3	
	5323	13	87.4	14	1215.3	3	
	5325	14	51.7	9	1088.1	2	
	5326	15	68.6	8	1854.6	3	
24	5325	1	87.8	9	1900.2	1	0
	5326	2	62.6	7	1216.3	1	
	5324	3	50.9	13	1197.7	3	
	5321	4	89.5	20	1855.7	3	
	5322	5	97.1	17	1373.3	2	
	5323	6	85.5	16	1804.3	3	
	5326	7	84.6	7	1254.4	1	
	5327	8	87.8	5	1643.0	2	
	5325	9	94.4	10	1278.8	1	
	5324	10	50.6	13	1562.2	1	
	5324	11	97.7	12	1532.3	2	
	5323	12	60.2	15	1856.0	3	
	5323	13	54.2	16	1107.6	1	
	5322	14	50.4	17	1517.8	2	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5324	1	62.4	12	1734.7	2	1
	5327	2	95.1	6	1804.2	3	
	5322	3	91.6	17	1286.9	2	
	5322	4	72.3	18	1174.3	3	
	5324	5	76.9	13	1485.4	1	
	5324	6	55.9	12	1171.6	2	
	5325	7	53.1	9	1126.7	3	
	5323	8	77.5	14	1499.8	2	
	5326	9	91.0	7	1390.3	2	
	5323	10	77.8	16	1207.7	2	
	5323	11	98.0	14	1233.6	1	
	5325	12	95.5	10	1185.9	2	
	5325	13	56.7	10	1494.6	3	
	5322	14	77.7	18	1765.4	2	
	5326	15	61.1	7	1922.2	1	
	5321	16	72.1	20	1965.5	1	
	5327	17	92.8	6	1307.8	2	
	5321	18	60.9	19	1363.2	2	
26	5321	1	87.7	19	1753.1	1	1
	5323	2	86.7	14	1385.6	1	
	5323	3	95.0	16	1506.9	1	
	5327	4	64.0	6	1820.5	1	
	5321	5	51.8	19	1907.0	1	
	5326	6	91.9	8	1898.8	3	
	5324	7	98.8	13	1987.0	1	
	5323	8	96.4	16	1093.8	2	
	5323	9	79.4	15	1973.2	1	
	5325	10	87.1	10	1342.8	1	
	5325	11	64.3	10	1298.0	2	
	5323	12	61.6	15	1773.9	3	
	5325	13	87.6	9	1100.5	1	
	5326	14	61.4	8	1345.4	3	
	5322	15	86.7	17	1870.9	1	
	5327	16	77.3	6	1252.7	2	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5324	1	71.2	13	1751.3	2	1
	5322	2	95.4	17	1584.2	1	
	5323	3	65.9	14	1065.8	3	
	5327	4	73.1	6	1529.0	1	
	5323	5	56.8	14	1985.8	1	
	5321	6	56.9	19	1567.7	2	
	5322	7	62.0	18	1616.5	1	
	5327	8	65.3	5	1757.1	3	
	5322	9	77.5	17	1689.7	1	
	5322	10	94.4	17	1503.3	3	
	5324	11	56.0	13	1629.6	3	
	5325	12	58.4	11	1140.2	2	
	5322	13	96.3	18	1924.9	1	
	5327	14	96.4	6	1605.0	1	
	5327	15	91.7	5	1929.3	2	
	5325	16	85.3	11	1679.1	2	
	5321	17	88.9	19	1940.7	1	
	5326	18	59.7	7	1072.4	1	
	5322	19	82.3	18	1071.4	2	
	5324	20	81.9	12	1611.2	3	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5326	1	97.7	7	1285.2	3	1
	5322	2	73.1	18	1660.1	2	
	5327	3	58.5	6	1031.2	1	
	5324	4	93.5	13	1432.5	3	
	5324	5	74.3	13	1071.4	2	
	5327	6	96.7	6	1228.7	1	
	5325	7	69.1	10	1438.6	3	
	5326	8	84.5	7	1100.3	3	
	5323	9	96.3	15	1701.6	3	
	5325	10	63.4	11	1951.3	3	
	5324	11	96.2	12	1773.7	1	
	5322	12	78.8	17	1201.1	1	
	5323	13	98.7	16	1104.0	2	
	5327	14	72.1	6	1160.5	1	
	5323	15	62.8	15	1123.2	1	
	5321	16	85.7	19	1981.0	2	
	5324	17	83.3	13	1968.7	3	
	5325	18	57.8	9	1753.4	3	
	5322	19	75.4	17	1420.6	2	
	5326	20	61.8	8	1207.7	1	

Test Mode		802.11be EHT160					
Frequency		5250 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5321	1	82.6	19	1310.4	1	0
	5324	2	66.2	12	1740.7	1	
	5326	3	84.5	8	1189.2	3	
	5323	4	56.3	14	1831.0	3	
	5324	5	70.3	12	1428.2	1	
	5323	6	60.5	14	1697.5	1	
	5325	7	52.2	9	1117.3	3	
	5325	8	61.1	10	1983.4	2	
	5324	9	61.2	12	1449.6	3	
	5325	10	74.3	11	1977.1	2	
	5324	11	78.9	13	1969.2	3	
	5322	12	83.7	17	1685.6	2	
	5323	13	76.8	15	1697.6	3	
	5325	14	55.7	11	1944.1	1	
	5325	15	87.9	11	1872.5	1	
	5322	16	68.7	17	1089.3	3	
	5323	17	87.1	16	1000.3	3	
30	5321	1	83.4	19	1365.5	2	1
	5324	2	73.0	12	1717.6	2	
	5322	3	58.0	17	1365.9	3	
	5326	4	99.4	8	1842.5	1	
	5323	5	58.5	16	1420.6	2	
	5325	6	72.2	11	1050.7	3	
	5326	7	64.5	8	1146.0	2	
	5323	8	98.7	15	1031.1	1	
	5323	9	85.4	16	1150.7	1	
	5327	10	58.7	6	1745.4	1	
	5322	11	69.8	18	1394.3	2	
	5326	12	51.1	8	1045.8	3	
	5323	13	95.9	16	1088.2	3	
	5325	14	57.6	10	1752.9	2	
Detection Percentage (%)							90.00

Test Mode		802.11be EHT160				
Frequency		5250 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						100.00

Test Mode		802.11be EHT240				
Frequency		5610 MHz				
Radar Signal		Type 1				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5610	1	818	65	1222	1
2	5610	1	658	81	1520	1
3	5610	1	3066	18	326	1
4	5610	1	538	99	1859	0
5	5610	1	598	89	1672	1
6	5610	1	938	57	1066	1
7	5610	1	838	63	1193	1
8	5610	1	718	74	1393	1
9	5610	1	518	102	1931	0
10	5610	1	538	99	1859	0
11	5610	1	758	70	1319	0
12	5610	1	618	86	1618	1
13	5610	1	858	62	1166	1
14	5610	1	538	99	1859	1
15	5610	1	678	78	1475	1
16	5610	1	2342	23	427	1
17	5610	1	1593	34	628	1
18	5610	1	2656	20	377	0
19	5610	1	1518	35	659	0
20	5610	1	2788	19	359	1
21	5610	1	2713	20	369	1
22	5610	1	2977	18	336	1
23	5610	1	2170	25	461	1
24	5610	1	1105	48	905	1
25	5610	1	1851	29	540	1
26	5610	1	1750	31	571	1
27	5610	1	986	54	1014	0
28	5610	1	2307	23	433	1
29	5610	1	1201	44	833	1
30	5610	1	729	73	1372	1
Detection Percentage (%)						76.67

Test Mode		802.11be EHT240				
Frequency		5610 MHz				
Radar Signal		Type 2				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5610	1.00	207.90	27	4810	1
2	5610	1.50	226.20	27	4421	1
3	5610	3.60	171.80	24	5821	0
4	5610	3.00	223.30	25	4478	1
5	5610	3.60	157.40	24	6353	1
6	5610	1.70	210.30	27	4755	1
7	5610	2.80	163.80	27	6105	1
8	5610	4.50	173.60	24	5760	1
9	5610	2.10	189.60	29	5274	1
10	5610	4.90	159.00	28	6289	1
11	5610	2.40	189.40	25	5280	1
12	5610	2.10	193.00	24	5181	1
13	5610	1.20	166.60	27	6002	1
14	5610	1.30	227.30	26	4399	1
15	5610	4.90	212.00	25	4717	1
16	5610	4.40	157.50	25	6349	1
17	5610	3.70	224.20	27	4460	1
18	5610	2.50	174.60	29	5727	1
19	5610	1.30	208.70	27	4792	1
20	5610	4.10	173.30	26	5770	1
21	5610	2.30	173.70	24	5757	1
22	5610	1.00	165.00	26	6061	1
23	5610	4.60	216.80	29	4613	1
24	5610	2.10	220.40	28	4537	1
25	5610	1.70	163.80	26	6105	1
26	5610	4.30	184.00	25	5435	1
27	5610	1.90	207.80	23	4812	1
28	5610	4.40	152.20	25	6570	0
29	5610	2.90	186.10	24	5373	1
30	5610	2.10	207.80	23	4812	1
Detection Percentage (%)						93.33

Test Mode		802.11be EHT240				
Frequency		5610 MHz				
Radar Signal		Type 3				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5610	9.50	455.30	16	2196.35	1
2	5610	8.10	402.80	16	2482.62	1
3	5610	7.20	219.40	16	4557.89	1
4	5610	6.60	351.90	17	2841.72	1
5	5610	6.20	486.10	16	2057.19	1
6	5610	9.40	312.20	18	3203.07	1
7	5610	10.00	247.90	17	4033.88	1
8	5610	7.80	348.40	18	2870.26	1
9	5610	8.70	241.90	17	4133.94	1
10	5610	6.80	369.10	16	2709.29	1
11	5610	8.50	492.50	17	2030.46	1
12	5610	9.40	222.20	18	4500.45	1
13	5610	7.10	218.10	17	4585.05	1
14	5610	7.80	227.80	16	4389.82	0
15	5610	6.80	465.10	18	2150.08	1
16	5610	7.10	207.10	18	4828.59	0
17	5610	7.30	239.70	18	4171.88	1
18	5610	8.60	493.00	18	2028.40	1
19	5610	6.20	220.80	16	4528.99	1
20	5610	6.70	372.30	18	2686.01	1
21	5610	8.10	457.90	18	2183.88	1
22	5610	8.90	234.20	17	4269.85	1
23	5610	7.90	344.50	18	2902.76	1
24	5610	7.40	354.60	17	2820.08	1
25	5610	6.30	434.60	18	2300.97	1
26	5610	6.30	300.90	16	3323.36	1
27	5610	9.80	397.50	18	2515.72	0
28	5610	7.00	243.70	18	4103.41	0
29	5610	7.90	256.80	17	3894.08	1
30	5610	9.20	317.40	18	3150.60	0
Detection Percentage (%)						83.33

Test Mode		802.11be EHT240				
Frequency		5610 MHz				
Radar Signal		Type 4				
Trial #	Test Frequency (MHz)	Pulse Width (us)	PRI (us)	Number of Pluse	PRF (Hz)	1=Detection ; 0=No Detection
1	5610	13.10	480.40	15	2082	1
2	5610	11.90	221.20	12	4521	1
3	5610	18.90	325.10	15	3076	1
4	5610	20.00	348.00	13	2874	1
5	5610	12.10	401.50	15	2491	1
6	5610	15.40	377.80	15	2647	0
7	5610	18.40	481.40	15	2077	1
8	5610	12.20	401.30	12	2492	1
9	5610	12.90	241.20	12	4146	1
10	5610	15.90	311.70	14	3208	0
11	5610	11.60	354.00	14	2825	1
12	5610	19.90	240.40	16	4160	1
13	5610	14.60	346.40	14	2887	0
14	5610	13.90	245.30	16	4077	1
15	5610	11.30	355.60	16	2812	1
16	5610	19.50	457.00	16	2188	1
17	5610	13.50	464.10	14	2155	1
18	5610	17.10	204.20	14	4897	0
19	5610	19.90	312.50	12	3200	0
20	5610	17.90	431.80	14	2316	1
21	5610	12.70	334.60	16	2989	1
22	5610	14.20	242.50	14	4124	0
23	5610	16.30	457.10	15	2188	1
24	5610	18.70	379.70	13	2634	0
25	5610	19.40	215.60	15	4638	1
26	5610	11.50	456.80	15	2189	1
27	5610	13.90	226.30	15	4419	1
28	5610	18.90	303.30	14	3297	1
29	5610	13.60	286.70	13	3488	1
30	5610	16.50	262.40	16	3811	1
Detection Percentage (%)						76.67

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
1	5496.5	1	76.2	11	1827.3	3	1
	5495.5	2	86.5	8	1751.9	3	
	5499.5	3	84.0	18	1627.9	1	
	5498.5	4	74.5	16	1635.0	1	
	5499.5	5	59.0	17	1210.3	1	
	5495.5	6	94.5	7	1500.3	2	
	5498.5	7	63.0	16	1025.0	2	
	5496.5	8	70.4	11	1672.1	3	
	5496.5	9	63.6	10	1083.7	3	
	5498.5	10	80.1	16	1824.2	2	
	5499.5	11	99.2	18	1014.5	3	
2	5497.5	1	76.3	12	1831.9	2	1
	5494.5	2	71.6	5	1544.2	3	
	5500.5	3	85.4	19	1033.4	1	
	5496.5	4	67.0	9	1697.0	3	
	5499.5	5	69.1	18	1610.3	3	
	5497.5	6	90.5	12	1641.0	2	
	5494.5	7	79.8	6	1564.9	1	
	5496.5	8	68.5	9	1729.7	1	
	5495.5	9	89.6	7	1312.2	3	
	5500.5	10	92.4	19	1835.4	2	
	5495.5	11	68.0	7	1063.1	3	
	5495.5	12	51.2	8	1870.6	1	
3	5497.5	1	80.6	12	1923.3	1	1
	5496.5	2	55.8	9	1980.5	1	
	5498.5	3	53.4	15	1820.5	2	
	5496.5	4	73.1	10	1168.5	1	
	5496.5	5	96.7	11	1404.3	3	
	5499.5	6	81.4	17	1002.9	3	
	5499.5	7	75.7	17	1074.2	3	
	5497.5	8	68.1	12	1771.3	2	
	5496.5	9	83.8	11	1996.4	2	
	5496.5	10	90.1	11	1019.6	2	
	5494.5	11	76.7	5	1931.4	3	
	5496.5	12	60.1	11	1010.6	3	
	5498.5	13	84.9	16	1204.8	3	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
4	5499.5	1	76.7	17	1455.9	1	1
	5496.5	2	84.3	10	1758.2	3	
	5495.5	3	61.4	7	1314.3	2	
	5497.5	4	66.2	13	1217.7	3	
	5499.5	5	55.5	17	1763.6	3	
	5496.5	6	93.1	11	1899.0	3	
	5498.5	7	50.3	16	1048.4	2	
	5498.5	8	67.3	16	1144.6	2	
	5494.5	9	61.5	6	1628.0	3	
5	5497.5	1	64.6	12	1111.8	2	1
	5500.5	2	51.7	20	1660.7	3	
	5495.5	3	60.9	8	1329.3	1	
	5500.5	4	97.5	19	1735.7	3	
	5500.5	5	64.5	19	1162.5	1	
	5500.5	6	96.7	19	1502.9	3	
	5496.5	7	69.5	9	1259.4	3	
	5497.5	8	59.2	12	1736.3	3	
	5498.5	9	78.2	14	1805.5	3	
	5496.5	10	74.3	10	1455.5	2	
	5499.5	11	67.1	18	1940.2	2	
	5495.5	12	66.1	7	1136.8	2	
	5499.5	13	57.1	17	1120.7	1	
	5497.5	14	69.5	13	1999.3	2	
	5500.5	15	57.4	19	1149.7	3	
6	5498.5	1	60.0	14	1953.0	1	1
	5494.5	2	69.6	6	1813.6	1	
	5498.5	3	55.8	14	1809.8	2	
	5499.5	4	97.8	17	1887.9	3	
	5499.5	5	57.6	17	1919.9	1	
	5496.5	6	68.6	9	1955.1	2	
	5500.5	7	92.9	19	1585.8	2	
	5499.5	8	71.8	17	1087.0	1	
	5494.5	9	98.7	5	1326.8	2	
	5500.5	10	95.5	20	1321.6	2	
	5496.5	11	58.8	9	1270.0	3	
	5500.5	12	72.1	19	1894.1	1	
	5496.5	13	89.0	10	1096.4	2	
	5494.5	14	66.8	5	1688.9	3	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
7	5496.5	1	77.7	10	1361.1	3	1
	5498.5	2	63.4	15	1953.4	3	
	5498.5	3	84.8	15	1496.4	2	
	5495.5	4	87.2	8	1101.2	1	
	5498.5	5	69.6	16	1666.0	1	
	5496.5	6	75.3	10	1543.2	2	
	5494.5	7	55.5	6	1677.4	3	
	5500.5	8	97.9	19	1368.7	1	
	5495.5	9	75.3	8	1398.4	3	
	5500.5	10	80.7	19	1600.5	3	
	5500.5	11	71.0	19	1448.4	1	
	5496.5	12	60.4	11	1083.6	1	
	5496.5	13	82.4	10	1745.7	2	
	5497.5	14	61.3	13	1267.1	2	
	5500.5	15	69.5	19	1068.7	1	
	5496.5	16	66.5	9	1558.8	1	
	5495.5	17	73.6	7	1569.7	3	
8	5499.5	1	96.9	17	1299.5	2	1
	5497.5	2	97.8	13	1491.4	2	
	5499.5	3	88.8	17	1514.4	2	
	5494.5	4	91.5	6	1775.3	3	
	5496.5	5	52.5	10	1298.6	2	
	5495.5	6	59.4	8	1860.7	3	
	5498.5	7	93.6	15	1637.5	1	
	5500.5	8	92.2	19	1054.4	1	
	5496.5	9	80.9	9	1458.0	2	
	5499.5	10	93.7	18	1612.5	3	
	5499.5	11	78.5	18	1759.5	3	
	5499.5	12	81.2	17	1863.8	3	
	5497.5	13	88.6	13	1960.1	2	
	5500.5	14	86.0	19	1222.6	3	
	5494.5	15	81.1	5	1792.6	1	
	5500.5	16	80.6	19	1525.8	1	
	5499.5	17	82.2	18	1804.6	3	
	5498.5	18	63.6	15	1013.7	3	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
9	5494.5	1	90.9	5	1571.8	1	1
	5497.5	2	70.5	12	1767.2	1	
	5494.5	3	88.1	6	1503.7	2	
	5498.5	4	96.9	16	1668.6	2	
	5495.5	5	64.5	8	1317.6	3	
	5496.5	6	65.7	10	1841.8	2	
	5498.5	7	78.0	16	1124.0	2	
	5496.5	8	91.0	9	1856.0	2	
	5497.5	9	86.1	12	1771.4	3	
	5495.5	10	55.3	8	1867.3	2	
	5499.5	11	53.5	17	1722.2	1	
	5495.5	12	54.6	7	1412.9	3	
	5496.5	13	95.9	11	1871.1	1	
	5496.5	14	70.3	9	1702.1	1	
	5497.5	15	62.0	13	1041.8	2	
	5496.5	16	84.1	10	1656.2	1	
	5499.5	17	52.9	18	1353.9	3	
	5497.5	18	93.6	13	1277.7	2	
	5497.5	19	58.2	12	1075.4	2	
10	5495.5	1	97.9	8	1793.9	3	1
	5497.5	2	57.7	12	1299.8	3	
	5497.5	3	92.6	13	1319.3	2	
	5497.5	4	61.3	13	1993.3	2	
	5498.5	5	84.9	16	1911.4	1	
	5496.5	6	93.8	10	1536.9	3	
	5498.5	7	90.5	15	1063.2	1	
	5494.5	8	58.0	6	1944.0	3	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
11	5610	1	51.4	14	1502.3	3	1
	5610	2	61.5	12	1980.4	2	
	5610	3	56.9	15	1368.3	2	
	5610	4	74.2	8	1041.1	2	
	5610	5	84.8	18	1286.8	1	
	5610	6	66.7	8	1810.5	1	
	5610	7	98.1	9	1667.7	1	
	5610	8	77.9	20	1419.2	1	
	5610	9	76.5	9	1353.6	3	
	5610	10	56.6	18	1251.5	3	
	5610	11	97.4	20	1029.3	3	
	5610	12	87.3	11	1625.1	1	
	5610	13	75.0	10	1703.6	2	
	5610	14	63.3	9	1593.4	3	
	5610	15	99.5	20	1446.7	2	
	5610	16	89.5	20	1371.6	1	
12	5610	1	85.3	10	1086.8	1	1
	5610	2	84.2	19	1633.3	3	
	5610	3	56.5	9	1093.7	2	
	5610	4	68.7	13	1036.4	3	
	5610	5	94.7	16	1367.7	1	
	5610	6	97.4	17	1359.1	1	
	5610	7	58.2	19	1897.4	2	
	5610	8	86.6	7	1447.4	2	
	5610	9	84.0	11	1183.9	2	
	5610	10	67.9	8	1426.6	3	
	5610	11	62.5	14	1182.2	3	
	5610	12	55.7	14	1984.1	2	
	5610	13	54.7	19	1286.3	1	
	5610	14	55.5	13	1787.6	2	
	5610	15	66.3	16	1279.1	2	
	5610	16	64.6	7	1035.0	2	
	5610	17	85.0	7	1228.3	2	
	5610	18	78.4	16	1022.8	2	
	5610	19	88.4	13	1580.5	2	
	5610	20	87.0	17	1391.7	2	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
13	5610	1	80.6	16	1551.4	1	1
	5610	2	77.4	5	1275.7	3	
	5610	3	51.1	10	1818.3	2	
	5610	4	53.8	12	1893.0	1	
	5610	5	75.5	9	1921.8	1	
	5610	6	99.8	17	1169.0	3	
	5610	7	93.1	10	1722.2	1	
	5610	8	97.4	8	1277.5	2	
	5610	9	73.2	15	1396.7	2	
	5610	10	57.2	6	1224.3	1	
14	5610	1	97.5	12	1732.3	3	1
	5610	2	85.3	13	1454.2	1	
	5610	3	85.7	8	1200.3	1	
	5610	4	99.1	14	1704.2	3	
	5610	5	61.4	11	1149.3	1	
	5610	6	53.5	7	1784.1	1	
	5610	7	55.8	12	1530.8	1	
	5610	8	84.3	13	1784.9	2	
	5610	9	90.7	19	1116.1	3	
	5610	10	77.5	12	1483.3	2	
	5610	11	50.5	14	1156.8	1	
	5610	12	92.7	9	1514.4	2	
	5610	13	92.3	18	1680.7	1	
	5610	14	65.3	14	1661.7	3	
	5610	15	72.2	14	1168.6	3	
	5610	16	80.5	14	1733.7	1	
	5610	17	51.1	11	1738.0	3	
	5610	18	82.4	9	1490.4	2	
	5610	19	61.7	9	1309.4	3	
	5610	20	54.9	13	1472.4	2	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
15	5610	1	98.4	17	1207.8	3	1
	5610	2	54.4	19	1594.2	2	
	5610	3	97.2	7	1982.7	1	
	5610	4	99.6	8	1607.4	3	
	5610	5	71.6	9	1324.6	1	
	5610	6	62.7	11	1639.8	3	
	5610	7	62.6	9	1743.5	1	
	5610	8	77.3	7	1838.4	1	
	5610	9	79.7	13	1231.9	1	
	5610	10	96.8	20	1721.4	2	
	5610	11	95.2	8	1875.8	2	
	5610	12	62.0	20	1022.9	3	
	5610	13	72.5	13	1232.4	3	
	5610	14	57.5	7	1748.0	1	
	5610	15	63.4	14	1949.5	3	
	5610	16	84.8	17	1948.7	1	
	5610	17	92.2	11	1602.2	1	
	5610	18	91.4	8	1272.7	2	
	5610	19	87.1	9	1860.2	2	
16	5610	1	96.9	8	1051.3	3	1
	5610	2	82.0	6	1682.4	1	
	5610	3	64.9	17	1798.5	3	
	5610	4	96.4	15	1879.4	2	
	5610	5	73.7	17	1459.9	2	
	5610	6	83.9	10	1599.7	2	
	5610	7	84.3	13	1148.9	1	
	5610	8	95.1	17	1661.8	2	
	5610	9	79.9	16	1156.0	3	
	5610	10	69.1	13	1293.0	2	
	5610	11	54.8	8	1424.0	2	
	5610	12	80.1	19	1035.8	2	
	5610	13	78.8	6	1197.8	1	
	5610	14	69.0	7	1549.3	3	
	5610	15	54.5	7	1938.8	1	
	5610	16	55.0	7	1687.6	1	
	5610	17	99.1	19	1101.2	1	
	5610	18	90.1	12	1740.5	3	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
17	5610	1	54.7	17	1731.8	1	1
	5610	2	87.9	11	1210.1	2	
	5610	3	71.1	7	1868.3	3	
	5610	4	75.0	10	1947.6	3	
	5610	5	54.9	15	1109.3	3	
	5610	6	77.4	15	1749.2	3	
	5610	7	80.8	15	1543.5	2	
	5610	8	91.1	6	1319.0	3	
	5610	9	95.0	17	1967.6	2	
	5610	10	66.9	5	1875.0	3	
	5610	11	72.9	20	1587.6	2	
	5610	12	63.1	18	1739.2	1	
	5610	13	85.8	19	1063.0	3	
	5610	14	79.0	7	1017.7	3	
	5610	15	62.5	14	1860.4	1	
	5610	16	56.4	18	1266.2	3	
	5610	17	82.4	16	1037.1	3	
18	5610	1	98.4	7	1783.7	3	1
	5610	2	89.8	13	1925.1	3	
	5610	3	72.9	9	1703.4	1	
	5610	4	67.1	10	1061.0	3	
	5610	5	65.7	7	1823.2	3	
	5610	6	85.3	9	1688.2	3	
	5610	7	77.5	17	1276.7	2	
	5610	8	65.7	12	1370.1	3	
	5610	9	70.5	8	1059.3	1	
	5610	10	57.5	11	1156.9	1	
	5610	11	84.2	12	1907.8	3	
	5610	12	94.6	8	1707.5	1	
	5610	13	51.2	7	1253.6	1	
	5610	14	73.8	9	1231.6	3	
	5610	15	53.2	17	1901.0	2	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
19	5610	1	62.0	10	1475.5	2	1
	5610	2	57.3	12	1829.0	2	
	5610	3	72.3	10	1844.3	2	
	5610	4	65.3	15	1364.2	1	
	5610	5	72.5	13	1464.3	1	
	5610	6	68.1	12	1185.6	3	
	5610	7	64.2	18	1809.4	1	
	5610	8	66.9	18	1166.2	3	
	5610	9	61.5	6	1409.0	2	
	5610	10	73.9	11	1173.6	1	
	5610	11	91.6	13	1832.1	1	
	5610	12	98.6	11	1155.1	1	
	5610	13	64.4	8	1592.5	2	
	5610	14	81.7	14	1087.8	3	
20	5610	1	78.0	16	1132.0	3	1
	5610	2	85.3	12	1342.2	1	
	5610	3	85.8	12	1188.2	3	
	5610	4	89.5	12	1141.3	1	
	5610	5	94.3	9	1388.9	1	
	5610	6	69.9	13	1419.4	3	
	5610	7	89.3	13	1458.8	2	
	5610	8	89.5	16	1931.0	2	
	5610	9	70.1	15	1708.0	3	
	5610	10	62.8	8	1487.6	1	
21	5723.5	1	74.6	11	1797.8	1	1
	5723.5	2	67.3	10	1714.3	3	
	5724.5	3	51.0	8	1170.1	2	
	5723.5	4	63.6	10	1092.1	2	
	5722.5	5	68.6	13	1840.7	3	
	5721.5	6	70.4	15	1753.1	3	
	5719.5	7	81.6	19	1666.3	1	
	5723.5	8	75.9	11	1791.4	1	
	5723.5	9	57.2	11	1036.4	1	
	5725.5	10	78.0	6	1319.7	3	
	5719.5	11	94.7	19	1521.6	3	
	5723.5	12	79.0	11	1115.1	1	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
22	5722.5	1	55.3	12	1376.0	2	1
	5722.5	2	88.5	12	1370.1	1	
	5722.5	3	79.1	13	1583.8	1	
	5723.5	4	89.1	9	1901.6	2	
	5723.5	5	97.0	11	1464.8	1	
	5720.5	6	98.2	17	1780.2	2	
	5721.5	7	57.5	16	1926.4	2	
	5724.5	8	66.7	7	1805.1	3	
	5720.5	9	74.8	18	1803.4	2	
23	5719.5	1	61.1	19	1929.6	1	1
	5721.5	2	86.8	15	1301.8	2	
	5720.5	3	83.4	18	1982.9	1	
	5724.5	4	60.8	8	1276.0	1	
	5721.5	5	97.5	16	1273.7	3	
	5722.5	6	89.4	13	1605.8	2	
	5722.5	7	85.9	12	1110.3	2	
	5725.5	8	78.1	6	1961.0	3	
	5719.5	9	95.3	20	1782.5	2	
	5724.5	10	94.1	7	1766.4	2	
	5719.5	11	92.2	20	1096.2	1	
	5722.5	12	55.7	13	1482.6	2	
	5720.5	13	62.3	18	1491.1	3	
	5722.5	14	76.7	13	1706.9	3	
	5721.5	15	63.9	16	1964.6	3	
24	5724.5	1	54.6	8	1051.5	1	1
	5725.5	2	57.1	5	1824.4	1	
	5725.5	3	78.0	6	1901.2	1	
	5724.5	4	53.3	8	1685.4	2	
	5719.5	5	59.4	20	1631.7	2	
	5723.5	6	83.5	9	1657.5	3	
	5724.5	7	90.1	7	1498.9	2	
	5725.5	8	53.4	6	1619.5	3	
	5720.5	9	83.8	18	1871.8	2	
	5719.5	10	68.9	19	1919.5	2	
	5721.5	11	56.0	15	1135.5	3	
	5721.5	12	60.7	16	1248.5	3	
	5720.5	13	85.2	17	1194.2	2	
	5724.5	14	56.5	8	1793.7	1	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
25	5722.5	1	73.4	12	1944.4	2	1
	5724.5	2	65.4	7	1728.4	1	
	5724.5	3	59.6	8	1919.6	3	
	5721.5	4	50.8	15	1444.3	1	
	5719.5	5	53.9	20	1535.4	3	
	5724.5	6	66.9	8	1351.8	1	
	5723.5	7	66.2	10	1076.2	3	
	5724.5	8	72.9	8	1505.7	3	
	5723.5	9	85.6	9	1997.0	1	
	5723.5	10	77.6	10	1243.5	3	
	5723.5	11	60.6	11	1953.3	3	
	5724.5	12	86.1	7	1789.3	3	
	5724.5	13	54.4	8	1651.4	1	
	5721.5	14	93.0	16	1295.7	2	
	5724.5	15	96.3	8	1055.9	1	
	5721.5	16	98.3	14	1796.8	1	
	5723.5	17	83.0	10	1024.3	1	
	5721.5	18	68.4	15	1578.4	1	
26	5723.5	1	76.7	10	1317.9	3	0
	5724.5	2	52.3	8	1444.1	3	
	5720.5	3	87.9	17	1177.4	1	
	5721.5	4	84.4	15	1743.0	2	
	5724.5	5	75.0	8	1293.1	1	
	5724.5	6	87.5	7	1197.5	3	
	5720.5	7	96.3	17	1218.9	1	
	5725.5	8	84.3	5	1865.0	2	
	5721.5	9	77.8	16	1290.8	3	
	5722.5	10	51.4	13	1514.4	1	
	5721.5	11	61.0	16	1125.6	2	
	5723.5	12	99.9	11	1236.3	2	
	5720.5	13	63.2	17	1290.3	2	
	5723.5	14	80.3	9	1718.6	1	
	5721.5	15	62.2	14	1789.3	1	
	5724.5	16	70.1	7	1306.9	2	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
27	5720.5	1	93.8	17	1147.2	2	1
	5720.5	2	78.0	17	1113.9	2	
	5723.5	3	93.8	11	1435.8	2	
	5722.5	4	72.7	12	1669.1	1	
	5725.5	5	96.8	6	1973.9	1	
	5724.5	6	95.1	8	1503.7	2	
	5722.5	7	75.2	12	1176.3	1	
	5723.5	8	59.9	11	1484.1	3	
	5723.5	9	95.9	11	1427.5	3	
	5720.5	10	88.7	17	1220.5	1	
	5723.5	11	62.1	10	1272.3	2	
	5725.5	12	78.7	6	1641.2	3	
	5721.5	13	83.1	15	1047.4	2	
	5725.5	14	69.1	5	1733.3	3	
	5723.5	15	59.2	11	1710.0	2	
	5722.5	16	68.1	13	1070.9	3	
	5720.5	17	71.6	18	1658.7	1	
	5721.5	18	62.7	15	1874.1	2	
	5721.5	19	50.6	16	1103.1	3	
	5722.5	20	56.6	12	1029.4	1	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
28	5723.5	1	52.9	11	1924.4	1	1
	5723.5	2	96.4	9	1004.0	3	
	5725.5	3	57.4	5	1032.5	3	
	5723.5	4	67.0	11	1601.9	2	
	5720.5	5	63.8	18	1567.9	3	
	5721.5	6	98.3	16	1930.9	1	
	5721.5	7	64.3	14	1153.8	3	
	5722.5	8	59.1	13	1278.6	3	
	5722.5	9	95.2	13	1189.0	2	
	5721.5	10	91.8	15	1225.5	3	
	5725.5	11	65.0	5	1035.7	2	
	5723.5	12	68.6	10	1053.7	3	
	5720.5	13	97.5	18	1264.8	3	
	5721.5	14	64.4	14	1384.3	2	
	5723.5	15	76.8	11	1681.4	1	
	5721.5	16	81.8	16	1690.7	3	
	5723.5	17	67.8	11	1727.9	1	
	5724.5	18	76.5	8	1453.0	3	
	5722.5	19	79.3	12	1032.4	1	
	5723.5	20	80.1	9	1674.6	2	

Test Mode		802.11be EHT240					
Frequency		5610 MHz					
Radar Signal		Type 5					
Trial #	Test Frequency (MHz)	Burst#	Pulse Width (us)	Chirp Width (MHz)	PRI (us)	Number of Pulses / Burst	1=Detection ; 0=No Detection
29	5723.5	1	51.3	9	1303.4	1	1
	5723.5	2	88.2	11	1134.4	1	
	5723.5	3	68.1	10	1322.7	3	
	5720.5	4	99.7	17	1792.0	3	
	5721.5	5	95.7	15	1140.7	3	
	5721.5	6	63.2	15	1898.0	2	
	5723.5	7	96.9	10	1591.4	3	
	5719.5	8	54.3	20	1488.6	1	
	5720.5	9	94.9	17	1837.2	1	
	5725.5	10	70.4	6	1863.4	2	
	5723.5	11	51.7	11	1398.8	2	
	5725.5	12	98.6	6	1718.8	1	
	5725.5	13	62.1	6	1007.7	1	
	5724.5	14	51.6	7	1582.4	2	
	5723.5	15	87.4	10	1843.2	2	
	5725.5	16	66.7	6	1369.8	1	
	5719.5	17	57.7	19	1210.8	1	
30	5725.5	1	74.8	6	1089.5	3	1
	5719.5	2	94.8	19	1581.6	2	
	5725.5	3	64.7	6	1928.9	3	
	5723.5	4	94.7	9	1645.5	3	
	5720.5	5	83.2	17	1707.8	2	
	5720.5	6	80.6	17	1512.1	3	
	5720.5	7	74.8	17	1146.0	1	
	5722.5	8	77.4	13	1817.3	2	
	5719.5	9	98.4	19	1151.5	3	
	5724.5	10	87.0	8	1902.2	3	
	5721.5	11	62.4	16	1101.4	2	
	5719.5	12	92.9	19	1429.8	1	
	5725.5	13	61.8	5	1867.6	2	
	5722.5	14	71.6	12	1667.2	1	
Detection Percentage (%)							96.67

Test Mode		802.11be EHT240				
Frequency		5610 MHz				
Radar Signal		Type 6				
Trial #	Pulse Width (us)	PRI (us)	Pulses / Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	1=Detection ; 0=No Detection
1	1	333	9	0.333	300	1
2	1	333	9	0.333	300	1
3	1	333	9	0.333	300	1
4	1	333	9	0.333	300	1
5	1	333	9	0.333	300	1
6	1	333	9	0.333	300	1
7	1	333	9	0.333	300	1
8	1	333	9	0.333	300	1
9	1	333	9	0.333	300	1
10	1	333	9	0.333	300	1
11	1	333	9	0.333	300	1
12	1	333	9	0.333	300	1
13	1	333	9	0.333	300	1
14	1	333	9	0.333	300	1
15	1	333	9	0.333	300	1
16	1	333	9	0.333	300	1
17	1	333	9	0.333	300	1
18	1	333	9	0.333	300	1
19	1	333	9	0.333	300	1
20	1	333	9	0.333	300	1
21	1	333	9	0.333	300	1
22	1	333	9	0.333	300	1
23	1	333	9	0.333	300	1
24	1	333	9	0.333	300	1
25	1	333	9	0.333	300	1
26	1	333	9	0.333	300	1
27	1	333	9	0.333	300	1
28	1	333	9	0.333	300	1
29	1	333	9	0.333	300	1
30	1	333	9	0.333	300	1
Detection Percentage (%)						100.00

---END---