

Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6507.125000	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6527.625000	-0.4	0.1	-0.3	PASS
6529.375000	-0.5	0.2	-0.3	PASS
6509.375000	-0.5	0.2	-0.3	PASS
6511.625000	-0.6	0.4	-0.3	PASS
6508.125000	-0.7	0.4	-0.3	PASS
6529.875000	-0.7	0.5	-0.3	PASS
6511.125000	-0.7	0.5	-0.3	PASS
6507.625000	-0.8	0.5	-0.3	PASS
6521.625000	-0.8	0.5	-0.3	PASS
6531.375000	-0.8	0.5	-0.3	PASS
6506.875000	-0.8	0.6	-0.3	PASS
6529.125000	-0.9	0.6	-0.3	PASS
6509.625000	-0.9	0.6	-0.3	PASS
6511.875000	-0.9	0.6	-0.3	PASS
6507.875000	-0.9	0.6	-0.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6509.375000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6509.125000	-0.7	0.0	-0.7	PASS
6506.375000	-0.8	0.0	-0.7	PASS
6508.625000	-0.8	0.0	-0.7	PASS
6523.875000	-0.8	0.1	-0.7	PASS
6508.875000	-0.9	0.2	-0.7	PASS
6539.125000	-0.9	0.2	-0.7	PASS
6518.875000	-0.9	0.2	-0.7	PASS
6527.375000	-0.9	0.2	-0.7	PASS
6527.625000	-1.0	0.2	-0.7	PASS
6520.625000	-1.0	0.3	-0.7	PASS
6507.375000	-1.0	0.3	-0.7	PASS
6531.875000	-1.0	0.3	-0.7	PASS
6524.125000	-1.0	0.3	-0.7	PASS
6506.625000	-1.0	0.3	-0.7	PASS
6529.375000	-1.0	0.3	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6563.375000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6563.375000	-0.7	0.0	-0.7	PASS
6581.875000	-0.7	0.1	-0.7	PASS
6569.625000	-0.8	0.1	-0.7	PASS
6546.875000	-0.9	0.2	-0.7	PASS
6572.625000	-1.0	0.3	-0.7	PASS
6567.625000	-1.0	0.3	-0.7	PASS
6546.625000	-1.0	0.3	-0.7	PASS
6577.125000	-1.0	0.3	-0.7	PASS
6547.875000	-1.0	0.3	-0.7	PASS
6547.125000	-1.0	0.3	-0.7	PASS
6569.875000	-1.1	0.4	-0.7	PASS
6570.375000	-1.1	0.4	-0.7	PASS
6569.125000	-1.1	0.4	-0.7	PASS
6570.625000	-1.1	0.4	-0.7	PASS
6547.625000	-1.1	0.4	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6582.375000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6582.375000	-0.6	0.0	-0.6	PASS
6548.625000	-0.6	0.0	-0.6	PASS
6580.375000	-0.8	0.3	-0.6	PASS
6567.125000	-0.9	0.3	-0.6	PASS
6581.875000	-0.9	0.3	-0.6	PASS
6581.375000	-0.9	0.3	-0.6	PASS
6567.625000	-0.9	0.3	-0.6	PASS
6568.875000	-0.9	0.3	-0.6	PASS
6565.625000	-0.9	0.4	-0.6	PASS
6548.875000	-0.9	0.4	-0.6	PASS
6575.125000	-0.9	0.4	-0.6	PASS
6568.375000	-1.0	0.4	-0.6	PASS
6561.125000	-1.0	0.5	-0.6	PASS
6578.125000	-1.0	0.5	-0.6	PASS
6581.625000	-1.0	0.5	-0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6666.625000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6668.875000	-0.8	0.1	-0.7	PASS
6671.875000	-1.0	0.3	-0.7	PASS
6687.875000	-1.0	0.3	-0.7	PASS
6673.375000	-1.0	0.4	-0.7	PASS
6667.375000	-1.0	0.4	-0.7	PASS
6688.125000	-1.1	0.4	-0.7	PASS
6669.125000	-1.1	0.5	-0.7	PASS
6689.375000	-1.2	0.5	-0.7	PASS
6667.125000	-1.2	0.5	-0.7	PASS
6670.875000	-1.2	0.5	-0.7	PASS
6667.875000	-1.2	0.5	-0.7	PASS
6693.375000	-1.2	0.6	-0.7	PASS
6687.625000	-1.2	0.6	-0.7	PASS
6673.125000	-1.2	0.6	-0.7	PASS
6685.875000	-1.3	0.6	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6681.125000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6681.125000	-0.9	0.0	-0.9	PASS
6684.125000	-1.0	0.1	-0.9	PASS
6703.125000	-1.0	0.1	-0.9	PASS
6679.125000	-1.0	0.2	-0.9	PASS
6675.125000	-1.0	0.2	-0.9	PASS
6668.625000	-1.1	0.2	-0.9	PASS
6667.375000	-1.1	0.2	-0.9	PASS
6703.625000	-1.1	0.2	-0.9	PASS
6674.875000	-1.1	0.2	-0.9	PASS
6666.375000	-1.1	0.2	-0.9	PASS
6689.375000	-1.1	0.2	-0.9	PASS
6673.625000	-1.1	0.3	-0.9	PASS
6666.875000	-1.1	0.3	-0.9	PASS
6683.875000	-1.2	0.3	-0.9	PASS
6691.875000	-1.2	0.3	-0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6855.375000	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6855.375000	-0.7	0.0	-0.7	PASS
6833.125000	-0.7	0.1	-0.7	PASS
6831.125000	-0.8	0.1	-0.7	PASS
6834.375000	-0.9	0.2	-0.7	PASS
6831.375000	-1.0	0.3	-0.7	PASS
6834.875000	-1.1	0.4	-0.7	PASS
6836.625000	-1.1	0.4	-0.7	PASS
6853.875000	-1.2	0.5	-0.7	PASS
6832.125000	-1.2	0.5	-0.7	PASS
6828.875000	-1.2	0.5	-0.7	PASS
6827.375000	-1.2	0.6	-0.7	PASS
6835.625000	-1.3	0.6	-0.7	PASS
6843.625000	-1.3	0.6	-0.7	PASS
6836.375000	-1.3	0.6	-0.7	PASS
6840.875000	-1.3	0.7	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6850.125000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6830.625000	-1.1	0.1	-1.1	PASS
6829.375000	-1.2	0.1	-1.1	PASS
6827.625000	-1.3	0.2	-1.1	PASS
6841.375000	-1.3	0.2	-1.1	PASS
6829.125000	-1.3	0.2	-1.1	PASS
6863.375000	-1.3	0.2	-1.1	PASS
6852.875000	-1.4	0.3	-1.1	PASS
6847.625000	-1.4	0.3	-1.1	PASS
6828.375000	-1.4	0.3	-1.1	PASS
6859.625000	-1.4	0.3	-1.1	PASS
6843.125000	-1.4	0.3	-1.1	PASS
6849.875000	-1.4	0.4	-1.1	PASS
6859.375000	-1.5	0.4	-1.1	PASS
6861.875000	-1.5	0.4	-1.1	PASS
6826.875000	-1.5	0.4	-1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6894.125000	-1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6891.625000	-1.2	0.1	-1.1	PASS
6891.875000	-1.4	0.3	-1.1	PASS
6899.875000	-1.4	0.3	-1.1	PASS
6897.625000	-1.4	0.3	-1.1	PASS
6875.625000	-1.4	0.3	-1.1	PASS
6878.125000	-1.4	0.3	-1.1	PASS
6894.375000	-1.5	0.3	-1.1	PASS
6901.125000	-1.5	0.4	-1.1	PASS
6887.625000	-1.5	0.4	-1.1	PASS
6902.875000	-1.5	0.4	-1.1	PASS
6868.875000	-1.5	0.4	-1.1	PASS
6896.875000	-1.6	0.5	-1.1	PASS
6898.875000	-1.6	0.5	-1.1	PASS
6891.125000	-1.6	0.5	-1.1	PASS
6870.625000	-1.7	0.5	-1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6903.125000	-1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6903.125000	-1.0	0.0	-1.0	PASS
6903.375000	-1.1	0.1	-1.0	PASS
6881.625000	-1.1	0.1	-1.0	PASS
6901.875000	-1.2	0.2	-1.0	PASS
6868.125000	-1.3	0.3	-1.0	PASS
6866.375000	-1.3	0.3	-1.0	PASS
6900.625000	-1.4	0.4	-1.0	PASS
6888.375000	-1.4	0.4	-1.0	PASS
6870.625000	-1.4	0.4	-1.0	PASS
6896.375000	-1.5	0.5	-1.0	PASS
6900.875000	-1.5	0.5	-1.0	PASS
6902.875000	-1.5	0.5	-1.0	PASS
6888.125000	-1.5	0.5	-1.0	PASS
6883.625000	-1.5	0.5	-1.0	PASS
6886.875000	-1.5	0.5	-1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6906.875000	-2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6906.875000	-2.1	0.0	-2.1	PASS
6922.875000	-2.1	0.0	-2.1	PASS
6922.375000	-2.1	0.0	-2.1	PASS
6920.125000	-2.2	0.1	-2.1	PASS
6913.375000	-2.2	0.1	-2.1	PASS
6912.125000	-2.2	0.1	-2.1	PASS
6923.125000	-2.2	0.1	-2.1	PASS
6914.375000	-2.3	0.1	-2.1	PASS
6934.125000	-2.3	0.2	-2.1	PASS
6914.125000	-2.3	0.2	-2.1	PASS
6913.875000	-2.3	0.2	-2.1	PASS
6912.375000	-2.3	0.2	-2.1	PASS
6918.375000	-2.3	0.2	-2.1	PASS
6937.125000	-2.3	0.2	-2.1	PASS
6916.125000	-2.3	0.2	-2.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6920.875000	-1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6937.125000	-1.9	0.0	-1.9	PASS
6930.125000	-1.9	0.1	-1.9	PASS
6921.125000	-2.0	0.1	-1.9	PASS
6914.125000	-2.1	0.2	-1.9	PASS
6942.375000	-2.1	0.2	-1.9	PASS
6908.375000	-2.1	0.3	-1.9	PASS
6923.875000	-2.1	0.3	-1.9	PASS
6921.625000	-2.2	0.3	-1.9	PASS
6941.875000	-2.3	0.4	-1.9	PASS
6928.125000	-2.3	0.4	-1.9	PASS
6908.875000	-2.3	0.4	-1.9	PASS
6933.875000	-2.3	0.4	-1.9	PASS
6933.125000	-2.3	0.4	-1.9	PASS
6916.875000	-2.3	0.4	-1.9	PASS
6932.125000	-2.3	0.4	-1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7007.875000	-0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7007.875000	-0.8	0.0	-0.8	PASS
6991.625000	-0.9	0.1	-0.8	PASS
7008.125000	-1.0	0.2	-0.8	PASS
7019.625000	-1.0	0.2	-0.8	PASS
6988.375000	-1.0	0.3	-0.8	PASS
6998.625000	-1.0	0.3	-0.8	PASS
7018.875000	-1.1	0.3	-0.8	PASS
7010.375000	-1.1	0.3	-0.8	PASS
6987.125000	-1.1	0.3	-0.8	PASS
6989.375000	-1.1	0.3	-0.8	PASS
6997.625000	-1.1	0.4	-0.8	PASS
6999.125000	-1.2	0.4	-0.8	PASS
7002.125000	-1.2	0.4	-0.8	PASS
6988.625000	-1.2	0.4	-0.8	PASS
6999.625000	-1.2	0.4	-0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6998.625000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6998.625000	-0.9	0.0	-0.9	PASS
6994.625000	-1.0	0.1	-0.9	PASS
6996.875000	-1.1	0.2	-0.9	PASS
6988.375000	-1.1	0.2	-0.9	PASS
7000.625000	-1.2	0.2	-0.9	PASS
6986.625000	-1.2	0.3	-0.9	PASS
7001.125000	-1.2	0.3	-0.9	PASS
7008.625000	-1.3	0.3	-0.9	PASS
6993.125000	-1.3	0.4	-0.9	PASS
7020.875000	-1.3	0.4	-0.9	PASS
7002.125000	-1.4	0.4	-0.9	PASS
7000.375000	-1.4	0.5	-0.9	PASS
6998.875000	-1.4	0.5	-0.9	PASS
7019.375000	-1.4	0.5	-0.9	PASS
7000.875000	-1.4	0.5	-0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7068.125000	-0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7068.125000	-0.9	0.0	-0.9	PASS
7066.625000	-1.2	0.3	-0.9	PASS
7067.875000	-1.2	0.4	-0.9	PASS
7069.375000	-1.3	0.4	-0.9	PASS
7082.875000	-1.4	0.5	-0.9	PASS
7076.125000	-1.4	0.5	-0.9	PASS
7068.375000	-1.4	0.5	-0.9	PASS
7080.125000	-1.4	0.5	-0.9	PASS
7066.375000	-1.4	0.5	-0.9	PASS
7072.375000	-1.6	0.7	-0.9	PASS
7075.875000	-1.6	0.7	-0.9	PASS
7097.625000	-1.6	0.7	-0.9	PASS
7103.375000	-1.6	0.8	-0.9	PASS
7070.875000	-1.6	0.8	-0.9	PASS
7066.875000	-1.6	0.8	-0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7067.625000	-1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7067.625000	-1.2	0.0	-1.2	PASS
7067.375000	-1.4	0.2	-1.2	PASS
7067.875000	-1.4	0.2	-1.2	PASS
7068.375000	-1.5	0.3	-1.2	PASS
7089.625000	-1.5	0.3	-1.2	PASS
7068.125000	-1.6	0.4	-1.2	PASS
7070.875000	-1.6	0.4	-1.2	PASS
7069.625000	-1.7	0.4	-1.2	PASS
7082.875000	-1.7	0.5	-1.2	PASS
7073.125000	-1.7	0.5	-1.2	PASS
7073.375000	-1.7	0.5	-1.2	PASS
7079.875000	-1.8	0.6	-1.2	PASS
7078.875000	-1.8	0.6	-1.2	PASS
7083.375000	-1.8	0.6	-1.2	PASS
7081.375000	-1.9	0.6	-1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	~ 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6023.250000	1.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6023.250000	1.2	0.0	1.2	PASS
6020.250000	1.1	0.1	1.2	PASS
6010.250000	1.0	0.2	1.2	PASS
6018.250000	1.0	0.2	1.2	PASS
6021.250000	0.9	0.2	1.2	PASS
6016.250000	0.9	0.3	1.2	PASS
6022.750000	0.8	0.3	1.2	PASS
6017.750000	0.8	0.4	1.2	PASS
6013.750000	0.8	0.4	1.2	PASS
6021.750000	0.8	0.4	1.2	PASS
6022.250000	0.8	0.4	1.2	PASS
6020.750000	0.8	0.4	1.2	PASS
6018.750000	0.7	0.5	1.2	PASS
6008.250000	0.7	0.5	1.2	PASS
6016.750000	0.7	0.5	1.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6016.250000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6016.250000	1.0	0.0	1.0	PASS
6019.750000	0.9	0.1	1.0	PASS
6023.250000	0.9	0.1	1.0	PASS
6022.750000	0.9	0.1	1.0	PASS
6021.250000	0.9	0.1	1.0	PASS
6022.250000	0.6	0.4	1.0	PASS
6007.250000	0.5	0.5	1.0	PASS
6020.250000	0.4	0.6	1.0	PASS
6014.750000	0.4	0.6	1.0	PASS
6015.250000	0.4	0.6	1.0	PASS
6021.750000	0.4	0.6	1.0	PASS
6007.750000	0.4	0.6	1.0	PASS
6017.250000	0.3	0.7	1.0	PASS
6012.250000	0.3	0.7	1.0	PASS
6020.750000	0.3	0.7	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6107.250000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6107.750000	1.3	0.0	1.3	PASS
6151.750000	1.2	0.1	1.3	PASS
6109.750000	1.2	0.2	1.3	PASS
6166.250000	1.1	0.2	1.3	PASS
6169.250000	1.1	0.2	1.3	PASS
6167.750000	1.0	0.3	1.3	PASS
6126.250000	0.9	0.4	1.3	PASS
6171.250000	0.9	0.4	1.3	PASS
6129.750000	0.9	0.4	1.3	PASS
6143.250000	0.9	0.5	1.3	PASS
6173.750000	0.9	0.5	1.3	PASS
6169.750000	0.9	0.5	1.3	PASS
6128.750000	0.9	0.5	1.3	PASS
6172.750000	0.9	0.5	1.3	PASS
6177.250000	0.9	0.5	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6182.750000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6182.750000	1.5	0.0	1.5	PASS
6180.250000	1.2	0.2	1.5	PASS
6166.250000	1.2	0.2	1.5	PASS
6122.750000	1.2	0.2	1.5	PASS
6111.750000	1.2	0.3	1.5	PASS
6183.250000	1.2	0.3	1.5	PASS
6179.250000	1.1	0.3	1.5	PASS
6176.750000	1.1	0.3	1.5	PASS
6143.250000	1.1	0.4	1.5	PASS
6124.250000	1.0	0.4	1.5	PASS
6182.250000	1.0	0.4	1.5	PASS
6109.750000	1.0	0.5	1.5	PASS
6139.750000	1.0	0.5	1.5	PASS
6174.250000	1.0	0.5	1.5	PASS
6110.750000	1.0	0.5	1.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6367.250000	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6367.250000	1.6	0.0	1.6	PASS
6347.750000	1.5	0.0	1.6	PASS
6348.250000	1.5	0.1	1.6	PASS
6365.750000	1.5	0.1	1.6	PASS
6363.750000	1.4	0.2	1.6	PASS
6390.750000	1.3	0.3	1.6	PASS
6350.750000	1.3	0.3	1.6	PASS
6349.250000	1.2	0.4	1.6	PASS
6386.250000	1.2	0.4	1.6	PASS
6386.750000	1.2	0.4	1.6	PASS
6389.250000	1.1	0.5	1.6	PASS
6368.750000	1.1	0.5	1.6	PASS
6346.750000	1.1	0.5	1.6	PASS
6392.750000	1.1	0.5	1.6	PASS
6347.250000	1.1	0.5	1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6365.750000	1.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6350.750000	1.4	0.0	1.5	PASS
6389.750000	1.3	0.1	1.5	PASS
6348.750000	1.3	0.2	1.5	PASS
6366.750000	1.2	0.2	1.5	PASS
6392.250000	1.2	0.2	1.5	PASS
6380.750000	1.2	0.3	1.5	PASS
6349.750000	1.2	0.3	1.5	PASS
6370.250000	1.2	0.3	1.5	PASS
6351.750000	1.2	0.3	1.5	PASS
6423.250000	1.2	0.3	1.5	PASS
6359.250000	1.1	0.3	1.5	PASS
6368.750000	1.1	0.3	1.5	PASS
6396.250000	1.1	0.4	1.5	PASS
6382.250000	1.1	0.4	1.5	PASS
6362.750000	1.1	0.4	1.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6485.250000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6489.750000	1.7	0.0	1.7	PASS
6471.750000	1.7	0.1	1.7	PASS
6487.750000	1.6	0.1	1.7	PASS
6488.750000	1.6	0.2	1.7	PASS
6486.250000	1.5	0.2	1.7	PASS
6492.750000	1.5	0.2	1.7	PASS
6484.750000	1.5	0.2	1.7	PASS
6470.250000	1.5	0.2	1.7	PASS
6489.250000	1.5	0.3	1.7	PASS
6467.250000	1.4	0.3	1.7	PASS
6488.250000	1.4	0.3	1.7	PASS
6490.250000	1.4	0.3	1.7	PASS
6469.250000	1.4	0.3	1.7	PASS
6482.750000	1.4	0.3	1.7	PASS
6493.750000	1.4	0.3	1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6497.250000	1.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6497.250000	1.7	0.0	1.7	PASS
6489.250000	1.6	0.1	1.7	PASS
6502.250000	1.6	0.1	1.7	PASS
6487.750000	1.6	0.1	1.7	PASS
6490.250000	1.5	0.2	1.7	PASS
6492.750000	1.5	0.2	1.7	PASS
6478.250000	1.5	0.2	1.7	PASS
6497.750000	1.5	0.2	1.7	PASS
6470.750000	1.5	0.2	1.7	PASS
6503.250000	1.5	0.2	1.7	PASS
6501.250000	1.5	0.2	1.7	PASS
6490.750000	1.5	0.2	1.7	PASS
6491.250000	1.4	0.3	1.7	PASS
6470.250000	1.4	0.3	1.7	PASS
6484.250000	1.4	0.3	1.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6530.750000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6530.750000	1.8	0.0	1.8	PASS
6509.750000	1.8	0.0	1.8	PASS
6520.750000	1.8	0.0	1.8	PASS
6506.750000	1.7	0.1	1.8	PASS
6510.250000	1.7	0.1	1.8	PASS
6530.250000	1.7	0.1	1.8	PASS
6533.250000	1.7	0.1	1.8	PASS
6524.250000	1.7	0.2	1.8	PASS
6508.250000	1.6	0.2	1.8	PASS
6527.750000	1.6	0.2	1.8	PASS
6512.250000	1.6	0.2	1.8	PASS
6547.750000	1.6	0.2	1.8	PASS
6550.250000	1.6	0.2	1.8	PASS
6526.750000	1.5	0.3	1.8	PASS
6531.750000	1.5	0.3	1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6546.750000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6511.250000	1.9	0.1	2.0	PASS
6528.250000	1.9	0.1	2.0	PASS
6522.750000	1.9	0.1	2.0	PASS
6508.750000	1.8	0.2	2.0	PASS
6531.250000	1.8	0.2	2.0	PASS
6571.750000	1.8	0.2	2.0	PASS
6512.750000	1.8	0.2	2.0	PASS
6512.250000	1.8	0.2	2.0	PASS
6513.750000	1.7	0.2	2.0	PASS
6524.750000	1.7	0.3	2.0	PASS
6525.750000	1.7	0.3	2.0	PASS
6527.250000	1.7	0.3	2.0	PASS
6547.250000	1.7	0.3	2.0	PASS
6572.250000	1.7	0.3	2.0	PASS
6550.750000	1.7	0.3	2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6610.750000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6610.750000	2.0	0.0	2.0	PASS
6649.750000	1.9	0.1	2.0	PASS
6607.250000	1.7	0.3	2.0	PASS
6589.250000	1.7	0.3	2.0	PASS
6611.250000	1.6	0.4	2.0	PASS
6588.250000	1.6	0.4	2.0	PASS
6586.750000	1.6	0.4	2.0	PASS
6626.250000	1.6	0.4	2.0	PASS
6592.750000	1.6	0.4	2.0	PASS
6606.750000	1.6	0.4	2.0	PASS
6608.750000	1.5	0.5	2.0	PASS
6628.750000	1.5	0.5	2.0	PASS
6622.750000	1.5	0.5	2.0	PASS
6629.250000	1.4	0.6	2.0	PASS
6607.750000	1.4	0.6	2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6590.750000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6610.750000	1.8	0.1	1.8	PASS
6593.750000	1.8	0.1	1.8	PASS
6610.250000	1.6	0.2	1.8	PASS
6633.750000	1.6	0.2	1.8	PASS
6590.250000	1.6	0.3	1.8	PASS
6591.250000	1.5	0.3	1.8	PASS
6587.250000	1.5	0.3	1.8	PASS
6618.750000	1.5	0.3	1.8	PASS
6588.250000	1.4	0.4	1.8	PASS
6616.750000	1.4	0.4	1.8	PASS
6589.750000	1.4	0.5	1.8	PASS
6628.250000	1.4	0.5	1.8	PASS
6608.250000	1.4	0.5	1.8	PASS
6631.250000	1.3	0.5	1.8	PASS
6608.750000	1.3	0.5	1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6669.750000	2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6669.750000	2.1	0.0	2.1	PASS
6667.250000	2.1	0.1	2.1	PASS
6668.250000	2.0	0.1	2.1	PASS
6667.750000	1.9	0.2	2.1	PASS
6668.750000	1.9	0.2	2.1	PASS
6669.250000	1.9	0.2	2.1	PASS
6690.750000	1.8	0.3	2.1	PASS
6671.750000	1.8	0.3	2.1	PASS
6672.250000	1.7	0.4	2.1	PASS
6671.250000	1.6	0.5	2.1	PASS
6674.250000	1.6	0.5	2.1	PASS
6686.750000	1.6	0.5	2.1	PASS
6672.750000	1.6	0.5	2.1	PASS
6694.250000	1.5	0.6	2.1	PASS
6688.250000	1.5	0.6	2.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6683.750000	1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6683.750000	1.8	0.0	1.8	PASS
6676.750000	1.8	0.0	1.8	PASS
6671.750000	1.8	0.1	1.8	PASS
6667.750000	1.7	0.2	1.8	PASS
6682.750000	1.7	0.2	1.8	PASS
6684.750000	1.6	0.2	1.8	PASS
6690.250000	1.6	0.2	1.8	PASS
6672.750000	1.6	0.2	1.8	PASS
6668.750000	1.6	0.3	1.8	PASS
6675.250000	1.6	0.3	1.8	PASS
6701.750000	1.6	0.3	1.8	PASS
6688.250000	1.6	0.3	1.8	PASS
6666.750000	1.6	0.3	1.8	PASS
6669.750000	1.5	0.3	1.8	PASS
6678.750000	1.5	0.3	1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6813.750000	2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6813.750000	2.0	0.0	2.0	PASS
6795.250000	1.8	0.2	2.0	PASS
6791.750000	1.8	0.2	2.0	PASS
6797.750000	1.7	0.2	2.0	PASS
6773.250000	1.7	0.3	2.0	PASS
6811.250000	1.7	0.3	2.0	PASS
6809.750000	1.7	0.3	2.0	PASS
6789.250000	1.6	0.3	2.0	PASS
6771.750000	1.6	0.4	2.0	PASS
6793.250000	1.6	0.4	2.0	PASS
6788.250000	1.6	0.4	2.0	PASS
6809.250000	1.5	0.4	2.0	PASS
6792.750000	1.5	0.4	2.0	PASS
6816.250000	1.5	0.5	2.0	PASS
6788.750000	1.5	0.5	2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6788.250000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6771.250000	1.6	0.3	1.9	PASS
6766.750000	1.5	0.4	1.9	PASS
6769.250000	1.5	0.4	1.9	PASS
6773.250000	1.4	0.5	1.9	PASS
6781.250000	1.3	0.6	1.9	PASS
6776.250000	1.3	0.6	1.9	PASS
6754.750000	1.3	0.6	1.9	PASS
6751.750000	1.3	0.6	1.9	PASS
6761.750000	1.3	0.6	1.9	PASS
6807.250000	1.2	0.6	1.9	PASS
6750.250000	1.2	0.6	1.9	PASS
6759.750000	1.2	0.7	1.9	PASS
6763.750000	1.2	0.7	1.9	PASS
6781.750000	1.2	0.7	1.9	PASS
6777.250000	1.2	0.7	1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6878.750000	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6878.750000	1.6	0.0	1.6	PASS
6836.250000	1.5	0.1	1.6	PASS
6831.250000	1.5	0.1	1.6	PASS
6850.250000	1.4	0.2	1.6	PASS
6836.750000	1.4	0.2	1.6	PASS
6833.750000	1.4	0.2	1.6	PASS
6835.750000	1.3	0.3	1.6	PASS
6839.250000	1.3	0.3	1.6	PASS
6834.250000	1.3	0.3	1.6	PASS
6872.750000	1.3	0.3	1.6	PASS
6830.250000	1.2	0.4	1.6	PASS
6889.250000	1.2	0.4	1.6	PASS
6851.750000	1.2	0.4	1.6	PASS
6829.250000	1.2	0.4	1.6	PASS
6877.250000	1.2	0.4	1.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6845.750000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6845.750000	1.9	0.0	1.9	PASS
6826.750000	1.7	0.2	1.9	PASS
6846.250000	1.7	0.2	1.9	PASS
6863.250000	1.6	0.2	1.9	PASS
6901.250000	1.6	0.2	1.9	PASS
6858.750000	1.6	0.3	1.9	PASS
6881.250000	1.6	0.3	1.9	PASS
6885.750000	1.5	0.4	1.9	PASS
6847.250000	1.4	0.4	1.9	PASS
6841.750000	1.4	0.4	1.9	PASS
6842.750000	1.4	0.4	1.9	PASS
6835.750000	1.4	0.5	1.9	PASS
6831.250000	1.4	0.5	1.9	PASS
6834.250000	1.4	0.5	1.9	PASS
6827.250000	1.3	0.5	1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6937.250000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6937.250000	1.1	0.0	1.1	PASS
6932.750000	1.1	0.0	1.1	PASS
6916.750000	1.1	0.1	1.1	PASS
6908.750000	1.1	0.1	1.1	PASS
6915.250000	1.1	0.1	1.1	PASS
6956.250000	1.0	0.1	1.1	PASS
6917.750000	1.0	0.1	1.1	PASS
6950.750000	1.0	0.1	1.1	PASS
6920.250000	1.0	0.2	1.1	PASS
6933.250000	1.0	0.2	1.1	PASS
6949.750000	1.0	0.2	1.1	PASS
6908.250000	1.0	0.2	1.1	PASS
6913.750000	0.9	0.2	1.1	PASS
6936.750000	0.9	0.2	1.1	PASS
6913.250000	0.9	0.2	1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6919.250000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6919.250000	1.3	0.0	1.3	PASS
6909.250000	1.1	0.2	1.3	PASS
6959.250000	1.1	0.2	1.3	PASS
6920.750000	1.1	0.2	1.3	PASS
6911.750000	1.0	0.2	1.3	PASS
6962.250000	1.0	0.2	1.3	PASS
6958.750000	1.0	0.2	1.3	PASS
6908.250000	1.0	0.3	1.3	PASS
6929.250000	1.0	0.3	1.3	PASS
6907.250000	0.9	0.3	1.3	PASS
6906.750000	0.9	0.3	1.3	PASS
6909.750000	0.9	0.4	1.3	PASS
6922.750000	0.9	0.4	1.3	PASS
6917.750000	0.9	0.4	1.3	PASS
6919.750000	0.9	0.4	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7006.250000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7006.250000	0.9	0.0	0.9	PASS
7022.250000	0.9	0.0	0.9	PASS
7002.250000	0.9	0.0	0.9	PASS
7007.250000	0.8	0.1	0.9	PASS
6989.750000	0.8	0.1	0.9	PASS
6999.750000	0.8	0.1	0.9	PASS
6998.750000	0.8	0.1	0.9	PASS
6999.250000	0.8	0.1	0.9	PASS
7021.250000	0.8	0.1	0.9	PASS
7000.750000	0.7	0.2	0.9	PASS
6994.750000	0.7	0.2	0.9	PASS
6991.750000	0.7	0.3	0.9	PASS
7004.250000	0.7	0.3	0.9	PASS
6997.250000	0.6	0.3	0.9	PASS
6986.750000	0.6	0.4	0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7006.250000	1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7022.750000	1.2	0.1	1.3	PASS
7000.250000	1.0	0.3	1.3	PASS
7019.750000	0.9	0.4	1.3	PASS
6999.750000	0.8	0.4	1.3	PASS
7015.250000	0.8	0.4	1.3	PASS
7023.750000	0.8	0.4	1.3	PASS
6998.250000	0.8	0.5	1.3	PASS
7020.250000	0.8	0.5	1.3	PASS
7002.750000	0.8	0.5	1.3	PASS
6994.750000	0.7	0.6	1.3	PASS
7010.250000	0.7	0.6	1.3	PASS
6999.250000	0.7	0.6	1.3	PASS
6991.250000	0.7	0.6	1.3	PASS
6997.250000	0.6	0.6	1.3	PASS
7011.750000	0.6	0.6	1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 1.000 MHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6067.500000	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6088.500000	4.3	0.1	4.4	PASS
6086.500000	4.2	0.1	4.4	PASS
6093.500000	4.2	0.2	4.4	PASS
6090.500000	4.1	0.3	4.4	PASS
6089.500000	4.1	0.3	4.4	PASS
6051.500000	4.0	0.3	4.4	PASS
6094.500000	4.0	0.4	4.4	PASS
6092.500000	4.0	0.4	4.4	PASS
6097.500000	4.0	0.4	4.4	PASS
6083.500000	4.0	0.4	4.4	PASS
6084.500000	4.0	0.4	4.4	PASS
6098.500000	4.0	0.4	4.4	PASS
6100.500000	4.0	0.4	4.4	PASS
6095.500000	3.9	0.5	4.4	PASS
6050.500000	3.9	0.5	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6085.500000	3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6085.500000	3.7	0.0	3.7	PASS
6089.500000	3.5	0.2	3.7	PASS
6050.500000	3.3	0.4	3.7	PASS
6091.500000	3.3	0.4	3.7	PASS
6049.500000	3.3	0.5	3.7	PASS
6071.500000	3.2	0.5	3.7	PASS
6068.500000	3.2	0.5	3.7	PASS
6051.500000	3.2	0.5	3.7	PASS
6048.500000	3.2	0.5	3.7	PASS
6101.500000	3.2	0.5	3.7	PASS
6087.500000	3.2	0.5	3.7	PASS
6063.500000	3.2	0.5	3.7	PASS
6094.500000	3.2	0.6	3.7	PASS
6078.500000	3.1	0.6	3.7	PASS
6099.500000	3.1	0.6	3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6248.500000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6248.500000	4.0	0.0	4.0	PASS
6249.500000	4.0	0.1	4.0	PASS
6250.500000	4.0	0.1	4.0	PASS
6204.500000	3.9	0.2	4.0	PASS
6247.500000	3.9	0.2	4.0	PASS
6246.500000	3.8	0.2	4.0	PASS
6222.500000	3.8	0.2	4.0	PASS
6242.500000	3.8	0.2	4.0	PASS
6219.500000	3.8	0.2	4.0	PASS
6190.500000	3.8	0.2	4.0	PASS
6229.500000	3.8	0.3	4.0	PASS
6206.500000	3.8	0.3	4.0	PASS
6262.500000	3.7	0.3	4.0	PASS
6228.500000	3.7	0.3	4.0	PASS
6210.500000	3.7	0.3	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6247.500000	4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6209.500000	4.4	0.2	4.6	PASS
6245.500000	4.4	0.2	4.6	PASS
6244.500000	4.3	0.3	4.6	PASS
6240.500000	4.3	0.3	4.6	PASS
6256.500000	4.3	0.3	4.6	PASS
6250.500000	4.2	0.3	4.6	PASS
6207.500000	4.2	0.4	4.6	PASS
6231.500000	4.2	0.4	4.6	PASS
6243.500000	4.2	0.4	4.6	PASS
6262.500000	4.2	0.4	4.6	PASS
6220.500000	4.2	0.4	4.6	PASS
6259.500000	4.1	0.5	4.6	PASS
6249.500000	4.1	0.5	4.6	PASS
6217.500000	4.1	0.5	4.6	PASS
6239.500000	4.1	0.5	4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6285.500000	4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6285.500000	4.7	0.0	4.7	PASS
6267.500000	4.6	0.1	4.7	PASS
6273.500000	4.6	0.1	4.7	PASS
6270.500000	4.5	0.1	4.7	PASS
6271.500000	4.3	0.3	4.7	PASS
6277.500000	4.3	0.3	4.7	PASS
6348.500000	4.3	0.4	4.7	PASS
6281.500000	4.3	0.4	4.7	PASS
6351.500000	4.3	0.4	4.7	PASS
6269.500000	4.3	0.4	4.7	PASS
6280.500000	4.2	0.4	4.7	PASS
6287.500000	4.2	0.4	4.7	PASS
6362.500000	4.2	0.4	4.7	PASS
6272.500000	4.2	0.5	4.7	PASS
6268.500000	4.2	0.5	4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6364.500000	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6364.500000	4.3	0.0	4.3	PASS
6368.500000	4.1	0.2	4.3	PASS
6407.500000	4.0	0.4	4.3	PASS
6360.500000	3.9	0.4	4.3	PASS
6341.500000	3.9	0.4	4.3	PASS
6349.500000	3.9	0.4	4.3	PASS
6330.500000	3.9	0.4	4.3	PASS
6373.500000	3.9	0.5	4.3	PASS
6402.500000	3.9	0.5	4.3	PASS
6352.500000	3.9	0.5	4.3	PASS
6380.500000	3.9	0.5	4.3	PASS
6378.500000	3.8	0.5	4.3	PASS
6289.500000	3.8	0.5	4.3	PASS
6389.500000	3.8	0.5	4.3	PASS
6327.500000	3.8	0.5	4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6523.500000	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6523.500000	4.4	0.0	4.4	PASS
6500.500000	4.4	0.0	4.4	PASS
6492.500000	4.4	0.1	4.4	PASS
6483.500000	4.3	0.1	4.4	PASS
6495.500000	4.3	0.1	4.4	PASS
6501.500000	4.3	0.1	4.4	PASS
6580.500000	4.3	0.1	4.4	PASS
6485.500000	4.3	0.1	4.4	PASS
6529.500000	4.3	0.2	4.4	PASS
6530.500000	4.3	0.2	4.4	PASS
6573.500000	4.2	0.2	4.4	PASS
6516.500000	4.2	0.3	4.4	PASS
6542.500000	4.1	0.3	4.4	PASS
6488.500000	4.1	0.3	4.4	PASS
6490.500000	4.1	0.3	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6499.500000	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6499.500000	4.4	0.0	4.4	PASS
6510.500000	4.3	0.1	4.4	PASS
6572.500000	4.3	0.1	4.4	PASS
6488.500000	4.2	0.1	4.4	PASS
6507.500000	4.2	0.2	4.4	PASS
6570.500000	4.2	0.2	4.4	PASS
6565.500000	4.2	0.2	4.4	PASS
6486.500000	4.2	0.2	4.4	PASS
6487.500000	4.2	0.2	4.4	PASS
6524.500000	4.2	0.2	4.4	PASS
6525.500000	4.2	0.2	4.4	PASS
6520.500000	4.1	0.2	4.4	PASS
6528.500000	4.1	0.2	4.4	PASS
6531.500000	4.1	0.2	4.4	PASS
6494.500000	4.1	0.3	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6588.500000	4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6587.500000	4.4	0.2	4.6	PASS
6648.500000	4.3	0.3	4.6	PASS
6590.500000	4.2	0.3	4.6	PASS
6670.500000	4.2	0.3	4.6	PASS
6605.500000	4.2	0.4	4.6	PASS
6652.500000	4.2	0.4	4.6	PASS
6672.500000	4.1	0.4	4.6	PASS
6629.500000	4.1	0.5	4.6	PASS
6631.500000	4.0	0.5	4.6	PASS
6674.500000	4.0	0.6	4.6	PASS
6601.500000	4.0	0.6	4.6	PASS
6633.500000	4.0	0.6	4.6	PASS
6607.500000	4.0	0.6	4.6	PASS
6628.500000	4.0	0.6	4.6	PASS
6591.500000	4.0	0.6	4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6632.500000	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6632.500000	4.3	0.0	4.3	PASS
6646.500000	4.1	0.1	4.3	PASS
6638.500000	4.1	0.2	4.3	PASS
6633.500000	4.1	0.2	4.3	PASS
6608.500000	4.0	0.3	4.3	PASS
6654.500000	4.0	0.3	4.3	PASS
6651.500000	4.0	0.3	4.3	PASS
6600.500000	4.0	0.3	4.3	PASS
6591.500000	4.0	0.3	4.3	PASS
6597.500000	4.0	0.3	4.3	PASS
6668.500000	4.0	0.3	4.3	PASS
6655.500000	3.9	0.3	4.3	PASS
6628.500000	3.9	0.4	4.3	PASS
6662.500000	3.9	0.4	4.3	PASS
6652.500000	3.9	0.4	4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6813.500000	4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6813.500000	4.9	0.0	4.9	PASS
6748.500000	4.8	0.1	4.9	PASS
6836.500000	4.8	0.1	4.9	PASS
6820.500000	4.7	0.1	4.9	PASS
6774.500000	4.6	0.3	4.9	PASS
6810.500000	4.6	0.3	4.9	PASS
6800.500000	4.6	0.3	4.9	PASS
6832.500000	4.6	0.3	4.9	PASS
6814.500000	4.6	0.3	4.9	PASS
6817.500000	4.6	0.3	4.9	PASS
6829.500000	4.5	0.4	4.9	PASS
6789.500000	4.5	0.4	4.9	PASS
6835.500000	4.5	0.4	4.9	PASS
6772.500000	4.5	0.4	4.9	PASS
6837.500000	4.5	0.4	4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6817.500000	4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6750.500000	4.7	0.1	4.8	PASS
6794.500000	4.6	0.2	4.8	PASS
6811.500000	4.6	0.2	4.8	PASS
6809.500000	4.6	0.2	4.8	PASS
6812.500000	4.6	0.2	4.8	PASS
6791.500000	4.6	0.2	4.8	PASS
6818.500000	4.6	0.2	4.8	PASS
6815.500000	4.5	0.3	4.8	PASS
6790.500000	4.5	0.3	4.8	PASS
6835.500000	4.5	0.3	4.8	PASS
6752.500000	4.5	0.3	4.8	PASS
6834.500000	4.5	0.3	4.8	PASS
6789.500000	4.5	0.3	4.8	PASS
6772.500000	4.4	0.4	4.8	PASS
6793.500000	4.4	0.4	4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6913.500000	4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6915.500000	4.1	0.0	4.2	PASS
6917.500000	4.1	0.0	4.2	PASS
6918.500000	4.0	0.1	4.2	PASS
6962.500000	4.0	0.2	4.2	PASS
6953.500000	4.0	0.2	4.2	PASS
6920.500000	4.0	0.2	4.2	PASS
6910.500000	4.0	0.2	4.2	PASS
6908.500000	4.0	0.2	4.2	PASS
6914.500000	4.0	0.2	4.2	PASS
6927.500000	3.9	0.2	4.2	PASS
6929.500000	3.9	0.2	4.2	PASS
6935.500000	3.9	0.2	4.2	PASS
6922.500000	3.9	0.3	4.2	PASS
6933.500000	3.9	0.3	4.2	PASS
6932.500000	3.9	0.3	4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6924.500000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6924.500000	4.1	0.0	4.1	PASS
6918.500000	4.1	0.0	4.1	PASS
6979.500000	4.1	0.0	4.1	PASS
6966.500000	4.1	0.0	4.1	PASS
6941.500000	4.0	0.1	4.1	PASS
6915.500000	4.0	0.1	4.1	PASS
6942.500000	4.0	0.1	4.1	PASS
6907.500000	4.0	0.1	4.1	PASS
6921.500000	4.0	0.1	4.1	PASS
6928.500000	4.0	0.2	4.1	PASS
6908.500000	4.0	0.2	4.1	PASS
6922.500000	3.9	0.2	4.1	PASS
6910.500000	3.9	0.2	4.1	PASS
6920.500000	3.9	0.2	4.1	PASS
6940.500000	3.9	0.2	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6246.250000	9.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6246.250000	9.0	0.0	9.0	PASS
6251.250000	9.0	0.0	9.0	PASS
6243.750000	8.8	0.2	9.0	PASS
6248.750000	8.8	0.2	9.0	PASS
6253.750000	8.8	0.2	9.0	PASS
6213.750000	8.7	0.2	9.0	PASS
6233.750000	8.7	0.3	9.0	PASS
6241.250000	8.7	0.3	9.0	PASS
6258.750000	8.7	0.3	9.0	PASS
6211.250000	8.7	0.3	9.0	PASS
6231.250000	8.7	0.3	9.0	PASS
6208.750000	8.6	0.3	9.0	PASS
6221.250000	8.6	0.4	9.0	PASS
6228.750000	8.6	0.4	9.0	PASS
6206.250000	8.6	0.4	9.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6246.250000	8.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6246.250000	8.4	0.0	8.4	PASS
6248.750000	8.4	0.0	8.4	PASS
6231.250000	8.4	0.1	8.4	PASS
6236.250000	8.4	0.1	8.4	PASS
6256.250000	8.4	0.1	8.4	PASS
6233.750000	8.3	0.1	8.4	PASS
6243.750000	8.3	0.1	8.4	PASS
6241.250000	8.3	0.1	8.4	PASS
6251.250000	8.3	0.1	8.4	PASS
6253.750000	8.3	0.1	8.4	PASS
6208.750000	8.3	0.2	8.4	PASS
6228.750000	8.3	0.2	8.4	PASS
6083.750000	8.2	0.2	8.4	PASS
6258.750000	8.2	0.2	8.4	PASS
6216.250000	8.2	0.2	8.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6245.506092	7.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6245.506092	7.6	0.0	7.6	PASS
6247.005623	7.5	0.2	7.6	PASS
6233.509841	7.4	0.2	7.6	PASS
6244.006560	7.4	0.3	7.6	PASS
6248.505155	7.4	0.3	7.6	PASS
6251.504217	7.4	0.3	7.6	PASS
6239.507966	7.4	0.3	7.6	PASS
6230.510778	7.3	0.4	7.6	PASS
6241.007498	7.3	0.4	7.6	PASS
6284.493908	7.2	0.4	7.6	PASS
6269.498594	7.2	0.4	7.6	PASS
6282.994377	7.2	0.4	7.6	PASS
6250.004686	7.2	0.5	7.6	PASS
6229.011246	7.1	0.5	7.6	PASS
6260.501406	7.1	0.5	7.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6271.250000	9.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6271.250000	9.0	0.0	9.0	PASS
6246.250000	8.9	0.0	9.0	PASS
6286.250000	8.9	0.1	9.0	PASS
6253.750000	8.8	0.1	9.0	PASS
6248.750000	8.7	0.2	9.0	PASS
6366.250000	8.7	0.2	9.0	PASS
6273.750000	8.7	0.3	9.0	PASS
6288.750000	8.7	0.3	9.0	PASS
6278.750000	8.7	0.3	9.0	PASS
6241.250000	8.7	0.3	9.0	PASS
6363.750000	8.7	0.3	9.0	PASS
6251.250000	8.7	0.3	9.0	PASS
6281.250000	8.7	0.3	9.0	PASS
6243.750000	8.6	0.3	9.0	PASS
6371.250000	8.6	0.3	9.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6366.250000	9.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6366.250000	9.7	0.0	9.7	PASS
6271.250000	9.6	0.2	9.7	PASS
6286.250000	9.5	0.2	9.7	PASS
6368.750000	9.5	0.2	9.7	PASS
6393.750000	9.5	0.3	9.7	PASS
6283.750000	9.5	0.3	9.7	PASS
6361.250000	9.5	0.3	9.7	PASS
6373.750000	9.5	0.3	9.7	PASS
6488.750000	9.4	0.3	9.7	PASS
6278.750000	9.4	0.3	9.7	PASS
6351.250000	9.4	0.3	9.7	PASS
6408.750000	9.4	0.3	9.7	PASS
6363.750000	9.4	0.3	9.7	PASS
6486.250000	9.4	0.4	9.7	PASS
6388.750000	9.4	0.4	9.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6488.750000	9.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6483.750000	9.0	0.0	9.1	PASS
6481.250000	9.0	0.1	9.1	PASS
6403.750000	9.0	0.1	9.1	PASS
6486.250000	8.9	0.1	9.1	PASS
6363.750000	8.9	0.1	9.1	PASS
6478.750000	8.9	0.2	9.1	PASS
6468.750000	8.9	0.2	9.1	PASS
6391.250000	8.9	0.2	9.1	PASS
6491.250000	8.9	0.2	9.1	PASS
6526.250000	8.9	0.2	9.1	PASS
6493.750000	8.9	0.2	9.1	PASS
6471.250000	8.9	0.2	9.1	PASS
6511.250000	8.8	0.3	9.1	PASS
6473.750000	8.8	0.3	9.1	PASS
6443.750000	8.8	0.3	9.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6606.250000	8.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6608.750000	8.8	0.0	8.8	PASS
6611.250000	8.8	0.0	8.8	PASS
6591.250000	8.7	0.0	8.8	PASS
6628.750000	8.7	0.1	8.8	PASS
6603.750000	8.6	0.2	8.8	PASS
6633.750000	8.6	0.2	8.8	PASS
6528.750000	8.6	0.2	8.8	PASS
6488.750000	8.6	0.2	8.8	PASS
6648.750000	8.6	0.2	8.8	PASS
6613.750000	8.5	0.3	8.8	PASS
6601.250000	8.5	0.3	8.8	PASS
6568.750000	8.5	0.3	8.8	PASS
6571.250000	8.5	0.3	8.8	PASS
6491.250000	8.5	0.3	8.8	PASS
6631.250000	8.5	0.3	8.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6608.750000	8.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6608.750000	8.5	0.0	8.5	PASS
6603.750000	8.4	0.1	8.5	PASS
6611.250000	8.3	0.2	8.5	PASS
6628.750000	8.3	0.2	8.5	PASS
6643.750000	8.3	0.2	8.5	PASS
6621.250000	8.2	0.2	8.5	PASS
6601.250000	8.2	0.3	8.5	PASS
6633.750000	8.2	0.3	8.5	PASS
6606.250000	8.2	0.3	8.5	PASS
6646.250000	8.2	0.3	8.5	PASS
6618.750000	8.2	0.3	8.5	PASS
6598.750000	8.2	0.3	8.5	PASS
6616.250000	8.2	0.3	8.5	PASS
6573.750000	8.2	0.3	8.5	PASS
6641.250000	8.1	0.3	8.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6628.750000	9.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6608.750000	9.7	0.0	9.7	PASS
6606.250000	9.7	0.0	9.7	PASS
6631.250000	9.6	0.0	9.7	PASS
6611.250000	9.6	0.1	9.7	PASS
6646.250000	9.6	0.1	9.7	PASS
6651.250000	9.5	0.1	9.7	PASS
6648.750000	9.5	0.1	9.7	PASS
6603.750000	9.5	0.2	9.7	PASS
6691.250000	9.5	0.2	9.7	PASS
6633.750000	9.4	0.2	9.7	PASS
6688.750000	9.4	0.2	9.7	PASS
6653.750000	9.4	0.2	9.7	PASS
6626.250000	9.4	0.2	9.7	PASS
6613.750000	9.4	0.2	9.7	PASS
6591.250000	9.4	0.3	9.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6646.250000	9.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6646.250000	9.5	0.0	9.5	PASS
6648.750000	9.5	0.0	9.5	PASS
6641.250000	9.4	0.1	9.5	PASS
6628.750000	9.4	0.1	9.5	PASS
6643.750000	9.4	0.1	9.5	PASS
6608.750000	9.3	0.1	9.5	PASS
6633.750000	9.3	0.1	9.5	PASS
6636.250000	9.3	0.1	9.5	PASS
6638.750000	9.3	0.1	9.5	PASS
6606.250000	9.3	0.1	9.5	PASS
6631.250000	9.3	0.1	9.5	PASS
6653.750000	9.3	0.2	9.5	PASS
6618.750000	9.3	0.2	9.5	PASS
6686.250000	9.3	0.2	9.5	PASS
6601.250000	9.3	0.2	9.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) _ Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6811.250000	8.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6813.750000	8.5	0.0	8.6	PASS
6793.750000	8.5	0.1	8.6	PASS
6808.750000	8.4	0.1	8.6	PASS
6816.250000	8.4	0.1	8.6	PASS
6806.250000	8.4	0.1	8.6	PASS
6791.250000	8.4	0.2	8.6	PASS
6796.250000	8.4	0.2	8.6	PASS
6818.750000	8.4	0.2	8.6	PASS
6788.750000	8.3	0.2	8.6	PASS
6768.750000	8.3	0.2	8.6	PASS
6833.750000	8.3	0.3	8.6	PASS
6803.750000	8.3	0.3	8.6	PASS
6831.250000	8.3	0.3	8.6	PASS
6798.750000	8.3	0.3	8.6	PASS
6836.250000	8.3	0.3	8.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) _ Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6808.750000	8.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6808.750000	8.4	0.0	8.4	PASS
6806.250000	8.3	0.0	8.4	PASS
6766.250000	8.3	0.1	8.4	PASS
6803.750000	8.3	0.1	8.4	PASS
6811.250000	8.2	0.1	8.4	PASS
6751.250000	8.2	0.2	8.4	PASS
6788.750000	8.2	0.2	8.4	PASS
6768.750000	8.2	0.2	8.4	PASS
6801.250000	8.2	0.2	8.4	PASS
6763.750000	8.1	0.2	8.4	PASS
6771.250000	8.1	0.2	8.4	PASS
6791.250000	8.1	0.2	8.4	PASS
6846.250000	8.1	0.2	8.4	PASS
6848.750000	8.1	0.2	8.4	PASS
6813.750000	8.1	0.2	8.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	~ 5.000 MHz
VBW	10.000 MHz	~ 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off