

1. FCC / Band : B2 / Channel : 18607(1850.7MHz)


1.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18607(1850.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.85	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	1	PIC_1

Peak to Average Ratio

FCC / Band : B2 / Channel : 18607 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_1

Peak to Average Ratio


FCC / Band : B2 / Channel : 18607(1850.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	2	PIC_2

Peak to Average Ratio

FCC / Band : B2 / Channel : 18607 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_2

Peak to Average Ratio

FCC / Band : B2 / Channel : 18607(1850.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.75	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	3	PIC_3

Peak to Average Ratio

FCC / Band : B2 / Channel : 18607 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_3

Peak to Average Ratio

FCC / Band : B2 / Channel : 18607(1850.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.62	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	4	PIC_4

Peak to Average Ratio

FCC / Band : B2 / Channel : 18607 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_4

2. FCC / Band : B2 / Channel : 18900(1880MHz)


2.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18900(1880MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.98	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	5	PIC_5

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_5

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.84	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	6	PIC_6

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_6

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.87	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	7	PIC_7

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_7

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.59	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	8	PIC_8

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_8

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.80	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	17	PIC_17

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_17

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.86	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	18	PIC_18

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_18

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.67	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	19	PIC_19

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_19

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.62	dB	13	None	3 MHz	16QAM- FullIRB@ Min	30.00/- 62.40 dBm	20	PIC_20

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullIRB@Min)



PIC_20

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.41	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	29	PIC_29

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_29

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	30	PIC_30

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_30

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.30	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	31	PIC_31

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_31

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.42	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	32	PIC_32

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_32

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.33	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	41	PIC_41

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_41

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.67	dB	13	None	10 MHz	QPSK- FullRB@ Min	30.00/- 57.20 dBm	42	PIC_42

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_42

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.18	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	43	PIC_43

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_43

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.53	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	44	PIC_44

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_44

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.03	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	53	PIC_53

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_53

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	54	PIC_54

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_54

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.89	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	55	PIC_55

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_55

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.40	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	56	PIC_56

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_56

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.96	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	65	PIC_65

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_65

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.60	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	66	PIC_66

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_66

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.83	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	67	PIC_67

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_67

Peak to Average Ratio


FCC / Band : B2 / Channel : 18900(1880MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	68	PIC_68

Peak to Average Ratio

FCC / Band : B2 / Channel : 18900 (1880MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_68

3. FCC / Band : B2 / Channel : 19193(1909.3MHz)


3.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19193(1909.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.07	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	9	PIC_9

Peak to Average Ratio

FCC / Band : B2 / Channel : 19193 (1909.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_9

Peak to Average Ratio


FCC / Band : B2 / Channel : 19193(1909.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.09	dB	13	None	1.4 MHz	QPSK- FullRB@ Min	30.00/- 66.40 dBm	10	PIC_10

Peak to Average Ratio

FCC / Band : B2 / Channel : 19193 (1909.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_10

Peak to Average Ratio

FCC / Band : B2 / Channel : 19193(1909.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.06	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	11	PIC_11

Peak to Average Ratio

FCC / Band : B2 / Channel : 19193 (1909.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_11

Peak to Average Ratio

FCC / Band : B2 / Channel : 19193(1909.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.78	dB	13	None	1.4 MHz	16QAM- FullRB@ Min	30.00/- 66.40 dBm	12	PIC_12

Peak to Average Ratio

FCC / Band : B2 / Channel : 19193 (1909.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_12

4. FCC / Band : B2 / Channel : 18615(1851.5MHz)


4.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18615(1851.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.77	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	13	PIC_13

Peak to Average Ratio

FCC / Band : B2 / Channel : 18615 (1851.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_13

Peak to Average Ratio


FCC / Band : B2 / Channel : 18615(1851.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.92	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	14	PIC_14

Peak to Average Ratio

FCC / Band : B2 / Channel : 18615 (1851.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)




PIC_14

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18615(1851.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.72	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	15	PIC_15

Peak to Average Ratio

FCC / Band : B2 / Channel : 18615 (1851.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_15

Peak to Average Ratio


FCC / Band : B2 / Channel : 18615(1851.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.73	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	16	PIC_16

Peak to Average Ratio

FCC / Band : B2 / Channel : 18615 (1851.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_16

5. FCC / Band : B2 / Channel : 19185(1908.5MHz)


5.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19185(1908.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.05	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	21	PIC_21

Peak to Average Ratio

FCC / Band : B2 / Channel : 19185 (1908.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_21

Peak to Average Ratio


FCC / Band : B2 / Channel : 19185(1908.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.04	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	22	PIC_22

Peak to Average Ratio

FCC / Band : B2 / Channel : 19185 (1908.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)




PIC_22

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19185(1908.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.03	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	23	PIC_23

Peak to Average Ratio

FCC / Band : B2 / Channel : 19185 (1908.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_23

Peak to Average Ratio

FCC / Band : B2 / Channel : 19185(1908.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.86	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	24	PIC_24

Peak to Average Ratio

FCC / Band : B2 / Channel : 19185 (1908.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_24

6. FCC / Band : B2 / Channel : 18625(1852.5MHz)


6.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18625(1852.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.71	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	25	PIC_25

Peak to Average Ratio

FCC / Band : B2 / Channel : 18625 (1852.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_25

Peak to Average Ratio


FCC / Band : B2 / Channel : 18625(1852.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.83	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	26	PIC_26

Peak to Average Ratio

FCC / Band : B2 / Channel : 18625 (1852.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_26

Peak to Average Ratio


FCC / Band : B2 / Channel : 18625(1852.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.66	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	27	PIC_27

Peak to Average Ratio

FCC / Band : B2 / Channel : 18625 (1852.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_27

Peak to Average Ratio

FCC / Band : B2 / Channel : 18625(1852.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.51	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	28	PIC_28

Peak to Average Ratio

FCC / Band : B2 / Channel : 18625 (1852.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_28

7. FCC / Band : B2 / Channel : 19175(1907.5MHz)


7.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19175(1907.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.82	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	33	PIC_33

Peak to Average Ratio

FCC / Band : B2 / Channel : 19175 (1907.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_33

Peak to Average Ratio


FCC / Band : B2 / Channel : 19175(1907.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.91	dB	13	None	5 MHz	QPSK- FullRB@ Min	30.00/- 60.20 dBm	34	PIC_34

Peak to Average Ratio

FCC / Band : B2 / Channel : 19175 (1907.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_34

Peak to Average Ratio


FCC / Band : B2 / Channel : 19175(1907.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.76	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	35	PIC_35

Peak to Average Ratio

FCC / Band : B2 / Channel : 19175 (1907.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_35

Peak to Average Ratio

FCC / Band : B2 / Channel : 19175(1907.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.63	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	36	PIC_36

Peak to Average Ratio

FCC / Band : B2 / Channel : 19175 (1907.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_36

8. FCC / Band : B2 / Channel : 18650(1855MHz)


8.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18650(1855MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.73	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	37	PIC_37

Peak to Average Ratio

FCC / Band : B2 / Channel : 18650 (1855MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_37

Peak to Average Ratio


FCC / Band : B2 / Channel : 18650(1855MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.79	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	38	PIC_38

Peak to Average Ratio

FCC / Band : B2 / Channel : 18650 (1855MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_38

Peak to Average Ratio


FCC / Band : B2 / Channel : 18650(1855MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.87	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	39	PIC_39

Peak to Average Ratio

FCC / Band : B2 / Channel : 18650 (1855MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_39

Peak to Average Ratio


FCC / Band : B2 / Channel : 18650(1855MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.67	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	40	PIC_40

Peak to Average Ratio

FCC / Band : B2 / Channel : 18650 (1855MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_40

9. FCC / Band : B2 / Channel : 19150(1905MHz)


9.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19150(1905MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.81	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	45	PIC_45

Peak to Average Ratio

FCC / Band : B2 / Channel : 19150 (1905MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_45

Peak to Average Ratio


FCC / Band : B2 / Channel : 19150(1905MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	46	PIC_46

Peak to Average Ratio

FCC / Band : B2 / Channel : 19150 (1905MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_46

Peak to Average Ratio

FCC / Band : B2 / Channel : 19150(1905MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.65	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	47	PIC_47

Peak to Average Ratio

FCC / Band : B2 / Channel : 19150 (1905MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_47

Peak to Average Ratio


FCC / Band : B2 / Channel : 19150(1905MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.59	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	48	PIC_48

Peak to Average Ratio

FCC / Band : B2 / Channel : 19150 (1905MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_48

10. FCC / Band : B2 / Channel : 18675(1857.5MHz)


10.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18675(1857.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.93	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	49	PIC_49

Peak to Average Ratio

FCC / Band : B2 / Channel : 18675 (1857.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_49

Peak to Average Ratio


FCC / Band : B2 / Channel : 18675(1857.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.64	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	50	PIC_50

Peak to Average Ratio

FCC / Band : B2 / Channel : 18675 (1857.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_50

Peak to Average Ratio


FCC / Band : B2 / Channel : 18675(1857.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.85	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	51	PIC_51

Peak to Average Ratio

FCC / Band : B2 / Channel : 18675 (1857.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_51

Peak to Average Ratio

FCC / Band : B2 / Channel : 18675(1857.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	52	PIC_52

Peak to Average Ratio

FCC / Band : B2 / Channel : 18675 (1857.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_52

11. FCC / Band : B2 / Channel : 19125(1902.5MHz)


11.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19125(1902.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.90	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	57	PIC_57

Peak to Average Ratio

FCC / Band : B2 / Channel : 19125 (1902.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_57

Peak to Average Ratio


FCC / Band : B2 / Channel : 19125(1902.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.34	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	58	PIC_58

Peak to Average Ratio

FCC / Band : B2 / Channel : 19125 (1902.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_58

Peak to Average Ratio


FCC / Band : B2 / Channel : 19125(1902.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.75	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	59	PIC_59

Peak to Average Ratio

FCC / Band : B2 / Channel : 19125 (1902.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_59

Peak to Average Ratio


FCC / Band : B2 / Channel : 19125(1902.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.15	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	60	PIC_60

Peak to Average Ratio

FCC / Band : B2 / Channel : 19125 (1902.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_60

12. FCC / Band : B2 / Channel : 18700(1860MHz)

12.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 18700(1860MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.03	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	61	PIC_61

Peak to Average Ratio

FCC / Band : B2 / Channel : 18700 (1860MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_61

Peak to Average Ratio


FCC / Band : B2 / Channel : 18700(1860MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.60	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	62	PIC_62

Peak to Average Ratio

FCC / Band : B2 / Channel : 18700 (1860MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_62

Peak to Average Ratio


FCC / Band : B2 / Channel : 18700(1860MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.90	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	63	PIC_63

Peak to Average Ratio

FCC / Band : B2 / Channel : 18700 (1860MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_63

Peak to Average Ratio


FCC / Band : B2 / Channel : 18700(1860MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	64	PIC_64

Peak to Average Ratio

FCC / Band : B2 / Channel : 18700 (1860MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_64

13. FCC / Band : B2 / Channel : 19100(1900MHz)


13.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B2 / Channel : 19100(1900MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.78	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	69	PIC_69

Peak to Average Ratio

FCC / Band : B2 / Channel : 19100 (1900MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_69

Peak to Average Ratio


FCC / Band : B2 / Channel : 19100(1900MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.37	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	70	PIC_70

Peak to Average Ratio

FCC / Band : B2 / Channel : 19100 (1900MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_70

Peak to Average Ratio


FCC / Band : B2 / Channel : 19100(1900MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	71	PIC_71

Peak to Average Ratio

FCC / Band : B2 / Channel : 19100 (1900MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_71

Peak to Average Ratio

FCC / Band : B2 / Channel : 19100(1900MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.24	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	72	PIC_72

Peak to Average Ratio

FCC / Band : B2 / Channel : 19100 (1900MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_72

14. FCC / Band : B4 / Channel : 19957(1710.7MHz)


14.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 19957(1710.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.23	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	73	PIC_73

Peak to Average Ratio

FCC / Band : B4 / Channel : 19957 (1710.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_73

Peak to Average Ratio


FCC / Band : B4 / Channel : 19957(1710.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.01	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	74	PIC_74

Peak to Average Ratio

FCC / Band : B4 / Channel : 19957 (1710.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_74

Peak to Average Ratio


FCC / Band : B4 / Channel : 19957(1710.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	75	PIC_75

Peak to Average Ratio

FCC / Band : B4 / Channel : 19957 (1710.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_75

Peak to Average Ratio

FCC / Band : B4 / Channel : 19957(1710.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.87	dB	13	None	1.4 MHz	16QAM- FullRB@ Min	30.00/- 66.40 dBm	76	PIC_76

Peak to Average Ratio

FCC / Band : B4 / Channel : 19957 (1710.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_76

15. FCC / Band : B4 / Channel : 20175(1732.5MHz)


15.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.00	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	77	PIC_77

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_77

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.87	dB	13	None	1.4 MHz	QPSK- FullRB@ Min	30.00/- 66.40 dBm	78	PIC_78

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_78

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.86	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	79	PIC_79

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_79

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.77	dB	13	None	1.4 MHz	16QAM- FullRB@ Min	30.00/- 66.40 dBm	80	PIC_80

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_80

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.88	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	89	PIC_89

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_89

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.87	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	90	PIC_90

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_90

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.73	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	91	PIC_91

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_91

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.81	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	92	PIC_92

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)




PIC_92

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.74	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	101	PIC_101

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_101

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.76	dB	13	None	5 MHz	QPSK- FullRB@ Min	30.00/- 60.20 dBm	102	PIC_102

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_102

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	103	PIC_103

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_103

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.45	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	104	PIC_104

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)




PIC_104

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.57	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	113	PIC_113

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_113

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.83	dB	13	None	10 MHz	QPSK- FullRB@ Min	30.00/- 57.20 dBm	114	PIC_114

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_114

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.42	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	115	PIC_115

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)




PIC_115

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.72	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	116	PIC_116

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_116

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.51	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	125	PIC_125

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_125

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.73	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	126	PIC_126

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_126

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.37	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	127	PIC_127

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_127

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20175(1732.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.57	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	128	PIC_128

Peak to Average Ratio
FCC / Band : B4 / Channel : 20175 (1732.5MHz)
LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_128

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.51	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	137	PIC_137

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_137

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.78	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	138	PIC_138

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_138

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.38	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	139	PIC_139

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_139

Peak to Average Ratio


FCC / Band : B4 / Channel : 20175(1732.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.67	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	140	PIC_140

Peak to Average Ratio

FCC / Band : B4 / Channel : 20175 (1732.5MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_140

16. FCC / Band : B4 / Channel : 20393(1754.3MHz)


16.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20393(1754.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.05	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	81	PIC_81

Peak to Average Ratio

FCC / Band : B4 / Channel : 20393 (1754.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_81

Peak to Average Ratio


FCC / Band : B4 / Channel : 20393(1754.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.90	dB	13	None	1.4 MHz	QPSK- FullRB@ Min	30.00/- 66.40 dBm	82	PIC_82

Peak to Average Ratio

FCC / Band : B4 / Channel : 20393 (1754.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_82

Peak to Average Ratio

FCC / Band : B4 / Channel : 20393(1754.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.91	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	83	PIC_83

Peak to Average Ratio

FCC / Band : B4 / Channel : 20393 (1754.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_83

Peak to Average Ratio

FCC / Band : B4 / Channel : 20393(1754.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.66	dB	13	None	1.4 MHz	16QAM- FullIRB@ Min	30.00/- 66.40 dBm	84	PIC_84

Peak to Average Ratio

FCC / Band : B4 / Channel : 20393 (1754.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_84

17. FCC / Band : B4 / Channel : 19965(1711.5MHz)


17.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 19965(1711.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.18	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	85	PIC_85

Peak to Average Ratio

FCC / Band : B4 / Channel : 19965 (1711.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_85

Peak to Average Ratio


FCC / Band : B4 / Channel : 19965(1711.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.95	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	86	PIC_86

Peak to Average Ratio

FCC / Band : B4 / Channel : 19965 (1711.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_86

Peak to Average Ratio

FCC / Band : B4 / Channel : 19965(1711.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.07	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	87	PIC_87

Peak to Average Ratio

FCC / Band : B4 / Channel : 19965 (1711.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_87

Peak to Average Ratio

FCC / Band : B4 / Channel : 19965(1711.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.74	dB	13	None	3 MHz	16QAM- FullRB@ Min	30.00/- 62.40 dBm	88	PIC_88

Peak to Average Ratio

FCC / Band : B4 / Channel : 19965 (1711.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_88

18. FCC / Band : B4 / Channel : 20385(1753.5MHz)


18.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20385(1753.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.06	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	93	PIC_93

Peak to Average Ratio

FCC / Band : B4 / Channel : 20385 (1753.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_93

Peak to Average Ratio


FCC / Band : B4 / Channel : 20385(1753.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.91	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	94	PIC_94

Peak to Average Ratio

FCC / Band : B4 / Channel : 20385 (1753.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_94

Peak to Average Ratio


FCC / Band : B4 / Channel : 20385(1753.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.93	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	95	PIC_95

Peak to Average Ratio

FCC / Band : B4 / Channel : 20385 (1753.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_95

Peak to Average Ratio


FCC / Band : B4 / Channel : 20385(1753.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.78	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	96	PIC_96

Peak to Average Ratio

FCC / Band : B4 / Channel : 20385 (1753.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_96

19. FCC / Band : B4 / Channel : 19975(1712.5MHz)


19.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 19975(1712.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.11	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	97	PIC_97

Peak to Average Ratio

FCC / Band : B4 / Channel : 19975 (1712.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_97

Peak to Average Ratio


FCC / Band : B4 / Channel : 19975(1712.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.82	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	98	PIC_98

Peak to Average Ratio

FCC / Band : B4 / Channel : 19975 (1712.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_98

Peak to Average Ratio


FCC / Band : B4 / Channel : 19975(1712.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.98	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	99	PIC_99

Peak to Average Ratio

FCC / Band : B4 / Channel : 19975 (1712.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_99

Peak to Average Ratio


FCC / Band : B4 / Channel : 19975(1712.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.50	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	100	PIC_100

Peak to Average Ratio

FCC / Band : B4 / Channel : 19975 (1712.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_100

20. FCC / Band : B4 / Channel : 20375(1752.5MHz)


20.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20375(1752.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.14	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	105	PIC_105

Peak to Average Ratio

FCC / Band : B4 / Channel : 20375 (1752.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_105

Peak to Average Ratio


FCC / Band : B4 / Channel : 20375(1752.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.82	dB	13	None	5 MHz	QPSK- FullRB@ Min	30.00/- 60.20 dBm	106	PIC_106

Peak to Average Ratio

FCC / Band : B4 / Channel : 20375 (1752.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_106

Peak to Average Ratio


FCC / Band : B4 / Channel : 20375(1752.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.03	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	107	PIC_107

Peak to Average Ratio

FCC / Band : B4 / Channel : 20375 (1752.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_107

Peak to Average Ratio


FCC / Band : B4 / Channel : 20375(1752.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.51	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	108	PIC_108

Peak to Average Ratio

FCC / Band : B4 / Channel : 20375 (1752.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_108