

21. FCC / Band : B4 / Channel : 20000(1715MHz)


21.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20000(1715MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.12	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	109	PIC_109

Peak to Average Ratio

FCC / Band : B4 / Channel : 20000 (1715MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_109

Peak to Average Ratio


FCC / Band : B4 / Channel : 20000(1715MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.68	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	110	PIC_110

Peak to Average Ratio

FCC / Band : B4 / Channel : 20000 (1715MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_110

Peak to Average Ratio

FCC / Band : B4 / Channel : 20000(1715MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.97	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	111	PIC_111

Peak to Average Ratio

FCC / Band : B4 / Channel : 20000 (1715MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_111

Peak to Average Ratio


FCC / Band : B4 / Channel : 20000(1715MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.69	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	112	PIC_112

Peak to Average Ratio

FCC / Band : B4 / Channel : 20000 (1715MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_112

22. FCC / Band : B4 / Channel : 20350(1750MHz)


22.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20350(1750MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.24	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	117	PIC_117

Peak to Average Ratio

FCC / Band : B4 / Channel : 20350 (1750MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_117

Peak to Average Ratio


FCC / Band : B4 / Channel : 20350(1750MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.94	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	118	PIC_118

Peak to Average Ratio

FCC / Band : B4 / Channel : 20350 (1750MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_118

Peak to Average Ratio

FCC / Band : B4 / Channel : 20350(1750MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.18	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	119	PIC_119

Peak to Average Ratio

FCC / Band : B4 / Channel : 20350 (1750MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_119

Peak to Average Ratio


FCC / Band : B4 / Channel : 20350(1750MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.84	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	120	PIC_120

Peak to Average Ratio

FCC / Band : B4 / Channel : 20350 (1750MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_120

23. FCC / Band : B4 / Channel : 20025(1717.5MHz)


23.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20025(1717.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.03	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	121	PIC_121

Peak to Average Ratio

FCC / Band : B4 / Channel : 20025 (1717.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_121

Peak to Average Ratio


FCC / Band : B4 / Channel : 20025(1717.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.68	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	122	PIC_122

Peak to Average Ratio

FCC / Band : B4 / Channel : 20025 (1717.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_122

Peak to Average Ratio


FCC / Band : B4 / Channel : 20025(1717.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.98	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	123	PIC_123

Peak to Average Ratio

FCC / Band : B4 / Channel : 20025 (1717.5MHz)


LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_123

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20025(1717.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.52	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	124	PIC_124

Peak to Average Ratio
FCC / Band : B4 / Channel : 20025 (1717.5MHz)
LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_124

24. FCC / Band : B4 / Channel : 20325(1747.5MHz)


24.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20325(1747.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.24	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	129	PIC_129

Peak to Average Ratio

FCC / Band : B4 / Channel : 20325 (1747.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_129

Peak to Average Ratio


FCC / Band : B4 / Channel : 20325(1747.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.85	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	130	PIC_130

Peak to Average Ratio

FCC / Band : B4 / Channel : 20325 (1747.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_130

Peak to Average Ratio


FCC / Band : B4 / Channel : 20325(1747.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.19	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	131	PIC_131

Peak to Average Ratio

FCC / Band : B4 / Channel : 20325 (1747.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_131

Peak to Average Ratio

FCC / Band : B4 / Channel : 20325(1747.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.71	dB	13	None	15 MHz	16QAM- FullRB@ Min	30.00/- 55.50 dBm	132	PIC_132

Peak to Average Ratio

FCC / Band : B4 / Channel : 20325 (1747.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_132

25. FCC / Band : B4 / Channel : 20050(1720MHz)


25.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20050(1720MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.09	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	133	PIC_133

Peak to Average Ratio

FCC / Band : B4 / Channel : 20050 (1720MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_133

Peak to Average Ratio


FCC / Band : B4 / Channel : 20050(1720MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	134	PIC_134

Peak to Average Ratio

FCC / Band : B4 / Channel : 20050 (1720MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_134

Peak to Average Ratio

FCC / Band : B4 / Channel : 20050(1720MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.03	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	135	PIC_135

Peak to Average Ratio

FCC / Band : B4 / Channel : 20050 (1720MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_135

Peak to Average Ratio

FCC / Band : B4 / Channel : 20050(1720MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.56	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	136	PIC_136

Peak to Average Ratio

FCC / Band : B4 / Channel : 20050 (1720MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_136

26. FCC / Band : B4 / Channel : 20300(1745MHz)


26.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20300(1745MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.10	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	141	PIC_141

Peak to Average Ratio

FCC / Band : B4 / Channel : 20300 (1745MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_141

Peak to Average Ratio


FCC / Band : B4 / Channel : 20300(1745MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	142	PIC_142

Peak to Average Ratio

FCC / Band : B4 / Channel : 20300 (1745MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_142

Peak to Average Ratio


FCC / Band : B4 / Channel : 20300(1745MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.04	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	143	PIC_143

Peak to Average Ratio

FCC / Band : B4 / Channel : 20300 (1745MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)




PIC_143

# Peak to Average Ratio										
# FCC / Band : B4 / Channel : 20300(1745MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.79	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	144	PIC_144

Peak to Average Ratio

FCC / Band : B4 / Channel : 20300 (1745MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_144

27. FCC / Band : B5 / Channel : 20407(824.7MHz)


27.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20407(824.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.22	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	145	PIC_145

Peak to Average Ratio

FCC / Band : B5 / Channel : 20407 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_145

Peak to Average Ratio


FCC / Band : B5 / Channel : 20407(824.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.41	dB	13	None	1.4 MHz	QPSK- FullRB@ Min	30.00/- 66.40 dBm	146	PIC_146

Peak to Average Ratio

FCC / Band : B5 / Channel : 20407 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_146

Peak to Average Ratio


FCC / Band : B5 / Channel : 20407(824.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.16	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	147	PIC_147

Peak to Average Ratio

FCC / Band : B5 / Channel : 20407 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_147

Peak to Average Ratio


FCC / Band : B5 / Channel : 20407(824.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.18	dB	13	None	1.4 MHz	16QAM- FullRB@ Min	30.00/- 66.40 dBm	148	PIC_148

Peak to Average Ratio

FCC / Band : B5 / Channel : 20407 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_148

28. FCC / Band : B5 / Channel : 20525(836.5MHz)


28.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20525(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.63	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	149	PIC_149

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_149

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.73	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	150	PIC_150

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)




PIC_150

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20525(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.65	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	151	PIC_151

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_151

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.43	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	152	PIC_152

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_152

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.54	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	161	PIC_161

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_161

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	3 MHz	QPSK- FullRB@ Min	30.00/- 62.40 dBm	162	PIC_162

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_162

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.54	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	163	PIC_163

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_163

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	3 MHz	16QAM-FullIRB@Min	30.00/-62.40 dBm	164	PIC_164

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullIRB@Min)



PIC_164

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.38	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	173	PIC_173

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_173

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	174	PIC_174

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_174

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.34	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	175	PIC_175

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_175

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.26	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	176	PIC_176

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_176

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.22	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	185	PIC_185

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_185

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.49	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	186	PIC_186

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_186

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.12	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	187	PIC_187

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_187

Peak to Average Ratio


FCC / Band : B5 / Channel : 20525(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.32	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	188	PIC_188

Peak to Average Ratio

FCC / Band : B5 / Channel : 20525 (836.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_188

29. FCC / Band : B5 / Channel : 20643(848.3MHz)


29.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20643(848.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.44	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	153	PIC_153

Peak to Average Ratio

FCC / Band : B5 / Channel : 20643 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)




PIC_153

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20643(848.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.60	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	154	PIC_154

Peak to Average Ratio

FCC / Band : B5 / Channel : 20643 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)




PIC_154

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20643(848.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.41	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	155	PIC_155

Peak to Average Ratio

FCC / Band : B5 / Channel : 20643 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_155

Peak to Average Ratio


FCC / Band : B5 / Channel : 20643(848.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.34	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	156	PIC_156

Peak to Average Ratio

FCC / Band : B5 / Channel : 20643 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_156

30. FCC / Band : B5 / Channel : 20415(825.5MHz)


30.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20415(825.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.17	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	157	PIC_157

Peak to Average Ratio

FCC / Band : B5 / Channel : 20415 (825.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_157

Peak to Average Ratio


FCC / Band : B5 / Channel : 20415(825.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.46	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	158	PIC_158

Peak to Average Ratio

FCC / Band : B5 / Channel : 20415 (825.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_158

Peak to Average Ratio


FCC / Band : B5 / Channel : 20415(825.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.10	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	159	PIC_159

Peak to Average Ratio

FCC / Band : B5 / Channel : 20415 (825.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_159

Peak to Average Ratio


FCC / Band : B5 / Channel : 20415(825.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.20	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	160	PIC_160

Peak to Average Ratio

FCC / Band : B5 / Channel : 20415 (825.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_160

31. FCC / Band : B5 / Channel : 20635(847.5MHz)


31.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20635(847.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.12	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	165	PIC_165

Peak to Average Ratio

FCC / Band : B5 / Channel : 20635 (847.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)




PIC_165

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20635(847.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.64	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	166	PIC_166

Peak to Average Ratio

FCC / Band : B5 / Channel : 20635 (847.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_166

Peak to Average Ratio


FCC / Band : B5 / Channel : 20635(847.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.01	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	167	PIC_167

Peak to Average Ratio

FCC / Band : B5 / Channel : 20635 (847.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_167

Peak to Average Ratio


FCC / Band : B5 / Channel : 20635(847.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.43	dB	13	None	3 MHz	16QAM-FullIRB@Min	30.00/-62.40 dBm	168	PIC_168

Peak to Average Ratio

FCC / Band : B5 / Channel : 20635 (847.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullIRB@Min)



PIC_168

32. FCC / Band : B5 / Channel : 20425(826.5MHz)


32.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20425(826.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.08	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	169	PIC_169

Peak to Average Ratio

FCC / Band : B5 / Channel : 20425 (826.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_169

Peak to Average Ratio


FCC / Band : B5 / Channel : 20425(826.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.33	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	170	PIC_170

Peak to Average Ratio

FCC / Band : B5 / Channel : 20425 (826.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_170

Peak to Average Ratio


FCC / Band : B5 / Channel : 20425(826.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.96	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	171	PIC_171

Peak to Average Ratio

FCC / Band : B5 / Channel : 20425 (826.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_171

Peak to Average Ratio

FCC / Band : B5 / Channel : 20425(826.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.01	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	172	PIC_172

Peak to Average Ratio

FCC / Band : B5 / Channel : 20425 (826.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_172

33. FCC / Band : B5 / Channel : 20625(846.5MHz)


33.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20625(846.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.78	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	177	PIC_177

Peak to Average Ratio

FCC / Band : B5 / Channel : 20625 (846.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)




PIC_177

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20625(846.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.54	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	178	PIC_178

Peak to Average Ratio

FCC / Band : B5 / Channel : 20625 (846.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_178

Peak to Average Ratio

FCC / Band : B5 / Channel : 20625(846.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.69	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	179	PIC_179

Peak to Average Ratio

FCC / Band : B5 / Channel : 20625 (846.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_179

Peak to Average Ratio


FCC / Band : B5 / Channel : 20625(846.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.19	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	180	PIC_180

Peak to Average Ratio

FCC / Band : B5 / Channel : 20625 (846.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_180

34. FCC / Band : B5 / Channel : 20450(829MHz)


34.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20450(829MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.07	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	181	PIC_181

Peak to Average Ratio

FCC / Band : B5 / Channel : 20450 (829MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_181

Peak to Average Ratio


FCC / Band : B5 / Channel : 20450(829MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.36	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	182	PIC_182

Peak to Average Ratio

FCC / Band : B5 / Channel : 20450 (829MHz)


LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_182

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20450(829MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.95	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	183	PIC_183

Peak to Average Ratio
FCC / Band : B5 / Channel : 20450 (829MHz)
LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_183

Peak to Average Ratio


FCC / Band : B5 / Channel : 20450(829MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	184	PIC_184

Peak to Average Ratio

FCC / Band : B5 / Channel : 20450 (829MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_184

35. FCC / Band : B5 / Channel : 20600(844MHz)


35.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B5 / Channel : 20600(844MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.43	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	189	PIC_189

Peak to Average Ratio

FCC / Band : B5 / Channel : 20600 (844MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_189

Peak to Average Ratio


FCC / Band : B5 / Channel : 20600(844MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.38	dB	13	None	10 MHz	QPSK- FullRB@ Min	30.00/- 57.20 dBm	190	PIC_190

Peak to Average Ratio

FCC / Band : B5 / Channel : 20600 (844MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_190

Peak to Average Ratio


FCC / Band : B5 / Channel : 20600(844MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.40	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	191	PIC_191

Peak to Average Ratio

FCC / Band : B5 / Channel : 20600 (844MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_191

Peak to Average Ratio


FCC / Band : B5 / Channel : 20600(844MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.19	dB	13	None	10 MHz	16QAM- FullRB@ Min	30.00/- 57.20 dBm	192	PIC_192

Peak to Average Ratio

FCC / Band : B5 / Channel : 20600 (844MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_192

36. FCC / Band : B7 / Channel : 20775(2502.5MHz)


36.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20775(2502.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.38	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	193	PIC_193

Peak to Average Ratio

FCC / Band : B7 / Channel : 20775 (2502.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_193

Peak to Average Ratio


FCC / Band : B7 / Channel : 20775(2502.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	194	PIC_194

Peak to Average Ratio

FCC / Band : B7 / Channel : 20775 (2502.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_194

Peak to Average Ratio


FCC / Band : B7 / Channel : 20775(2502.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.31	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	195	PIC_195

Peak to Average Ratio

FCC / Band : B7 / Channel : 20775 (2502.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_195

Peak to Average Ratio

FCC / Band : B7 / Channel : 20775(2502.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.29	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	196	PIC_196

Peak to Average Ratio

FCC / Band : B7 / Channel : 20775 (2502.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_196

37. FCC / Band : B7 / Channel : 21100(2535MHz)


37.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 21100(2535MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.47	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	197	PIC_197

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_197

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	198	PIC_198

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_198

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.38	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	199	PIC_199

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_199

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.39	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	200	PIC_200

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_200

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.27	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	209	PIC_209

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_209

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.63	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	210	PIC_210

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_210

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.14	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	211	PIC_211

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_211

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.48	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	212	PIC_212

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_212

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.00	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	221	PIC_221

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_221

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.51	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	222	PIC_222

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_222

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.88	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	223	PIC_223

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_223

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.33	dB	13	None	15 MHz	16QAM- FullRB@ Min	30.00/- 55.50 dBm	224	PIC_224

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_224

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.79	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	233	PIC_233

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_233

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.56	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	234	PIC_234

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_234

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.71	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	235	PIC_235

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_235

Peak to Average Ratio


FCC / Band : B7 / Channel : 21100(2535MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.42	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	236	PIC_236

Peak to Average Ratio

FCC / Band : B7 / Channel : 21100 (2535MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_236

38. FCC / Band : B7 / Channel : 21425(2567.5MHz)

38.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 21425(2567.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.84	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	201	PIC_201

Peak to Average Ratio

FCC / Band : B7 / Channel : 21425 (2567.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_201

Peak to Average Ratio


FCC / Band : B7 / Channel : 21425(2567.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.44	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	202	PIC_202

Peak to Average Ratio

FCC / Band : B7 / Channel : 21425 (2567.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_202

Peak to Average Ratio


FCC / Band : B7 / Channel : 21425(2567.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.78	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	203	PIC_203

Peak to Average Ratio

FCC / Band : B7 / Channel : 21425 (2567.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_203

Peak to Average Ratio


FCC / Band : B7 / Channel : 21425(2567.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	204	PIC_204

Peak to Average Ratio

FCC / Band : B7 / Channel : 21425 (2567.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_204

39. FCC / Band : B7 / Channel : 20800(2505MHz)


39.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20800(2505MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.40	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	205	PIC_205

Peak to Average Ratio

FCC / Band : B7 / Channel : 20800 (2505MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_205

Peak to Average Ratio


FCC / Band : B7 / Channel : 20800(2505MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.43	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	206	PIC_206

Peak to Average Ratio

FCC / Band : B7 / Channel : 20800 (2505MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)




PIC_206

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20800(2505MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.30	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	207	PIC_207

Peak to Average Ratio

FCC / Band : B7 / Channel : 20800 (2505MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)




PIC_207

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20800(2505MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.29	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	208	PIC_208

Peak to Average Ratio

FCC / Band : B7 / Channel : 20800 (2505MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_208

40. FCC / Band : B7 / Channel : 21400(2565MHz)


40.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 21400(2565MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.59	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	213	PIC_213

Peak to Average Ratio

FCC / Band : B7 / Channel : 21400 (2565MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_213

Peak to Average Ratio


FCC / Band : B7 / Channel : 21400(2565MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.33	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	214	PIC_214

Peak to Average Ratio

FCC / Band : B7 / Channel : 21400 (2565MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_214

Peak to Average Ratio


FCC / Band : B7 / Channel : 21400(2565MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.52	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	215	PIC_215

Peak to Average Ratio

FCC / Band : B7 / Channel : 21400 (2565MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_215

Peak to Average Ratio


FCC / Band : B7 / Channel : 21400(2565MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.15	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	216	PIC_216

Peak to Average Ratio

FCC / Band : B7 / Channel : 21400 (2565MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_216

41. FCC / Band : B7 / Channel : 20825(2507.5MHz)


41.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20825(2507.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.35	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	217	PIC_217

Peak to Average Ratio

FCC / Band : B7 / Channel : 20825 (2507.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_217

Peak to Average Ratio


FCC / Band : B7 / Channel : 20825(2507.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.21	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	218	PIC_218

Peak to Average Ratio

FCC / Band : B7 / Channel : 20825 (2507.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_218

Peak to Average Ratio


FCC / Band : B7 / Channel : 20825(2507.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.27	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	219	PIC_219

Peak to Average Ratio

FCC / Band : B7 / Channel : 20825 (2507.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_219

Peak to Average Ratio


FCC / Band : B7 / Channel : 20825(2507.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.08	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	220	PIC_220

Peak to Average Ratio

FCC / Band : B7 / Channel : 20825 (2507.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_220

42. FCC / Band : B7 / Channel : 21375(2562.5MHz)


42.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 21375(2562.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.64	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	225	PIC_225

Peak to Average Ratio

FCC / Band : B7 / Channel : 21375 (2562.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_225

Peak to Average Ratio


FCC / Band : B7 / Channel : 21375(2562.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.20	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	226	PIC_226

Peak to Average Ratio

FCC / Band : B7 / Channel : 21375 (2562.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_226

Peak to Average Ratio


FCC / Band : B7 / Channel : 21375(2562.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.58	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	227	PIC_227

Peak to Average Ratio

FCC / Band : B7 / Channel : 21375 (2562.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_227

Peak to Average Ratio


FCC / Band : B7 / Channel : 21375(2562.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.00	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	228	PIC_228

Peak to Average Ratio

FCC / Band : B7 / Channel : 21375 (2562.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_228

43. FCC / Band : B7 / Channel : 20850(2510MHz)


43.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20850(2510MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.41	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	229	PIC_229

Peak to Average Ratio

FCC / Band : B7 / Channel : 20850 (2510MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_229

Peak to Average Ratio


FCC / Band : B7 / Channel : 20850(2510MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.16	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	230	PIC_230

Peak to Average Ratio

FCC / Band : B7 / Channel : 20850 (2510MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)




PIC_230

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 20850(2510MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.32	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	231	PIC_231

Peak to Average Ratio

FCC / Band : B7 / Channel : 20850 (2510MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_231

Peak to Average Ratio


FCC / Band : B7 / Channel : 20850(2510MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.02	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	232	PIC_232

Peak to Average Ratio

FCC / Band : B7 / Channel : 20850 (2510MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_232

44. FCC / Band : B7 / Channel : 21350(2560MHz)


44.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B7 / Channel : 21350(2560MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.03	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	237	PIC_237

Peak to Average Ratio

FCC / Band : B7 / Channel : 21350 (2560MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_237

Peak to Average Ratio


FCC / Band : B7 / Channel : 21350(2560MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.27	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	238	PIC_238

Peak to Average Ratio

FCC / Band : B7 / Channel : 21350 (2560MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_238

Peak to Average Ratio


FCC / Band : B7 / Channel : 21350(2560MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.01	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/- 54.20 dBm	239	PIC_239

Peak to Average Ratio

FCC / Band : B7 / Channel : 21350 (2560MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_239

Peak to Average Ratio


FCC / Band : B7 / Channel : 21350(2560MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.12	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	240	PIC_240

Peak to Average Ratio

FCC / Band : B7 / Channel : 21350 (2560MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_240