

45. FCC / Band : B12 / Channel : 23017(699.7MHz)


45.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23017(699.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.35	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	241	PIC_241

Peak to Average Ratio

FCC / Band : B12 / Channel : 23017 (699.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_241

Peak to Average Ratio


FCC / Band : B12 / Channel : 23017(699.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.43	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	242	PIC_242

Peak to Average Ratio

FCC / Band : B12 / Channel : 23017 (699.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_242

Peak to Average Ratio


FCC / Band : B12 / Channel : 23017(699.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.24	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	243	PIC_243

Peak to Average Ratio

FCC / Band : B12 / Channel : 23017 (699.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_243

Peak to Average Ratio


FCC / Band : B12 / Channel : 23017(699.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.21	dB	13	None	1.4 MHz	16QAM- FullRB@ Min	30.00/- 66.40 dBm	244	PIC_244

Peak to Average Ratio

FCC / Band : B12 / Channel : 23017 (699.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_244

46. FCC / Band : B12 / Channel : 23095(707.5MHz)


46.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23095(707.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.56	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	245	PIC_245

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_245

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.74	dB	13	None	1.4 MHz	QPSK-FullIRB@Min	30.00/-66.40 dBm	246	PIC_246

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullIRB@Min)



PIC_246

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.39	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	247	PIC_247

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_247

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.50	dB	13	None	1.4 MHz	16QAM- FullRB@ Min	30.00/- 66.40 dBm	248	PIC_248

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_248

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.26	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	257	PIC_257

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_257

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.79	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	258	PIC_258

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_258

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.11	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	259	PIC_259

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_259

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.58	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	260	PIC_260

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_260

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.91	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	269	PIC_269

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_269

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	270	PIC_270

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_270

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.79	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	271	PIC_271

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_271

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.36	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	272	PIC_272

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_272

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.55	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	281	PIC_281

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_281

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.69	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	282	PIC_282

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_282

Peak to Average Ratio


FCC / Band : B12 / Channel : 23095(707.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.40	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	283	PIC_283

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)




PIC_283

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23095(707.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.47	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	284	PIC_284

Peak to Average Ratio

FCC / Band : B12 / Channel : 23095 (707.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_284

47. FCC / Band : B12 / Channel : 23173(715.3MHz)


47.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23173(715.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.24	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	249	PIC_249

Peak to Average Ratio

FCC / Band : B12 / Channel : 23173 (715.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_249

Peak to Average Ratio


FCC / Band : B12 / Channel : 23173(715.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.37	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	250	PIC_250

Peak to Average Ratio

FCC / Band : B12 / Channel : 23173 (715.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_250

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23173(715.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.16	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	251	PIC_251

Peak to Average Ratio

FCC / Band : B12 / Channel : 23173 (715.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)




PIC_251

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23173(715.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	252	PIC_252

Peak to Average Ratio

FCC / Band : B12 / Channel : 23173 (715.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_252

48. FCC / Band : B12 / Channel : 23025(700.5MHz)

48.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23025(700.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.31	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	253	PIC_253

Peak to Average Ratio

FCC / Band : B12 / Channel : 23025 (700.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_253

Peak to Average Ratio


FCC / Band : B12 / Channel : 23025(700.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.39	dB	13	None	3 MHz	QPSK- FullRB@ Min	30.00/- 62.40 dBm	254	PIC_254

Peak to Average Ratio

FCC / Band : B12 / Channel : 23025 (700.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_254

Peak to Average Ratio


FCC / Band : B12 / Channel : 23025(700.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.23	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	255	PIC_255

Peak to Average Ratio

FCC / Band : B12 / Channel : 23025 (700.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_255

Peak to Average Ratio

FCC / Band : B12 / Channel : 23025(700.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	256	PIC_256

Peak to Average Ratio

FCC / Band : B12 / Channel : 23025 (700.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_256

49. FCC / Band : B12 / Channel : 23165(714.5MHz)


49.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23165(714.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.59	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	261	PIC_261

Peak to Average Ratio

FCC / Band : B12 / Channel : 23165 (714.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_261

Peak to Average Ratio


FCC / Band : B12 / Channel : 23165(714.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	262	PIC_262

Peak to Average Ratio

FCC / Band : B12 / Channel : 23165 (714.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_262

Peak to Average Ratio

FCC / Band : B12 / Channel : 23165(714.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.59	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	263	PIC_263

Peak to Average Ratio

FCC / Band : B12 / Channel : 23165 (714.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_263

Peak to Average Ratio


FCC / Band : B12 / Channel : 23165(714.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.22	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	264	PIC_264

Peak to Average Ratio

FCC / Band : B12 / Channel : 23165 (714.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_264

50. FCC / Band : B12 / Channel : 23035(701.5MHz)


50.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23035(701.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.20	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	265	PIC_265

Peak to Average Ratio

FCC / Band : B12 / Channel : 23035 (701.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_265

Peak to Average Ratio


FCC / Band : B12 / Channel : 23035(701.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.22	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	266	PIC_266

Peak to Average Ratio

FCC / Band : B12 / Channel : 23035 (701.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_266

Peak to Average Ratio


FCC / Band : B12 / Channel : 23035(701.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.11	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	267	PIC_267

Peak to Average Ratio

FCC / Band : B12 / Channel : 23035 (701.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_267

Peak to Average Ratio


FCC / Band : B12 / Channel : 23035(701.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	268	PIC_268

Peak to Average Ratio

FCC / Band : B12 / Channel : 23035 (701.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_268

51. FCC / Band : B12 / Channel : 23155(713.5MHz)


51.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23155(713.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.91	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	273	PIC_273

Peak to Average Ratio

FCC / Band : B12 / Channel : 23155 (713.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_273

Peak to Average Ratio


FCC / Band : B12 / Channel : 23155(713.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.41	dB	13	None	5 MHz	QPSK- FullRB@ Min	30.00/- 60.20 dBm	274	PIC_274

Peak to Average Ratio

FCC / Band : B12 / Channel : 23155 (713.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_274

Peak to Average Ratio


FCC / Band : B12 / Channel : 23155(713.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.91	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	275	PIC_275

Peak to Average Ratio

FCC / Band : B12 / Channel : 23155 (713.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)




PIC_275

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23155(713.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	276	PIC_276

Peak to Average Ratio

FCC / Band : B12 / Channel : 23155 (713.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_276

52. FCC / Band : B12 / Channel : 23060(704MHz)


52.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23060(704MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.13	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	277	PIC_277

Peak to Average Ratio

FCC / Band : B12 / Channel : 23060 (704MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_277

Peak to Average Ratio


FCC / Band : B12 / Channel : 23060(704MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	278	PIC_278

Peak to Average Ratio

FCC / Band : B12 / Channel : 23060 (704MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)




PIC_278

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23060(704MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.04	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	279	PIC_279

Peak to Average Ratio

FCC / Band : B12 / Channel : 23060 (704MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_279

Peak to Average Ratio


FCC / Band : B12 / Channel : 23060(704MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.19	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	280	PIC_280

Peak to Average Ratio

FCC / Band : B12 / Channel : 23060 (704MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_280

53. FCC / Band : B12 / Channel : 23130(711MHz)


53.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23130(711MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.28	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	285	PIC_285

Peak to Average Ratio

FCC / Band : B12 / Channel : 23130 (711MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_285

Peak to Average Ratio


FCC / Band : B12 / Channel : 23130(711MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.46	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	286	PIC_286

Peak to Average Ratio

FCC / Band : B12 / Channel : 23130 (711MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)




PIC_286

# Peak to Average Ratio										
# FCC / Band : B12 / Channel : 23130(711MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.10	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	287	PIC_287

Peak to Average Ratio

FCC / Band : B12 / Channel : 23130 (711MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_287

Peak to Average Ratio


FCC / Band : B12 / Channel : 23130(711MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.34	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	288	PIC_288

Peak to Average Ratio

FCC / Band : B12 / Channel : 23130 (711MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_288

54. FCC / Band : B13 / Channel : 23205(779.5MHz)


54.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B13 / Channel : 23205(779.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.55	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	289	PIC_289

Peak to Average Ratio

FCC / Band : B13 / Channel : 23205 (779.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_289

Peak to Average Ratio


FCC / Band : B13 / Channel : 23205(779.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.46	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	290	PIC_290

Peak to Average Ratio

FCC / Band : B13 / Channel : 23205 (779.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_290

Peak to Average Ratio


FCC / Band : B13 / Channel : 23205(779.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.53	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	291	PIC_291

Peak to Average Ratio

FCC / Band : B13 / Channel : 23205 (779.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_291

Peak to Average Ratio


FCC / Band : B13 / Channel : 23205(779.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.10	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	292	PIC_292

Peak to Average Ratio

FCC / Band : B13 / Channel : 23205 (779.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_292

55. FCC / Band : B13 / Channel : 23230(782MHz)


55.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B13 / Channel : 23230(782MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.24	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	293	PIC_293

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_293

Peak to Average Ratio


FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.49	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	294	PIC_294

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_294

Peak to Average Ratio


FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.20	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	295	PIC_295

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_295

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.16	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	296	PIC_296

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_296

Peak to Average Ratio


FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.59	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	301	PIC_301

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_301

Peak to Average Ratio


FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.45	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	302	PIC_302

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_302

Peak to Average Ratio


FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.53	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	303	PIC_303

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_303

Peak to Average Ratio


FCC / Band : B13 / Channel : 23230(782MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.20	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	304	PIC_304

Peak to Average Ratio

FCC / Band : B13 / Channel : 23230 (782MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_304

56. FCC / Band : B13 / Channel : 23255(784.5MHz)


56.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B13 / Channel : 23255(784.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.30	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	297	PIC_297

Peak to Average Ratio

FCC / Band : B13 / Channel : 23255 (784.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_297

Peak to Average Ratio


FCC / Band : B13 / Channel : 23255(784.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.47	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	298	PIC_298

Peak to Average Ratio

FCC / Band : B13 / Channel : 23255 (784.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_298

Peak to Average Ratio


FCC / Band : B13 / Channel : 23255(784.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.29	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	299	PIC_299

Peak to Average Ratio

FCC / Band : B13 / Channel : 23255 (784.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_299

Peak to Average Ratio


FCC / Band : B13 / Channel : 23255(784.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.16	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	300	PIC_300

Peak to Average Ratio

FCC / Band : B13 / Channel : 23255 (784.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_300

57. FCC / Band : B25 / Channel : 26047(1850.7MHz)


57.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26047(1850.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.00	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	305	PIC_305

Peak to Average Ratio

FCC / Band : B25 / Channel : 26047 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_305

Peak to Average Ratio


FCC / Band : B25 / Channel : 26047(1850.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.92	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	306	PIC_306

Peak to Average Ratio

FCC / Band : B25 / Channel : 26047 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_306

Peak to Average Ratio


FCC / Band : B25 / Channel : 26047(1850.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	307	PIC_307

Peak to Average Ratio

FCC / Band : B25 / Channel : 26047 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_307

Peak to Average Ratio


FCC / Band : B25 / Channel : 26047(1850.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.62	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	308	PIC_308

Peak to Average Ratio

FCC / Band : B25 / Channel : 26047 (1850.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_308

58. FCC / Band : B25 / Channel : 26365(1882.5MHz)


58.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26365(1882.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.94	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	309	PIC_309

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_309

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.93	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	310	PIC_310

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)




PIC_310

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26365(1882.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.85	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	311	PIC_311

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_311

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.65	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	312	PIC_312

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_312

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.82	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	321	PIC_321

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_321

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	322	PIC_322

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_322

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.68	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	323	PIC_323

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_323

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.71	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	324	PIC_324

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_324

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.72	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	333	PIC_333

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_333

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.80	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	334	PIC_334

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_334

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.61	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	335	PIC_335

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_335

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	336	PIC_336

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_336

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.40	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	345	PIC_345

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_345

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.73	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	346	PIC_346

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_346

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.27	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	347	PIC_347

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_347

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.59	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	348	PIC_348

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_348

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.13	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	357	PIC_357

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_357

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.60	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	358	PIC_358

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)




PIC_358

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26365(1882.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.99	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	359	PIC_359

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_359

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.43	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	360	PIC_360

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_360

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.91	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	369	PIC_369

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_369

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.63	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	370	PIC_370

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_370

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.77	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	371	PIC_371

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_371

Peak to Average Ratio


FCC / Band : B25 / Channel : 26365(1882.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.51	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	372	PIC_372

Peak to Average Ratio

FCC / Band : B25 / Channel : 26365 (1882.5MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_372

59. FCC / Band : B25 / Channel : 26683(1914.3MHz)


59.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26683(1914.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.09	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	313	PIC_313

Peak to Average Ratio

FCC / Band : B25 / Channel : 26683 (1914.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_313

Peak to Average Ratio


FCC / Band : B25 / Channel : 26683(1914.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.52	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	314	PIC_314

Peak to Average Ratio

FCC / Band : B25 / Channel : 26683 (1914.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_314

Peak to Average Ratio


FCC / Band : B25 / Channel : 26683(1914.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.97	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/- 66.40 dBm	315	PIC_315

Peak to Average Ratio

FCC / Band : B25 / Channel : 26683 (1914.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_315

Peak to Average Ratio


FCC / Band : B25 / Channel : 26683(1914.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.28	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	316	PIC_316

Peak to Average Ratio

FCC / Band : B25 / Channel : 26683 (1914.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_316

60. FCC / Band : B25 / Channel : 26055(1851.5MHz)


60.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26055(1851.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.96	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	317	PIC_317

Peak to Average Ratio

FCC / Band : B25 / Channel : 26055 (1851.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_317

Peak to Average Ratio


FCC / Band : B25 / Channel : 26055(1851.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.93	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	318	PIC_318

Peak to Average Ratio

FCC / Band : B25 / Channel : 26055 (1851.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_318

Peak to Average Ratio


FCC / Band : B25 / Channel : 26055(1851.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.83	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	319	PIC_319

Peak to Average Ratio

FCC / Band : B25 / Channel : 26055 (1851.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)




PIC_319

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26055(1851.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.72	dB	13	None	3 MHz	16QAM-FullIRB@Min	30.00/-62.40 dBm	320	PIC_320

Peak to Average Ratio

FCC / Band : B25 / Channel : 26055 (1851.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullIRB@Min)



PIC_320

61. FCC / Band : B25 / Channel : 26675(1913.5MHz)


61.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26675(1913.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.44	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	325	PIC_325

Peak to Average Ratio

FCC / Band : B25 / Channel : 26675 (1913.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_325

Peak to Average Ratio


FCC / Band : B25 / Channel : 26675(1913.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.61	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	326	PIC_326

Peak to Average Ratio

FCC / Band : B25 / Channel : 26675 (1913.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_326

Peak to Average Ratio


FCC / Band : B25 / Channel : 26675(1913.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.30	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	327	PIC_327

Peak to Average Ratio

FCC / Band : B25 / Channel : 26675 (1913.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_327

Peak to Average Ratio


FCC / Band : B25 / Channel : 26675(1913.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.38	dB	13	None	3 MHz	16QAM- FullRB@ Min	30.00/- 62.40 dBm	328	PIC_328

Peak to Average Ratio

FCC / Band : B25 / Channel : 26675 (1913.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_328

62. FCC / Band : B25 / Channel : 26065(1852.5MHz)

62.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26065(1852.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.86	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	329	PIC_329

Peak to Average Ratio

FCC / Band : B25 / Channel : 26065 (1852.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_329

Peak to Average Ratio


FCC / Band : B25 / Channel : 26065(1852.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.83	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	330	PIC_330

Peak to Average Ratio

FCC / Band : B25 / Channel : 26065 (1852.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_330

Peak to Average Ratio


FCC / Band : B25 / Channel : 26065(1852.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.76	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	331	PIC_331

Peak to Average Ratio

FCC / Band : B25 / Channel : 26065 (1852.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_331

Peak to Average Ratio

FCC / Band : B25 / Channel : 26065(1852.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.52	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	332	PIC_332

Peak to Average Ratio

FCC / Band : B25 / Channel : 26065 (1852.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_332

63. FCC / Band : B25 / Channel : 26665(1912.5MHz)


63.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26665(1912.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.82	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	337	PIC_337

Peak to Average Ratio

FCC / Band : B25 / Channel : 26665 (1912.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_337

Peak to Average Ratio


FCC / Band : B25 / Channel : 26665(1912.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.64	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	338	PIC_338

Peak to Average Ratio

FCC / Band : B25 / Channel : 26665 (1912.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_338

Peak to Average Ratio

FCC / Band : B25 / Channel : 26665(1912.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.74	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	339	PIC_339

Peak to Average Ratio

FCC / Band : B25 / Channel : 26665 (1912.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_339

Peak to Average Ratio


FCC / Band : B25 / Channel : 26665(1912.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.34	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	340	PIC_340

Peak to Average Ratio

FCC / Band : B25 / Channel : 26665 (1912.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_340

64. FCC / Band : B25 / Channel : 26090(1855MHz)


64.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26090(1855MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.82	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	341	PIC_341

Peak to Average Ratio

FCC / Band : B25 / Channel : 26090 (1855MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_341

Peak to Average Ratio


FCC / Band : B25 / Channel : 26090(1855MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.81	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	342	PIC_342

Peak to Average Ratio

FCC / Band : B25 / Channel : 26090 (1855MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_342

Peak to Average Ratio


FCC / Band : B25 / Channel : 26090(1855MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.74	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	343	PIC_343

Peak to Average Ratio

FCC / Band : B25 / Channel : 26090 (1855MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_343

Peak to Average Ratio


FCC / Band : B25 / Channel : 26090(1855MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.66	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	344	PIC_344

Peak to Average Ratio

FCC / Band : B25 / Channel : 26090 (1855MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_344

65. FCC / Band : B25 / Channel : 26640(1910MHz)


65.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26640(1910MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.81	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	349	PIC_349

Peak to Average Ratio

FCC / Band : B25 / Channel : 26640 (1910MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_349

Peak to Average Ratio


FCC / Band : B25 / Channel : 26640(1910MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	350	PIC_350

Peak to Average Ratio

FCC / Band : B25 / Channel : 26640 (1910MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)




PIC_350

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26640(1910MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	351	PIC_351

Peak to Average Ratio

FCC / Band : B25 / Channel : 26640 (1910MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_351

Peak to Average Ratio


FCC / Band : B25 / Channel : 26640(1910MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.57	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	352	PIC_352

Peak to Average Ratio

FCC / Band : B25 / Channel : 26640 (1910MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_352