

66. FCC / Band : B25 / Channel : 26115(1857.5MHz)


66.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26115(1857.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.83	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	353	PIC_353

Peak to Average Ratio

FCC / Band : B25 / Channel : 26115 (1857.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_353

Peak to Average Ratio


FCC / Band : B25 / Channel : 26115(1857.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.63	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	354	PIC_354

Peak to Average Ratio

FCC / Band : B25 / Channel : 26115 (1857.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_354

Peak to Average Ratio

FCC / Band : B25 / Channel : 26115(1857.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	355	PIC_355

Peak to Average Ratio

FCC / Band : B25 / Channel : 26115 (1857.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_355

Peak to Average Ratio


FCC / Band : B25 / Channel : 26115(1857.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.47	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	356	PIC_356

Peak to Average Ratio

FCC / Band : B25 / Channel : 26115 (1857.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_356

67. FCC / Band : B25 / Channel : 26615(1907.5MHz)


67.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26615(1907.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.79	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	361	PIC_361

Peak to Average Ratio

FCC / Band : B25 / Channel : 26615 (1907.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_361

Peak to Average Ratio


FCC / Band : B25 / Channel : 26615(1907.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	362	PIC_362

Peak to Average Ratio

FCC / Band : B25 / Channel : 26615 (1907.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_362

Peak to Average Ratio


FCC / Band : B25 / Channel : 26615(1907.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.62	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	363	PIC_363

Peak to Average Ratio

FCC / Band : B25 / Channel : 26615 (1907.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_363

Peak to Average Ratio


FCC / Band : B25 / Channel : 26615(1907.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.45	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	364	PIC_364

Peak to Average Ratio

FCC / Band : B25 / Channel : 26615 (1907.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_364

68. FCC / Band : B25 / Channel : 26140(1860MHz)


68.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26140(1860MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.83	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	365	PIC_365

Peak to Average Ratio

FCC / Band : B25 / Channel : 26140 (1860MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_365

Peak to Average Ratio


FCC / Band : B25 / Channel : 26140(1860MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	366	PIC_366

Peak to Average Ratio

FCC / Band : B25 / Channel : 26140 (1860MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_366

Peak to Average Ratio


FCC / Band : B25 / Channel : 26140(1860MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.76	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	367	PIC_367

Peak to Average Ratio

FCC / Band : B25 / Channel : 26140 (1860MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_367

Peak to Average Ratio

FCC / Band : B25 / Channel : 26140(1860MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.46	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	368	PIC_368

Peak to Average Ratio

FCC / Band : B25 / Channel : 26140 (1860MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_368

69. FCC / Band : B25 / Channel : 26590(1905MHz)

69.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26590(1905MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.84	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	373	PIC_373

Peak to Average Ratio

FCC / Band : B25 / Channel : 26590 (1905MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_373

Peak to Average Ratio


FCC / Band : B25 / Channel : 26590(1905MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.55	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	374	PIC_374

Peak to Average Ratio

FCC / Band : B25 / Channel : 26590 (1905MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)




PIC_374

# Peak to Average Ratio										
# FCC / Band : B25 / Channel : 26590(1905MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.73	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	375	PIC_375

Peak to Average Ratio

FCC / Band : B25 / Channel : 26590 (1905MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_375

Peak to Average Ratio


FCC / Band : B25 / Channel : 26590(1905MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	376	PIC_376

Peak to Average Ratio

FCC / Band : B25 / Channel : 26590 (1905MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_376

70. FCC / Band : B26 / Channel : 26697(814.7MHz)


70.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26697(814.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.91	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	377	PIC_377

Peak to Average Ratio

FCC / Band : B26 / Channel : 26697 (814.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_377

Peak to Average Ratio


FCC / Band : B26 / Channel : 26697(814.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.31	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	378	PIC_378

Peak to Average Ratio

FCC / Band : B26 / Channel : 26697 (814.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_378

Peak to Average Ratio


FCC / Band : B26 / Channel : 26697(814.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.84	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	379	PIC_379

Peak to Average Ratio

FCC / Band : B26 / Channel : 26697 (814.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)




PIC_379

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26697(814.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.07	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	380	PIC_380

Peak to Average Ratio

FCC / Band : B26 / Channel : 26697 (814.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_380

71. FCC / Band : B26 / Channel : 26740(819MHz)


71.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26740(819MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.54	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	381	PIC_381

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_381

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	1.4 MHz	QPSK- FullRB@ Min	30.00/- 66.40 dBm	382	PIC_382

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_382

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.54	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	383	PIC_383

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_383

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.42	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	384	PIC_384

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_384

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.42	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	397	PIC_397

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_397

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.72	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	398	PIC_398

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_398

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26740(819MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.40	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	399	PIC_399

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_399

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.50	dB	13	None	3 MHz	16QAM-FullIRB@Min	30.00/-62.40 dBm	400	PIC_400

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullIRB@Min)



PIC_400

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.25	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	413	PIC_413

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_413

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.59	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	414	PIC_414

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_414

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.19	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	415	PIC_415

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_415

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.26	dB	13	None	5 MHz	16QAM- FullIRB@ Min	30.00/- 60.20 dBm	416	PIC_416

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)



PIC_416

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.86	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	425	PIC_425

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_425

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.49	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	426	PIC_426

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_426

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.77	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	427	PIC_427

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_427

Peak to Average Ratio


FCC / Band : B26 / Channel : 26740(819MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.30	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	428	PIC_428

Peak to Average Ratio

FCC / Band : B26 / Channel : 26740 (819MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_428

72. FCC / Band : B26 / Channel : 26783(823.3MHz)


72.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26783(823.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.34	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	385	PIC_385

Peak to Average Ratio

FCC / Band : B26 / Channel : 26783 (823.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_385

Peak to Average Ratio


FCC / Band : B26 / Channel : 26783(823.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.51	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	386	PIC_386

Peak to Average Ratio

FCC / Band : B26 / Channel : 26783 (823.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_386

Peak to Average Ratio


FCC / Band : B26 / Channel : 26783(823.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.30	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	387	PIC_387

Peak to Average Ratio

FCC / Band : B26 / Channel : 26783 (823.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_387

Peak to Average Ratio


FCC / Band : B26 / Channel : 26783(823.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.27	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	388	PIC_388

Peak to Average Ratio

FCC / Band : B26 / Channel : 26783 (823.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_388

73. FCC / Band : B26 / Channel : 26790(824MHz)


73.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26790(824MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.27	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	389	PIC_389

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)




PIC_389

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26790(824MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.44	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	390	PIC_390

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_390

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.20	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	391	PIC_391

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_391

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.20	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	392	PIC_392

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_392

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.31	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	405	PIC_405

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_405

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.53	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	406	PIC_406

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_406

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.28	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	407	PIC_407

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_407

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.29	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	408	PIC_408

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_408

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.36	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	421	PIC_421

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_421

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.39	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	422	PIC_422

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_422

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.33	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	423	PIC_423

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_423

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.10	dB	13	None	5 MHz	16QAM-FullIRB@Min	30.00/-60.20 dBm	424	PIC_424

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullIRB@Min)




PIC_424

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26790(824MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.47	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	429	PIC_429

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_429

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.24	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	430	PIC_430

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_430

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	431	PIC_431

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_431

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.12	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	432	PIC_432

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_432

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.30	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	437	PIC_437

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_437

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.09	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	438	PIC_438

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_438

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.24	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	439	PIC_439

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_439

Peak to Average Ratio


FCC / Band : B26 / Channel : 26790(824MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.01	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	440	PIC_440

Peak to Average Ratio

FCC / Band : B26 / Channel : 26790 (824MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_440

74. FCC / Band : B26 / Channel : 26705(815.5MHz)


74.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26705(815.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.84	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	393	PIC_393

Peak to Average Ratio

FCC / Band : B26 / Channel : 26705 (815.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_393

Peak to Average Ratio


FCC / Band : B26 / Channel : 26705(815.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.54	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	394	PIC_394

Peak to Average Ratio

FCC / Band : B26 / Channel : 26705 (815.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_394

Peak to Average Ratio

FCC / Band : B26 / Channel : 26705(815.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.80	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	395	PIC_395

Peak to Average Ratio

FCC / Band : B26 / Channel : 26705 (815.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_395

Peak to Average Ratio


FCC / Band : B26 / Channel : 26705(815.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.25	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	396	PIC_396

Peak to Average Ratio

FCC / Band : B26 / Channel : 26705 (815.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_396

75. FCC / Band : B26 / Channel : 26775(822.5MHz)


75.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26775(822.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.48	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	401	PIC_401

Peak to Average Ratio

FCC / Band : B26 / Channel : 26775 (822.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_401

Peak to Average Ratio


FCC / Band : B26 / Channel : 26775(822.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.60	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	402	PIC_402

Peak to Average Ratio

FCC / Band : B26 / Channel : 26775 (822.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_402

Peak to Average Ratio


FCC / Band : B26 / Channel : 26775(822.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	403	PIC_403

Peak to Average Ratio

FCC / Band : B26 / Channel : 26775 (822.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_403

Peak to Average Ratio


FCC / Band : B26 / Channel : 26775(822.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.38	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	404	PIC_404

Peak to Average Ratio

FCC / Band : B26 / Channel : 26775 (822.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_404

76. FCC / Band : B26 / Channel : 26715(816.5MHz)


76.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26715(816.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.81	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	409	PIC_409

Peak to Average Ratio

FCC / Band : B26 / Channel : 26715 (816.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_409

Peak to Average Ratio


FCC / Band : B26 / Channel : 26715(816.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.52	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	410	PIC_410

Peak to Average Ratio

FCC / Band : B26 / Channel : 26715 (816.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_410

Peak to Average Ratio


FCC / Band : B26 / Channel : 26715(816.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.73	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	411	PIC_411

Peak to Average Ratio

FCC / Band : B26 / Channel : 26715 (816.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_411

Peak to Average Ratio

FCC / Band : B26 / Channel : 26715(816.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.15	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	412	PIC_412

Peak to Average Ratio

FCC / Band : B26 / Channel : 26715 (816.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_412

77. FCC / Band : B26 / Channel : 26765(821.5MHz)


77.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26765(821.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.49	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	417	PIC_417

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_417

Peak to Average Ratio


FCC / Band : B26 / Channel : 26765(821.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.47	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	418	PIC_418

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_418

Peak to Average Ratio


FCC / Band : B26 / Channel : 26765(821.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.44	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	419	PIC_419

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_419

Peak to Average Ratio


FCC / Band : B26 / Channel : 26765(821.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.19	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	420	PIC_420

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_420

Peak to Average Ratio


FCC / Band : B26 / Channel : 26765(821.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.85	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	433	PIC_433

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_433

Peak to Average Ratio


FCC / Band : B26 / Channel : 26765(821.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.14	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	434	PIC_434

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)




PIC_434

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26765(821.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.79	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	435	PIC_435

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_435

Peak to Average Ratio


FCC / Band : B26 / Channel : 26765(821.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.03	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	436	PIC_436

Peak to Average Ratio

FCC / Band : B26 / Channel : 26765 (821.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_436

78. FCC / Band : B26 / Channel : 26797(824.7MHz)

78.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26797(824.7MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.17	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	441	PIC_441

Peak to Average Ratio
FCC / Band : B26 / Channel : 26797 (824.7MHz)
LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_441

Peak to Average Ratio


FCC / Band : B26 / Channel : 26797(824.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.42	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	442	PIC_442

Peak to Average Ratio

FCC / Band : B26 / Channel : 26797 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_442

Peak to Average Ratio


FCC / Band : B26 / Channel : 26797(824.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.10	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	443	PIC_443

Peak to Average Ratio

FCC / Band : B26 / Channel : 26797 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_443

Peak to Average Ratio


FCC / Band : B26 / Channel : 26797(824.7MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.17	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	444	PIC_444

Peak to Average Ratio

FCC / Band : B26 / Channel : 26797 (824.7MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_444

79. FCC / Band : B26 / Channel : 26915(836.5MHz)

79.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26915(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.58	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	445	PIC_445

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_445

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	446	PIC_446

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_446

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	447	PIC_447

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)



PIC_447

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.40	dB	13	None	1.4 MHz	16QAM-FullRB@Min	30.00/-66.40 dBm	448	PIC_448

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullRB@Min)



PIC_448

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.53	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	457	PIC_457

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_457

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.72	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	458	PIC_458

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_458

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.51	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	459	PIC_459

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)


LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_459

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26915(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.51	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	460	PIC_460

Peak to Average Ratio
FCC / Band : B26 / Channel : 26915 (836.5MHz)
LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)




PIC_460

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26915(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.37	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	469	PIC_469

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)




PIC_469

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26915(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.58	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	470	PIC_470

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_470

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.32	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	471	PIC_471

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_471

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26915(836.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.26	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	472	PIC_472

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_472

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.21	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	481	PIC_481

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_481

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.50	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	482	PIC_482

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_482

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.11	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	483	PIC_483

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_483

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.32	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	484	PIC_484

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_484

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.97	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	493	PIC_493

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_493

Peak to Average Ratio


FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.33	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	494	PIC_494

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_494

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.87	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	495	PIC_495

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_495

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915(836.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.21	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	496	PIC_496

Peak to Average Ratio

FCC / Band : B26 / Channel : 26915 (836.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_496

80. FCC / Band : B26 / Channel : 27033(848.3MHz)


80.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 27033(848.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.37	dB	13	None	1.4 MHz	QPSK-1RB@Min	30.00/-66.40 dBm	449	PIC_449

Peak to Average Ratio

FCC / Band : B26 / Channel : 27033 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-1RB@Min)



PIC_449

Peak to Average Ratio

FCC / Band : B26 / Channel : 27033(848.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.55	dB	13	None	1.4 MHz	QPSK-FullRB@Min	30.00/-66.40 dBm	450	PIC_450

Peak to Average Ratio

FCC / Band : B26 / Channel : 27033 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = QPSK-FullRB@Min)



PIC_450

Peak to Average Ratio

FCC / Band : B26 / Channel : 27033(848.3MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.34	dB	13	None	1.4 MHz	16QAM-1RB@Min	30.00/-66.40 dBm	451	PIC_451

Peak to Average Ratio

FCC / Band : B26 / Channel : 27033 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-1RB@Min)




PIC_451

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 27033(848.3MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.30	dB	13	None	1.4 MHz	16QAM-FullIRB@Min	30.00/-66.40 dBm	452	PIC_452

Peak to Average Ratio

FCC / Band : B26 / Channel : 27033 (848.3MHz)

LTE (BW = 1.4 MHz , MOD = 16QAM-FullIRB@Min)



PIC_452

81. FCC / Band : B26 / Channel : 26805(825.5MHz)


81.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26805(825.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.14	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	453	PIC_453

Peak to Average Ratio

FCC / Band : B26 / Channel : 26805 (825.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_453

Peak to Average Ratio


FCC / Band : B26 / Channel : 26805(825.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.44	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	454	PIC_454

Peak to Average Ratio

FCC / Band : B26 / Channel : 26805 (825.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_454

Peak to Average Ratio


FCC / Band : B26 / Channel : 26805(825.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.07	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	455	PIC_455

Peak to Average Ratio

FCC / Band : B26 / Channel : 26805 (825.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_455

Peak to Average Ratio


FCC / Band : B26 / Channel : 26805(825.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.18	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	456	PIC_456

Peak to Average Ratio

FCC / Band : B26 / Channel : 26805 (825.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_456

82. FCC / Band : B26 / Channel : 27025(847.5MHz)


82.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 27025(847.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.05	dB	13	None	3 MHz	QPSK-1RB@Min	30.00/-62.40 dBm	461	PIC_461

Peak to Average Ratio

FCC / Band : B26 / Channel : 27025 (847.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-1RB@Min)



PIC_461

Peak to Average Ratio


FCC / Band : B26 / Channel : 27025(847.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.59	dB	13	None	3 MHz	QPSK-FullRB@Min	30.00/-62.40 dBm	462	PIC_462

Peak to Average Ratio

FCC / Band : B26 / Channel : 27025 (847.5MHz)

LTE (BW = 3 MHz , MOD = QPSK-FullRB@Min)



PIC_462

Peak to Average Ratio


FCC / Band : B26 / Channel : 27025(847.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.94	dB	13	None	3 MHz	16QAM-1RB@Min	30.00/-62.40 dBm	463	PIC_463

Peak to Average Ratio

FCC / Band : B26 / Channel : 27025 (847.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-1RB@Min)



PIC_463

Peak to Average Ratio


FCC / Band : B26 / Channel : 27025(847.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.39	dB	13	None	3 MHz	16QAM-FullRB@Min	30.00/-62.40 dBm	464	PIC_464

Peak to Average Ratio

FCC / Band : B26 / Channel : 27025 (847.5MHz)

LTE (BW = 3 MHz , MOD = 16QAM-FullRB@Min)



PIC_464

83. FCC / Band : B26 / Channel : 26815(826.5MHz)


83.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26815(826.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.04	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	465	PIC_465

Peak to Average Ratio

FCC / Band : B26 / Channel : 26815 (826.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_465

Peak to Average Ratio


FCC / Band : B26 / Channel : 26815(826.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.30	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	466	PIC_466

Peak to Average Ratio

FCC / Band : B26 / Channel : 26815 (826.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_466

Peak to Average Ratio


FCC / Band : B26 / Channel : 26815(826.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.98	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	467	PIC_467

Peak to Average Ratio

FCC / Band : B26 / Channel : 26815 (826.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_467

Peak to Average Ratio


FCC / Band : B26 / Channel : 26815(826.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.98	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	468	PIC_468

Peak to Average Ratio

FCC / Band : B26 / Channel : 26815 (826.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_468