

84. FCC / Band : B26 / Channel : 27015(846.5MHz)


84.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 27015(846.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	3.61	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	473	PIC_473

Peak to Average Ratio

FCC / Band : B26 / Channel : 27015 (846.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)




PIC_473

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 27015(846.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.49	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	474	PIC_474

Peak to Average Ratio

FCC / Band : B26 / Channel : 27015 (846.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_474

Peak to Average Ratio


FCC / Band : B26 / Channel : 27015(846.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.55	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	475	PIC_475

Peak to Average Ratio

FCC / Band : B26 / Channel : 27015 (846.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_475

Peak to Average Ratio


FCC / Band : B26 / Channel : 27015(846.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.14	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	476	PIC_476

Peak to Average Ratio

FCC / Band : B26 / Channel : 27015 (846.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_476

85. FCC / Band : B26 / Channel : 26840(829MHz)


85.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26840(829MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.02	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	477	PIC_477

Peak to Average Ratio

FCC / Band : B26 / Channel : 26840 (829MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_477

Peak to Average Ratio

FCC / Band : B26 / Channel : 26840(829MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.36	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	478	PIC_478

Peak to Average Ratio

FCC / Band : B26 / Channel : 26840 (829MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_478

Peak to Average Ratio


FCC / Band : B26 / Channel : 26840(829MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.93	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	479	PIC_479

Peak to Average Ratio

FCC / Band : B26 / Channel : 26840 (829MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_479

Peak to Average Ratio


FCC / Band : B26 / Channel : 26840(829MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.13	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	480	PIC_480

Peak to Average Ratio

FCC / Band : B26 / Channel : 26840 (829MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_480

86. FCC / Band : B26 / Channel : 26990(844MHz)


86.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26990(844MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.37	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	485	PIC_485

Peak to Average Ratio

FCC / Band : B26 / Channel : 26990 (844MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_485

Peak to Average Ratio


FCC / Band : B26 / Channel : 26990(844MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.37	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	486	PIC_486

Peak to Average Ratio

FCC / Band : B26 / Channel : 26990 (844MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_486

Peak to Average Ratio


FCC / Band : B26 / Channel : 26990(844MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.33	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	487	PIC_487

Peak to Average Ratio

FCC / Band : B26 / Channel : 26990 (844MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_487

Peak to Average Ratio

FCC / Band : B26 / Channel : 26990(844MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.17	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	488	PIC_488

Peak to Average Ratio

FCC / Band : B26 / Channel : 26990 (844MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_488

87. FCC / Band : B26 / Channel : 26865(831.5MHz)


87.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26865(831.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.00	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	489	PIC_489

Peak to Average Ratio

FCC / Band : B26 / Channel : 26865 (831.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_489

Peak to Average Ratio


FCC / Band : B26 / Channel : 26865(831.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.40	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	490	PIC_490

Peak to Average Ratio

FCC / Band : B26 / Channel : 26865 (831.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)




PIC_490

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26865(831.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.87	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	491	PIC_491

Peak to Average Ratio

FCC / Band : B26 / Channel : 26865 (831.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_491

Peak to Average Ratio

FCC / Band : B26 / Channel : 26865(831.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.17	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	492	PIC_492

Peak to Average Ratio

FCC / Band : B26 / Channel : 26865 (831.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_492

88. FCC / Band : B26 / Channel : 26965(841.5MHz)


88.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B26 / Channel : 26965(841.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.37	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	497	PIC_497

Peak to Average Ratio

FCC / Band : B26 / Channel : 26965 (841.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_497

Peak to Average Ratio


FCC / Band : B26 / Channel : 26965(841.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.08	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	498	PIC_498

Peak to Average Ratio

FCC / Band : B26 / Channel : 26965 (841.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_498

Peak to Average Ratio

FCC / Band : B26 / Channel : 26965(841.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.35	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	499	PIC_499

Peak to Average Ratio

FCC / Band : B26 / Channel : 26965 (841.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_499

Peak to Average Ratio


FCC / Band : B26 / Channel : 26965(841.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.00	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	500	PIC_500

Peak to Average Ratio

FCC / Band : B26 / Channel : 26965 (841.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_500

89. FCC / Band : B38 / Channel : 37775(2572.5MHz)

89.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 37775(2572.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	501	PIC_501

Peak to Average Ratio

FCC / Band : B38 / Channel : 37775 (2572.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_501

Peak to Average Ratio


FCC / Band : B38 / Channel : 37775(2572.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.76	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	502	PIC_502

Peak to Average Ratio

FCC / Band : B38 / Channel : 37775 (2572.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_502

Peak to Average Ratio


FCC / Band : B38 / Channel : 37775(2572.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.32	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	503	PIC_503

Peak to Average Ratio

FCC / Band : B38 / Channel : 37775 (2572.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_503

Peak to Average Ratio

FCC / Band : B38 / Channel : 37775(2572.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.54	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	504	PIC_504

Peak to Average Ratio

FCC / Band : B38 / Channel : 37775 (2572.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_504

90. FCC / Band : B38 / Channel : 38000(2595MHz)


90.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38000(2595MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.83	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	505	PIC_505

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_505

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.57	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	506	PIC_506

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_506

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	507	PIC_507

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_507

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.32	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	508	PIC_508

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_508

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38000(2595MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.82	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	517	PIC_517

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_517

Peak to Average Ratio


FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.69	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	518	PIC_518

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_518

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.71	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	519	PIC_519

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_519

Peak to Average Ratio


FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.38	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	520	PIC_520

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_520

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.85	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	529	PIC_529

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_529

Peak to Average Ratio


FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.52	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	530	PIC_530

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_530

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38000(2595MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.74	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	531	PIC_531

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_531

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.29	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	532	PIC_532

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_532

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.39	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	541	PIC_541

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_541

Peak to Average Ratio


FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.52	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	542	PIC_542

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_542

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000(2595MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.99	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	543	PIC_543

Peak to Average Ratio

FCC / Band : B38 / Channel : 38000 (2595MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_543

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38000(2595MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.40	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	544	PIC_544

Peak to Average Ratio
FCC / Band : B38 / Channel : 38000 (2595MHz)
LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_544

91. FCC / Band : B38 / Channel : 38225(2617.5MHz)

91.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38225(2617.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.21	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	509	PIC_509

Peak to Average Ratio

FCC / Band : B38 / Channel : 38225 (2617.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_509

Peak to Average Ratio


FCC / Band : B38 / Channel : 38225(2617.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.70	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	510	PIC_510

Peak to Average Ratio

FCC / Band : B38 / Channel : 38225 (2617.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_510

Peak to Average Ratio

FCC / Band : B38 / Channel : 38225(2617.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.04	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	511	PIC_511

Peak to Average Ratio

FCC / Band : B38 / Channel : 38225 (2617.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_511

Peak to Average Ratio


FCC / Band : B38 / Channel : 38225(2617.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.48	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	512	PIC_512

Peak to Average Ratio

FCC / Band : B38 / Channel : 38225 (2617.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_512

92. FCC / Band : B38 / Channel : 37800(2575MHz)

92.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 37800(2575MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.44	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	513	PIC_513

Peak to Average Ratio

FCC / Band : B38 / Channel : 37800 (2575MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_513

Peak to Average Ratio


FCC / Band : B38 / Channel : 37800(2575MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.90	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	514	PIC_514

Peak to Average Ratio

FCC / Band : B38 / Channel : 37800 (2575MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)




PIC_514

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 37800(2575MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.31	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	515	PIC_515

Peak to Average Ratio

FCC / Band : B38 / Channel : 37800 (2575MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_515

Peak to Average Ratio


FCC / Band : B38 / Channel : 37800(2575MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.53	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	516	PIC_516

Peak to Average Ratio

FCC / Band : B38 / Channel : 37800 (2575MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_516

93. FCC / Band : B38 / Channel : 38200(2615MHz)

93.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38200(2615MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.06	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	521	PIC_521

Peak to Average Ratio

FCC / Band : B38 / Channel : 38200 (2615MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_521

Peak to Average Ratio

FCC / Band : B38 / Channel : 38200(2615MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.84	dB	13	None	10 MHz	QPSK-FullIRB@Min	30.00/-57.20 dBm	522	PIC_522

Peak to Average Ratio

FCC / Band : B38 / Channel : 38200 (2615MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullIRB@Min)



PIC_522

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38200(2615MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.91	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	523	PIC_523

Peak to Average Ratio

FCC / Band : B38 / Channel : 38200 (2615MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_523

Peak to Average Ratio

FCC / Band : B38 / Channel : 38200(2615MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	524	PIC_524

Peak to Average Ratio

FCC / Band : B38 / Channel : 38200 (2615MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_524

94. FCC / Band : B38 / Channel : 37825(2577.5MHz)


94.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 37825(2577.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.43	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	525	PIC_525

Peak to Average Ratio

FCC / Band : B38 / Channel : 37825 (2577.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_525

Peak to Average Ratio


FCC / Band : B38 / Channel : 37825(2577.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.69	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	526	PIC_526

Peak to Average Ratio

FCC / Band : B38 / Channel : 37825 (2577.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_526

Peak to Average Ratio


FCC / Band : B38 / Channel : 37825(2577.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.45	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	527	PIC_527

Peak to Average Ratio

FCC / Band : B38 / Channel : 37825 (2577.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_527

Peak to Average Ratio

FCC / Band : B38 / Channel : 37825(2577.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.46	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	528	PIC_528

Peak to Average Ratio

FCC / Band : B38 / Channel : 37825 (2577.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_528

95. FCC / Band : B38 / Channel : 38175(2612.5MHz)


95.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38175(2612.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.84	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	533	PIC_533

Peak to Average Ratio

FCC / Band : B38 / Channel : 38175 (2612.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_533

Peak to Average Ratio


FCC / Band : B38 / Channel : 38175(2612.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.62	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	534	PIC_534

Peak to Average Ratio

FCC / Band : B38 / Channel : 38175 (2612.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_534

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38175(2612.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.77	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	535	PIC_535

Peak to Average Ratio

FCC / Band : B38 / Channel : 38175 (2612.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_535

Peak to Average Ratio


FCC / Band : B38 / Channel : 38175(2612.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.38	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	536	PIC_536

Peak to Average Ratio

FCC / Band : B38 / Channel : 38175 (2612.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_536

96. FCC / Band : B38 / Channel : 37850(2580MHz)

96.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 37850(2580MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.56	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	537	PIC_537

Peak to Average Ratio

FCC / Band : B38 / Channel : 37850 (2580MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_537

Peak to Average Ratio


FCC / Band : B38 / Channel : 37850(2580MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.68	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	538	PIC_538

Peak to Average Ratio

FCC / Band : B38 / Channel : 37850 (2580MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_538

Peak to Average Ratio


FCC / Band : B38 / Channel : 37850(2580MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.06	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	539	PIC_539

Peak to Average Ratio

FCC / Band : B38 / Channel : 37850 (2580MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_539

Peak to Average Ratio


FCC / Band : B38 / Channel : 37850(2580MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.51	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	540	PIC_540

Peak to Average Ratio

FCC / Band : B38 / Channel : 37850 (2580MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_540

97. FCC / Band : B38 / Channel : 38150(2610MHz)


97.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B38 / Channel : 38150(2610MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	4.85	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	545	PIC_545

Peak to Average Ratio

FCC / Band : B38 / Channel : 38150 (2610MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_545

Peak to Average Ratio


FCC / Band : B38 / Channel : 38150(2610MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.63	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	546	PIC_546

Peak to Average Ratio

FCC / Band : B38 / Channel : 38150 (2610MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_546

Peak to Average Ratio


FCC / Band : B38 / Channel : 38150(2610MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.73	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	547	PIC_547

Peak to Average Ratio

FCC / Band : B38 / Channel : 38150 (2610MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_547

Peak to Average Ratio


FCC / Band : B38 / Channel : 38150(2610MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.47	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	548	PIC_548

Peak to Average Ratio

FCC / Band : B38 / Channel : 38150 (2610MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_548

98. FCC / Band : B41 / Channel : 39675(2498.5MHz)

98.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 39675(2498.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.44	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	549	PIC_549

Peak to Average Ratio

FCC / Band : B41 / Channel : 39675 (2498.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_549

Peak to Average Ratio


FCC / Band : B41 / Channel : 39675(2498.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.75	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	550	PIC_550

Peak to Average Ratio

FCC / Band : B41 / Channel : 39675 (2498.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_550

Peak to Average Ratio


FCC / Band : B41 / Channel : 39675(2498.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.39	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	551	PIC_551

Peak to Average Ratio

FCC / Band : B41 / Channel : 39675 (2498.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_551

Peak to Average Ratio


FCC / Band : B41 / Channel : 39675(2498.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.54	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	552	PIC_552

Peak to Average Ratio

FCC / Band : B41 / Channel : 39675 (2498.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_552

99. FCC / Band : B41 / Channel : 40620(2593MHz)

99.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 40620(2593MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.54	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	553	PIC_553

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_553

Peak to Average Ratio


FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.77	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	554	PIC_554

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_554

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.43	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	555	PIC_555

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_555

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.57	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	556	PIC_556

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_556

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.50	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	565	PIC_565

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_565

Peak to Average Ratio


FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	566	PIC_566

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_566

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.41	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	567	PIC_567

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_567

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.58	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	568	PIC_568

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_568

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	577	PIC_577

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_577

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.69	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	578	PIC_578

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_578

Peak to Average Ratio


FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.43	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	579	PIC_579

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_579

Peak to Average Ratio


FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.49	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	580	PIC_580

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_580

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.56	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	589	PIC_589

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_589

Peak to Average Ratio


FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.68	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	590	PIC_590

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_590

Peak to Average Ratio


FCC / Band : B41 / Channel : 40620(2593MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.46	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	591	PIC_591

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)




PIC_591

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 40620(2593MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.65	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	592	PIC_592

Peak to Average Ratio

FCC / Band : B41 / Channel : 40620 (2593MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_592

100. FCC / Band : B41 / Channel : 41565(2687.5MHz)


100.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 41565(2687.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.02	dB	13	None	5 MHz	QPSK-1RB@Min	30.00/-60.20 dBm	557	PIC_557

Peak to Average Ratio

FCC / Band : B41 / Channel : 41565 (2687.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_557

Peak to Average Ratio


FCC / Band : B41 / Channel : 41565(2687.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.47	dB	13	None	5 MHz	QPSK-FullRB@Min	30.00/-60.20 dBm	558	PIC_558

Peak to Average Ratio

FCC / Band : B41 / Channel : 41565 (2687.5MHz)

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



PIC_558

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 41565(2687.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.07	dB	13	None	5 MHz	16QAM-1RB@Min	30.00/-60.20 dBm	559	PIC_559

Peak to Average Ratio

FCC / Band : B41 / Channel : 41565 (2687.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_559

Peak to Average Ratio

FCC / Band : B41 / Channel : 41565(2687.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.25	dB	13	None	5 MHz	16QAM-FullRB@Min	30.00/-60.20 dBm	560	PIC_560

Peak to Average Ratio

FCC / Band : B41 / Channel : 41565 (2687.5MHz)

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



PIC_560

101. FCC / Band : B41 / Channel : 39700(2501MHz)


101.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 39700(2501MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.41	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	561	PIC_561

Peak to Average Ratio

FCC / Band : B41 / Channel : 39700 (2501MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_561

Peak to Average Ratio


FCC / Band : B41 / Channel : 39700(2501MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.89	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	562	PIC_562

Peak to Average Ratio

FCC / Band : B41 / Channel : 39700 (2501MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_562

Peak to Average Ratio

FCC / Band : B41 / Channel : 39700(2501MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.34	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	563	PIC_563

Peak to Average Ratio

FCC / Band : B41 / Channel : 39700 (2501MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_563

Peak to Average Ratio

FCC / Band : B41 / Channel : 39700(2501MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.57	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	564	PIC_564

Peak to Average Ratio

FCC / Band : B41 / Channel : 39700 (2501MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_564

102. FCC / Band : B41 / Channel : 41540(2685MHz)

102.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 41540(2685MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.21	dB	13	None	10 MHz	QPSK-1RB@Min	30.00/-57.20 dBm	569	PIC_569

Peak to Average Ratio

FCC / Band : B41 / Channel : 41540 (2685MHz)

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)



PIC_569

Peak to Average Ratio

FCC / Band : B41 / Channel : 41540(2685MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.61	dB	13	None	10 MHz	QPSK-FullRB@Min	30.00/-57.20 dBm	570	PIC_570

Peak to Average Ratio

FCC / Band : B41 / Channel : 41540 (2685MHz)

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



PIC_570

Peak to Average Ratio


FCC / Band : B41 / Channel : 41540(2685MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.09	dB	13	None	10 MHz	16QAM-1RB@Min	30.00/-57.20 dBm	571	PIC_571

Peak to Average Ratio

FCC / Band : B41 / Channel : 41540 (2685MHz)

LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



PIC_571

Peak to Average Ratio


FCC / Band : B41 / Channel : 41540(2685MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.27	dB	13	None	10 MHz	16QAM-FullRB@Min	30.00/-57.20 dBm	572	PIC_572

Peak to Average Ratio

FCC / Band : B41 / Channel : 41540 (2685MHz)

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)



PIC_572

103. FCC / Band : B41 / Channel : 39725(2503.5MHz)


103.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 39725(2503.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.40	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	573	PIC_573

Peak to Average Ratio

FCC / Band : B41 / Channel : 39725 (2503.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_573

Peak to Average Ratio

FCC / Band : B41 / Channel : 39725(2503.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.69	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	574	PIC_574

Peak to Average Ratio

FCC / Band : B41 / Channel : 39725 (2503.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_574

Peak to Average Ratio


FCC / Band : B41 / Channel : 39725(2503.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.35	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	575	PIC_575

Peak to Average Ratio

FCC / Band : B41 / Channel : 39725 (2503.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_575

Peak to Average Ratio


FCC / Band : B41 / Channel : 39725(2503.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.53	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	576	PIC_576

Peak to Average Ratio

FCC / Band : B41 / Channel : 39725 (2503.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_576

104. FCC / Band : B41 / Channel : 41515(2682.5MHz)

104.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 41515(2682.5MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.26	dB	13	None	15 MHz	QPSK-1RB@Min	30.00/-55.50 dBm	581	PIC_581

Peak to Average Ratio

FCC / Band : B41 / Channel : 41515 (2682.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)



PIC_581

Peak to Average Ratio


FCC / Band : B41 / Channel : 41515(2682.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.48	dB	13	None	15 MHz	QPSK-FullRB@Min	30.00/-55.50 dBm	582	PIC_582

Peak to Average Ratio

FCC / Band : B41 / Channel : 41515 (2682.5MHz)

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



PIC_582

Peak to Average Ratio


FCC / Band : B41 / Channel : 41515(2682.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.19	dB	13	None	15 MHz	16QAM-1RB@Min	30.00/-55.50 dBm	583	PIC_583

Peak to Average Ratio

FCC / Band : B41 / Channel : 41515 (2682.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)



PIC_583

Peak to Average Ratio

FCC / Band : B41 / Channel : 41515(2682.5MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.24	dB	13	None	15 MHz	16QAM-FullRB@Min	30.00/-55.50 dBm	584	PIC_584

Peak to Average Ratio

FCC / Band : B41 / Channel : 41515 (2682.5MHz)

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



PIC_584

105. FCC / Band : B41 / Channel : 39750(2506MHz)

105.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 39750(2506MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.43	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	585	PIC_585

Peak to Average Ratio

FCC / Band : B41 / Channel : 39750 (2506MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_585

Peak to Average Ratio


FCC / Band : B41 / Channel : 39750(2506MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.67	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	586	PIC_586

Peak to Average Ratio

FCC / Band : B41 / Channel : 39750 (2506MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_586

Peak to Average Ratio


FCC / Band : B41 / Channel : 39750(2506MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.95	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	587	PIC_587

Peak to Average Ratio

FCC / Band : B41 / Channel : 39750 (2506MHz)


LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_587

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 39750(2506MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.68	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	588	PIC_588

Peak to Average Ratio
FCC / Band : B41 / Channel : 39750 (2506MHz)
LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_588

106. FCC / Band : B41 / Channel : 41490(2680MHz)


106.1. Peak to Average Ratio

# Peak to Average Ratio										
# FCC / Band : B41 / Channel : 41490(2680MHz)										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.27	dB	13	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	593	PIC_593

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490 (2680MHz)

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



PIC_593

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490(2680MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	5.50	dB	13	None	20 MHz	QPSK-FullRB@Min	30.00/-54.20 dBm	594	PIC_594

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490 (2680MHz)

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



PIC_594

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490(2680MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.24	dB	13	None	20 MHz	16QAM-1RB@Min	30.00/-54.20 dBm	595	PIC_595

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490 (2680MHz)

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



PIC_595

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490(2680MHz)

P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	-	6.35	dB	13	None	20 MHz	16QAM-FullRB@Min	30.00/-54.20 dBm	596	PIC_596

Peak to Average Ratio

FCC / Band : B41 / Channel : 41490 (2680MHz)

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



PIC_596