



▼ FCC / Band : B38 / Channel : 37825(2577.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.18	dBm	-25.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.09	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	-
PASS	[SPA:Freq Range:2496 MHz-2555MHz]	-39.11	dBm	-25.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	-
PASS	[SPA:Freq Range:2555 MHz-2565MHz]	-28.69	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	-
PASS	[SPA:Freq Range:2565 MHz-2569MHz]	-25.55	dBm	-10.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	-
PASS	[SPA:Freq Range:2569 MHz-2570MHz]	-28.66	dBm	-10.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	-
PASS	[SPA:Freq Range:2570 MHz-2585MHz]	2.79	dBm	30.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1633	Combination _1780

FCC / Band : B38 / Channel : 37825 (2577.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)



Combination_1780




▼ FCC / Band : B38 / Channel : 37825(2577.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.16	dBm	-25.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.09	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	-
PASS	[SPA:Freq Range:2496 MHz-2555MHz]	-50.75	dBm	-25.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	-
PASS	[SPA:Freq Range:2555 MHz-2565MHz]	-39.24	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	-
PASS	[SPA:Freq Range:2565 MHz-2569MHz]	-24.58	dBm	-10.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	-
PASS	[SPA:Freq Range:2569 MHz-2570MHz]	-23.87	dBm	-10.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	-
PASS	[SPA:Freq Range:2570 MHz-2585MHz]	19.38	dBm	30.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1634	Combination _1787





▼ FCC / Band : B38 / Channel : 37825(2577.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.17	dBm	-25.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.08	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	-
PASS	[SPA:Freq Range:2496 MHz-2555MHz]	-54.47	dBm	-25.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	-
PASS	[SPA:Freq Range:2555 MHz-2565MHz]	-28.83	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	-
PASS	[SPA:Freq Range:2565 MHz-2569MHz]	-50.41	dBm	-10.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	-
PASS	[SPA:Freq Range:2569 MHz-2570MHz]	-45.09	dBm	-10.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	-
PASS	[SPA:Freq Range:2570 MHz-2585MHz]	19.94	dBm	30.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1635	Combination _1794






86. FCC / Band : B38 / Channel : 38175(2612.5MHz)

86.1. Band Edge Measurement

▼ FCC / Band : B38 / Channel : 38175(2612.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2605 MHz-2620M Hz]	3.58	dBm	30.00	None	15 MHz	QPSK-FullIRB @Min	30.00/-55.50 dBm	1654	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-27.92	dBm	-10.00	None	15 MHz	QPSK-FullIRB @Min	30.00/-55.50 dBm	1654	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-24.97	dBm	-10.00	None	15 MHz	QPSK-FullIRB @Min	30.00/-55.50 dBm	1654	-
PASS	[SPA:Freq Range:2625 MHz-2635M Hz]	-29.43	dBm	-13.00	None	15 MHz	QPSK-FullIRB @Min	30.00/-55.50 dBm	1654	-
PASS	[SPA:Freq Range:2635 MHz-2640M Hz]	-37.31	dBm	-25.00	None	15 MHz	QPSK-FullIRB @Min	30.00/-55.50 dBm	1654	Combination _1799

FCC / Band : B38 / Channel : 38175 (2612.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = QPSK-FullIRB@Min)



Combination_1799




▼ FCC / Band : B38 / Channel : 38175(2612.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2605 MHz-2620M Hz]	20.30	dBm	30.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1655	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-45.18	dBm	-10.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1655	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-50.76	dBm	-10.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1655	-
PASS	[SPA:Freq Range:2625 MHz-2635M Hz]	-30.76	dBm	-13.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1655	-
PASS	[SPA:Freq Range:2635 MHz-2640M Hz]	-53.93	dBm	-25.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1655	Combination _1804






▼ FCC / Band : B38 / Channel : 38175(2612.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2605 MHz-2620M Hz]	20.97	dBm	30.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1656	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-22.73	dBm	-10.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1656	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-22.25	dBm	-10.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1656	-
PASS	[SPA:Freq Range:2625 MHz-2635M Hz]	-40.92	dBm	-13.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1656	-
PASS	[SPA:Freq Range:2635 MHz-2640M Hz]	-54.17	dBm	-25.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1656	Combination _1809






▼ FCC / Band : B38 / Channel : 38175(2612.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2605 MHz-2620M Hz]	2.73	dBm	30.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1660	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-29.01	dBm	-10.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1660	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-26.40	dBm	-10.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1660	-
PASS	[SPA:Freq Range:2625 MHz-2635M Hz]	-29.17	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1660	-
PASS	[SPA:Freq Range:2635 MHz-2640M Hz]	-37.16	dBm	-25.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1660	Combination _1814






▼ FCC / Band : B38 / Channel : 38175(2612.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2605 MHz-2620M Hz]	19.56	dBm	30.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1661	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-44.07	dBm	-10.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1661	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-50.01	dBm	-10.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1661	-
PASS	[SPA:Freq Range:2625 MHz-2635M Hz]	-32.47	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1661	-
PASS	[SPA:Freq Range:2635 MHz-2640M Hz]	-54.16	dBm	-25.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1661	Combination _1819





▼ FCC / Band : B38 / Channel : 38175(2612.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2605 MHz-2620M Hz]	19.51	dBm	30.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1662	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-23.63	dBm	-10.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1662	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-23.29	dBm	-10.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1662	-
PASS	[SPA:Freq Range:2625 MHz-2635M Hz]	-41.96	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1662	-
PASS	[SPA:Freq Range:2635 MHz-2640M Hz]	-54.32	dBm	-25.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1662	Combination _1824





87. FCC / Band : B38 / Channel : 37850(2580MHz)


87.1. Band Edge Measurement

▼ FCC / Band : B38 / Channel : 37850(2580MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.01	dBm	-25.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	-
PASS	[SPA:Freq Range:2490.5 MHz-2496 MHz]	-54.75	dBm	-13.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	-
PASS	[SPA:Freq Range:2496 MHz-2550M Hz]	-38.04	dBm	-25.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	-
PASS	[SPA:Freq Range:2550 MHz-2565M Hz]	-27.79	dBm	-13.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	-
PASS	[SPA:Freq Range:2565 MHz-2569M Hz]	-24.23	dBm	-10.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	-
PASS	[SPA:Freq Range:2569 MHz-2570M Hz]	-12.59	dBm	-10.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	-
PASS	[SPA:Freq Range:2570 MHz-2590M Hz]	2.37	dBm	30.00	None	20 MHz	QPSK-FullIRB @Min	30.00/-54.20 dBm	1663	Combination _1831

FCC / Band : B38 / Channel : 37850 (2580MHz)

Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-FullIRB@Min)



Combination_1831




▼ FCC / Band : B38 / Channel : 37850(2580MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.13	dBm	-25.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.10	dBm	-13.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	-
PASS	[SPA:Freq Range:2496 MHz-2550M Hz]	-49.35	dBm	-25.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	-
PASS	[SPA:Freq Range:2550 MHz-2565M Hz]	-39.03	dBm	-13.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	-
PASS	[SPA:Freq Range:2565 MHz-2569M Hz]	-35.72	dBm	-10.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	-
FAIL *1	[SPA:Freq Range:2569 MHz-2570M Hz]	6.10	dBm	-10.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	PIC_1841
PASS	[SPA:Freq Range:2570 MHz-2590M Hz]	20.67	dBm	30.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1664	Combination _1842

* 1 : Limit:-10.00dBm;Result:-38.44dBm/1000.0kHz(PASS)

FCC / Band : B38 / Channel : 37850 (2580MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)






FCC / Band : B38 / Channel : 37850 (2580MHz)

Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



Combination_1842



▼ FCC / Band : B38 / Channel : 37850(2580MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.13	dBm	-25.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.08	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	-
PASS	[SPA:Freq Range:2496 MHz-2550M Hz]	-54.28	dBm	-25.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	-
PASS	[SPA:Freq Range:2550 MHz-2565M Hz]	-36.16	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	-
PASS	[SPA:Freq Range:2565 MHz-2569M Hz]	-53.15	dBm	-10.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	-
PASS	[SPA:Freq Range:2569 MHz-2570M Hz]	-35.39	dBm	-10.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	-
PASS	[SPA:Freq Range:2570 MHz-2590M Hz]	20.72	dBm	30.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1665	Combination _1849





▼ FCC / Band : B38 / Channel : 37850(2580MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.14	dBm	-25.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-54.92	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	-
PASS	[SPA:Freq Range:2496 MHz-2550M Hz]	-39.38	dBm	-25.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	-
PASS	[SPA:Freq Range:2550 MHz-2565M Hz]	-29.14	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	-
PASS	[SPA:Freq Range:2565 MHz-2569M Hz]	-25.92	dBm	-10.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	-
PASS	[SPA:Freq Range:2569 MHz-2570M Hz]	-14.05	dBm	-10.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	-
PASS	[SPA:Freq Range:2570 MHz-2590M Hz]	1.02	dBm	30.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1669	Combination _1856

FCC / Band : B38 / Channel : 37850 (2580MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)




Combination_1856



▼ FCC / Band : B38 / Channel : 37850(2580MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.17	dBm	-25.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.06	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	-
PASS	[SPA:Freq Range:2496 MHz-2550M Hz]	-51.11	dBm	-25.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	-
PASS	[SPA:Freq Range:2550 MHz-2565M Hz]	-40.57	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	-
PASS	[SPA:Freq Range:2565 MHz-2569M Hz]	-34.87	dBm	-10.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	-
FAIL *1	[SPA:Freq Range:2569 MHz-2570M Hz]	5.19	dBm	-10.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	PIC_1866
PASS	[SPA:Freq Range:2570 MHz-2590M Hz]	19.85	dBm	30.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1670	Combination _1867


* 1 : Limit:-10.00dBm;Result:-37.83dBm/1000.0kHz(PASS)

FCC / Band : B38 / Channel : 37850 (2580MHz) Band Edge Measurement
LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)






FCC / Band : B38 / Channel : 37850 (2580MHz) Band Edge Measurement
LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



Combination_1867



▼ FCC / Band : B38 / Channel : 37850(2580MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-55.16	dBm	-25.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	-
PASS	[SPA:Freq Range:2490.5MHz-2496 MHz]	-55.09	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	-
PASS	[SPA:Freq Range:2496 MHz-2550M Hz]	-54.47	dBm	-25.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	-
PASS	[SPA:Freq Range:2550 MHz-2565M Hz]	-34.91	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	-
PASS	[SPA:Freq Range:2565 MHz-2569M Hz]	-53.56	dBm	-10.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	-
PASS	[SPA:Freq Range:2569 MHz-2570M Hz]	-40.38	dBm	-10.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	-
PASS	[SPA:Freq Range:2570 MHz-2590M Hz]	20.25	dBm	30.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1671	Combination _1874





88. FCC / Band : B38 / Channel : 38150(2610MHz)


88.1. Band Edge Measurement

▼ FCC / Band : B38 / Channel : 38150(2610MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2600 MHz-2620M Hz]	2.13	dBm	30.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1690	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-11.90	dBm	-10.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1690	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-25.42	dBm	-10.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1690	-
PASS	[SPA:Freq Range:2625 MHz-2640M Hz]	-28.84	dBm	-13.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1690	-
PASS	[SPA:Freq Range:2640 MHz-2645M Hz]	-35.02	dBm	-25.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1690	Combination_1879

FCC / Band : B38 / Channel : 38150 (2610MHz)

Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



Combination_1879



▼ FCC / Band : B38 / Channel : 38150(2610MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2600 MHz-2620M Hz]	20.97	dBm	30.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1691	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-36.98	dBm	-10.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1691	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-53.14	dBm	-10.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1691	-
PASS	[SPA:Freq Range:2625 MHz-2640M Hz]	-31.34	dBm	-13.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1691	-
PASS	[SPA:Freq Range:2640 MHz-2645M Hz]	-54.44	dBm	-25.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1691	Combination _1884






▼ FCC / Band : B38 / Channel : 38150(2610MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2600 MHz-2620M Hz]	20.22	dBm	30.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1692	-
FAIL *1	[SPA:Freq Range:2620 MHz-2621M Hz]	7.34	dBm	-10.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1692	PIC_1890
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-32.71	dBm	-10.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1692	-
PASS	[SPA:Freq Range:2625 MHz-2640M Hz]	-40.69	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1692	-
PASS	[SPA:Freq Range:2640 MHz-2645M Hz]	-54.43	dBm	-25.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1692	Combination _1893

* 1 : Limit:-10.00dBm;Result:-36.86dBm/1000.0kHz(PASS)

FCC / Band : B38 / Channel : 38150 (2610MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-1RB@Max)




PIC_1890



FCC / Band : B38 / Channel : 38150 (2610MHz)

Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-1RB@Max)



Combination_1893




▼ FCC / Band : B38 / Channel : 38150(2610MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2600 MHz-2620M Hz]	0.84	dBm	30.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1696	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-13.73	dBm	-10.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1696	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-26.69	dBm	-10.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1696	-
PASS	[SPA:Freq Range:2625 MHz-2640M Hz]	-29.60	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1696	-
PASS	[SPA:Freq Range:2640 MHz-2645M Hz]	-37.00	dBm	-25.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1696	Combination _1898





▼ FCC / Band : B38 / Channel : 38150(2610MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2600 MHz-2620M Hz]	20.30	dBm	30.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1697	-
PASS	[SPA:Freq Range:2620 MHz-2621M Hz]	-41.07	dBm	-10.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1697	-
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-53.48	dBm	-10.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1697	-
PASS	[SPA:Freq Range:2625 MHz-2640M Hz]	-30.31	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1697	-
PASS	[SPA:Freq Range:2640 MHz-2645M Hz]	-54.59	dBm	-25.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1697	Combination _1903






▼ FCC / Band : B38 / Channel : 38150(2610MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2600 MHz-2620M Hz]	19.89	dBm	30.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1698	-
FAIL *1	[SPA:Freq Range:2620 MHz-2621M Hz]	6.19	dBm	-10.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1698	PIC_1909
PASS	[SPA:Freq Range:2621 MHz-2625M Hz]	-33.72	dBm	-10.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1698	-
PASS	[SPA:Freq Range:2625 MHz-2640M Hz]	-41.52	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1698	-
PASS	[SPA:Freq Range:2640 MHz-2645M Hz]	-54.44	dBm	-25.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1698	Combination _1912

* 1 : Limit:-10.00dBm;Result:-37.83dBm/1000.0kHz(PASS)

FCC / Band : B38 / Channel : 38150 (2610MHz) Band Edge Measurement


LTE (BW = 20 MHz , MOD = 16QAM-1RB@Max)



PIC_1909



FCC / Band : B38 / Channel : 38150 (2610MHz) Band Edge Measurement
LTE (BW = 20 MHz , MOD = 16QAM-1RB@Max)



Combination_1912



89. FCC / Band : B41 / Channel : 39675(2498.5MHz)

89.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 39675(2498.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-36.10	dBm	-25.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1699	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-15.36	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1699	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-24.18	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1699	-
PASS	[SPA:Freq Range:2496 MHz-2501MHz]	-1.15	dBm	-30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1699	Combination _1916

FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement

LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_1916



▼ FCC / Band : B41 / Channel : 39675(2498.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-49.77	dBm	-25.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1700	-
FAIL *1	[SPA:Freq Range:2490.5MHz-2495 MHz]	-2.03	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1700	PIC_1922
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-20.27	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1700	-
PASS	[SPA:Freq Range:2496 MHz-2501MHz]	20.88	dBm	30.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1700	Combination _1924

* 1 : Limit:-13.00dBm;Result:-44.02dBm/1000.0kHz(PASS)

FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



PIC_1922



FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement
LTE (BW = 5 MHz , MOD = QPSK-1RB@Min)



Combination_1924



▼ FCC / Band : B41 / Channel : 39675(2498.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-54.12	dBm	-25.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1701	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-42.10	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1701	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-59.12	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1701	-
PASS	[SPA:Freq Range:2496 MHz-2501MHz]	20.53	dBm	30.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1701	Combination _1928

FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement
LTE (BW = 5 MHz , MOD = QPSK-1RB@Max)



Combination_1928



▼ FCC / Band : B41 / Channel : 39675(2498.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-37.21	dBm	-25.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1705	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-17.29	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1705	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-27.03	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1705	-
PASS	[SPA:Freq Range:2496 MHz-2501MHz]	6.96	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1705	Combination _1932

FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement

LTE (BW = 5 MHz , MOD = 16QAM-FullRB@Min)



Combination_1932




▼ FCC / Band : B41 / Channel : 39675(2498.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-51.78	dBm	-25.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1706	-
FAIL *1	[SPA:Freq Range:2490.5MHz-2495 MHz]	-3.67	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1706	PIC_1938
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-23.63	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1706	-
PASS	[SPA:Freq Range:2496 MHz-2501MHz]	19.92	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1706	Combination _1940

* 1 : Limit:-13.00dBm;Result:-44.92dBm/1000.0kHz(PASS)

FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)



PIC_1938



FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement
LTE (BW = 5 MHz , MOD = 16QAM-1RB@Min)




Combination_1940



▼ FCC / Band : B41 / Channel : 39675(2498.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-54.31	dBm	-25.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1707	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-43.27	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1707	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-58.45	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1707	-
PASS	[SPA:Freq Range:2496 MHz-2501MHz]	19.71	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1707	Combination _1944

FCC / Band : B41 / Channel : 39675 (2498.5MHz) Band Edge Measurement

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Max)



Combination_1944




90. FCC / Band : B41 / Channel : 41565(2687.5MHz)

90.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 41565(2687.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2685 MHz-2690M Hz]	8.16	dBm	30.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1726	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-21.19	dBm	-10.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1726	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-13.16	dBm	-10.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1/26	-
PASS	[SPA:Freq Range:2695 MHz-2696M Hz]	-32.88	dBm	-13.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1726	-
PASS	[SPA:Freq Range:2696 MHz-2700M Hz]	-33.67	dBm	-25.00	None	5 MHz	QPSK-FullRB @Min	30.00/-60.20 dBm	1726	Combination_1949

FCC / Band : B41 / Channel : 41565 (2687.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-FullRB@Min)



Combination_1949



▼ FCC / Band : B41 / Channel : 41565(2687.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2685 MHz-2690M Hz]	21.23	dBm	30.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1727	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-54.49	dBm	-10.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1727	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-31.74	dBm	-10.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1727	-
PASS	[SPA:Freq Range:2695 MHz-2696M Hz]	-44.17	dBm	-13.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1727	-
PASS	[SPA:Freq Range:2696 MHz-2700M Hz]	-53.38	dBm	-25.00	None	5 MHz	QPSK-1RB@ Min	30.00/-60.20 dBm	1727	Combination _1954






▼ FCC / Band : B41 / Channel : 41565(2687.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2685 MHz-2690M Hz]	20.90	dBm	30.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1728	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-14.84	dBm	-10.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1728	-
FAIL ¹	[SPA:Freq Range:2691 MHz-2695M Hz]	-0.85	dBm	-10.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1728	PIC_1961
PASS	[SPA:Freq Range:2695 MHz-2696M Hz]	-51.29	dBm	-13.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1728	-
PASS	[SPA:Freq Range:2696 MHz-2700M Hz]	-51.25	dBm	-25.00	None	5 MHz	QPSK-1RB@ Max	30.00/-60.20 dBm	1728	Combination _1963

* 1: Limit:-10.00dBm;Result:-37.25dBm/1000.0kHz(PASS)

FCC / Band : B41 / Channel : 41565 (2687.5MHz) Band Edge Measurement

LTE (BW = 5 MHz , MOD = QPSK-1RB@Max)




PIC_1961



FCC / Band : B41 / Channel : 41565 (2687.5MHz) Band Edge Measurement


LTE (BW = 5 MHz , MOD = QPSK-1RB@Max)



Combination_1963




▼ FCC / Band : B41 / Channel : 41565(2687.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2685 MHz-2690M Hz]	7.25	dBm	30.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1732	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-23.55	dBm	-10.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1732	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-14.65	dBm	-10.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1732	-
PASS	[SPA:Freq Range:2695 MHz-2696M Hz]	-33.95	dBm	-13.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1732	-
PASS	[SPA:Freq Range:2696 MHz-2700M Hz]	-34.82	dBm	-25.00	None	5 MHz	16QAM-Full RB@Min	30.00/-60.20 dBm	1732	Combination _1968





▼ FCC / Band : B41 / Channel : 41565(2687.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2685 MHz-2690M Hz]	19.95	dBm	30.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1733	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-54.17	dBm	-10.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1733	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-34.70	dBm	-10.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1733	-
PASS	[SPA:Freq Range:2695 MHz-2696M Hz]	-47.04	dBm	-13.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1733	-
PASS	[SPA:Freq Range:2696 MHz-2700M Hz]	-53.66	dBm	-25.00	None	5 MHz	16QAM-1RB @Min	30.00/-60.20 dBm	1733	Combination _1973





▼ FCC / Band : B41 / Channel : 41565(2687.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2685 MHz-2690M Hz]	19.89	dBm	30.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1734	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-18.80	dBm	-10.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1734	-
FAIL ¹	[SPA:Freq Range:2691 MHz-2695M Hz]	-2.05	dBm	-10.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1734	PIC_1980
PASS	[SPA:Freq Range:2695 MHz-2696M Hz]	-51.97	dBm	-13.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1734	-
PASS	[SPA:Freq Range:2696 MHz-2700M Hz]	-51.40	dBm	-25.00	None	5 MHz	16QAM-1RB @Max	30.00/-60.20 dBm	1734	Combination _1982

* 1 : Limit:-10.00dBm;Result:-39.61dBm/1000.0kHz(PASS)


FCC / Band : B41 / Channel : 41565 (2687.5MHz) Band Edge Measurement

LTE (BW = 5 MHz , MOD = 16QAM-1RB@Max)





FCC / Band : B41 / Channel : 41565 (2687.5MHz) Band Edge Measurement
LTE (BW = 5 MHz , MOD = 16QAM-1RB@Max)



Combination_1982



91. FCC / Band : B41 / Channel : 39700(2501MHz)

91.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 39700(2501MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-30.54	dBm	-25.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1735	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-22.86	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1735	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-29.67	dBm	-13.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1735	-
PASS	[SPA:Freq Range:2496 MHz-2506MHz]	4.9/	dBm	30.00	None	10 MHz	QPSK-FullRB @Min	30.00/-57.20 dBm	1/35	Combination _1986

FCC / Band : B41 / Channel : 39700 (2501MHz)

Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-FullRB@Min)



Combination_1986




▼ FCC / Band : B41 / Channel : 39700(2501MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-40.54	dBm	-25.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1736	-
FAIL "1"	[SPA:Freq Range:2490.5MHz-2495 MHz]	-12.61	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1736	PIC_1992
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-30.22	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1736	-
PASS	[SPA:Freq Range:2496 MHz-2506MHz]	20.33	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1736	Combination _1994

* 1 : Limit:-13.00dBm;Result:-47.11dBm/1000.0kHz(PASS)

FCC / Band : B41 / Channel : 39700 (2501MHz) Band Edge Measurement

LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)




PIC_1992



FCC / Band : B41 / Channel : 39700 (2501MHz)
LTE (BW = 10 MHz , MOD = QPSK-1RB@Min)


Band Edge Measurement



Combination_1994



▼ FCC / Band : B41 / Channel : 39700(2501MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-39.36	dBm	-25.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1737	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-49.18	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1737	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-50.97	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1737	-
PASS	[SPA:Freq Range:2496 MHz-2506MHz]	20.52	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1737	Combination _1998






▼ FCC / Band : B41 / Channel : 39700(2501MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-31.96	dBm	-25.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1741	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-24.27	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1741	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-31.04	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1741	-
PASS	[SPA:Freq Range:2496 MHz-2506MHz]	4.26	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1741	Combination _2002

FCC / Band : B41 / Channel : 39700 (2501MHz) Band Edge Measurement

LTE (BW = 10 MHz , MOD = 16QAM-FullRB@Min)




Combination_2002



▼ FCC / Band : B41 / Channel : 39700(2501MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-42.34	dBm	-25.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1742	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-13.37	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1742	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-30.61	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1742	-
PASS	[SPA:Freq Range:2496 MHz-2506MHz]	19.34	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1742	Combination_2006

FCC / Band : B41 / Channel : 39700 (2501MHz) Band Edge Measurement


LTE (BW = 10 MHz , MOD = 16QAM-1RB@Min)



Combination_2006



▼ FCC / Band : B41 / Channel : 39700(2501MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-39.40	dBm	-25.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1743	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-51.08	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1743	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-58.03	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1743	-
PASS	[SPA:Freq Range:2496 MHz-2506MHz]	19.03	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1743	Combination _2010





92. FCC / Band : B41 / Channel : 41540(2685MHz)

92.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 41540(2685MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2680 MHz-2690M Hz]	5.52	dBm	30.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	1762	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-22.53	dBm	-10.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	1762	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-20.66	dBm	-10.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	1762	-
PASS	[SPA:Freq Range:2695 MHz-2700M Hz]	-25.55	dBm	-13.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	1762	-
PASS	[SPA:Freq Range:2700 MHz-2705M Hz]	-37.56	dBm	-25.00	None	10 MHz	QPSK-FullIRB @Min	30.00/-57.20 dBm	1762	Combination_2015

FCC / Band : B41 / Channel : 41540 (2685MHz)

Band Edge Measurement


LTE (BW = 10 MHz , MOD = QPSK-FullIRB@Min)



Combination_2015




▼ FCC / Band : B41 / Channel : 41540(2685MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2680 MHz-2690M Hz]	20.65	dBm	30.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1763	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-48.68	dBm	-10.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1763	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-49.34	dBm	-10.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1763	-
PASS	[SPA:Freq Range:2695 MHz-2700M Hz]	-39.31	dBm	-13.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1763	-
PASS	[SPA:Freq Range:2700 MHz-2705M Hz]	-54.10	dBm	-25.00	None	10 MHz	QPSK-1RB@ Min	30.00/-57.20 dBm	1763	Combination _2020






▼ FCC / Band : B41 / Channel : 41540(2685MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2680 MHz-2690MHz]	21.10	dBm	30.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1764	-
PASS	[SPA:Freq Range:2690 MHz-2691MHz]	-13.94	dBm	-10.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1764	-
PASS	[SPA:Freq Range:2691 MHz-2695MHz]	-10.17	dBm	-10.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1764	-
PASS	[SPA:Freq Range:2695 MHz-2700MHz]	-42.45	dBm	-13.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1764	-
PASS	[SPA:Freq Range:2700 MHz-2705MHz]	-53.39	dBm	-25.00	None	10 MHz	QPSK-1RB@ Max	30.00/-57.20 dBm	1764	Combination _2025






▼ FCC / Band : B41 / Channel : 41540(2685MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2680 MHz-2690M Hz]	4.85	dBm	30.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1768	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-25.33	dBm	-10.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1768	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-21.78	dBm	-10.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1768	-
PASS	[SPA:Freq Range:2695 MHz-2700M Hz]	-27.82	dBm	-13.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1768	-
PASS	[SPA:Freq Range:2700 MHz-2705M Hz]	-37.35	dBm	-25.00	None	10 MHz	16QAM-Full RB@Min	30.00/-57.20 dBm	1768	Combination _2030






▼ FCC / Band : B41 / Channel : 41540(2685MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2680 MHz-2690M Hz]	19.51	dBm	30.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1769	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-53.27	dBm	-10.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1769	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-51.27	dBm	-10.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1769	-
PASS	[SPA:Freq Range:2695 MHz-2700M Hz]	-40.23	dBm	-13.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1769	-
PASS	[SPA:Freq Range:2700 MHz-2705M Hz]	-54.33	dBm	-25.00	None	10 MHz	16QAM-1RB @Min	30.00/-57.20 dBm	1769	Combination _2035





▼ FCC / Band : B41 / Channel : 41540(2685MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2680 MHz-2690MHz]	19.28	dBm	30.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1770	-
PASS	[SPA:Freq Range:2690 MHz-2691MHz]	-16.54	dBm	-10.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1770	-
PASS	[SPA:Freq Range:2691 MHz-2695MHz]	-12.71	dBm	-10.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1770	-
PASS	[SPA:Freq Range:2695 MHz-2700MHz]	-43.36	dBm	-13.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1770	-
PASS	[SPA:Freq Range:2700 MHz-2705MHz]	-53.73	dBm	-25.00	None	10 MHz	16QAM-1RB @Max	30.00/-57.20 dBm	1770	Combination_2040





93. FCC / Band : B41 / Channel : 39725(2503.5MHz)

93.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 39725(2503.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-30.71	dBm	-25.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1771	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-26.24	dBm	-13.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1771	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-28.44	dBm	-13.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1771	-
PASS	[SPA:Freq Range:2496 MHz-2511MHz]	-31.10	dBm	-30.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1 / 1	Combination _2044

FCC / Band : B41 / Channel : 39725 (2503.5MHz) Band Edge Measurement

LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)




Combination_2044



▼ FCC / Band : B41 / Channel : 39725(2503.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-44.59	dBm	-25.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1772	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-22.95	dBm	-13.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1772	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-20.22	dBm	-13.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1772	-
PASS	[SPA:Freq Range:2496 MHz-2511MHz]	20.02	dBm	30.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1772	Combination_2048

FCC / Band : B41 / Channel : 39725 (2503.5MHz) Band Edge Measurement

LTE (BW = 15 MHz , MOD = QPSK-1RB@Min)




Combination_2048



▼ FCC / Band : B41 / Channel : 39725(2503.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-49.26	dBm	-25.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1773	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-50.03	dBm	-13.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1773	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-47.56	dBm	-13.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1773	-
PASS	[SPA:Freq Range:2496 MHz-2511MHz]	20.69	dBm	30.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1773	Combination _2052

FCC / Band : B41 / Channel : 39725 (2503.5MHz) Band Edge Measurement
LTE (BW = 15 MHz , MOD = QPSK-1RB@Max)




Combination_2052



▼ FCC / Band : B41 / Channel : 39725(2503.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-31.07	dBm	-25.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1777	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-27.18	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1777	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-29.98	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1777	-
PASS	[SPA:Freq Range:2496 MHz-2511MHz]	2.31	dBm	30.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1777	Combination _2056

FCC / Band : B41 / Channel : 39725 (2503.5MHz) Band Edge Measurement

LTE (BW = 15 MHz , MOD = 16QAM-FullRB@Min)




Combination_2056



▼ FCC / Band : B41 / Channel : 39725(2503.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-45.81	dBm	-25.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1778	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-24.94	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1778	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-24.19	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1778	-
PASS	[SPA:Freq Range:2496 MHz-2511MHz]	19.14	dBm	30.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1778	Combination _2060

FCC / Band : B41 / Channel : 39725 (2503.5MHz) Band Edge Measurement

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Min)




Combination_2060



▼ FCC / Band : B41 / Channel : 39725(2503.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-50.70	dBm	-25.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1779	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-51.30	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1779	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-46.55	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1779	-
PASS	[SPA:Freq Range:2496 MHz-2511MHz]	19.18	dBm	30.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1779	Combination _2064

FCC / Band : B41 / Channel : 39725 (2503.5MHz) Band Edge Measurement

LTE (BW = 15 MHz , MOD = 16QAM-1RB@Max)



Combination_2064



94. FCC / Band : B41 / Channel : 41515(2682.5MHz)

94.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 41515(2682.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2675 MHz-2690M Hz]	3.97	dBm	30.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1798	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-26.14	dBm	-10.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1798	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-22.87	dBm	-10.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1798	-
PASS	[SPA:Freq Range:2695 MHz-2705M Hz]	-27.10	dBm	-13.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1798	-
PASS	[SPA:Freq Range:2705 MHz-2710M Hz]	-40.20	dBm	-25.00	None	15 MHz	QPSK-FullRB @Min	30.00/-55.50 dBm	1798	Combination _2069

FCC / Band : B41 / Channel : 41515 (2682.5MHz) Band Edge Measurement


LTE (BW = 15 MHz , MOD = QPSK-FullRB@Min)



Combination_2069




▼ FCC / Band : B41 / Channel : 41515(2682.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2675 MHz-2690M Hz]	20.25	dBm	30.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1799	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-47.30	dBm	-10.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1799	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-51.81	dBm	-10.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1799	-
PASS	[SPA:Freq Range:2695 MHz-2705M Hz]	-42.33	dBm	-13.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1799	-
PASS	[SPA:Freq Range:2705 MHz-2710M Hz]	-54.22	dBm	-25.00	None	15 MHz	QPSK-1RB@ Min	30.00/-55.50 dBm	1799	Combination _2074






▼ FCC / Band : B41 / Channel : 41515(2682.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2675 MHz-2690M Hz]	21.31	dBm	30.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1800	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-21.31	dBm	-10.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1800	-
PASS	[SPA:Freq Range:2695 MHz-2695M Hz]	-21.74	dBm	-10.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1800	-
PASS	[SPA:Freq Range:2695 MHz-2705M Hz]	-36.76	dBm	-13.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1800	-
PASS	[SPA:Freq Range:2705 MHz-2710M Hz]	-54.04	dBm	-25.00	None	15 MHz	QPSK-1RB@ Max	30.00/-55.50 dBm	1800	Combination _2079






▼ FCC / Band : B41 / Channel : 41515(2682.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2675 MHz-2690M Hz]	3.11	dBm	30.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1804	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-27.59	dBm	-10.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1804	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-24.19	dBm	-10.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1804	-
PASS	[SPA:Freq Range:2695 MHz-2705M Hz]	-27.41	dBm	-13.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1804	-
PASS	[SPA:Freq Range:2705 MHz-2710M Hz]	-39.99	dBm	-25.00	None	15 MHz	16QAM-Full RB@Min	30.00/-55.50 dBm	1804	Combination _2084






▼ FCC / Band : B41 / Channel : 41515(2682.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2675 MHz-2690M Hz]	19.33	dBm	30.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1805	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-46.23	dBm	-10.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1805	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-51.19	dBm	-10.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1805	-
PASS	[SPA:Freq Range:2695 MHz-2705M Hz]	-39.06	dBm	-13.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1805	-
PASS	[SPA:Freq Range:2705 MHz-2710M Hz]	-54.40	dBm	-25.00	None	15 MHz	16QAM-1RB @Min	30.00/-55.50 dBm	1805	Combination _2089





▼ FCC / Band : B41 / Channel : 41515(2682.5MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2675 MHz-2690M Hz]	19.54	dBm	30.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1806	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-23.62	dBm	-10.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1806	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-23.27	dBm	-10.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1806	-
PASS	[SPA:Freq Range:2695 MHz-2705M Hz]	-38.46	dBm	-13.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1806	-
PASS	[SPA:Freq Range:2705 MHz-2710M Hz]	-54.22	dBm	-25.00	None	15 MHz	16QAM-1RB @Max	30.00/-55.50 dBm	1806	Combination _2094





95. FCC / Band : B41 / Channel : 39750(2506MHz)


95.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 39750(2506MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-31.01	dBm	-25.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1807	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-26.77	dBm	-13.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1807	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-30.58	dBm	-13.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1807	-
PASS	[SPA:Freq Range:2496 MHz-2516MHz]	1.75	dBm	30.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1807	Combination_2098

FCC / Band : B41 / Channel : 39750 (2506MHz)

Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)




Combination_2098



▼ FCC / Band : B41 / Channel : 39750(2506MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-46.72	dBm	-25.00	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	1808	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-36.29	dBm	-13.00	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	1808	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-29.57	dBm	-13.00	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	1808	-
PASS	[SPA:Freq Range:2496 MHz-2516MHz]	20.28	dBm	30.00	None	20 MHz	QPSK-1RB@Min	30.00/-54.20 dBm	1808	Combination_2102

FCC / Band : B41 / Channel : 39750 (2506MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-1RB@Min)



Combination_2102



▼ FCC / Band : B41 / Channel : 39750(2506MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-50.04	dBm	-25.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1809	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-53.66	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1809	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-56.31	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1809	-
PASS	[SPA:Freq Range:2496 MHz-2516MHz]	19.98	dBm	30.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1809	Combination _2106

FCC / Band : B41 / Channel : 39750 (2506MHz)

Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-1RB@Max)



Combination_2106




▼ FCC / Band : B41 / Channel : 39750(2506MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-32.01	dBm	-25.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1813	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-28.42	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1813	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-33.10	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1813	-
PASS	[SPA:Freq Range:2496 MHz-2516MHz]	0.87	dBm	30.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1813	Combination _2110

FCC / Band : B41 / Channel : 39750 (2506MHz)

Band Edge Measurement

LTE (BW = 20 MHz , MOD = 16QAM-FullRB@Min)



Combination_2110




▼ FCC / Band : B41 / Channel : 39750(2506MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-47.77	dBm	-25.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1814	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-35.50	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1814	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-28.09	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1814	-
PASS	[SPA:Freq Range:2496 MHz-2516MHz]	19.45	dBm	30.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1814	Combination _2114

FCC / Band : B41 / Channel : 39750 (2506MHz)

Band Edge Measurement

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Min)



Combination_2114



▼ FCC / Band : B41 / Channel : 39750(2506MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2488 MHz-2490.5 MHz]	-51.23	dBm	-25.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1815	-
PASS	[SPA:Freq Range:2490.5MHz-2495 MHz]	-53.93	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1815	-
PASS	[SPA:Freq Range:2495 MHz-2496MHz]	-56.48	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1815	-
PASS	[SPA:Freq Range:2496 MHz-2516MHz]	19.59	dBm	30.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1815	Combination _2118

FCC / Band : B41 / Channel : 39750 (2506MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Max)



Combination_2118



96. FCC / Band : B41 / Channel : 41490(2680MHz)

96.1. Band Edge Measurement

▼ FCC / Band : B41 / Channel : 41490(2680MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2670 MHz-2690M Hz]	2.62	dBm	30.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1834	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-12.88	dBm	-10.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1834	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-25.43	dBm	-10.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1834	-
PASS	[SPA:Freq Range:2695 MHz-2710M Hz]	-28.26	dBm	-13.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1834	-
PASS	[SPA:Freq Range:2710 MHz-2715M Hz]	-39.61	dBm	-25.00	None	20 MHz	QPSK-FullRB @Min	30.00/-54.20 dBm	1834	Combination _2123

FCC / Band : B41 / Channel : 41490 (2680MHz)

Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-FullRB@Min)



Combination_2123



▼ FCC / Band : B41 / Channel : 41490(2680MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2670 MHz-2690MHz]	20.29	dBm	30.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1835	-
PASS	[SPA:Freq Range:2690 MHz-2691MHz]	-44.86	dBm	-10.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1835	-
PASS	[SPA:Freq Range:2691 MHz-2695MHz]	-53.73	dBm	-10.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1835	-
PASS	[SPA:Freq Range:2695 MHz-2710MHz]	-37.06	dBm	-13.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1835	-
PASS	[SPA:Freq Range:2710 MHz-2715MHz]	-54.48	dBm	-25.00	None	20 MHz	QPSK-1RB@ Min	30.00/-54.20 dBm	1835	Combination _2128






▼ FCC / Band : B41 / Channel : 41490(2680MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2670 MHz-2690M Hz]	20.50	dBm	30.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1836	-
FAIL *1	[SPA:Freq Range:2690 MHz-2691M Hz]	7.58	dBm	-10.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1836	PIC_2134
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-32.51	dBm	-10.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1836	-
PASS	[SPA:Freq Range:2695 MHz-2710M Hz]	-37.71	dBm	-13.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1836	-
PASS	[SPA:Freq Range:2710 MHz-2715M Hz]	-54.35	dBm	-25.00	None	20 MHz	QPSK-1RB@ Max	30.00/-54.20 dBm	1836	Combination _2137

* 1 : Limit:-10.00dBm;Result:-36.10dBm/1000.0kHz(PASS)

FCC / Band : B41 / Channel : 41490 (2680MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = QPSK-1RB@Max)




PIC_2134



FCC / Band : B41 / Channel : 41490 (2680MHz)

Band Edge Measurement


LTE (BW = 20 MHz , MOD = QPSK-1RB@Max)



Combination_2137




▼ FCC / Band : B41 / Channel : 41490(2680MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2670 MHz-2690M Hz]	0.77	dBm	30.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1840	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-14.72	dBm	-10.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1840	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-26.47	dBm	-10.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1840	-
PASS	[SPA:Freq Range:2695 MHz-2710M Hz]	-29.16	dBm	-13.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1840	-
PASS	[SPA:Freq Range:2710 MHz-2715M Hz]	-40.92	dBm	-25.00	None	20 MHz	16QAM-Full RB@Min	30.00/-54.20 dBm	1840	Combination _2142





▼ FCC / Band : B41 / Channel : 41490(2680MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2670 MHz-2690M Hz]	19.65	dBm	30.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1841	-
PASS	[SPA:Freq Range:2690 MHz-2691M Hz]	-45.17	dBm	-10.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1841	-
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-53.94	dBm	-10.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1841	-
PASS	[SPA:Freq Range:2695 MHz-2710M Hz]	-39.15	dBm	-13.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1841	-
PASS	[SPA:Freq Range:2710 MHz-2715M Hz]	-54.50	dBm	-25.00	None	20 MHz	16QAM-1RB @Min	30.00/-54.20 dBm	1841	Combination _2147






▼ FCC / Band : B41 / Channel : 41490(2680MHz) Band Edge Measurement										
P/F	ITEM	VALUE	UNIT	UPPER	LOWER	LTE Config.		IN/OUT LEVEL	TC	FIG.
						BW	MOD			
PASS	[SPA:Freq Range:2670 MHz-2690M Hz]	20.17	dBm	30.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1842	-
FAIL *1	[SPA:Freq Range:2690 MHz-2691M Hz]	6.40	dBm	-10.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1842	PIC_2153
PASS	[SPA:Freq Range:2691 MHz-2695M Hz]	-33.80	dBm	-10.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1842	-
PASS	[SPA:Freq Range:2695 MHz-2710M Hz]	-39.46	dBm	-13.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1842	-
PASS	[SPA:Freq Range:2710 MHz-2715M Hz]	-54.40	dBm	-25.00	None	20 MHz	16QAM-1RB @Max	30.00/-54.20 dBm	1842	Combination _2156

* 1 : Limit:-10.00dBm;Result:-37.89dBm/1000.0kHz(PASS)

FCC / Band : B41 / Channel : 41490 (2680MHz) Band Edge Measurement


LTE (BW = 20 MHz , MOD = 16QAM-1RB@Max)



PIC_2153

FCC / Band : B41 / Channel : 41490 (2680MHz) Band Edge Measurement

LTE (BW = 20 MHz , MOD = 16QAM-1RB@Max)



Combination_2156