


Appendix B. Test Plots

Duty cycle




Out of Band Conducted Spurious Emission

SRD																									
Low ch	 Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>2.4028 GHz</td><td>-3.608 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>24.7634 GHz</td><td>-39.92 dBm</td><td></td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	2.4028 GHz	-3.608 dBm				2	N	1	24.7634 GHz	-39.92 dBm			
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	2.4028 GHz	-3.608 dBm																					
2	N	1	24.7634 GHz	-39.92 dBm																					
Mid ch	 Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>2.4409 GHz</td><td>-3.525 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>24.7497 GHz</td><td>-40.53 dBm</td><td></td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	2.4409 GHz	-3.525 dBm				2	N	1	24.7497 GHz	-40.53 dBm			
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	2.4409 GHz	-3.525 dBm																					
2	N	1	24.7497 GHz	-40.53 dBm																					
High ch	 Marker Table: <table><tr><th>Mode</th><th>Trace</th><th>Scale</th><th>X</th><th>Y</th><th>Function</th><th>Function Width</th><th>Function Value</th></tr><tr><td>1</td><td>N</td><td>1</td><td>2.4771 GHz</td><td>-3.551 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>24.7553 GHz</td><td>-40.85 dBm</td><td></td><td></td><td></td></tr></table>	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value	1	N	1	2.4771 GHz	-3.551 dBm				2	N	1	24.7553 GHz	-40.85 dBm			
Mode	Trace	Scale	X	Y	Function	Function Width	Function Value																		
1	N	1	2.4771 GHz	-3.551 dBm																					
2	N	1	24.7553 GHz	-40.85 dBm																					

Reference level

SRD Low ch	
Mid ch	
High ch	

Conducted Band Edge



6 dB Bandwidth

SRD	
Low ch	
Mid ch	
High ch	

99 % Occupied Bandwidth

SRD	
Low ch	 Keysight Spectrum Analyzer 1 Occupied BW Center Frequency: 2.40300000 GHz Span: 6.0000 MHz CF Step: 600.000 kHz Freq Offset: 0 Hz Occupied Bandwidth: 2.1046 MHz Total Power: 6.18 dBm % of OBW Power: 99.00 %
Mid ch	 Keysight Spectrum Analyzer 1 Occupied BW Center Frequency: 2.44100000 GHz Span: 6.0000 MHz CF Step: 600.000 kHz Freq Offset: 0 Hz Occupied Bandwidth: 2.1140 MHz Total Power: 6.32 dBm % of OBW Power: 99.00 %
High ch	 Keysight Spectrum Analyzer 1 Occupied BW Center Frequency: 2.47700000 GHz Span: 6.0000 MHz CF Step: 600.000 kHz Freq Offset: 0 Hz Occupied Bandwidth: 2.1102 MHz Total Power: 6.54 dBm % of OBW Power: 99.00 %

Power Density

SRD	
Low ch	
Mid ch	
High ch	