


HARMONIC 10L

REF -10.0 dBm

hp

10 dB/

CNVLOSS
24.0
dB



STOP 60.0 GHz
SWP 500 msec

VBW 3 MHz

START 40.0 GHz
RES BW 1 MHz

Customer: NuComm, Inc
Test Sample: 2 GHz/7 GHz Transmitter
Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes: Equipment Settings:
Band= 7 GHz Channel=11- Power=High
Modulation Source =Analog Video

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761


HARMONIC 10L

REF -10.0 dBm

hp

10 dB/

CNVLOSS
24.0
dB



STOP 60.0 GHz
SWP 500 msec

VBW 3 MHz

START 40.0 GHz
RES BW 1 MHz

Customer: NuComm, Inc
Test Sample: 2 GHz/7 GHz Transmitter
Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes: Equipment Settings:
Band= 7 GHz Channel=11- Power=Low
Modulation Source =Analog Video

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761


HARMONIC 10L

REF -10.0 dBm

hp

10 dB/

CNVLOSS
24.0
dB



STOP 60.0 GHz
SWP 500 msec

VBW 3 MHz

START 40.0 GHz
RES BW 1 MHz

Customer: NuComm, Inc
Test Sample: 2 GHz/7 GHz Transmitter
Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes: Equipment Settings:
Band= 7 GHz Channel=10+ Power=Low
Modulation Source =Analog Video

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories

Report No. R-9761

HARMONIC 10L

REF -10.0 dBm


hp

10 dB/

CNVLOSS

24.0

dB



START 40.0 GHz

RES BW 1 MHz

VBW 3 MHz

STOP 60.0 GHz

SWP 500 msec

Customer:	NuComm, Inc		
Test Sample:	2 GHz/7 GHz Transmitter		
Model No.:	Newscaster VT, FCC ID: I4U2713MMPT3-12-1		
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance		
Notes:	Equipment Settings:		
	Band= 7 GHz	Channel=5+	Power=Low
	Modulation Source =Analog Video		
Date:	March 7, 2003	Tech:	T. Schneider
	Sheet		of



Retlif Testing Laboratories

Report No. R-9761


HARMONIC 10L

REF -10.0 dBm

10 dB/

CNVLOSS

36.0 dB



STOP 75.0 GHz
SWP 375 msec

VBW 3 MHz

START 60.0 GHz
RES BW 1 MHz

Customer:	NuComm, Inc
Test Sample:	2 GHz/7 GHz Transmitter
Model No.:	Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes:	Equipment Settings: Band= 7 GHz Channel=5+ Power=Low Modulation Source =Analog Video
Date:	March 7, 2003
Tech:	T. Schneider
Sheet	1 of 1




Retlif Testing Laboratories

Report No. R-9761

HP REF -10.0 dBm HARMONIC 10L

10 dB/

CNVLOSS
36.0
dB



STOP 75.0 GHz
SWP 375 msec

VBW 3 MHz


START 60.0 GHz
RES BW 1 MHz

Customer:	NuComm, Inc
Test Sample:	2 GHz/7 GHz Transmitter
Model No.:	Newscafter VT, FCC ID: I4U2713MMPT3-12-1
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes:	Equipment Settings: Band= 7 GHz Channel=10+ Power=Low Modulation Source =Analog Video
Date:	March 7, 2003
Tech:	T. Schneider
Sheet	1 of 1



Retlif Testing Laboratories

Report No. R-9761




Customer:	NuComm, Inc
Test Sample:	2 GHz/7 GHz Transmitter
Model No.:	Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes:	Equipment Settings:
	Band=7 GHz Channel=11- Power=Low
	Modulation Source =Analog Video
Date:	March 7, 2003
Tech:	T. Schneider
Sheet	of



Retlif Testing Laboratories

Report No. R-9761




Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: 14U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=11- Power=High
 Modulation Source =Analog Video

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761




Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: 14U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=10+ Power=High
 Modulation Source =Analog Video

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories

Report No. R-9761




Customer:	NuComm, Inc
Test Sample:	2 GHz/7 GHz Transmitter
Model No.:	Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes:	Equipment Settings:
	Band= 7 GHz Channel=5+ Power=High
	Modulation Source =Analog Video
Date:	March 7, 2003
Tech:	T. Schneider
Sheet	1 of 1



Retlif Testing Laboratories

Report No. R-9761



Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=5+ Power=High
 Modulation Source =70 MHz IF

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761

HARMONIC 10L

REF -10.0 dBm


HP

10 dB/

CNVLOSS

36.0

dB



START 60.0 GHz

RES BW 1 MHz

VBW 3 MHz

STOP 75.0 GHz

SWP 375 msec


Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=10+ Power=High
 Modulation Source =70 MHz IF

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories

Report No. R-9761



Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=11- Power=High
 Modulation Source =70 MHz IF

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761

HARMONIC 10L

REF -10.0 dBm


HP

10 dB/

CNVLOSS

36.0

dB



START 60.0 GHz

RES BW 1 MHz

VBW 3 MHz

STOP 75.0 GHz

SWP 375 msec


Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=11- Power=Low
 Modulation Source =70 MHz IF

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories

Report No. R-9761




Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=10+ Power=Low
 Modulation Source =70 MHz IF

Date: March 7, 2003 Tech: T. Schneider Sheet: of



Retlif Testing Laboratories

Report No. R-9761



Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=5+ Power=Low
 Modulation Source =70 MHz IF

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761

HARMONIC 10L

REF -10.0 dBm


HP

10 dB/

CNVLOSS

36.0

dB



STOP 75.0 GHz

SWP 375 msec

VBW 3 MHz

START 60.0 GHz

RES BW 1 MHz


Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: M4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=5+ Power=Low
 Modulation Source =Digital Video

Date: March 7, 2003 Tech: T. Schneider Sheet of



Retlif Testing Laboratories

Report No. R-9761



Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=10+ Power=Low
 Modulation Source =Digital Video

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories

Report No. R-9761

HARMONIC 10L

REF -10.0 dBm


hp

10 dB/

CNVLOSS

36.0

dB



START 60.0 GHz

RES BW 1 MHz

VBW 3 MHz

STOP 75.0 GHz


SWP 375 msec

Customer:	NuComm, Inc		
Test Sample:	2 GHz/7 GHz Transmitter		
Model No.:	Newscaster VT, FCC ID: I4U2713MMPT3-12-1		
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance		
Notes:	Equipment Settings:		
	Band= 7 GHz	Channel=11-	Power=Low
	Modulation Source =Digital Video		
Date:	March 7, 2003	Tech:	T. Schneider
		Sheet:	of



Retlif Testing Laboratories

Report No. R-9761



Customer: NuComm, Inc
 Test Sample: 2 GHz/7 GHz Transmitter
 Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
 Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
 Notes: Equipment Settings:
 Band= 7 GHz Channel=11- Power=High
 Modulation Source =Digital Video

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories


Report No. R-9761

HARMONIC 10L

REF -10.0 dBm

10 dB/

CNVLOSS
36.0
dB



STOP 75.0 GHz
SWP 375 msec

VBW 3 MHz

START 60.0 GHz
RES BW 1 MHz

Customer: NuComm, Inc
Test Sample: 2 GHz/7 GHz Transmitter
Model No.: Newscaster VT, FCC ID: I4U2713MMPT3-12-1
Test Method: Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes: Equipment Settings:
Band= 7 GHz Channel=10+ Power=High
Modulation Source =Digital V/dec

Date: March 7, 2003 Tech: T. Schneider Sheet 1 of 1



Retlif Testing Laboratories

Report No. R-9761


HARMONIC 10L

REF -10.0 dBm

hp

10 dB/

CNVLOSS
36.0
dB



STOP 75.0 GHz
SWP 375 msec

VBW 3 MHz

START 60.0 GHz
RES BW 1 MHz

Customer:	NuComm, Inc
Test Sample:	2 GHz/7 GHz Transmitter
Model No.:	Newscastr VT, FCC ID: I4U2713MMPT3-12-1
Test Method:	Spurious Radiated Emissions, 18 GHz to 75 GHz at a 1 meter test distance
Notes:	Equipment Settings: Band= 7 GHz Channel=5+ Power=High Modulation Source =Digital Video
Date:	March 7, 2003
Tech:	T. Schneider
Sheet	1 of 1



Retlif Testing Laboratories

Report No. R-9761