


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.16	54.00	-23.84	36.73	3	Vertical	191	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.84	74.00	-34.16	46.41	3	Vertical	191	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.16	54.00	-15.84	38.42	3	Vertical	266	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.52	74.00	-26.48	47.78	3	Vertical	266	1.00	-	31.20	6.76	38.22			
AV	13.75G	43.86	68.20	-24.34	36.79	3	Vertical	42	1.00	-	40.00	11.23	44.16			
PK	13.75G	55.66	88.20	-32.54	48.59	3	Vertical	42	1.00	-	40.00	11.23	44.16			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.11	54.00	-19.89	40.68	3	Horizontal	22	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.05	74.00	-32.95	47.62	3	Horizontal	22	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.58	54.00	-15.42	38.84	3	Horizontal	349	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.69	74.00	-25.31	48.95	3	Horizontal	349	1.00	-	31.20	6.76	38.22			
AV	13.79G	43.42	68.20	-24.78	36.31	3	Horizontal	31	1.00	-	40.08	11.24	44.21			
PK	13.79G	55.62	88.20	-32.58	48.51	3	Horizontal	31	1.00	-	40.08	11.24	44.21			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.65	54.00	-24.35	36.22	3	Vertical	207	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.54	74.00	-34.46	46.11	3	Vertical	207	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.06	54.00	-15.94	38.32	3	Vertical	251	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.42	74.00	-26.58	47.68	3	Vertical	251	1.00	-	31.20	6.76	38.22			
AV	13.79G	43.94	68.20	-24.26	36.83	3	Vertical	25	1.00	-	40.08	11.24	44.21			
PK	13.79G	55.84	88.20	-32.36	48.73	3	Vertical	25	1.00	-	40.08	11.24	44.21			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7015MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.02	54.00	-19.98	40.59	3	Horizontal	35	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.08	74.00	-32.92	47.65	3	Horizontal	35	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.54	54.00	-15.46	38.80	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.62	74.00	-25.38	48.88	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
AV	14.03G	44.42	68.20	-23.78	36.91	3	Horizontal	29	1.00	-	40.76	11.28	44.53			
PK	14.03G	57.67	88.20	-30.53	50.16	3	Horizontal	29	1.00	-	40.76	11.28	44.53			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7015MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.94	54.00	-24.06	36.51	3	Vertical	183	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.48	74.00	-34.52	46.05	3	Vertical	183	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.59	54.00	-16.41	37.85	3	Vertical	261	1.00	-	31.20	6.76	38.22			
PK	4.843G	46.94	74.00	-27.06	47.20	3	Vertical	261	1.00	-	31.20	6.76	38.22			
AV	14.03G	44.04	68.20	-24.16	36.53	3	Vertical	36	1.00	-	40.76	11.28	44.53			
PK	14.03G	57.02	88.20	-31.18	49.51	3	Vertical	36	1.00	-	40.76	11.28	44.53			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.59	54.00	-15.41	38.85	3	Horizontal	319	1.00	-	31.20	6.76	38.22				
PK	4.843G	48.62	74.00	-25.38	48.88	3	Horizontal	319	1.00	-	31.20	6.76	38.22				
AV	14.19G	44.61	68.20	-23.59	36.82	3	Horizontal	39	1.00	-	41.08	11.32	44.61				
PK	14.19G	57.95	88.20	-30.25	50.16	3	Horizontal	39	1.00	-	41.08	11.32	44.61				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.04	54.00	-15.96	38.30	3	Vertical	295	1.00	-	31.20	6.76	38.22				
PK	4.843G	47.41	74.00	-26.59	47.67	3	Vertical	295	1.00	-	31.20	6.76	38.22				
AV	14.19G	44.25	68.20	-23.95	36.46	3	Vertical	31	1.00	-	41.08	11.32	44.61				
PK	14.19G	57.16	88.20	-31.04	49.37	3	Vertical	31	1.00	-	41.08	11.32	44.61				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.52	54.00	-15.48	38.78	3	Horizontal	316	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.61	74.00	-25.39	48.87	3	Horizontal	316	1.00	-	31.20	6.76	38.22			
AV	11.93G	41.59	54.00	-12.41	34.50	3	Horizontal	41	1.00	-	38.70	10.52	42.13			
PK	11.93G	54.62	74.00	-19.38	47.53	3	Horizontal	41	1.00	-	38.70	10.52	42.13			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	37.84	54.00	-16.16	38.10	3	Vertical	261	1.00	-	31.20	6.76	38.22				
PK	4.843G	47.26	74.00	-26.74	47.52	3	Vertical	261	1.00	-	31.20	6.76	38.22				
AV	11.93G	41.59	54.00	-12.41	34.50	3	Vertical	45	1.00	-	38.70	10.52	42.13				
PK	11.93G	54.42	74.00	-19.58	47.33	3	Vertical	45	1.00	-	38.70	10.52	42.13				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.45	54.00	-19.55	41.02	3	Horizontal	29	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.36	74.00	-32.64	47.93	3	Horizontal	29	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.42	54.00	-15.58	38.68	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.69	74.00	-25.31	48.95	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
AV	12.33G	41.59	54.00	-12.41	34.69	3	Horizontal	23	1.00	-	38.68	10.65	42.43			
PK	12.33G	54.48	74.00	-19.52	47.58	3	Horizontal	23	1.00	-	38.68	10.65	42.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.12	54.00	-23.88	36.69	3	Vertical	204	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.72	74.00	-34.28	46.29	3	Vertical	204	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.14	54.00	-15.86	38.40	3	Vertical	261	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.52	74.00	-26.48	47.78	3	Vertical	261	1.00	-	31.20	6.76	38.22			
AV	12.33G	41.62	54.00	-12.38	34.72	3	Vertical	25	1.00	-	38.68	10.65	42.43			
PK	12.33G	54.49	74.00	-19.51	47.59	3	Vertical	25	1.00	-	38.68	10.65	42.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.45	54.00	-19.55	41.02	3	Horizontal	21	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.55	74.00	-32.45	48.12	3	Horizontal	21	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.26	54.00	-15.74	38.52	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.29	74.00	-25.71	48.55	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
AV	12.81G	41.76	68.20	-26.44	34.78	3	Horizontal	51	1.00	-	39.04	10.87	42.93			
PK	12.81G	54.74	88.20	-33.46	47.76	3	Horizontal	51	1.00	-	39.04	10.87	42.93			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.51	54.00	-24.49	36.08	3	Vertical	198	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.42	74.00	-34.58	45.99	3	Vertical	198	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.62	54.00	-16.38	37.88	3	Vertical	282	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.11	74.00	-26.89	47.37	3	Vertical	282	1.00	-	31.20	6.76	38.22			
AV	12.81G	41.59	68.20	-26.61	34.61	3	Vertical	19	1.00	-	39.04	10.87	42.93			
PK	12.81G	54.42	88.20	-33.78	47.44	3	Vertical	19	1.00	-	39.04	10.87	42.93			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.05	54.00	-19.95	40.62	3	Horizontal	19	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.02	74.00	-32.98	47.59	3	Horizontal	19	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.66	54.00	-15.34	38.92	3	Horizontal	342	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.85	74.00	-25.15	49.11	3	Horizontal	342	1.00	-	31.20	6.76	38.22			
AV	12.89G	41.74	68.20	-26.46	34.73	3	Horizontal	25	1.00	-	39.12	10.91	43.02			
PK	12.89G	54.79	88.20	-33.41	47.78	3	Horizontal	25	1.00	-	39.12	10.91	43.02			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.26	54.00	-23.74	36.83	3	Vertical	198	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.81	74.00	-34.19	46.38	3	Vertical	198	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.35	54.00	-15.65	38.61	3	Vertical	259	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.74	74.00	-26.26	48.00	3	Vertical	259	1.00	-	31.20	6.76	38.22			
AV	12.89G	41.76	68.20	-26.44	34.75	3	Vertical	29	1.00	-	39.12	10.91	43.02			
PK	12.89G	54.65	88.20	-33.55	47.64	3	Vertical	29	1.00	-	39.12	10.91	43.02			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.62	54.00	-19.38	41.19	3	Horizontal	45	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.91	74.00	-32.09	48.48	3	Horizontal	45	1.00	-	25.00	4.18	35.75			
AV	4.843G	39.06	54.00	-14.94	39.32	3	Horizontal	345	1.00	-	31.20	6.76	38.22			
PK	4.843G	49.11	74.00	-24.89	49.37	3	Horizontal	345	1.00	-	31.20	6.76	38.22			
AV	12.97G	41.88	68.20	-26.32	35.00	3	Horizontal	46	1.00	-	39.04	10.95	43.11			
PK	12.97G	55.12	88.20	-33.08	48.24	3	Horizontal	46	1.00	-	39.04	10.95	43.11			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.09	54.00	-23.91	36.66	3	Vertical	192	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.81	74.00	-34.19	46.38	3	Vertical	192	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.14	54.00	-15.86	38.40	3	Vertical	263	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.51	74.00	-26.49	47.77	3	Vertical	263	1.00	-	31.20	6.76	38.22			
AV	12.97G	41.81	68.20	-26.39	34.93	3	Vertical	25	1.00	-	39.04	10.95	43.11			
PK	12.97G	54.62	88.20	-33.58	47.74	3	Vertical	25	1.00	-	39.04	10.95	43.11			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.25	54.00	-19.75	40.82	3	Horizontal	36	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.24	74.00	-32.76	47.81	3	Horizontal	36	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.42	54.00	-15.58	38.68	3	Horizontal	334	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.39	74.00	-25.61	48.65	3	Horizontal	334	1.00	-	31.20	6.76	38.22			
AV	13.05G	42.04	68.20	-26.16	35.26	3	Horizontal	39	1.00	-	39.00	10.99	43.21			
PK	13.05G	55.26	88.20	-32.94	48.48	3	Horizontal	39	1.00	-	39.00	10.99	43.21			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.75	54.00	-24.25	36.32	3	Vertical	251	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.62	74.00	-34.38	46.19	3	Vertical	251	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.19	54.00	-15.81	38.45	3	Vertical	289	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.58	74.00	-26.42	47.84	3	Vertical	289	1.00	-	31.20	6.76	38.22			
AV	13.05G	41.92	68.20	-26.28	35.14	3	Vertical	59	1.00	-	39.00	10.99	43.21			
PK	13.05G	54.68	88.20	-33.52	47.90	3	Vertical	59	1.00	-	39.00	10.99	43.21			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.64	54.00	-19.36	41.21	3	Horizontal	27	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.55	74.00	-32.45	48.12	3	Horizontal	27	1.00	-	25.00	4.18	35.75			
AV	4.843G	39.16	54.00	-14.84	39.42	3	Horizontal	324	1.00	-	31.20	6.76	38.22			
PK	4.843G	49.22	74.00	-24.78	49.48	3	Horizontal	324	1.00	-	31.20	6.76	38.22			
AV	13.13G	41.75	68.20	-26.45	34.91	3	Horizontal	22	1.00	-	39.12	11.03	43.31			
PK	13.13G	55.03	88.20	-33.17	48.19	3	Horizontal	22	1.00	-	39.12	11.03	43.31			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.52	54.00	-23.48	37.09	3	Vertical	206	1.00	-	25.00	4.18	35.75			
PK	1.719G	40.23	74.00	-33.77	46.80	3	Vertical	206	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.46	54.00	-15.54	38.72	3	Vertical	267	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.85	74.00	-26.15	48.11	3	Vertical	267	1.00	-	31.20	6.76	38.22			
AV	13.13G	41.59	68.20	-26.61	34.75	3	Vertical	58	1.00	-	39.12	11.03	43.31			
PK	13.13G	54.38	88.20	-33.82	47.54	3	Vertical	58	1.00	-	39.12	11.03	43.31			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6725MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.45	54.00	-19.55	41.02	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.57	74.00	-32.43	48.14	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.31	54.00	-15.69	38.57	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.29	74.00	-25.71	48.55	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
AV	13.45G	43.54	68.20	-24.66	36.29	3	Horizontal	25	1.00	-	39.80	11.18	43.73			
PK	13.45G	55.71	88.20	-32.49	48.46	3	Horizontal	25	1.00	-	39.80	11.18	43.73			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6725MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.56	54.00	-24.44	36.13	3	Vertical	229	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.48	74.00	-34.52	46.05	3	Vertical	229	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.86	54.00	-16.14	38.12	3	Vertical	305	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.29	74.00	-26.71	47.55	3	Vertical	305	1.00	-	31.20	6.76	38.22			
AV	13.45G	43.49	68.20	-24.71	36.24	3	Vertical	42	1.00	-	39.80	11.18	43.73			
PK	13.45G	55.68	88.20	-32.52	48.43	3	Vertical	42	1.00	-	39.80	11.18	43.73			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.81	54.00	-19.19	41.38	3	Horizontal	30	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.75	74.00	-32.25	48.32	3	Horizontal	30	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.98	54.00	-16.02	38.24	3	Horizontal	326	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.05	74.00	-25.95	48.31	3	Horizontal	326	1.00	-	31.20	6.76	38.22			
AV	13.69G	43.67	68.20	-24.53	36.51	3	Horizontal	35	1.00	-	40.00	11.23	44.07			
PK	13.69G	55.81	88.20	-32.39	48.65	3	Horizontal	35	1.00	-	40.00	11.23	44.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.52	54.00	-24.48	36.09	3	Vertical	223	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.14	74.00	-34.86	45.71	3	Vertical	223	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.29	54.00	-15.71	38.55	3	Vertical	220	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.84	74.00	-26.16	48.10	3	Vertical	220	1.00	-	31.20	6.76	38.22			
AV	13.69G	43.84	68.20	-24.36	36.68	3	Vertical	46	1.00	-	40.00	11.23	44.07			
PK	13.69G	55.75	88.20	-32.45	48.59	3	Vertical	46	1.00	-	40.00	11.23	44.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.55	54.00	-19.45	41.12	3	Horizontal	48	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.49	74.00	-32.51	48.06	3	Horizontal	48	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.29	54.00	-15.71	38.55	3	Horizontal	331	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.18	74.00	-25.82	48.44	3	Horizontal	331	1.00	-	31.20	6.76	38.22			
AV	13.77G	43.66	68.20	-24.54	36.56	3	Horizontal	35	1.00	-	40.04	11.24	44.18			
PK	13.77G	55.84	88.20	-32.36	48.74	3	Horizontal	35	1.00	-	40.04	11.24	44.18			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.12	54.00	-23.88	36.69	3	Vertical	195	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.88	74.00	-34.12	46.45	3	Vertical	195	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.19	54.00	-15.81	38.45	3	Vertical	261	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.56	74.00	-26.44	47.82	3	Vertical	261	1.00	-	31.20	6.76	38.22			
AV	13.77G	43.87	68.20	-24.33	36.77	3	Vertical	46	1.00	-	40.04	11.24	44.18			
PK	13.77G	55.69	88.20	-32.51	48.59	3	Vertical	46	1.00	-	40.04	11.24	44.18			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.24	54.00	-19.76	40.81	3	Horizontal	25	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.16	74.00	-32.84	47.73	3	Horizontal	25	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.62	54.00	-15.38	38.88	3	Horizontal	351	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.72	74.00	-25.28	48.98	3	Horizontal	351	1.00	-	31.20	6.76	38.22			
AV	13.85G	43.49	68.20	-24.71	36.44	3	Horizontal	32	1.00	-	40.10	11.25	44.30			
PK	13.85G	55.67	88.20	-32.53	48.62	3	Horizontal	32	1.00	-	40.10	11.25	44.30			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.56	54.00	-24.44	36.13	3	Vertical	208	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.49	74.00	-34.51	46.06	3	Vertical	208	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.09	54.00	-15.91	38.35	3	Vertical	253	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.48	74.00	-26.52	47.74	3	Vertical	253	1.00	-	31.20	6.76	38.22			
AV	13.85G	43.96	68.20	-24.24	36.91	3	Vertical	28	1.00	-	40.10	11.25	44.30			
PK	13.85G	55.87	88.20	-32.33	48.82	3	Vertical	28	1.00	-	40.10	11.25	44.30			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.16	54.00	-19.84	40.73	3	Horizontal	39	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.19	74.00	-32.81	47.76	3	Horizontal	39	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.49	54.00	-15.51	38.75	3	Horizontal	326	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.59	74.00	-25.41	48.85	3	Horizontal	326	1.00	-	31.20	6.76	38.22			
AV	14.01G	44.52	68.20	-23.68	37.05	3	Horizontal	31	1.00	-	40.72	11.27	44.52			
PK	14.01G	57.77	88.20	-30.43	50.30	3	Horizontal	31	1.00	-	40.72	11.27	44.52			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.86	54.00	-24.14	36.43	3	Vertical	185	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.35	74.00	-34.65	45.92	3	Vertical	185	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.54	54.00	-16.46	37.80	3	Vertical	265	1.00	-	31.20	6.76	38.22			
PK	4.843G	46.92	74.00	-27.08	47.18	3	Vertical	265	1.00	-	31.20	6.76	38.22			
AV	14.01G	44.05	68.20	-24.15	36.58	3	Vertical	35	1.00	-	40.72	11.27	44.52			
PK	14.01G	57.04	88.20	-31.16	49.57	3	Vertical	35	1.00	-	40.72	11.27	44.52			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.62	54.00	-15.38	38.88	3	Horizontal	317	1.00	-	31.20	6.76	38.22				
PK	4.843G	48.63	74.00	-25.37	48.89	3	Horizontal	317	1.00	-	31.20	6.76	38.22				
AV	14.17G	44.64	68.20	-23.56	36.89	3	Horizontal	38	1.00	-	41.04	11.31	44.60				
PK	14.17G	57.96	88.20	-30.24	50.21	3	Horizontal	38	1.00	-	41.04	11.31	44.60				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.12	54.00	-15.88	38.38	3	Vertical	294	1.00	-	31.20	6.76	38.22				
PK	4.843G	47.49	74.00	-26.51	47.75	3	Vertical	294	1.00	-	31.20	6.76	38.22				
AV	14.17G	44.29	68.20	-23.91	36.54	3	Vertical	36	1.00	-	41.04	11.31	44.60				
PK	14.17G	57.18	88.20	-31.02	49.43	3	Vertical	36	1.00	-	41.04	11.31	44.60				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.69	54.00	-15.31	38.95	3	Horizontal	319	1.00	-	31.20	6.76	38.22				
PK	4.843G	48.72	74.00	-25.28	48.98	3	Horizontal	319	1.00	-	31.20	6.76	38.22				
AV	11.97G	41.59	54.00	-12.41	34.45	3	Horizontal	39	1.00	-	38.74	10.53	42.13				
PK	11.97G	54.51	74.00	-19.49	47.37	3	Horizontal	39	1.00	-	38.74	10.53	42.13				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.22	54.00	-15.78	38.48	3	Vertical	269	1.00	-	31.20	6.76	38.22				
PK	4.843G	47.51	74.00	-26.49	47.77	3	Vertical	269	1.00	-	31.20	6.76	38.22				
AV	11.97G	41.75	54.00	-12.25	34.61	3	Vertical	44	1.00	-	38.74	10.53	42.13				
PK	11.97G	54.62	74.00	-19.38	47.48	3	Vertical	44	1.00	-	38.74	10.53	42.13				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.58	54.00	-19.42	41.15	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.49	74.00	-32.51	48.06	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.62	54.00	-15.38	38.88	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.77	74.00	-25.23	49.03	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
AV	12.29G	41.75	54.00	-12.25	34.70	3	Horizontal	34	1.00	-	38.80	10.64	42.39			
PK	12.29G	54.62	74.00	-19.38	47.57	3	Horizontal	34	1.00	-	38.80	10.64	42.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.15	54.00	-23.85	36.72	3	Vertical	208	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.78	74.00	-34.22	46.35	3	Vertical	208	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.16	54.00	-15.84	38.42	3	Vertical	274	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.55	74.00	-26.45	47.81	3	Vertical	274	1.00	-	31.20	6.76	38.22			
AV	12.29G	41.66	54.00	-12.34	34.61	3	Vertical	35	1.00	-	38.80	10.64	42.39			
PK	12.29G	54.59	74.00	-19.41	47.54	3	Vertical	35	1.00	-	38.80	10.64	42.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.51	54.00	-19.49	41.08	3	Horizontal	29	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.66	74.00	-32.34	48.23	3	Horizontal	29	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.28	54.00	-15.72	38.54	3	Horizontal	325	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.35	74.00	-25.65	48.61	3	Horizontal	325	1.00	-	31.20	6.76	38.22			
AV	12.77G	41.84	68.20	-26.36	35.05	3	Horizontal	56	1.00	-	38.82	10.85	42.88			
PK	12.77G	54.75	88.20	-33.45	47.96	3	Horizontal	56	1.00	-	38.82	10.85	42.88			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.68	54.00	-24.32	36.25	3	Vertical	209	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.42	74.00	-34.58	45.99	3	Vertical	209	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.81	54.00	-16.19	38.07	3	Vertical	286	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.25	74.00	-26.75	47.51	3	Vertical	286	1.00	-	31.20	6.76	38.22			
AV	12.77G	41.74	68.20	-26.46	34.95	3	Vertical	25	1.00	-	38.82	10.85	42.88			
PK	12.77G	54.62	88.20	-33.58	47.83	3	Vertical	25	1.00	-	38.82	10.85	42.88			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.58	54.00	-24.42	36.15	3	Horizontal	203	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.34	74.00	-34.66	45.91	3	Horizontal	203	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.62	54.00	-16.38	37.88	3	Horizontal	269	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.16	74.00	-26.84	47.42	3	Horizontal	269	1.00	-	31.20	6.76	38.22			
AV	12.93G	41.77	68.20	-26.43	34.86	3	Horizontal	22	1.00	-	39.04	10.93	43.06			
PK	12.93G	54.58	88.20	-33.62	47.67	3	Horizontal	22	1.00	-	39.04	10.93	43.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.12	54.00	-19.88	40.69	3	Vertical	39	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.14	74.00	-32.86	47.71	3	Vertical	39	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.91	54.00	-15.09	39.17	3	Vertical	342	1.00	-	31.20	6.76	38.22			
PK	4.843G	49.06	74.00	-24.94	49.32	3	Vertical	342	1.00	-	31.20	6.76	38.22			
AV	12.93G	41.74	68.20	-26.46	34.83	3	Vertical	42	1.00	-	39.04	10.93	43.06			
PK	12.93G	54.72	88.20	-33.48	47.81	3	Vertical	42	1.00	-	39.04	10.93	43.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.36	54.00	-19.64	40.93	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.35	74.00	-32.65	47.92	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.45	54.00	-15.55	38.71	3	Horizontal	339	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.62	74.00	-25.38	48.88	3	Horizontal	339	1.00	-	31.20	6.76	38.22			
AV	13.09G	42.04	68.20	-26.16	35.29	3	Horizontal	36	1.00	-	39.00	11.01	43.26			
PK	13.09G	55.21	88.20	-32.99	48.46	3	Horizontal	36	1.00	-	39.00	11.01	43.26			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.84	54.00	-24.16	36.41	3	Vertical	252	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.68	74.00	-34.32	46.25	3	Vertical	252	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.25	54.00	-15.75	38.51	3	Vertical	285	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.68	74.00	-26.32	47.94	3	Vertical	285	1.00	-	31.20	6.76	38.22			
AV	13.09G	41.94	68.20	-26.26	35.19	3	Vertical	68	1.00	-	39.00	11.01	43.26			
PK	13.09G	54.73	88.20	-33.47	47.98	3	Vertical	68	1.00	-	39.00	11.01	43.26			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.59	54.00	-19.41	41.16	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.66	74.00	-32.34	48.23	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.41	54.00	-15.59	38.67	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.39	74.00	-25.61	48.65	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
AV	13.25G	43.51	54.00	-10.49	36.69	3	Horizontal	26	1.00	-	39.20	11.09	43.47			
PK	13.25G	55.72	74.00	-18.28	48.90	3	Horizontal	26	1.00	-	39.20	11.09	43.47			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.78	54.00	-24.22	36.35	3	Vertical	243	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.69	74.00	-34.31	46.26	3	Vertical	243	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.11	54.00	-15.89	38.37	3	Vertical	305	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.56	74.00	-26.44	47.82	3	Vertical	305	1.00	-	31.20	6.76	38.22			
AV	13.25G	43.55	54.00	-10.45	36.73	3	Vertical	42	1.00	-	39.20	11.09	43.47			
PK	13.25G	55.78	74.00	-18.22	48.96	3	Vertical	42	1.00	-	39.20	11.09	43.47			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.85	54.00	-19.15	41.42	3	Horizontal	42	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.92	74.00	-32.08	48.49	3	Horizontal	42	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.44	54.00	-15.56	38.70	3	Horizontal	26	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.51	74.00	-25.49	48.77	3	Horizontal	26	1.00	-	31.20	6.76	38.22			
AV	13.41G	43.59	68.20	-24.61	36.47	3	Horizontal	22	1.00	-	39.64	11.16	43.68			
PK	13.41G	55.78	88.20	-32.42	48.66	3	Horizontal	22	1.00	-	39.64	11.16	43.68			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.87	54.00	-24.13	36.44	3	Vertical	246	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.76	74.00	-34.24	46.33	3	Vertical	246	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.06	54.00	-15.94	38.32	3	Vertical	295	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.52	74.00	-26.48	47.78	3	Vertical	295	1.00	-	31.20	6.76	38.22			
AV	13.41G	43.59	68.20	-24.61	36.47	3	Vertical	41	1.00	-	39.64	11.16	43.68			
PK	13.41G	55.72	88.20	-32.48	48.60	3	Vertical	41	1.00	-	39.64	11.16	43.68			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	35.15	54.00	-18.85	41.72	3	Horizontal	42	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.96	74.00	-32.04	48.53	3	Horizontal	42	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.86	54.00	-16.14	38.12	3	Horizontal	324	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.95	74.00	-26.05	48.21	3	Horizontal	324	1.00	-	31.20	6.76	38.22			
AV	13.57G	43.55	68.20	-24.65	36.08	3	Horizontal	42	1.00	-	40.16	11.21	43.90			
PK	13.57G	55.69	88.20	-32.51	48.22	3	Horizontal	42	1.00	-	40.16	11.21	43.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.69	54.00	-24.31	36.26	3	Vertical	225	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.28	74.00	-34.72	45.85	3	Vertical	225	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.54	54.00	-15.46	38.80	3	Vertical	212	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.22	74.00	-25.78	48.48	3	Vertical	212	1.00	-	31.20	6.76	38.22			
AV	13.57G	43.96	68.20	-24.24	36.49	3	Vertical	51	1.00	-	40.16	11.21	43.90			
PK	13.57G	55.84	88.20	-32.36	48.37	3	Vertical	51	1.00	-	40.16	11.21	43.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.65	54.00	-19.35	41.22	3	Horizontal	52	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.57	74.00	-32.43	48.14	3	Horizontal	52	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.42	54.00	-15.58	38.68	3	Horizontal	341	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.36	74.00	-25.64	48.62	3	Horizontal	341	1.00	-	31.20	6.76	38.22			
AV	13.73G	43.81	68.20	-24.39	36.71	3	Horizontal	32	1.00	-	40.00	11.23	44.13			
PK	13.73G	55.94	88.20	-32.26	48.84	3	Horizontal	32	1.00	-	40.00	11.23	44.13			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.26	54.00	-23.74	36.83	3	Vertical	182	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.91	74.00	-34.09	46.48	3	Vertical	182	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.24	54.00	-15.76	38.50	3	Vertical	253	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.65	74.00	-26.35	47.91	3	Vertical	253	1.00	-	31.20	6.76	38.22			
AV	13.73G	44.04	68.20	-24.16	36.94	3	Vertical	56	1.00	-	40.00	11.23	44.13			
PK	13.73G	55.78	88.20	-32.42	48.68	3	Vertical	56	1.00	-	40.00	11.23	44.13			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.54	54.00	-19.46	41.11	3	Horizontal	28	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.29	74.00	-32.71	47.86	3	Horizontal	28	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.64	54.00	-15.36	38.90	3	Horizontal	351	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.72	74.00	-25.28	48.98	3	Horizontal	351	1.00	-	31.20	6.76	38.22			
AV	13.89G	43.68	68.20	-24.52	36.44	3	Horizontal	45	1.00	-	40.34	11.25	44.35			
PK	13.89G	55.81	88.20	-32.39	48.57	3	Horizontal	45	1.00	-	40.34	11.25	44.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.78	54.00	-24.22	36.35	3	Vertical	201	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.61	74.00	-34.39	46.18	3	Vertical	201	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.12	54.00	-15.88	38.38	3	Vertical	263	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.59	74.00	-26.41	47.85	3	Vertical	263	1.00	-	31.20	6.76	38.22			
AV	13.89G	44.14	68.20	-24.06	36.90	3	Vertical	29	1.00	-	40.34	11.25	44.35			
PK	13.89G	55.96	88.20	-32.24	48.72	3	Vertical	29	1.00	-	40.34	11.25	44.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.62	54.00	-15.38	38.88	3	Horizontal	322	1.00	-	31.20	6.76	38.22				
PK	4.843G	48.75	74.00	-25.25	49.01	3	Horizontal	322	1.00	-	31.20	6.76	38.22				
AV	14.05G	44.68	68.20	-23.52	37.14	3	Horizontal	41	1.00	-	40.80	11.28	44.54				
PK	14.05G	58.04	88.20	-30.16	50.50	3	Horizontal	41	1.00	-	40.80	11.28	44.54				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.12	54.00	-15.88	38.38	3	Vertical	286	1.00	-	31.20	6.76	38.22				
PK	4.843G	47.56	74.00	-26.44	47.82	3	Vertical	286	1.00	-	31.20	6.76	38.22				
AV	14.05G	44.36	68.20	-23.84	36.82	3	Vertical	28	1.00	-	40.80	11.28	44.54				
PK	14.05G	57.45	88.20	-30.75	49.91	3	Vertical	28	1.00	-	40.80	11.28	44.54				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.94	54.00	-15.06	39.20	3	Horizontal	315	1.00	-	31.20	6.76	38.22				
PK	4.843G	49.06	74.00	-24.94	49.32	3	Horizontal	315	1.00	-	31.20	6.76	38.22				
AV	12.05G	41.72	54.00	-12.28	34.44	3	Horizontal	49	1.00	-	38.90	10.56	42.18				
PK	12.05G	54.68	74.00	-19.32	47.40	3	Horizontal	49	1.00	-	38.90	10.56	42.18				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.25	54.00	-15.75	38.51	3	Vertical	243	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.68	74.00	-26.32	47.94	3	Vertical	243	1.00	-	31.20	6.76	38.22			
AV	12.05G	41.79	54.00	-12.21	34.51	3	Vertical	45	1.00	-	38.90	10.56	42.18			
PK	12.05G	54.62	74.00	-19.38	47.34	3	Vertical	45	1.00	-	38.90	10.56	42.18			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.87	54.00	-19.13	41.44	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.66	74.00	-32.34	48.23	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.82	54.00	-15.18	39.08	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.95	74.00	-25.05	49.21	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
AV	12.37G	41.61	54.00	-12.39	34.92	3	Horizontal	34	1.02	-	38.48	10.67	42.46			
PK	12.37G	54.59	74.00	-19.41	47.90	3	Horizontal	34	1.02	-	38.48	10.67	42.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.22	54.00	-23.78	36.79	3	Vertical	209	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.84	74.00	-34.16	46.41	3	Vertical	209	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.14	54.00	-15.86	38.40	3	Vertical	261	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.56	74.00	-26.44	47.82	3	Vertical	261	1.00	-	31.20	6.76	38.22			
AV	12.37G	41.70	54.00	-12.30	35.01	3	Vertical	25	1.00	-	38.48	10.67	42.46			
PK	12.37G	54.55	74.00	-19.45	47.86	3	Vertical	25	1.00	-	38.48	10.67	42.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.12	54.00	-19.88	40.69	3	Horizontal	14	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.26	74.00	-32.74	47.83	3	Horizontal	14	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.96	54.00	-16.04	38.22	3	Horizontal	329	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.05	74.00	-25.95	48.31	3	Horizontal	329	1.00	-	31.20	6.76	38.22			
AV	12.69G	41.88	54.00	-12.12	35.16	3	Horizontal	51	1.00	-	38.70	10.81	42.79			
PK	12.69G	54.74	74.00	-19.26	48.02	3	Horizontal	51	1.00	-	38.70	10.81	42.79			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.25	54.00	-24.75	35.82	3	Vertical	208	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.08	74.00	-34.92	45.65	3	Vertical	208	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.45	54.00	-16.55	37.71	3	Vertical	271	1.00	-	31.20	6.76	38.22			
PK	4.843G	46.88	74.00	-27.12	47.14	3	Vertical	271	1.00	-	31.20	6.76	38.22			
AV	12.69G	41.55	54.00	-12.45	34.83	3	Vertical	23	1.00	-	38.70	10.81	42.79			
PK	12.69G	54.42	74.00	-19.58	47.70	3	Vertical	23	1.00	-	38.70	10.81	42.79			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.45	54.00	-19.55	41.02	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.29	74.00	-32.71	47.86	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.44	54.00	-15.56	38.70	3	Horizontal	325	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.38	74.00	-25.62	48.64	3	Horizontal	325	1.00	-	31.20	6.76	38.22			
AV	13.01G	41.87	68.20	-26.33	34.97	3	Horizontal	29	1.00	-	39.08	10.97	43.15			
PK	13.01G	55.08	88.20	-33.12	48.18	3	Horizontal	29	1.00	-	39.08	10.97	43.15			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.79	54.00	-24.21	36.36	3	Vertical	251	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.64	74.00	-34.36	46.21	3	Vertical	251	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.21	54.00	-15.79	38.47	3	Vertical	286	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.62	74.00	-26.38	47.88	3	Vertical	286	1.00	-	31.20	6.76	38.22			
AV	13.01G	41.79	68.20	-26.41	34.89	3	Vertical	59	1.00	-	39.08	10.97	43.15			
PK	13.01G	54.51	88.20	-33.69	47.61	3	Vertical	59	1.00	-	39.08	10.97	43.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.55	54.00	-19.45	41.12	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.68	74.00	-32.32	48.25	3	Horizontal	44	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.36	54.00	-15.64	38.62	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.39	74.00	-25.61	48.65	3	Horizontal	312	1.00	-	31.20	6.76	38.22			
AV	13.33G	43.52	54.00	-10.48	36.50	3	Horizontal	24	1.00	-	39.48	11.12	43.58			
PK	13.33G	55.76	74.00	-18.24	48.74	3	Horizontal	24	1.00	-	39.48	11.12	43.58			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.78	54.00	-24.22	36.35	3	Vertical	247	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.65	74.00	-34.35	46.22	3	Vertical	247	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.96	54.00	-16.04	38.22	3	Vertical	309	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.42	74.00	-26.58	47.68	3	Vertical	309	1.00	-	31.20	6.76	38.22			
AV	13.33G	43.55	54.00	-10.45	36.53	3	Vertical	43	1.00	-	39.48	11.12	43.58			
PK	13.33G	55.84	74.00	-18.16	48.82	3	Vertical	43	1.00	-	39.48	11.12	43.58			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	35.14	54.00	-18.86	41.71	3	Horizontal	42	1.00	-	25.00	4.18	35.75			
PK	1.719G	42.06	74.00	-31.94	48.63	3	Horizontal	42	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.05	54.00	-15.95	38.31	3	Horizontal	329	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.11	74.00	-25.89	48.37	3	Horizontal	329	1.00	-	31.20	6.76	38.22			
AV	13.65G	43.59	68.20	-24.61	36.38	3	Horizontal	22	1.00	-	40.00	11.22	44.01			
PK	13.65G	55.73	88.20	-32.47	48.52	3	Horizontal	22	1.00	-	40.00	11.22	44.01			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.66	54.00	-24.34	36.23	3	Vertical	229	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.21	74.00	-34.79	45.78	3	Vertical	229	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.41	54.00	-15.59	38.67	3	Vertical	227	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.07	74.00	-25.93	48.33	3	Vertical	227	1.00	-	31.20	6.76	38.22			
AV	13.65G	43.90	68.20	-24.30	36.69	3	Vertical	36	1.00	-	40.00	11.22	44.01			
PK	13.65G	55.78	88.20	-32.42	48.57	3	Vertical	36	1.00	-	40.00	11.22	44.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.92	54.00	-15.08	39.18	3	Horizontal	324	1.00	-	31.20	6.76	38.22			
PK	4.843G	49.01	74.00	-24.99	49.27	3	Horizontal	324	1.00	-	31.20	6.76	38.22			
AV	7.25G	49.10	54.00	-4.90	43.56	3	Horizontal	4	1.80	-	36.40	8.22	39.08			
PK	7.25G	62.95	74.00	-11.05	57.41	3	Horizontal	4	1.80	-	36.40	8.22	39.08			
AV	13.97G	44.54	68.20	-23.66	37.10	3	Horizontal	24	1.00	-	40.64	11.27	44.47			
PK	13.97G	57.82	88.20	-30.38	50.38	3	Horizontal	24	1.00	-	40.64	11.27	44.47			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	37.72	54.00	-16.28	37.98	3	Vertical	254	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.25	74.00	-26.75	47.51	3	Vertical	254	1.00	-	31.20	6.76	38.22			
AV	7.25G	48.50	54.00	-5.50	42.96	3	Vertical	238	2.42	-	36.40	8.22	39.08			
PK	7.25G	62.48	74.00	-11.52	56.94	3	Vertical	238	2.42	-	36.40	8.22	39.08			
AV	13.97G	44.10	68.20	-24.10	36.66	3	Vertical	48	1.00	-	40.64	11.27	44.47			
PK	13.97G	57.07	88.20	-31.13	49.63	3	Vertical	48	1.00	-	40.64	11.27	44.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	4.843G	38.59	54.00	-15.41	38.85	3	Horizontal	307	1.00	-	31.20	6.76	38.22				
PK	4.843G	48.61	74.00	-25.39	48.87	3	Horizontal	307	1.00	-	31.20	6.76	38.22				
AV	12.21G	41.64	54.00	-12.36	34.55	3	Horizontal	49	1.00	-	38.80	10.61	42.32				
PK	12.21G	54.68	74.00	-19.32	47.59	3	Horizontal	49	1.00	-	38.80	10.61	42.32				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.11	54.00	-15.89	38.37	3	Vertical	254	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.42	74.00	-26.58	47.68	3	Vertical	254	1.00	-	31.20	6.76	38.22			
AV	12.21G	41.65	54.00	-12.35	34.56	3	Vertical	57	1.00	-	38.80	10.61	42.32			
PK	12.21G	54.55	74.00	-19.45	47.46	3	Vertical	57	1.00	-	38.80	10.61	42.32			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.58	54.00	-19.42	41.15	3	Horizontal	33	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.36	74.00	-32.64	47.93	3	Horizontal	33	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.42	54.00	-15.58	38.68	3	Horizontal	292	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.55	74.00	-25.45	48.81	3	Horizontal	292	1.00	-	31.20	6.76	38.22			
AV	12.53G	41.75	54.00	-12.25	35.23	3	Horizontal	36	1.00	-	38.40	10.73	42.61			
PK	12.53G	54.66	74.00	-19.34	48.14	3	Horizontal	36	1.00	-	38.40	10.73	42.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.14	54.00	-23.86	36.71	3	Vertical	222	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.78	74.00	-34.22	46.35	3	Vertical	222	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.14	54.00	-15.86	38.40	3	Vertical	274	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.56	74.00	-26.44	47.82	3	Vertical	274	1.00	-	31.20	6.76	38.22			
AV	12.53G	41.62	54.00	-12.38	35.10	3	Vertical	23	1.00	-	38.40	10.73	42.61			
PK	12.53G	54.48	74.00	-19.52	47.96	3	Vertical	23	1.00	-	38.40	10.73	42.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.54	54.00	-19.46	41.11	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.59	74.00	-32.41	48.16	3	Horizontal	32	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.25	54.00	-15.75	38.51	3	Horizontal	328	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.29	74.00	-25.71	48.55	3	Horizontal	328	1.00	-	31.20	6.76	38.22			
AV	12.85G	41.88	68.20	-26.32	34.76	3	Horizontal	55	1.00	-	39.20	10.89	42.97			
PK	12.85G	54.76	88.20	-33.44	47.64	3	Horizontal	55	1.00	-	39.20	10.89	42.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6425MHz Straddle 5.925-6.425GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	29.82	54.00	-24.18	36.39	3	Vertical	191	1.00	-	25.00	4.18	35.75			
PK	1.719G	39.61	74.00	-34.39	46.18	3	Vertical	191	1.00	-	25.00	4.18	35.75			
AV	4.843G	37.69	54.00	-16.31	37.95	3	Vertical	281	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.25	74.00	-26.75	47.51	3	Vertical	281	1.00	-	31.20	6.76	38.22			
AV	12.85G	41.79	68.20	-26.41	34.67	3	Vertical	25	1.00	-	39.20	10.89	42.97			
PK	12.85G	54.61	88.20	-33.59	47.49	3	Vertical	25	1.00	-	39.20	10.89	42.97			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	34.62	54.00	-19.38	41.19	3	Horizontal	29	1.00	-	25.00	4.18	35.75			
PK	1.719G	41.58	74.00	-32.42	48.15	3	Horizontal	29	1.00	-	25.00	4.18	35.75			
AV	4.843G	39.16	54.00	-14.84	39.42	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
PK	4.843G	49.24	74.00	-24.76	49.50	3	Horizontal	321	1.00	-	31.20	6.76	38.22			
AV	13.17G	41.55	68.20	-26.65	34.70	3	Horizontal	26	1.00	-	39.16	11.05	43.36			
PK	13.17G	54.87	88.20	-33.33	48.02	3	Horizontal	26	1.00	-	39.16	11.05	43.36			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6585MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	1.719G	30.49	54.00	-23.51	37.06	3	Vertical	203	1.00	-	25.00	4.18	35.75			
PK	1.719G	40.18	74.00	-33.82	46.75	3	Vertical	203	1.00	-	25.00	4.18	35.75			
AV	4.843G	38.52	54.00	-15.48	38.78	3	Vertical	262	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.91	74.00	-26.09	48.17	3	Vertical	262	1.00	-	31.20	6.76	38.22			
AV	13.17G	41.59	68.20	-26.61	34.74	3	Vertical	61	1.00	-	39.16	11.05	43.36			
PK	13.17G	54.38	88.20	-33.82	47.53	3	Vertical	61	1.00	-	39.16	11.05	43.36			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.35	54.00	-15.65	38.61	3	Horizontal	314	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.33	74.00	-25.67	48.59	3	Horizontal	314	1.00	-	31.20	6.76	38.22			
AV	7.25G	48.64	54.00	-5.36	43.10	3	Horizontal	349	1.40	-	36.40	8.22	39.08			
PK	7.25G	62.56	74.00	-11.44	57.02	3	Horizontal	349	1.40	-	36.40	8.22	39.08			
AV	13.49G	43.42	68.20	-24.78	36.05	3	Horizontal	44	1.00	-	39.96	11.20	43.79			
PK	13.49G	56.98	88.20	-31.22	49.61	3	Horizontal	44	1.00	-	39.96	11.20	43.79			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6745MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	37.99	54.00	-16.01	38.25	3	Vertical	305	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.45	74.00	-26.55	47.71	3	Vertical	305	1.00	-	31.20	6.76	38.22			
AV	7.25G	49.09	54.00	-4.91	43.55	3	Vertical	245	1.91	-	36.40	8.22	39.08			
PK	7.25G	62.21	74.00	-11.79	56.67	3	Vertical	245	1.91	-	36.40	8.22	39.08			
AV	13.49G	43.62	68.20	-24.58	36.25	3	Vertical	19	1.00	-	39.96	11.20	43.79			
PK	13.49G	56.28	88.20	-31.92	48.91	3	Vertical	19	1.00	-	39.96	11.20	43.79			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6905MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.64	54.00	-15.36	38.90	3	Horizontal	311	1.00	-	31.20	6.76	38.22			
PK	4.843G	48.66	74.00	-25.34	48.92	3	Horizontal	311	1.00	-	31.20	6.76	38.22			
AV	7.25G	53.84	54.00	-0.16	48.30	3	Horizontal	352	1.24	-	36.40	8.22	39.08			
PK	7.25G	67.65	74.00	-6.35	62.11	3	Horizontal	352	1.24	-	36.40	8.22	39.08			
AV	13.81G	43.56	68.20	-24.64	36.46	3	Horizontal	35	1.00	-	40.10	11.24	44.24			
PK	13.81G	56.28	88.20	-31.92	49.18	3	Horizontal	35	1.00	-	40.10	11.24	44.24			


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.843G	38.12	54.00	-15.88	38.38	3	Vertical	291	1.00	-	31.20	6.76	38.22			
PK	4.843G	47.46	74.00	-26.54	47.72	3	Vertical	291	1.00	-	31.20	6.76	38.22			
AV	7.25G	52.92	54.00	-1.08	47.38	3	Vertical	249	1.78	-	36.40	8.22	39.08			
PK	7.25G	65.42	74.00	-8.58	59.88	3	Vertical	249	1.78	-	36.40	8.22	39.08			
AV	13.81G	43.49	68.20	-24.71	36.39	3	Vertical	22	1.00	-	40.10	11.24	44.24			
PK	13.81G	56.12	88.20	-32.08	49.02	3	Vertical	22	1.00	-	40.10	11.24	44.24			







Modulation	be EHT20	Test Freq. (MHz)	5955
Polarization	Vertical-Peak Value		

Test By :Brad Wu


Temperature(°C):23


Humidity(%):65

Level (dBuV/m)

Frequency (MHz)


	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
		dBuV/m			dBuV			cm	deg
1	5923.88	57.83	88.20	-30.37	56.82	1.01	Peak	169	342








Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Horizontal-Average Value		
Test By :Brad Wu Temperature(°C):23 Humidity(%):65			
Level (dBuV/m)			







Modulation	be EHT20	Test Freq. (MHz)	7095
Polarization	Vertical -Average Value		
Test By :Brad Wu Temperature(°C):23 Humidity(%):65			
Level (dBuV/m)			




Modulation	be EHT40	Test Freq. (MHz)	5965																											
Polarization	Horizontal-Peak Value																													
Test By :Brad Wu Temperature(°C):23 Humidity(%):65																														
																														
	<table><tr><th>Freq.</th><th>Emission level</th><th>Limit</th><th>Margin</th><th>SA reading</th><th>Factor</th><th>Remark</th><th>ANT High</th><th>Turn Table</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th></th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.65</td><td>66.77</td><td>88.20</td><td>-21.43</td><td>65.76</td><td>1.01</td><td>Peak</td><td>151 263</td></tr></table>	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	5923.65	66.77	88.20	-21.43	65.76	1.01	Peak	151 263		
Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																						
1	5923.65	66.77	88.20	-21.43	65.76	1.01	Peak	151 263																						








Modulation	be EHT40	Test Freq. (MHz)	5965						
Polarization	Vertical-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	level				reading			High	Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5921.77	67.02	88.20	-21.18	66.01	1.01	Peak	172	6





Modulation	be EHT40	Test Freq. (MHz)	5965						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5922.71	50.96	68.20	-17.24	49.95	1.01	Average	172	6
















Modulation	be EHT80	Test Freq. (MHz)	5985						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBUV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5921.06	59.02	68.20	-9.18	58.01	1.01	Average	145	263





Modulation	be EHT80	Test Freq. (MHz)	5985						
Polarization	Vertical-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	level				reading			High	Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5914.72	72.27	88.20	-15.93	71.27	1.00	Peak	154	244





Modulation	be EHT80	Test Freq. (MHz)	5985						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5921.77	57.71	68.20	-10.49	56.70	1.01	Average	154	244




Modulation	be EHT80	Test Freq. (MHz)	7025						
Polarization	Horizontal-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level	dBuV/m	dB	reading	dB/m		High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7131.97	60.48	88.20	-27.72	55.23	5.25	Peak	169	22











Modulation	be EHT160	Test Freq. (MHz)	6025						
Polarization	Horizontal-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	level				reading			High	Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5924.12	76.81	88.20	-11.39	75.80	1.01	Peak	141	93





Modulation	be EHT160	Test Freq. (MHz)	6025						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5924.59	62.78	68.20	-5.42	61.77	1.01	Average	141	93



Modulation	be EHT160	Test Freq. (MHz)	6025						
Polarization	Vertical-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.47	74.32	88.20	-13.88	73.31	1.01	Peak	185	58





Modulation	be EHT160	Test Freq. (MHz)	6025						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5908.84	59.92	68.20	-8.28	58.92	1.00	Average	185	58







Modulation	be EHT160	Test Freq. (MHz)	6985
Polarization	Horizontal-Average Value		
Test By :Brad Wu Temperature(°C):23 Humidity(%):65			
Level (dBuV/m)			

















Modulation	be EHT320	Test Freq. (MHz)	6105						
Polarization	Vertical-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):65									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5915.00	73.79	88.20	-14.41	72.79	1.00	Peak	136	52











Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.16631G	-11.01	6.2199G	-60.16	-51.01	-9.15	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.42258G	-7.69	6.4982G	-56.92	-47.69	-9.23	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.01897G	-4.04	6.0318G	-31.43	-23.94	-7.49	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.10988G	-1.47	6.453G	-46.60	-41.47	-5.13	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.089G	1.85	6.617G	-42.56	-38.15	-4.41	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.50881G	-11.68	6.4716G	-59.55	-51.68	-7.87	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.46722G	-10.07	6.4154G	-57.46	-50.07	-7.39	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.53621G	-5.38	6.3874G	-53.80	-45.38	-8.42	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.49781G	-2.89	6.7706G	-49.37	-42.89	-6.48	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.4474G	0.43	6.0474G	-34.28	-30.14	-4.14	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.86409G	-11.53	6.9006G	-59.04	-51.53	-7.51	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.83861G	-9.66	6.9414G	-56.37	-49.66	-6.71	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.75463G	-6.09	6.983G	-52.34	-46.09	-6.25	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.59307G	-2.23	6.9322G	-48.65	-42.23	-6.42	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	7.10389G	-12.86	7.1419G	-59.11	-52.86	-6.25	2
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.91301G	-9.91	6.9952G	-56.15	-49.91	-6.24	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	7.01381G	-6.93	7.217G	-53.27	-46.93	-6.34	2
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.91147G	-3.62	7.2482G	-49.39	-43.62	-5.77	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.8602G	-0.93	7.4986G	-44.98	-40.93	-4.05	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96359G	-10.01	5.9921G	-60.06	-50.01	-10.05	1
5955MHz	Pass	5.96389G	-10.02	6.0009G	-60.13	-50.02	-10.11	2
5955MHz	Pass	5.96349G	-9.83	5.9984G	-60.20	-49.83	-10.37	3
5955MHz	Pass	5.96379G	-9.55	6.0024G	-60.19	-49.55	-10.64	4
6175MHz	Pass	6.18369G	-10.77	6.2238G	-60.18	-50.77	-9.41	1
6175MHz	Pass	6.16631G	-11.01	6.2199G	-60.16	-51.01	-9.15	2
6175MHz	Pass	6.16611G	-10.38	6.2155G	-60.17	-50.38	-9.79	3
6175MHz	Pass	6.18369G	-10.47	6.2235G	-60.05	-50.47	-9.58	4
6415MHz	Pass	6.42419G	-9.79	6.4577G	-59.33	-49.79	-9.54	1
6415MHz	Pass	6.42359G	-9.75	6.4578G	-59.37	-49.75	-9.62	2
6415MHz	Pass	6.40751G	-10.03	6.459G	-59.54	-50.03	-9.51	3
6415MHz	Pass	6.42259G	-9.89	6.4544G	-59.65	-49.89	-9.76	4
6435MHz	Pass	6.4312G	-10.74	6.4699G	-59.60	-50.74	-8.86	1
6435MHz	Pass	6.44319G	-10.77	6.4756G	-59.54	-50.77	-8.77	2
6435MHz	Pass	6.42611G	-10.94	6.4849G	-59.52	-50.94	-8.58	3
6435MHz	Pass	6.42651G	-10.91	6.4839G	-59.63	-50.91	-8.72	4
6475MHz	Pass	6.46591G	-10.97	6.5094G	-59.38	-50.97	-8.41	1
6475MHz	Pass	6.46741G	-10.77	6.5098G	-59.49	-50.77	-8.72	2
6475MHz	Pass	6.46631G	-11.16	6.434G	-59.65	-51.16	-8.49	3
6475MHz	Pass	6.48379G	-11.07	6.4356G	-59.77	-51.07	-8.70	4
6515MHz	Pass	6.50881G	-11.68	6.4716G	-59.55	-51.68	-7.87	1
6515MHz	Pass	6.50601G	-11.35	6.4715G	-59.60	-51.35	-8.25	2
6515MHz	Pass	6.50621G	-11.41	6.4751G	-59.63	-51.41	-8.22	3
6515MHz	Pass	6.50611G	-11.63	6.476G	-59.56	-51.63	-7.93	4
6535MHz	Pass	6.52571G	-11.83	6.4962G	-59.48	-51.83	-7.65	1
6535MHz	Pass	6.52621G	-11.48	6.4986G	-59.49	-51.48	-8.01	2
6535MHz	Pass	6.52611G	-11.34	6.4978G	-59.46	-51.34	-8.12	3
6535MHz	Pass	6.52631G	-11.58	6.4964G	-59.48	-51.58	-7.90	4
6715MHz	Pass	6.70711G	-11.07	6.7544G	-60.32	-51.07	-9.25	1
6715MHz	Pass	6.72389G	-10.94	6.7583G	-60.34	-50.94	-9.40	2
6715MHz	Pass	6.70751G	-11.20	6.7639G	-60.30	-51.20	-9.10	3
6715MHz	Pass	6.70631G	-10.84	6.7595G	-60.33	-50.84	-9.49	4
6855MHz	Pass	6.8512G	-11.01	6.901G	-58.91	-51.01	-7.90	1
6855MHz	Pass	6.84591G	-11.04	6.8974G	-58.94	-51.04	-7.90	2
6855MHz	Pass	6.86279G	-11.40	6.9042G	-59.07	-51.40	-7.67	3
6855MHz	Pass	6.86409G	-11.53	6.9006G	-59.04	-51.53	-7.51	4
6875MHz Straddle 6.875-7.125GHz	Pass	6.87G	-11.02	6.9242G	-58.71	-51.02	-7.69	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86741G	-10.99	6.9185G	-58.88	-50.99	-7.89	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.88369G	-11.39	6.9142G	-58.89	-51.39	-7.50	3
6875MHz Straddle 6.875-7.125GHz	Pass	6.88389G	-11.56	6.919G	-58.92	-51.56	-7.36	4
6895MHz	Pass	6.8904G	-11.15	6.944G	-58.64	-51.15	-7.49	1

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6895MHz	Pass	6.88651G	-10.94	6.9322G	-58.73	-50.94	-7.79	2
6895MHz	Pass	6.90379G	-11.42	6.9391G	-58.80	-51.42	-7.38	3
6895MHz	Pass	6.90369G	-11.69	6.9352G	-58.82	-51.69	-7.13	4
7015MHz	Pass	7.0127G	-11.98	6.9773G	-58.46	-51.98	-6.48	1
7015MHz	Pass	7.00621G	-11.75	6.9687G	-58.45	-51.75	-6.70	2
7015MHz	Pass	7.02349G	-11.71	6.97G	-58.50	-51.71	-6.79	3
7015MHz	Pass	7.02249G	-11.91	6.9776G	-58.51	-51.91	-6.60	4
7095MHz	Pass	7.0937G	-12.43	7.1341G	-59.05	-52.43	-6.62	1
7095MHz	Pass	7.10389G	-12.86	7.1419G	-59.11	-52.86	-6.25	2
7095MHz	Pass	7.10409G	-12.69	7.1426G	-59.10	-52.69	-6.41	3
7095MHz	Pass	7.08871G	-12.73	7.1443G	-59.26	-52.73	-6.53	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98178G	-7.04	6.0374G	-57.83	-47.04	-10.79	1
5965MHz	Pass	5.98278G	-7.39	6.0414G	-57.76	-47.39	-10.37	2
5965MHz	Pass	5.98278G	-6.94	6.0354G	-57.82	-46.94	-10.88	3
5965MHz	Pass	5.98318G	-7.23	6.059G	-57.88	-47.23	-10.65	4
6165MHz	Pass	6.18198G	-7.41	6.2484G	-57.63	-47.41	-10.22	1
6165MHz	Pass	6.14702G	-7.69	6.2524G	-57.69	-47.69	-10.00	2
6165MHz	Pass	6.14742G	-7.35	6.2404G	-57.62	-47.35	-10.27	3
6165MHz	Pass	6.14742G	-7.42	6.2616G	-57.70	-47.42	-10.28	4
6405MHz	Pass	6.42318G	-7.41	6.49G	-57.03	-47.41	-9.62	1
6405MHz	Pass	6.42278G	-7.59	6.5036G	-57.07	-47.59	-9.48	2
6405MHz	Pass	6.38742G	-7.73	6.505G	-57.13	-47.73	-9.40	3
6405MHz	Pass	6.42258G	-7.69	6.4982G	-56.92	-47.69	-9.23	4
6445MHz	Pass	6.46298G	-8.61	6.3646G	-57.50	-48.61	-8.89	1
6445MHz	Pass	6.46278G	-8.66	6.3508G	-57.40	-48.66	-8.74	2
6445MHz	Pass	6.42702G	-8.92	6.3732G	-57.54	-48.92	-8.62	3
6445MHz	Pass	6.46218G	-9.06	6.3746G	-57.53	-49.06	-8.47	4
6485MHz	Pass	6.50298G	-9.74	6.4096G	-57.38	-49.74	-7.64	1
6485MHz	Pass	6.4828G	-9.76	6.4112G	-57.36	-49.76	-7.60	2
6485MHz	Pass	6.46762G	-9.89	6.3942G	-57.47	-49.89	-7.58	3
6485MHz	Pass	6.46722G	-10.07	6.4154G	-57.46	-50.07	-7.39	4
6525MHz Straddle 6.425-6.525GHz	Pass	6.50782G	-9.33	6.4524G	-57.29	-49.33	-7.96	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.50722G	-9.38	6.4512G	-57.30	-49.38	-7.92	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.50682G	-9.43	6.4364G	-57.31	-49.43	-7.88	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.50862G	-9.49	6.4274G	-57.41	-49.49	-7.92	4
6565MHz	Pass	6.5608G	-9.51	6.4968G	-57.25	-49.51	-7.74	1
6565MHz	Pass	6.54722G	-9.65	6.4946G	-57.17	-49.65	-7.52	2
6565MHz	Pass	6.54782G	-9.35	6.4964G	-57.20	-49.35	-7.85	3
6565MHz	Pass	6.54762G	-9.53	6.4978G	-57.22	-49.53	-7.69	4
6725MHz	Pass	6.74118G	-9.39	6.824G	-57.45	-49.39	-8.06	1
6725MHz	Pass	6.72G	-9.61	6.8214G	-57.40	-49.61	-7.79	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6725MHz	Pass	6.70682G	-9.38	6.8136G	-57.58	-49.38	-8.20	3
6725MHz	Pass	6.70842G	-9.50	6.823G	-57.53	-49.50	-8.03	4
6845MHz	Pass	6.86258G	-9.21	6.9382G	-56.38	-49.21	-7.17	1
6845MHz	Pass	6.83861G	-9.66	6.9414G	-56.37	-49.66	-6.71	2
6845MHz	Pass	6.82662G	-9.44	6.939G	-56.40	-49.44	-6.96	3
6845MHz	Pass	6.83441G	-9.69	6.9382G	-56.49	-49.69	-6.80	4
6885MHz Straddle 6.875-7.125GHz	Pass	6.8818G	-9.37	6.9738G	-56.07	-49.37	-6.70	1
6885MHz Straddle 6.875-7.125GHz	Pass	6.87841G	-9.58	6.982G	-56.10	-49.58	-6.52	2
6885MHz Straddle 6.875-7.125GHz	Pass	6.86642G	-9.48	6.9842G	-56.19	-49.48	-6.71	3
6885MHz Straddle 6.875-7.125GHz	Pass	6.86802G	-9.73	6.9782G	-56.24	-49.73	-6.51	4
6925MHz	Pass	6.94118G	-9.61	6.998G	-56.12	-49.61	-6.51	1
6925MHz	Pass	6.91741G	-9.83	7.0024G	-56.12	-49.83	-6.29	2
6925MHz	Pass	6.90682G	-9.53	7.0014G	-56.03	-49.53	-6.50	3
6925MHz	Pass	6.91301G	-9.91	6.9952G	-56.15	-49.91	-6.24	4
7005MHz	Pass	7.0026G	-9.55	6.9348G	-56.59	-49.55	-7.04	1
7005MHz	Pass	7.01379G	-9.94	6.9326G	-56.53	-49.94	-6.59	2
7005MHz	Pass	6.98722G	-9.34	6.9306G	-56.50	-49.34	-7.16	3
7005MHz	Pass	6.99161G	-9.73	6.9344G	-56.56	-49.73	-6.83	4
7085MHz	Pass	7.10258G	-9.09	7.001G	-55.99	-49.09	-6.90	1
7085MHz	Pass	7.09359G	-9.85	6.9942G	-56.16	-49.85	-6.31	2
7085MHz	Pass	7.06782G	-9.48	7.005G	-56.08	-49.48	-6.60	3
7085MHz	Pass	7.06882G	-9.74	6.9988G	-56.18	-49.74	-6.44	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02056G	-3.81	6.0318G	-31.42	-23.71	-7.71	1
5985MHz	Pass	6.01657G	-4.35	6.0322G	-32.29	-24.42	-7.87	2
5985MHz	Pass	6.01977G	-3.80	6.0326G	-31.87	-23.82	-8.05	3
5985MHz	Pass	6.01897G	-4.04	6.0318G	-31.43	-23.94	-7.49	4
6145MHz	Pass	6.12062G	-4.58	6.1914G	-33.99	-24.63	-9.36	1
6145MHz	Pass	6.11183G	-4.85	6.3102G	-54.27	-44.85	-9.42	2
6145MHz	Pass	6.10784G	-4.23	6.3182G	-54.26	-44.23	-10.03	3
6145MHz	Pass	6.10744G	-4.19	6.3426G	-53.03	-44.19	-8.84	4
6385MHz	Pass	6.3814G	-5.17	6.2486G	-54.67	-45.17	-9.50	1
6385MHz	Pass	6.3866G	-5.43	6.2446G	-54.58	-45.43	-9.15	2
6385MHz	Pass	6.39459G	-5.41	6.247G	-54.67	-45.41	-9.26	3
6385MHz	Pass	6.41977G	-5.30	6.2142G	-54.17	-45.30	-8.87	4
6465MHz	Pass	6.4618G	-4.68	6.3106G	-54.35	-44.68	-9.67	1
6465MHz	Pass	6.42784G	-4.88	6.3114G	-54.26	-44.88	-9.38	2
6465MHz	Pass	6.43703G	-4.91	6.3162G	-54.26	-44.91	-9.35	3
6465MHz	Pass	6.45781G	-4.90	6.2854G	-53.84	-44.90	-8.94	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.5402G	-5.60	6.3898G	-54.26	-45.60	-8.66	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.50784G	-5.84	6.4086G	-54.33	-45.84	-8.49	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53901G	-5.67	6.3798G	-54.20	-45.67	-8.53	3

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6545MHz Straddle 6.425-6.525GHz	Pass	6.53621G	-5.38	6.3874G	-53.80	-45.38	-8.42	4
6625MHz	Pass	6.58784G	-5.46	6.4778G	-54.03	-45.46	-8.57	1
6625MHz	Pass	6.58784G	-5.70	6.4814G	-53.95	-45.70	-8.25	2
6625MHz	Pass	6.60262G	-5.21	6.4646G	-53.98	-45.21	-8.77	3
6625MHz	Pass	6.59543G	-5.22	6.4686G	-53.51	-45.22	-8.29	4
6705MHz	Pass	6.69981G	-5.94	6.9014G	-53.69	-45.94	-7.75	1
6705MHz	Pass	6.69701G	-6.29	6.901G	-53.60	-46.29	-7.31	2
6705MHz	Pass	6.67703G	-5.90	6.8938G	-53.64	-45.90	-7.74	3
6705MHz	Pass	6.69461G	-5.94	6.8882G	-52.76	-45.94	-6.82	4
6785MHz	Pass	6.7802G	-6.02	6.985G	-53.09	-46.02	-7.07	1
6785MHz	Pass	6.77781G	-6.33	6.9782G	-53.04	-46.33	-6.71	2
6785MHz	Pass	6.76502G	-6.17	6.9806G	-53.11	-46.17	-6.94	3
6785MHz	Pass	6.75463G	-6.09	6.983G	-52.34	-46.09	-6.25	4
6865MHz Straddle 6.875-7.125GHz	Pass	6.84062G	-5.89	7.0026G	-52.86	-45.89	-6.97	1
6865MHz Straddle 6.875-7.125GHz	Pass	6.83703G	-6.24	7.0094G	-52.95	-46.24	-6.71	2
6865MHz Straddle 6.875-7.125GHz	Pass	6.82904G	-5.98	7.0066G	-53.04	-45.98	-7.06	3
6865MHz Straddle 6.875-7.125GHz	Pass	6.83383G	-6.16	7.009G	-53.03	-46.16	-6.87	4
6945MHz	Pass	6.92222G	-6.48	7.1414G	-53.95	-46.48	-7.47	1
6945MHz	Pass	6.91743G	-6.67	7.143G	-53.85	-46.67	-7.18	2
6945MHz	Pass	6.90784G	-6.31	7.1398G	-53.95	-46.31	-7.64	3
6945MHz	Pass	6.91223G	-6.47	7.1442G	-53.27	-46.47	-6.80	4
7025MHz	Pass	7.00102G	-6.40	7.2218G	-53.39	-46.40	-6.99	1
7025MHz	Pass	7.01381G	-6.93	7.217G	-53.27	-46.93	-6.34	2
7025MHz	Pass	6.98984G	-6.61	7.2222G	-53.34	-46.61	-6.73	3
7025MHz	Pass	6.99103G	-6.48	7.2234G	-53.14	-46.48	-6.66	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10012G	-0.18	6.2834G	-48.06	-40.18	-7.88	1
6025MHz	Pass	6.09693G	-0.65	6.2858G	-48.15	-40.65	-7.50	2
6025MHz	Pass	6.08814G	-0.19	6.2818G	-47.47	-40.19	-7.28	3
6025MHz	Pass	6.09293G	-0.37	6.285G	-45.63	-40.37	-5.26	4
6185MHz	Pass	6.26172G	-1.46	6.4514G	-49.62	-41.46	-8.16	1
6185MHz	Pass	6.11467G	-1.71	6.4434G	-49.33	-41.71	-7.62	2
6185MHz	Pass	6.10828G	-1.18	6.4442G	-48.90	-41.18	-7.72	3
6185MHz	Pass	6.10988G	-1.47	6.453G	-46.60	-41.47	-5.13	4
6345MHz	Pass	6.3418G	-0.74	6.1522G	-39.27	-31.22	-8.05	1
6345MHz	Pass	6.42012G	-0.95	6.6058G	-49.03	-40.95	-8.08	2
6345MHz	Pass	6.33541G	-0.80	6.1466G	-40.03	-32.38	-7.65	3
6345MHz	Pass	6.41773G	-0.81	6.6058G	-46.67	-40.81	-5.86	4
6505MHz Straddle 6.425-6.525GHz	Pass	6.49941G	-2.78	6.8946G	-50.58	-42.78	-7.80	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.42988G	-2.83	6.8938G	-50.13	-42.83	-7.30	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.43387G	-2.79	6.165G	-50.20	-42.79	-7.41	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.49781G	-2.89	6.7706G	-49.37	-42.89	-6.48	4