




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD


5745MHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD


5785MHz



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD


5825MHz



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5190MHz



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5230MHz



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5270MHz



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5310MHz



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5510MHz



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5590MHz



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5670MHz



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5755MHz






5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD


5795MHz



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD


5210MHz



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD


5290MHz



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD


5530MHz



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD


5610MHz



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD


5690MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD


5775MHz



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD


5250MHz Straddle 5.15-5.25GHz



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

5250MHz Straddle 5.25-5.35GHz






5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

5570MHz






Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	45.5M	36.45	40.00	-3.55	Vertical
Mode 2	Pass	QP	45.5M	36.42	40.00	-3.58	Vertical

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	44.6M	24.39	40.00	-15.61	-8.88	3	Horizontal	-	-	-	33.27	18.48	0.59	27.95		
PK	124.9M	22.07	43.50	-21.43	-10.75	3	Horizontal	-	-	-	32.82	16.38	1.09	28.22		
PK	144.2M	24.06	43.50	-19.44	-8.78	3	Horizontal	-	-	-	32.84	18.30	1.16	28.24		
PK	210.4M	24.51	43.50	-18.99	-11.85	3	Horizontal	-	-	-	36.36	14.99	1.46	28.30		
PK	273.3M	23.91	46.00	-22.09	-8.90	3	Horizontal	-	-	-	32.81	17.70	1.69	28.29		
PK	333.8M	24.68	46.00	-21.32	-7.00	3	Horizontal	-	-	-	31.68	19.30	1.93	28.23		

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	45.5M	36.45	40.00	-3.55	-8.70	3	Vertical	316	1.00	-	45.15	18.65	0.60	27.95		
PK	124.9M	27.45	43.50	-16.05	-10.75	3	Vertical	-	-	-	38.20	16.38	1.09	28.22		
PK	145.1M	27.67	43.50	-15.83	-8.76	3	Vertical	-	-	-	36.43	18.31	1.17	28.24		
PK	213M	26.21	43.50	-17.29	-11.89	3	Vertical	-	-	-	38.10	14.94	1.47	28.30		
PK	238.3M	24.10	46.00	-21.90	-10.28	3	Vertical	-	-	-	34.38	16.46	1.55	28.29		
PK	375.5M	24.77	46.00	-21.23	-5.83	3	Vertical	-	-	-	30.60	20.22	2.12	28.17		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	45.3M	23.07	40.00	-16.93	-8.73	3	Horizontal	-	-	-	31.80	18.63	0.59	27.95		
PK	151.7M	24.47	43.50	-19.03	-8.55	3	Horizontal	-	-	-	33.02	18.50	1.20	28.25		
PK	212.7M	23.89	43.50	-19.61	-11.88	3	Horizontal	-	-	-	35.77	14.95	1.47	28.30		
PK	243.9M	21.95	46.00	-24.05	-9.96	3	Horizontal	-	-	-	31.91	16.76	1.57	28.29		
PK	295.3M	24.08	46.00	-21.92	-8.19	3	Horizontal	-	-	-	32.27	18.31	1.78	28.28		
PK	363.1M	26.11	46.00	-19.89	-6.51	3	Horizontal	-	-	-	32.62	19.62	2.06	28.19		

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
QP	45.5M	36.42	40.00	-3.58	-8.70	3	Vertical	322	1.00	-	45.12	18.65	0.60	27.95		
PK	97.3M	27.45	43.50	-16.05	-13.80	3	Vertical	-	-	-	41.25	13.40	0.98	28.18		
PK	125.12M	29.78	43.50	-13.72	-10.72	3	Vertical	-	-	-	40.50	16.41	1.09	28.22		
PK	141.5M	28.72	43.50	-14.78	-8.99	3	Vertical	-	-	-	37.71	18.10	1.15	28.24		
PK	206.1M	30.65	43.50	-12.85	-11.85	3	Vertical	-	-	-	42.50	15.00	1.45	28.30		
PK	318.1M	23.96	46.00	-22.04	-7.42	3	Vertical	-	-	-	31.38	18.96	1.87	28.25		

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	15.72G	53.86	54.00	-0.14	3	Horizontal	229	1.88	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	15.72G	53.82	54.00	-0.18	3	Horizontal	226	2.03	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	15.69G	52.95	54.00	-1.05	3	Horizontal	236	2.27	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	15.63G	42.22	54.00	-11.78	3	Horizontal	32	1.00	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	15.75G	43.03	54.00	-10.97	3	Horizontal	24	1.00	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.588G	59.86	68.20	-8.34	3	Horizontal	256	1.16	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.588G	60.19	68.20	-8.01	3	Horizontal	259	1.13	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	15.93G	44.03	54.00	-9.97	3	Vertical	301	1.22	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	15.87G	44.06	54.00	-9.94	3	Vertical	292	1.34	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.292G	59.86	68.20	-8.34	3	Horizontal	264	1.54	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.292G	60.02	68.20	-8.18	3	Horizontal	249	1.45	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	17.13G	58.71	68.20	-9.49	3	Horizontal	26	1.00	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	16.59G	58.46	68.20	-9.74	3	Horizontal	55	1.00	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	16.71G	58.29	68.20	-9.91	3	Horizontal	47	1.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.457G	53.88	54.00	-0.12	3	Horizontal	238	1.34	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	17.475G	68.06	68.20	-0.14	3	Horizontal	249	2.33	-
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.411G	52.65	54.00	-1.35	3	Horizontal	281	1.53	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.391G	51.53	54.00	-2.47	3	Horizontal	208	1.53	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.892G	47.22	54.00	-6.78	47.49	3	Horizontal	239	1.00	-	31.20	6.79	38.26			
PK	4.892G	58.79	74.00	-15.21	59.06	3	Horizontal	239	1.00	-	31.20	6.79	38.26			
AV	5.18G	109.64	Inf	-Inf	109.33	3	Horizontal	282	1.56	-	31.78	6.95	38.42			
PK	5.18G	119.32	Inf	-Inf	119.01	3	Horizontal	282	1.56	-	31.78	6.95	38.42			
PK	5.468G	62.14	68.20	-6.06	61.99	3	Horizontal	235	1.48	-	31.64	7.08	38.57			
PK	10.36G	57.29	68.20	-10.91	49.26	3	Horizontal	325	1.24	-	39.50	9.88	41.35			
AV	15.54G	52.06	54.00	-1.94	46.55	3	Horizontal	230	1.96	-	38.54	12.00	45.03			
PK	15.54G	66.17	74.00	-7.83	60.66	3	Horizontal	230	1.96	-	38.54	12.00	45.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.892G	46.51	54.00	-7.49	46.78	3	Vertical	218	1.00	-	31.20	6.79	38.26			
PK	4.892G	58.65	74.00	-15.35	58.92	3	Vertical	218	1.00	-	31.20	6.79	38.26			
AV	5.18G	106.30	Inf	-Inf	105.99	3	Vertical	218	1.00	-	31.78	6.95	38.42			
PK	5.18G	116.50	Inf	-Inf	116.19	3	Vertical	218	1.00	-	31.78	6.95	38.42			
PK	5.468G	58.45	68.20	-9.75	58.30	3	Vertical	218	1.00	-	31.64	7.08	38.57			
PK	10.36G	57.04	68.20	-11.16	49.01	3	Vertical	109	1.45	-	39.50	9.88	41.35			
AV	15.54G	51.25	54.00	-2.75	45.74	3	Vertical	214	1.96	-	38.54	12.00	45.03			
PK	15.54G	65.94	74.00	-8.06	60.43	3	Vertical	214	1.96	-	38.54	12.00	45.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.912G	48.13	54.00	-5.87	48.35	3	Horizontal	241	1.10	-	31.25	6.80	38.27			
PK	4.912G	59.89	74.00	-14.11	60.11	3	Horizontal	241	1.10	-	31.25	6.80	38.27			
AV	5.2G	110.48	Inf	-Inf	110.25	3	Horizontal	242	1.10	-	31.70	6.96	38.43			
PK	5.2G	121.17	Inf	-Inf	120.94	3	Horizontal	242	1.10	-	31.70	6.96	38.43			
PK	5.488G	63.27	68.20	-4.93	63.08	3	Horizontal	239	1.17	-	31.68	7.09	38.58			
PK	10.4G	59.58	68.20	-8.62	51.55	3	Horizontal	321	1.22	-	39.50	9.90	41.37			
AV	15.6G	53.56	54.00	-0.44	48.31	3	Horizontal	229	1.88	-	38.20	12.04	44.99			
PK	15.6G	68.27	74.00	-5.73	63.02	3	Horizontal	229	1.88	-	38.20	12.04	44.99			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.912G	46.86	54.00	-7.14	47.08	3	Vertical	221	1.00	-	31.25	6.80	38.27			
PK	4.912G	59.03	74.00	-14.97	59.25	3	Vertical	221	1.00	-	31.25	6.80	38.27			
AV	5.2G	107.24	Inf	-Inf	107.01	3	Vertical	221	1.00	-	31.70	6.96	38.43			
PK	5.2G	117.47	Inf	-Inf	117.24	3	Vertical	221	1.00	-	31.70	6.96	38.43			
PK	5.488G	59.05	68.20	-9.15	58.86	3	Vertical	182	1.00	-	31.68	7.09	38.58			
PK	10.4G	58.89	68.20	-9.31	50.86	3	Vertical	106	1.43	-	39.50	9.90	41.37			
AV	15.6G	52.67	54.00	-1.33	47.42	3	Vertical	216	2.01	-	38.20	12.04	44.99			
PK	15.6G	67.06	74.00	-6.94	61.81	3	Vertical	216	2.01	-	38.20	12.04	44.99			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.952G	45.51	54.00	-8.49	45.58	3	Horizontal	240	1.00	-	31.41	6.82	38.30			
PK	4.952G	56.56	74.00	-17.44	56.63	3	Horizontal	240	1.00	-	31.41	6.82	38.30			
AV	5.24G	110.30	Inf	-Inf	110.31	3	Horizontal	238	1.00	-	31.46	6.98	38.45			
PK	5.24G	120.11	Inf	-Inf	120.12	3	Horizontal	238	1.00	-	31.46	6.98	38.45			
PK	5.528G	62.15	68.20	-6.05	61.93	3	Horizontal	235	1.00	-	31.70	7.11	38.59			
PK	10.48G	55.91	68.20	-12.29	47.79	3	Horizontal	320	1.23	-	39.60	9.94	41.42			
AV	15.72G	53.86	54.00	-0.14	48.42	3	Horizontal	229	1.88	-	38.24	12.12	44.92			
PK	15.72G	67.87	74.00	-6.13	62.43	3	Horizontal	229	1.88	-	38.24	12.12	44.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.952G	46.22	54.00	-7.78	46.29	3	Vertical	226	1.00	-	31.41	6.82	38.30			
PK	4.952G	58.59	74.00	-15.41	58.66	3	Vertical	226	1.00	-	31.41	6.82	38.30			
AV	5.24G	107.74	Inf	-Inf	107.75	3	Vertical	224	1.00	-	31.46	6.98	38.45			
PK	5.24G	117.65	Inf	-Inf	117.66	3	Vertical	224	1.00	-	31.46	6.98	38.45			
PK	5.528G	58.44	68.20	-9.76	58.22	3	Vertical	226	1.00	-	31.70	7.11	38.59			
PK	10.48G	58.52	68.20	-9.68	50.40	3	Vertical	104	1.00	-	39.60	9.94	41.42			
AV	15.72G	52.79	54.00	-1.21	47.35	3	Vertical	305	1.20	-	38.24	12.12	44.92			
PK	15.72G	66.40	74.00	-7.60	60.96	3	Vertical	305	1.20	-	38.24	12.12	44.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.26G	106.14	Inf	-Inf	106.26	3	Horizontal	260	1.14	-	31.36	6.99	38.47			
PK	5.26G	116.10	Inf	-Inf	116.22	3	Horizontal	260	1.14	-	31.36	6.99	38.47			
PK	5.548G	59.84	68.20	-8.36	59.61	3	Horizontal	260	1.14	-	31.70	7.12	38.59			
PK	10.52G	55.28	68.20	-12.92	47.16	3	Horizontal	22	1.00	-	39.60	9.96	41.44			
AV	15.78G	43.45	54.00	-10.55	38.06	3	Horizontal	349	1.00	-	38.12	12.15	44.88			
PK	15.78G	55.81	74.00	-18.19	50.42	3	Horizontal	349	1.00	-	38.12	12.15	44.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.26G	103.77	Inf	-Inf	103.89	3	Vertical	28	1.33	-	31.36	6.99	38.47			
PK	5.26G	113.69	Inf	-Inf	113.81	3	Vertical	28	1.33	-	31.36	6.99	38.47			
PK	5.548G	58.26	68.20	-9.94	58.03	3	Vertical	28	1.33	-	31.70	7.12	38.59			
PK	10.52G	55.86	68.20	-12.34	47.74	3	Vertical	94	1.00	-	39.60	9.96	41.44			
AV	15.78G	44.25	54.00	-9.75	38.86	3	Vertical	308	1.22	-	38.12	12.15	44.88			
PK	15.78G	57.69	74.00	-16.31	52.30	3	Vertical	308	1.22	-	38.12	12.15	44.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	5.3G	105.68	Inf	-Inf	105.97	3	Horizontal	256	1.16	-	31.20	7.00	38.49				
PK	5.3G	115.84	Inf	-Inf	116.13	3	Horizontal	256	1.16	-	31.20	7.00	38.49				
PK	5.588G	59.86	68.20	-8.34	59.70	3	Horizontal	256	1.16	-	31.62	7.14	38.60				
AV	10.6G	41.27	54.00	-12.73	32.97	3	Horizontal	19	1.00	-	39.80	9.99	41.49				
PK	10.6G	55.10	74.00	-18.90	46.80	3	Horizontal	19	1.00	-	39.80	9.99	41.49				
AV	15.9G	43.40	54.00	-10.60	38.08	3	Horizontal	348	1.00	-	37.90	12.23	44.81				
PK	15.9G	55.78	74.00	-18.22	50.46	3	Horizontal	348	1.00	-	37.90	12.23	44.81				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.3G	103.55	Inf	-Inf	103.84	3	Vertical	25	1.32	-	31.20	7.00	38.49			
PK	5.3G	113.80	Inf	-Inf	114.09	3	Vertical	25	1.32	-	31.20	7.00	38.49			
PK	5.588G	59.69	68.20	-8.51	59.53	3	Vertical	25	1.32	-	31.62	7.14	38.60			
AV	10.6G	43.36	54.00	-10.64	35.06	3	Vertical	103	1.00	-	39.80	9.99	41.49			
PK	10.6G	55.75	74.00	-18.25	47.45	3	Vertical	103	1.00	-	39.80	9.99	41.49			
AV	15.9G	44.19	54.00	-9.81	38.87	3	Vertical	305	1.23	-	37.90	12.23	44.81			
PK	15.9G	57.60	74.00	-16.40	52.28	3	Vertical	305	1.23	-	37.90	12.23	44.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.32G	105.27	Inf	-Inf	105.52	3	Horizontal	255	1.15	-	31.24	7.01	38.50			
PK	5.32G	115.30	Inf	-Inf	115.55	3	Horizontal	255	1.15	-	31.24	7.01	38.50			
PK	5.608G	59.44	68.20	-8.76	59.26	3	Horizontal	255	1.15	-	31.62	7.16	38.60			
AV	10.64G	41.35	54.00	-12.65	32.99	3	Horizontal	34	1.00	-	39.88	10.00	41.52			
PK	10.64G	55.29	74.00	-18.71	46.93	3	Horizontal	34	1.00	-	39.88	10.00	41.52			
AV	15.96G	43.54	54.00	-10.46	38.26	3	Horizontal	342	1.00	-	37.78	12.27	44.77			
PK	15.96G	55.86	74.00	-18.14	50.58	3	Horizontal	342	1.00	-	37.78	12.27	44.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.32G	103.65	Inf	-Inf	103.90	3	Vertical	27	1.38	-	31.24	7.01	38.50			
PK	5.32G	113.92	Inf	-Inf	114.17	3	Vertical	27	1.38	-	31.24	7.01	38.50			
PK	5.608G	58.95	68.20	-9.25	58.77	3	Vertical	27	1.38	-	31.62	7.16	38.60			
AV	10.64G	43.46	54.00	-10.54	35.10	3	Vertical	112	1.00	-	39.88	10.00	41.52			
PK	10.64G	55.81	74.00	-18.19	47.45	3	Vertical	112	1.00	-	39.88	10.00	41.52			
AV	15.96G	44.02	54.00	-9.98	38.74	3	Vertical	302	1.18	-	37.78	12.27	44.77			
PK	15.96G	57.49	74.00	-16.51	52.21	3	Vertical	302	1.18	-	37.78	12.27	44.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
PK	5.212G	58.65	68.20	-9.55	58.49	3	Horizontal	269	1.19	-	31.63	6.97	38.44				
AV	5.5G	105.44	Inf	-Inf	105.23	3	Horizontal	269	1.19	-	31.70	7.10	38.59				
PK	5.5G	115.23	Inf	-Inf	115.02	3	Horizontal	269	1.19	-	31.70	7.10	38.59				
PK	5.788G	58.46	68.20	-9.74	57.71	3	Horizontal	269	1.19	-	32.08	7.28	38.61				
AV	11G	42.31	54.00	-11.69	33.72	3	Horizontal	265	1.00	-	40.20	10.14	41.75				
PK	11G	55.49	74.00	-18.51	46.90	3	Horizontal	265	1.00	-	40.20	10.14	41.75				
PK	16.5G	58.62	68.20	-9.58	51.79	3	Horizontal	39	1.00	-	39.00	12.66	44.83				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.212G	58.76	68.20	-9.44	58.60	3	Vertical	4	1.36	-	31.63	6.97	38.44			
AV	5.5G	102.55	Inf	-Inf	102.34	3	Vertical	4	1.36	-	31.70	7.10	38.59			
PK	5.5G	113.12	Inf	-Inf	112.91	3	Vertical	4	1.36	-	31.70	7.10	38.59			
PK	5.788G	58.52	68.20	-9.68	57.77	3	Vertical	4	1.36	-	32.08	7.28	38.61			
AV	11G	42.53	54.00	-11.47	33.94	3	Vertical	68	1.00	-	40.20	10.14	41.75			
PK	11G	54.82	74.00	-19.18	46.23	3	Vertical	68	1.00	-	40.20	10.14	41.75			
PK	16.5G	58.34	68.20	-9.86	51.51	3	Vertical	31	1.00	-	39.00	12.66	44.83			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.292G	59.86	68.20	-8.34	60.11	3	Horizontal	264	1.54	-	31.23	7.00	38.48			
AV	5.58G	105.13	Inf	-Inf	104.95	3	Horizontal	264	1.54	-	31.64	7.14	38.60			
PK	5.58G	114.79	Inf	-Inf	114.61	3	Horizontal	264	1.54	-	31.64	7.14	38.60			
AV	11.16G	42.20	54.00	-11.80	34.19	3	Horizontal	271	1.00	-	39.66	10.21	41.86			
PK	11.16G	55.18	74.00	-18.82	47.17	3	Horizontal	271	1.00	-	39.66	10.21	41.86			
PK	16.74G	58.51	68.20	-9.69	51.54	3	Horizontal	28	1.00	-	39.46	12.72	45.21			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.292G	59.49	68.20	-8.71	59.74	3	Vertical	24	1.27	-	31.23	7.00	38.48			
AV	5.58G	103.16	Inf	-Inf	102.98	3	Vertical	24	1.27	-	31.64	7.14	38.60			
PK	5.58G	112.92	Inf	-Inf	112.74	3	Vertical	24	1.27	-	31.64	7.14	38.60			
AV	11.16G	42.42	54.00	-11.58	34.41	3	Vertical	65	1.00	-	39.66	10.21	41.86			
PK	11.16G	54.77	74.00	-19.23	46.76	3	Vertical	65	1.00	-	39.66	10.21	41.86			
PK	16.74G	58.28	68.20	-9.92	51.31	3	Vertical	45	1.00	-	39.46	12.72	45.21			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.7G	105.48	Inf	-Inf	104.87	3	Horizontal	292	1.50	-	32.00	7.22	38.61			
PK	5.7G	115.32	Inf	-Inf	114.71	3	Horizontal	292	1.50	-	32.00	7.22	38.61			
AV	11.4G	42.14	54.00	-11.86	34.05	3	Horizontal	283	1.00	-	39.80	10.32	42.03			
PK	11.4G	55.09	74.00	-18.91	47.00	3	Horizontal	283	1.00	-	39.80	10.32	42.03			
PK	17.1G	58.36	68.20	-9.84	51.98	3	Horizontal	42	1.00	-	39.40	12.82	45.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.7G	102.60	Inf	-Inf	101.99	3	Vertical	4	1.26	-	32.00	7.22	38.61			
PK	5.7G	113.26	Inf	-Inf	112.65	3	Vertical	4	1.26	-	32.00	7.22	38.61			
AV	11.4G	42.29	54.00	-11.71	34.20	3	Vertical	77	1.00	-	39.80	10.32	42.03			
PK	11.4G	54.61	74.00	-19.39	46.52	3	Vertical	77	1.00	-	39.80	10.32	42.03			
PK	17.1G	58.23	68.20	-9.97	51.85	3	Vertical	51	1.00	-	39.40	12.82	45.84			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.72G	105.96	Inf	-Inf	105.34	3	Horizontal	297	1.59	-	32.00	7.23	38.61			
PK	5.72G	115.98	Inf	-Inf	115.36	3	Horizontal	297	1.59	-	32.00	7.23	38.61			
AV	11.44G	42.54	54.00	-11.46	34.38	3	Horizontal	286	1.00	-	39.88	10.34	42.06			
PK	11.44G	55.43	74.00	-18.57	47.27	3	Horizontal	286	1.00	-	39.88	10.34	42.06			
PK	17.16G	58.75	68.20	-9.45	52.47	3	Horizontal	44	1.00	-	39.42	12.84	45.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.72G	103.08	Inf	-Inf	102.46	3	Vertical	2	1.59	-	32.00	7.23	38.61			
PK	5.72G	113.48	Inf	-Inf	112.86	3	Vertical	2	1.59	-	32.00	7.23	38.61			
AV	11.44G	42.61	54.00	-11.39	34.45	3	Vertical	78	1.00	-	39.88	10.34	42.06			
PK	11.44G	54.92	74.00	-19.08	46.76	3	Vertical	78	1.00	-	39.88	10.34	42.06			
PK	17.16G	58.49	68.20	-9.71	52.21	3	Vertical	36	1.00	-	39.42	12.84	45.98			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.361G	51.97	54.00	-2.03	52.14	3	Horizontal	244	1.38	-	31.32	7.03	38.52			
PK	5.361G	64.34	74.00	-9.66	64.51	3	Horizontal	244	1.38	-	31.32	7.03	38.52			
AV	5.457G	53.88	54.00	-0.12	53.76	3	Horizontal	238	1.34	-	31.61	7.08	38.57			
PK	5.457G	66.02	74.00	-7.98	65.90	3	Horizontal	238	1.34	-	31.61	7.08	38.57			
AV	5.745G	112.49	Inf	-Inf	111.85	3	Horizontal	182	1.37	-	32.00	7.25	38.61			
PK	5.745G	122.13	Inf	-Inf	121.49	3	Horizontal	182	1.37	-	32.00	7.25	38.61			
AV	11.57G	45.42	54.00	-8.58	37.45	3	Horizontal	289	1.16	-	39.68	10.39	42.10			
PK	11.57G	58.25	74.00	-15.75	50.28	3	Horizontal	289	1.16	-	39.68	10.39	42.10			
PK	17.235G	64.25	68.20	-3.95	58.03	3	Horizontal	291	1.00	-	39.50	12.86	46.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.361G	46.34	54.00	-7.66	46.51	3	Vertical	181	1.22	-	31.32	7.03	38.52			
PK	5.361G	59.52	74.00	-14.48	59.69	3	Vertical	181	1.22	-	31.32	7.03	38.52			
AV	5.457G	52.69	54.00	-1.31	52.57	3	Vertical	196	1.44	-	31.61	7.08	38.57			
PK	5.457G	65.02	74.00	-8.98	64.90	3	Vertical	196	1.44	-	31.61	7.08	38.57			
AV	5.745G	110.12	Inf	-Inf	109.48	3	Vertical	202	1.33	-	32.00	7.25	38.61			
PK	5.745G	120.20	Inf	-Inf	119.56	3	Vertical	202	1.33	-	32.00	7.25	38.61			
AV	11.57G	45.32	54.00	-8.68	37.35	3	Vertical	114	1.46	-	39.68	10.39	42.10			
PK	11.57G	58.64	74.00	-15.36	50.67	3	Vertical	114	1.46	-	39.68	10.39	42.10			
PK	17.235G	63.02	68.20	-5.18	56.80	3	Vertical	291	1.24	-	39.50	12.86	46.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.401G	51.75	54.00	-2.25	51.84	3	Horizontal	266	1.37	-	31.40	7.05	38.54			
PK	5.401G	63.75	74.00	-10.25	63.84	3	Horizontal	266	1.37	-	31.40	7.05	38.54			
PK	5.497G	65.97	68.20	-2.23	65.77	3	Horizontal	233	1.52	-	31.69	7.10	38.59			
AV	5.785G	112.70	Inf	-Inf	111.96	3	Horizontal	176	1.32	-	32.07	7.28	38.61			
PK	5.785G	122.91	Inf	-Inf	122.17	3	Horizontal	176	1.32	-	32.07	7.28	38.61			
AV	11.57G	45.52	54.00	-8.48	37.55	3	Horizontal	288	1.17	-	39.68	10.39	42.10			
PK	11.57G	58.36	74.00	-15.64	50.39	3	Horizontal	288	1.17	-	39.68	10.39	42.10			
PK	17.355G	65.30	68.20	-2.90	58.68	3	Horizontal	288	1.17	-	40.13	12.90	46.41			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.401G	46.19	54.00	-7.81	46.28	3	Vertical	180	1.20	-	31.40	7.05	38.54			
PK	5.401G	59.45	74.00	-14.55	59.54	3	Vertical	180	1.20	-	31.40	7.05	38.54			
PK	5.497G	64.72	68.20	-3.48	64.52	3	Vertical	107	1.06	-	31.69	7.10	38.59			
AV	5.785G	109.13	Inf	-Inf	108.39	3	Vertical	190	1.40	-	32.07	7.28	38.61			
PK	5.785G	119.57	Inf	-Inf	118.83	3	Vertical	190	1.40	-	32.07	7.28	38.61			
AV	11.57G	45.41	54.00	-8.59	37.44	3	Vertical	117	1.52	-	39.68	10.39	42.10			
PK	11.57G	58.75	74.00	-15.25	50.78	3	Vertical	117	1.52	-	39.68	10.39	42.10			
PK	17.355G	63.16	68.20	-5.04	56.54	3	Vertical	290	1.26	-	40.13	12.90	46.41			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.441G	53.14	54.00	-0.86	53.07	3	Horizontal	288	1.59	-	31.56	7.07	38.56			
PK	5.441G	64.83	74.00	-9.17	64.76	3	Horizontal	288	1.59	-	31.56	7.07	38.56			
PK	5.537G	66.82	68.20	-1.38	66.59	3	Horizontal	250	1.61	-	31.70	7.12	38.59			
AV	5.825G	109.13	Inf	-Inf	108.35	3	Horizontal	178	1.20	-	32.10	7.30	38.62			
PK	5.825G	120.01	Inf	-Inf	119.23	3	Horizontal	178	1.20	-	32.10	7.30	38.62			
AV	11.65G	46.62	54.00	-7.38	39.11	3	Horizontal	226	1.41	-	39.20	10.42	42.11			
PK	11.65G	61.32	74.00	-12.68	53.81	3	Horizontal	226	1.41	-	39.20	10.42	42.11			
PK	17.475G	68.01	68.20	-0.19	61.00	3	Horizontal	258	2.13	-	40.75	12.93	46.67			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.441G	45.22	54.00	-8.78	45.15	3	Vertical	185	1.22	-	31.56	7.07	38.56			
PK	5.441G	58.36	74.00	-15.64	58.29	3	Vertical	185	1.22	-	31.56	7.07	38.56			
PK	5.537G	64.04	68.20	-4.16	63.81	3	Vertical	198	1.43	-	31.70	7.12	38.59			
AV	5.825G	105.76	Inf	-Inf	104.98	3	Vertical	201	1.41	-	32.10	7.30	38.62			
PK	5.825G	115.57	Inf	-Inf	114.79	3	Vertical	201	1.41	-	32.10	7.30	38.62			
AV	11.65G	45.36	54.00	-8.64	37.85	3	Vertical	119	1.46	-	39.20	10.42	42.11			
PK	11.65G	58.62	74.00	-15.38	51.11	3	Vertical	119	1.46	-	39.20	10.42	42.11			
PK	17.475G	65.16	68.20	-3.04	58.15	3	Vertical	256	1.21	-	40.75	12.93	46.67			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.892G	47.01	54.00	-6.99	47.28	3	Horizontal	241	1.00	-	31.20	6.79	38.26			
PK	4.892G	58.62	74.00	-15.38	58.89	3	Horizontal	241	1.00	-	31.20	6.79	38.26			
AV	5.18G	108.43	Inf	-Inf	108.12	3	Horizontal	242	1.05	-	31.78	6.95	38.42			
PK	5.18G	120.91	Inf	-Inf	120.60	3	Horizontal	242	1.05	-	31.78	6.95	38.42			
PK	5.468G	62.64	68.20	-5.56	62.49	3	Horizontal	239	1.05	-	31.64	7.08	38.57			
PK	10.36G	57.11	68.20	-11.09	49.08	3	Horizontal	329	1.21	-	39.50	9.88	41.35			
AV	15.54G	50.00	54.00	-4.00	44.49	3	Horizontal	231	1.84	-	38.54	12.00	45.03			
PK	15.54G	63.56	74.00	-10.44	58.05	3	Horizontal	231	1.84	-	38.54	12.00	45.03			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.892G	46.31	54.00	-7.69	46.58	3	Vertical	215	1.00	-	31.20	6.79	38.26			
PK	4.892G	58.44	74.00	-15.56	58.71	3	Vertical	215	1.00	-	31.20	6.79	38.26			
AV	5.18G	106.14	Inf	-Inf	105.83	3	Vertical	27	1.39	-	31.78	6.95	38.42			
PK	5.18G	118.90	Inf	-Inf	118.59	3	Vertical	27	1.39	-	31.78	6.95	38.42			
PK	5.468G	59.53	68.20	-8.67	59.38	3	Vertical	34	1.39	-	31.64	7.08	38.57			
PK	10.36G	56.85	68.20	-11.35	48.82	3	Vertical	115	1.42	-	39.50	9.88	41.35			
AV	15.54G	49.88	54.00	-4.12	44.37	3	Vertical	211	1.91	-	38.54	12.00	45.03			
PK	15.54G	63.42	74.00	-10.58	57.91	3	Vertical	211	1.91	-	38.54	12.00	45.03			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.912G	48.05	54.00	-5.95	48.27	3	Horizontal	243	1.10	-	31.25	6.80	38.27			
PK	4.912G	59.76	74.00	-14.24	59.98	3	Horizontal	243	1.10	-	31.25	6.80	38.27			
AV	5.2G	110.45	Inf	-Inf	110.22	3	Horizontal	242	1.48	-	31.70	6.96	38.43			
PK	5.2G	123.08	Inf	-Inf	122.85	3	Horizontal	242	1.48	-	31.70	6.96	38.43			
PK	5.488G	63.14	68.20	-5.06	62.95	3	Horizontal	241	1.16	-	31.68	7.09	38.58			
PK	10.4G	59.42	68.20	-8.78	51.39	3	Horizontal	324	1.23	-	39.50	9.90	41.37			
AV	15.6G	53.66	54.00	-0.34	48.41	3	Horizontal	247	2.39	-	38.20	12.04	44.99			
PK	15.6G	67.59	74.00	-6.41	62.34	3	Horizontal	247	2.39	-	38.20	12.04	44.99			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.912G	46.75	54.00	-7.25	46.97	3	Vertical	225	1.00	-	31.25	6.80	38.27			
PK	4.912G	58.91	74.00	-15.09	59.13	3	Vertical	225	1.00	-	31.25	6.80	38.27			
AV	5.2G	107.91	Inf	-Inf	107.68	3	Vertical	28	1.38	-	31.70	6.96	38.43			
PK	5.2G	120.85	Inf	-Inf	120.62	3	Vertical	28	1.38	-	31.70	6.96	38.43			
PK	5.488G	59.08	68.20	-9.12	58.89	3	Vertical	186	1.00	-	31.68	7.09	38.58			
PK	10.4G	58.74	68.20	-9.46	50.71	3	Vertical	102	1.35	-	39.50	9.90	41.37			
AV	15.6G	52.34	54.00	-1.66	47.09	3	Vertical	219	2.11	-	38.20	12.04	44.99			
PK	15.6G	66.79	74.00	-7.21	61.54	3	Vertical	219	2.11	-	38.20	12.04	44.99			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.952G	45.44	54.00	-8.56	45.51	3	Horizontal	241	1.00	-	31.41	6.82	38.30			
PK	4.952G	56.45	74.00	-17.55	56.52	3	Horizontal	241	1.00	-	31.41	6.82	38.30			
AV	5.24G	110.41	Inf	-Inf	110.42	3	Horizontal	241	1.46	-	31.46	6.98	38.45			
PK	5.24G	123.39	Inf	-Inf	123.40	3	Horizontal	241	1.46	-	31.46	6.98	38.45			
PK	5.528G	62.07	68.20	-6.13	61.85	3	Horizontal	236	1.00	-	31.70	7.11	38.59			
PK	10.48G	55.86	68.20	-12.34	47.74	3	Horizontal	316	1.21	-	39.60	9.94	41.42			
AV	15.72G	53.82	54.00	-0.18	48.38	3	Horizontal	226	2.03	-	38.24	12.12	44.92			
PK	15.72G	67.82	74.00	-6.18	62.38	3	Horizontal	226	2.03	-	38.24	12.12	44.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.952G	46.13	54.00	-7.87	46.20	3	Vertical	224	1.00	-	31.41	6.82	38.30			
PK	4.952G	58.46	74.00	-15.54	58.53	3	Vertical	224	1.00	-	31.41	6.82	38.30			
AV	5.24G	108.63	Inf	-Inf	108.64	3	Vertical	23	1.36	-	31.46	6.98	38.45			
PK	5.24G	121.33	Inf	-Inf	121.34	3	Vertical	23	1.36	-	31.46	6.98	38.45			
PK	5.528G	58.41	68.20	-9.79	58.19	3	Vertical	224	1.00	-	31.70	7.11	38.59			
PK	10.48G	58.56	68.20	-9.64	50.44	3	Vertical	109	1.00	-	39.60	9.94	41.42			
AV	15.72G	52.71	54.00	-1.29	47.27	3	Vertical	306	1.21	-	38.24	12.12	44.92			
PK	15.72G	66.35	74.00	-7.65	60.91	3	Vertical	306	1.21	-	38.24	12.12	44.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.26G	105.94	Inf	-Inf	106.06	3	Horizontal	259	1.14	-	31.36	6.99	38.47			
PK	5.26G	118.93	Inf	-Inf	119.05	3	Horizontal	259	1.14	-	31.36	6.99	38.47			
PK	5.548G	59.99	68.20	-8.21	59.76	3	Horizontal	259	1.14	-	31.70	7.12	38.59			
PK	10.52G	55.39	68.20	-12.81	47.27	3	Horizontal	15	1.00	-	39.60	9.96	41.44			
AV	15.78G	43.39	54.00	-10.61	38.00	3	Horizontal	342	1.00	-	38.12	12.15	44.88			
PK	15.78G	55.74	74.00	-18.26	50.35	3	Horizontal	342	1.00	-	38.12	12.15	44.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.26G	103.26	Inf	-Inf	103.38	3	Vertical	23	1.35	-	31.36	6.99	38.47			
PK	5.26G	116.14	Inf	-Inf	116.26	3	Vertical	23	1.35	-	31.36	6.99	38.47			
PK	5.548G	58.35	68.20	-9.85	58.12	3	Vertical	23	1.35	-	31.70	7.12	38.59			
PK	10.52G	55.74	68.20	-12.46	47.62	3	Vertical	85	1.00	-	39.60	9.96	41.44			
AV	15.78G	44.08	54.00	-9.92	38.69	3	Vertical	301	1.14	-	38.12	12.15	44.88			
PK	15.78G	57.64	74.00	-16.36	52.25	3	Vertical	301	1.14	-	38.12	12.15	44.88			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)				
AV	5.3G	105.43	Inf	-Inf	105.72	3	Horizontal	259	1.13	-	31.20	7.00	38.49				
PK	5.3G	118.18	Inf	-Inf	118.47	3	Horizontal	259	1.13	-	31.20	7.00	38.49				
PK	5.588G	60.19	68.20	-8.01	60.03	3	Horizontal	259	1.13	-	31.62	7.14	38.60				
AV	10.6G	41.22	54.00	-12.78	32.92	3	Horizontal	23	1.00	-	39.80	9.99	41.49				
PK	10.6G	55.04	74.00	-18.96	46.74	3	Horizontal	23	1.00	-	39.80	9.99	41.49				
AV	15.9G	43.29	54.00	-10.71	37.97	3	Horizontal	342	1.00	-	37.90	12.23	44.81				
PK	15.9G	55.62	74.00	-18.38	50.30	3	Horizontal	342	1.00	-	37.90	12.23	44.81				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.3G	102.83	Inf	-Inf	103.12	3	Vertical	24	1.23	-	31.20	7.00	38.49			
PK	5.3G	115.68	Inf	-Inf	115.97	3	Vertical	24	1.23	-	31.20	7.00	38.49			
PK	5.588G	59.65	68.20	-8.55	59.49	3	Vertical	24	1.23	-	31.62	7.14	38.60			
AV	10.6G	43.28	54.00	-10.72	34.98	3	Vertical	109	1.00	-	39.80	9.99	41.49			
PK	10.6G	55.61	74.00	-18.39	47.31	3	Vertical	109	1.00	-	39.80	9.99	41.49			
AV	15.9G	44.12	54.00	-9.88	38.80	3	Vertical	306	1.26	-	37.90	12.23	44.81			
PK	15.9G	57.54	74.00	-16.46	52.22	3	Vertical	306	1.26	-	37.90	12.23	44.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.32G	105.84	Inf	-Inf	106.09	3	Horizontal	242	1.09	-	31.24	7.01	38.50			
PK	5.32G	118.85	Inf	-Inf	119.10	3	Horizontal	242	1.09	-	31.24	7.01	38.50			
PK	5.608G	59.53	68.20	-8.67	59.35	3	Horizontal	242	1.09	-	31.62	7.16	38.60			
AV	10.64G	41.48	54.00	-12.52	33.12	3	Horizontal	39	1.00	-	39.88	10.00	41.52			
PK	10.64G	55.36	74.00	-18.64	47.00	3	Horizontal	39	1.00	-	39.88	10.00	41.52			
AV	15.96G	43.47	54.00	-10.53	38.19	3	Horizontal	346	1.00	-	37.78	12.27	44.77			
PK	15.96G	55.78	74.00	-18.22	50.50	3	Horizontal	346	1.00	-	37.78	12.27	44.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.32G	102.82	Inf	-Inf	103.07	3	Vertical	25	1.20	-	31.24	7.01	38.50			
PK	5.32G	116.74	Inf	-Inf	116.99	3	Vertical	25	1.20	-	31.24	7.01	38.50			
PK	5.608G	58.86	68.20	-9.34	58.68	3	Vertical	25	1.20	-	31.62	7.16	38.60			
AV	10.64G	43.51	54.00	-10.49	35.15	3	Vertical	118	1.00	-	39.88	10.00	41.52			
PK	10.64G	55.89	74.00	-18.11	47.53	3	Vertical	118	1.00	-	39.88	10.00	41.52			
AV	15.96G	43.98	54.00	-10.02	38.70	3	Vertical	303	1.16	-	37.78	12.27	44.77			
PK	15.96G	57.35	74.00	-16.65	52.07	3	Vertical	303	1.16	-	37.78	12.27	44.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.212G	58.82	68.20	-9.38	58.66	3	Horizontal	245	1.10	-	31.63	6.97	38.44			
AV	5.5G	105.30	Inf	-Inf	105.09	3	Horizontal	245	1.10	-	31.70	7.10	38.59			
PK	5.5G	118.77	Inf	-Inf	118.56	3	Horizontal	245	1.10	-	31.70	7.10	38.59			
PK	5.788G	58.67	68.20	-9.53	57.92	3	Horizontal	245	1.10	-	32.08	7.28	38.61			
AV	11G	42.45	54.00	-11.55	33.86	3	Horizontal	261	1.00	-	40.20	10.14	41.75			
PK	11G	55.56	74.00	-18.44	46.97	3	Horizontal	261	1.00	-	40.20	10.14	41.75			
PK	16.5G	58.59	68.20	-9.61	51.76	3	Horizontal	43	1.00	-	39.00	12.66	44.83			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.212G	58.36	68.20	-9.84	58.20	3	Vertical	28	1.41	-	31.63	6.97	38.44			
AV	5.5G	102.82	Inf	-Inf	102.61	3	Vertical	28	1.41	-	31.70	7.10	38.59			
PK	5.5G	116.15	Inf	-Inf	115.94	3	Vertical	28	1.41	-	31.70	7.10	38.59			
PK	5.788G	58.14	68.20	-10.06	57.39	3	Vertical	28	1.41	-	32.08	7.28	38.61			
AV	11G	42.46	54.00	-11.54	33.87	3	Vertical	53	1.00	-	40.20	10.14	41.75			
PK	11G	54.71	74.00	-19.29	46.12	3	Vertical	53	1.00	-	40.20	10.14	41.75			
PK	16.5G	58.38	68.20	-9.82	51.55	3	Vertical	33	1.00	-	39.00	12.66	44.83			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.292G	60.02	68.20	-8.18	60.27	3	Horizontal	249	1.45	-	31.23	7.00	38.48			
AV	5.58G	105.01	Inf	-Inf	104.83	3	Horizontal	249	1.45	-	31.64	7.14	38.60			
PK	5.58G	118.72	Inf	-Inf	118.54	3	Horizontal	249	1.45	-	31.64	7.14	38.60			
AV	11.16G	42.25	54.00	-11.75	34.24	3	Horizontal	276	1.00	-	39.66	10.21	41.86			
PK	11.16G	55.31	74.00	-18.69	47.30	3	Horizontal	276	1.00	-	39.66	10.21	41.86			
PK	16.74G	58.46	68.20	-9.74	51.49	3	Horizontal	25	1.00	-	39.46	12.72	45.21			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
PK	5.292G	59.42	68.20	-8.78	59.67	3	Vertical	26	1.29	-	31.23	7.00	38.48			
AV	5.58G	102.40	Inf	-Inf	102.22	3	Vertical	26	1.29	-	31.64	7.14	38.60			
PK	5.58G	115.46	Inf	-Inf	115.28	3	Vertical	26	1.29	-	31.64	7.14	38.60			
AV	11.16G	42.46	54.00	-11.54	34.45	3	Vertical	63	1.00	-	39.66	10.21	41.86			
PK	11.16G	54.79	74.00	-19.21	46.78	3	Vertical	63	1.00	-	39.66	10.21	41.86			
PK	16.74G	58.32	68.20	-9.88	51.35	3	Vertical	49	1.00	-	39.46	12.72	45.21			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.7G	106.40	Inf	-Inf	105.79	3	Horizontal	180	1.33	-	32.00	7.22	38.61			
PK	5.7G	119.72	Inf	-Inf	119.11	3	Horizontal	180	1.33	-	32.00	7.22	38.61			
AV	11.4G	42.23	54.00	-11.77	34.14	3	Horizontal	289	1.00	-	39.80	10.32	42.03			
PK	11.4G	55.16	74.00	-18.84	47.07	3	Horizontal	289	1.00	-	39.80	10.32	42.03			
PK	17.1G	58.29	68.20	-9.91	51.91	3	Horizontal	51	1.00	-	39.40	12.82	45.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.7G	102.24	Inf	-Inf	101.63	3	Vertical	22	1.25	-	32.00	7.22	38.61			
PK	5.7G	115.12	Inf	-Inf	114.51	3	Vertical	22	1.25	-	32.00	7.22	38.61			
AV	11.4G	42.33	54.00	-11.67	34.24	3	Vertical	81	1.00	-	39.80	10.32	42.03			
PK	11.4G	54.69	74.00	-19.31	46.60	3	Vertical	81	1.00	-	39.80	10.32	42.03			
PK	17.1G	58.14	68.20	-10.06	51.76	3	Vertical	44	1.00	-	39.40	12.82	45.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.72G	105.76	Inf	-Inf	105.14	3	Horizontal	178	1.24	-	32.00	7.23	38.61			
PK	5.72G	118.87	Inf	-Inf	118.25	3	Horizontal	178	1.24	-	32.00	7.23	38.61			
AV	11.44G	42.41	54.00	-11.59	34.25	3	Horizontal	282	1.00	-	39.88	10.34	42.06			
PK	11.44G	55.34	74.00	-18.66	47.18	3	Horizontal	282	1.00	-	39.88	10.34	42.06			
PK	17.16G	58.79	68.20	-9.41	52.51	3	Horizontal	45	1.00	-	39.42	12.84	45.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.72G	102.51	Inf	-Inf	101.89	3	Vertical	2	1.58	-	32.00	7.23	38.61			
PK	5.72G	115.75	Inf	-Inf	115.13	3	Vertical	2	1.58	-	32.00	7.23	38.61			
AV	11.44G	42.58	54.00	-11.42	34.42	3	Vertical	72	1.00	-	39.88	10.34	42.06			
PK	11.44G	54.86	74.00	-19.14	46.70	3	Vertical	72	1.00	-	39.88	10.34	42.06			
PK	17.16G	58.53	68.20	-9.67	52.25	3	Vertical	25	1.00	-	39.42	12.84	45.98			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.361G	51.86	54.00	-2.14	52.03	3	Horizontal	242	1.34	-	31.32	7.03	38.52			
PK	5.361G	64.25	74.00	-9.75	64.42	3	Horizontal	242	1.34	-	31.32	7.03	38.52			
AV	5.457G	53.75	54.00	-0.25	53.63	3	Horizontal	236	1.33	-	31.61	7.08	38.57			
PK	5.457G	65.89	74.00	-8.11	65.77	3	Horizontal	236	1.33	-	31.61	7.08	38.57			
AV	5.745G	112.29	Inf	-Inf	111.65	3	Horizontal	181	1.30	-	32.00	7.25	38.61			
PK	5.745G	124.86	Inf	-Inf	124.22	3	Horizontal	181	1.30	-	32.00	7.25	38.61			
AV	11.57G	45.36	54.00	-8.64	37.39	3	Horizontal	286	1.14	-	39.68	10.39	42.10			
PK	11.57G	58.22	74.00	-15.78	50.25	3	Horizontal	286	1.14	-	39.68	10.39	42.10			
PK	17.235G	64.35	68.20	-3.85	58.13	3	Horizontal	259	1.08	-	39.50	12.86	46.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.361G	46.22	54.00	-7.78	46.39	3	Vertical	183	1.21	-	31.32	7.03	38.52			
PK	5.361G	59.41	74.00	-14.59	59.58	3	Vertical	183	1.21	-	31.32	7.03	38.52			
AV	5.457G	52.51	54.00	-1.49	52.39	3	Vertical	183	1.21	-	31.61	7.08	38.57			
PK	5.457G	64.83	74.00	-9.17	64.71	3	Vertical	183	1.21	-	31.61	7.08	38.57			
AV	5.745G	109.23	Inf	-Inf	108.59	3	Vertical	200	1.26	-	32.00	7.25	38.61			
PK	5.745G	122.15	Inf	-Inf	121.51	3	Vertical	200	1.26	-	32.00	7.25	38.61			
AV	11.57G	45.24	54.00	-8.76	37.27	3	Vertical	109	1.44	-	39.68	10.39	42.10			
PK	11.57G	58.61	74.00	-15.39	50.64	3	Vertical	109	1.44	-	39.68	10.39	42.10			
PK	17.235G	62.75	68.20	-5.45	56.53	3	Vertical	294	1.26	-	39.50	12.86	46.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.401G	51.86	54.00	-2.14	51.95	3	Horizontal	265	1.35	-	31.40	7.05	38.54			
PK	5.401G	63.79	74.00	-10.21	63.88	3	Horizontal	265	1.35	-	31.40	7.05	38.54			
PK	5.497G	66.14	68.20	-2.06	65.94	3	Horizontal	236	1.53	-	31.69	7.10	38.59			
AV	5.785G	111.97	Inf	-Inf	111.23	3	Horizontal	176	1.21	-	32.07	7.28	38.61			
PK	5.785G	124.90	Inf	-Inf	124.16	3	Horizontal	176	1.21	-	32.07	7.28	38.61			
AV	11.57G	45.38	54.00	-8.62	37.41	3	Horizontal	284	1.16	-	39.68	10.39	42.10			
PK	11.57G	58.24	74.00	-15.76	50.27	3	Horizontal	284	1.16	-	39.68	10.39	42.10			
PK	17.355G	65.54	68.20	-2.66	58.92	3	Horizontal	260	1.11	-	40.13	12.90	46.41			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.401G	46.24	54.00	-7.76	46.33	3	Vertical	182	1.21	-	31.40	7.05	38.54			
PK	5.401G	59.52	74.00	-14.48	59.61	3	Vertical	182	1.21	-	31.40	7.05	38.54			
PK	5.497G	64.84	68.20	-3.36	64.64	3	Vertical	102	1.05	-	31.69	7.10	38.59			
AV	5.785G	109.20	Inf	-Inf	108.46	3	Vertical	201	1.26	-	32.07	7.28	38.61			
PK	5.785G	121.92	Inf	-Inf	121.18	3	Vertical	201	1.26	-	32.07	7.28	38.61			
AV	11.57G	45.36	54.00	-8.64	37.39	3	Vertical	115	1.48	-	39.68	10.39	42.10			
PK	11.57G	58.69	74.00	-15.31	50.72	3	Vertical	115	1.48	-	39.68	10.39	42.10			
PK	17.355G	62.78	68.20	-5.42	56.16	3	Vertical	286	1.24	-	40.13	12.90	46.41			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.441G	53.09	54.00	-0.91	53.02	3	Horizontal	286	1.58	-	31.56	7.07	38.56			
PK	5.441G	64.72	74.00	-9.28	64.65	3	Horizontal	286	1.58	-	31.56	7.07	38.56			
PK	5.537G	66.71	68.20	-1.49	66.48	3	Horizontal	252	1.65	-	31.70	7.12	38.59			
AV	5.825G	109.16	Inf	-Inf	108.38	3	Horizontal	178	1.29	-	32.10	7.30	38.62			
PK	5.825G	121.60	Inf	-Inf	120.82	3	Horizontal	178	1.29	-	32.10	7.30	38.62			
AV	11.65G	46.58	54.00	-7.42	39.07	3	Horizontal	225	1.39	-	39.20	10.42	42.11			
PK	11.65G	61.26	74.00	-12.74	53.75	3	Horizontal	225	1.39	-	39.20	10.42	42.11			
PK	17.475G	68.06	68.20	-0.14	61.05	3	Horizontal	249	2.33	-	40.75	12.93	46.67			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.441G	45.16	54.00	-8.84	45.09	3	Vertical	189	1.23	-	31.56	7.07	38.56			
PK	5.441G	58.29	74.00	-15.71	58.22	3	Vertical	189	1.23	-	31.56	7.07	38.56			
PK	5.537G	63.88	68.20	-4.32	63.65	3	Vertical	196	1.42	-	31.70	7.12	38.59			
AV	5.825G	105.66	Inf	-Inf	104.88	3	Vertical	201	1.41	-	32.10	7.30	38.62			
PK	5.825G	117.44	Inf	-Inf	116.66	3	Vertical	201	1.41	-	32.10	7.30	38.62			
AV	11.65G	45.42	54.00	-8.58	37.91	3	Vertical	121	1.43	-	39.20	10.42	42.11			
PK	11.65G	58.69	74.00	-15.31	51.18	3	Vertical	121	1.43	-	39.20	10.42	42.11			
PK	17.475G	64.88	68.20	-3.32	57.87	3	Vertical	252	1.26	-	40.75	12.93	46.67			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.19G	102.74	Inf	-Inf	102.48	3	Horizontal	239	1.57	-	31.74	6.95	38.43			
PK	5.19G	115.12	Inf	-Inf	114.86	3	Horizontal	239	1.57	-	31.74	6.95	38.43			
PK	10.38G	54.32	68.20	-13.88	46.29	3	Horizontal	45	1.00	-	39.50	9.89	41.36			
AV	15.57G	42.58	54.00	-11.42	37.19	3	Horizontal	21	1.00	-	38.38	12.02	45.01			
PK	15.57G	55.20	74.00	-18.80	49.81	3	Horizontal	21	1.00	-	38.38	12.02	45.01			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.19G	99.56	Inf	-Inf	99.30	3	Vertical	220	1.00	-	31.74	6.95	38.43			
PK	5.19G	112.18	Inf	-Inf	111.92	3	Vertical	220	1.00	-	31.74	6.95	38.43			
PK	10.38G	54.44	68.20	-13.76	46.41	3	Vertical	29	1.00	-	39.50	9.89	41.36			
AV	15.57G	42.61	54.00	-11.39	37.22	3	Vertical	41	1.00	-	38.38	12.02	45.01			
PK	15.57G	55.72	74.00	-18.28	50.33	3	Vertical	41	1.00	-	38.38	12.02	45.01			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.23G	108.24	Inf	-Inf	108.20	3	Horizontal	242	1.46	-	31.52	6.97	38.45			
PK	5.23G	121.55	Inf	-Inf	121.51	3	Horizontal	242	1.46	-	31.52	6.97	38.45			
PK	10.46G	56.68	68.20	-11.52	48.56	3	Horizontal	325	1.21	-	39.60	9.93	41.41			
AV	15.69G	52.95	54.00	-1.05	47.65	3	Horizontal	236	2.27	-	38.14	12.10	44.94			
PK	15.69G	67.05	74.00	-6.95	61.75	3	Horizontal	236	2.27	-	38.14	12.10	44.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.23G	104.68	Inf	-Inf	104.64	3	Vertical	218	1.11	-	31.52	6.97	38.45			
PK	5.23G	117.96	Inf	-Inf	117.92	3	Vertical	218	1.11	-	31.52	6.97	38.45			
PK	10.46G	58.42	68.20	-9.78	50.30	3	Vertical	104	1.31	-	39.60	9.93	41.41			
AV	15.69G	51.26	54.00	-2.74	45.96	3	Vertical	214	2.08	-	38.14	12.10	44.94			
PK	15.69G	65.64	74.00	-8.36	60.34	3	Vertical	214	2.08	-	38.14	12.10	44.94			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.27G	103.85	Inf	-Inf	104.01	3	Horizontal	286	1.48	-	31.32	6.99	38.47			
PK	5.27G	116.91	Inf	-Inf	117.07	3	Horizontal	286	1.48	-	31.32	6.99	38.47			
PK	10.54G	55.28	68.20	-12.92	47.17	3	Horizontal	29	1.00	-	39.60	9.97	41.46			
AV	15.81G	43.32	54.00	-10.68	38.05	3	Horizontal	346	1.00	-	37.96	12.17	44.86			
PK	15.81G	55.69	74.00	-18.31	50.42	3	Horizontal	346	1.00	-	37.96	12.17	44.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.27G	100.04	Inf	-Inf	100.20	3	Vertical	25	1.44	-	31.32	6.99	38.47			
PK	5.27G	113.38	Inf	-Inf	113.54	3	Vertical	25	1.44	-	31.32	6.99	38.47			
PK	10.54G	55.68	68.20	-12.52	47.57	3	Vertical	78	1.00	-	39.60	9.97	41.46			
AV	15.81G	43.94	54.00	-10.06	38.67	3	Vertical	295	1.11	-	37.96	12.17	44.86			
PK	15.81G	57.61	74.00	-16.39	52.34	3	Vertical	295	1.11	-	37.96	12.17	44.86			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.31G	103.79	Inf	-Inf	104.05	3	Horizontal	287	1.46	-	31.22	7.01	38.49			
PK	5.31G	116.50	Inf	-Inf	116.76	3	Horizontal	287	1.46	-	31.22	7.01	38.49			
AV	10.62G	41.17	54.00	-12.83	32.84	3	Horizontal	29	1.00	-	39.84	10.00	41.51			
PK	10.62G	54.96	74.00	-19.04	46.63	3	Horizontal	29	1.00	-	39.84	10.00	41.51			
AV	15.93G	43.24	54.00	-10.76	37.94	3	Horizontal	331	1.00	-	37.84	12.25	44.79			
PK	15.93G	55.58	74.00	-18.42	50.28	3	Horizontal	331	1.00	-	37.84	12.25	44.79			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.31G	99.90	Inf	-Inf	100.16	3	Vertical	24	1.34	-	31.22	7.01	38.49			
PK	5.31G	113.09	Inf	-Inf	113.35	3	Vertical	24	1.34	-	31.22	7.01	38.49			
AV	10.62G	43.34	54.00	-10.66	35.01	3	Vertical	114	1.00	-	39.84	10.00	41.51			
PK	10.62G	55.69	74.00	-18.31	47.36	3	Vertical	114	1.00	-	39.84	10.00	41.51			
AV	15.93G	44.03	54.00	-9.97	38.73	3	Vertical	301	1.22	-	37.84	12.25	44.79			
PK	15.93G	57.48	74.00	-16.52	52.18	3	Vertical	301	1.22	-	37.84	12.25	44.79			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.51G	101.83	Inf	-Inf	101.61	3	Horizontal	286	1.57	-	31.70	7.11	38.59			
PK	5.51G	115.34	Inf	-Inf	115.12	3	Horizontal	286	1.57	-	31.70	7.11	38.59			
AV	11.02G	42.41	54.00	-11.59	33.86	3	Horizontal	265	1.00	-	40.16	10.15	41.76			
PK	11.02G	55.53	74.00	-18.47	46.98	3	Horizontal	265	1.00	-	40.16	10.15	41.76			
PK	16.53G	58.46	68.20	-9.74	51.79	3	Horizontal	51	1.00	-	38.88	12.67	44.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.51G	98.39	Inf	-Inf	98.17	3	Vertical	28	1.43	-	31.70	7.11	38.59			
PK	5.51G	111.96	Inf	-Inf	111.74	3	Vertical	28	1.43	-	31.70	7.11	38.59			
AV	11.02G	42.39	54.00	-11.61	33.84	3	Vertical	48	1.00	-	40.16	10.15	41.76			
PK	11.02G	54.66	74.00	-19.34	46.11	3	Vertical	48	1.00	-	40.16	10.15	41.76			
PK	16.53G	58.29	68.20	-9.91	51.62	3	Vertical	14	1.00	-	38.88	12.67	44.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5590MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.59G	103.35	Inf	-Inf	103.18	3	Horizontal	314	1.65	-	31.62	7.15	38.60			
PK	5.59G	117.02	Inf	-Inf	116.85	3	Horizontal	314	1.65	-	31.62	7.15	38.60			
AV	11.18G	42.28	54.00	-11.72	34.36	3	Horizontal	269	1.00	-	39.58	10.22	41.88			
PK	11.18G	55.39	74.00	-18.61	47.47	3	Horizontal	269	1.00	-	39.58	10.22	41.88			
PK	16.77G	58.49	68.20	-9.71	51.52	3	Horizontal	22	1.00	-	39.50	12.73	45.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5590MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.59G	99.59	Inf	-Inf	99.42	3	Vertical	27	1.30	-	31.62	7.15	38.60			
PK	5.59G	113.05	Inf	-Inf	112.88	3	Vertical	27	1.30	-	31.62	7.15	38.60			
AV	11.18G	42.37	54.00	-11.63	34.45	3	Vertical	65	1.00	-	39.58	10.22	41.88			
PK	11.18G	54.65	74.00	-19.35	46.73	3	Vertical	65	1.00	-	39.58	10.22	41.88			
PK	16.77G	58.35	68.20	-9.85	51.38	3	Vertical	52	1.00	-	39.50	12.73	45.26			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.67G	103.56	Inf	-Inf	103.14	3	Horizontal	314	1.61	-	31.82	7.20	38.60			
PK	5.67G	117.36	Inf	-Inf	116.94	3	Horizontal	314	1.61	-	31.82	7.20	38.60			
AV	11.34G	42.15	54.00	-11.85	34.06	3	Horizontal	288	1.00	-	39.78	10.30	41.99			
PK	11.34G	55.12	74.00	-18.88	47.03	3	Horizontal	288	1.00	-	39.78	10.30	41.99			
PK	17.01G	58.26	68.20	-9.94	51.75	3	Horizontal	43	1.00	-	39.36	12.79	45.64			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.67G	100.21	Inf	-Inf	99.79	3	Vertical	23	1.30	-	31.82	7.20	38.60			
PK	5.67G	113.47	Inf	-Inf	113.05	3	Vertical	23	1.30	-	31.82	7.20	38.60			
AV	11.34G	42.29	54.00	-11.71	34.20	3	Vertical	86	1.00	-	39.78	10.30	41.99			
PK	11.34G	54.63	74.00	-19.37	46.54	3	Vertical	86	1.00	-	39.78	10.30	41.99			
PK	17.01G	58.49	68.20	-9.71	51.98	3	Vertical	55	1.00	-	39.36	12.79	45.64			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.71G	104.11	Inf	-Inf	103.49	3	Horizontal	315	1.57	-	32.00	7.23	38.61			
PK	5.71G	118.10	Inf	-Inf	117.48	3	Horizontal	315	1.57	-	32.00	7.23	38.61			
AV	11.42G	42.44	54.00	-11.56	34.31	3	Horizontal	276	1.00	-	39.84	10.33	42.04			
PK	11.42G	55.36	74.00	-18.64	47.23	3	Horizontal	276	1.00	-	39.84	10.33	42.04			
PK	17.13G	58.71	68.20	-9.49	52.39	3	Horizontal	26	1.00	-	39.40	12.83	45.91			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.71G	99.76	Inf	-Inf	99.14	3	Vertical	25	1.24	-	32.00	7.23	38.61			
PK	5.71G	112.60	Inf	-Inf	111.98	3	Vertical	25	1.24	-	32.00	7.23	38.61			
AV	11.42G	42.46	54.00	-11.54	34.33	3	Vertical	79	1.00	-	39.84	10.33	42.04			
PK	11.42G	54.68	74.00	-19.32	46.55	3	Vertical	79	1.00	-	39.84	10.33	42.04			
PK	17.13G	58.35	68.20	-9.85	52.03	3	Vertical	18	1.00	-	39.40	12.83	45.91			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.371G	50.88	54.00	-3.12	51.02	3	Horizontal	207	1.32	-	31.34	7.04	38.52			
PK	5.371G	63.80	74.00	-10.20	63.94	3	Horizontal	207	1.32	-	31.34	7.04	38.52			
PK	5.467G	65.72	68.20	-2.48	65.58	3	Horizontal	240	1.33	-	31.63	7.08	38.57			
AV	5.755G	109.42	Inf	-Inf	108.76	3	Horizontal	179	1.34	-	32.01	7.26	38.61			
PK	5.755G	122.34	Inf	-Inf	121.68	3	Horizontal	179	1.34	-	32.01	7.26	38.61			
AV	11.51G	45.25	54.00	-8.75	37.10	3	Horizontal	282	1.11	-	39.88	10.37	42.10			
PK	11.51G	58.11	74.00	-15.89	49.96	3	Horizontal	282	1.11	-	39.88	10.37	42.10			
PK	17.265G	63.86	68.20	-4.34	57.64	3	Horizontal	254	1.10	-	39.56	12.87	46.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.371G	45.68	54.00	-8.32	45.82	3	Vertical	185	1.22	-	31.34	7.04	38.52			
PK	5.371G	59.02	74.00	-14.98	59.16	3	Vertical	185	1.22	-	31.34	7.04	38.52			
PK	5.467G	64.15	68.20	-4.05	64.01	3	Vertical	185	1.22	-	31.63	7.08	38.57			
AV	5.755G	105.08	Inf	-Inf	104.42	3	Vertical	220	1.36	-	32.01	7.26	38.61			
PK	5.755G	118.13	Inf	-Inf	117.47	3	Vertical	220	1.36	-	32.01	7.26	38.61			
AV	11.51G	45.12	54.00	-8.88	36.97	3	Vertical	113	1.42	-	39.88	10.37	42.10			
PK	11.51G	58.55	74.00	-15.45	50.40	3	Vertical	113	1.42	-	39.88	10.37	42.10			
PK	17.265G	62.41	68.20	-5.79	56.19	3	Vertical	291	1.24	-	39.56	12.87	46.21			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.411G	52.65	54.00	-1.35	52.69	3	Horizontal	281	1.53	-	31.44	7.06	38.54			
PK	5.411G	64.21	74.00	-9.79	64.25	3	Horizontal	281	1.53	-	31.44	7.06	38.54			
PK	5.507G	65.86	68.20	-2.34	65.65	3	Horizontal	251	1.64	-	31.70	7.10	38.59			
AV	5.795G	110.21	Inf	-Inf	109.44	3	Horizontal	178	1.19	-	32.09	7.29	38.61			
PK	5.795G	123.44	Inf	-Inf	122.67	3	Horizontal	178	1.19	-	32.09	7.29	38.61			
AV	11.59G	46.12	54.00	-7.88	38.27	3	Horizontal	229	1.34	-	39.56	10.40	42.11			
PK	11.59G	58.95	74.00	-15.05	51.10	3	Horizontal	229	1.34	-	39.56	10.40	42.11			
PK	17.385G	65.80	68.20	-2.40	59.05	3	Horizontal	258	2.33	-	40.31	12.91	46.47			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.411G	44.92	54.00	-9.08	44.96	3	Vertical	186	1.24	-	31.44	7.06	38.54			
PK	5.411G	58.06	74.00	-15.94	58.10	3	Vertical	186	1.24	-	31.44	7.06	38.54			
PK	5.507G	63.15	68.20	-5.05	62.94	3	Vertical	192	1.41	-	31.70	7.10	38.59			
AV	5.795G	105.52	Inf	-Inf	104.75	3	Vertical	216	1.35	-	32.09	7.29	38.61			
PK	5.795G	119.09	Inf	-Inf	118.32	3	Vertical	216	1.35	-	32.09	7.29	38.61			
AV	11.59G	45.26	54.00	-8.74	37.41	3	Vertical	125	1.42	-	39.56	10.40	42.11			
PK	11.59G	58.45	74.00	-15.55	50.60	3	Vertical	125	1.42	-	39.56	10.40	42.11			
PK	17.385G	64.25	68.20	-3.95	57.50	3	Vertical	243	1.22	-	40.31	12.91	46.47			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.21G	98.41	Inf	-Inf	98.25	3	Horizontal	241	1.12	-	31.64	6.96	38.44			
PK	5.21G	111.59	Inf	-Inf	111.43	3	Horizontal	241	1.12	-	31.64	6.96	38.44			
PK	10.42G	54.93	68.20	-13.27	46.86	3	Horizontal	21	1.00	-	39.54	9.91	41.38			
AV	15.63G	42.22	54.00	-11.78	37.11	3	Horizontal	32	1.00	-	38.02	12.06	44.97			
PK	15.63G	56.79	74.00	-17.21	51.68	3	Horizontal	32	1.00	-	38.02	12.06	44.97			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.21G	96.56	Inf	-Inf	96.40	3	Vertical	24	1.28	-	31.64	6.96	38.44			
PK	5.21G	109.00	Inf	-Inf	108.84	3	Vertical	24	1.28	-	31.64	6.96	38.44			
PK	10.42G	54.72	68.20	-13.48	46.65	3	Vertical	31	1.00	-	39.54	9.91	41.38			
AV	15.63G	42.03	54.00	-11.97	36.92	3	Vertical	22	1.00	-	38.02	12.06	44.97			
PK	15.63G	56.34	74.00	-17.66	51.23	3	Vertical	22	1.00	-	38.02	12.06	44.97			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.29G	99.35	Inf	-Inf	99.59	3	Horizontal	243	1.00	-	31.24	7.00	38.48			
PK	5.29G	112.14	Inf	-Inf	112.38	3	Horizontal	243	1.00	-	31.24	7.00	38.48			
PK	10.58G	54.93	68.20	-13.27	46.71	3	Horizontal	29	1.00	-	39.72	9.98	41.48			
AV	15.87G	43.17	54.00	-10.83	37.95	3	Horizontal	345	1.00	-	37.84	12.21	44.83			
PK	15.87G	55.59	74.00	-18.41	50.37	3	Horizontal	345	1.00	-	37.84	12.21	44.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.29G	96.38	Inf	-Inf	96.62	3	Vertical	21	1.31	-	31.24	7.00	38.48			
PK	5.29G	109.77	Inf	-Inf	110.01	3	Vertical	21	1.31	-	31.24	7.00	38.48			
PK	10.58G	55.47	68.20	-12.73	47.25	3	Vertical	101	1.00	-	39.72	9.98	41.48			
AV	15.87G	44.06	54.00	-9.94	38.84	3	Vertical	292	1.34	-	37.84	12.21	44.83			
PK	15.87G	57.44	74.00	-16.56	52.22	3	Vertical	292	1.34	-	37.84	12.21	44.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.53G	97.66	Inf	-Inf	97.43	3	Horizontal	264	1.32	-	31.70	7.12	38.59			
PK	5.53G	111.06	Inf	-Inf	110.83	3	Horizontal	264	1.32	-	31.70	7.12	38.59			
AV	11.06G	42.53	54.00	-11.47	34.09	3	Horizontal	269	1.00	-	40.06	10.17	41.79			
PK	11.06G	55.74	74.00	-18.26	47.30	3	Horizontal	269	1.00	-	40.06	10.17	41.79			
PK	16.59G	58.46	68.20	-9.74	52.11	3	Horizontal	55	1.00	-	38.64	12.68	44.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.53G	94.52	Inf	-Inf	94.29	3	Vertical	25	1.42	-	31.70	7.12	38.59			
PK	5.53G	107.90	Inf	-Inf	107.67	3	Vertical	25	1.42	-	31.70	7.12	38.59			
AV	11.06G	42.44	54.00	-11.56	34.00	3	Vertical	59	1.00	-	40.06	10.17	41.79			
PK	11.06G	54.66	74.00	-19.34	46.22	3	Vertical	59	1.00	-	40.06	10.17	41.79			
PK	16.59G	58.42	68.20	-9.78	52.07	3	Vertical	26	1.00	-	38.64	12.68	44.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.61G	98.46	Inf	-Inf	98.28	3	Horizontal	281	1.33	-	31.62	7.16	38.60			
PK	5.61G	112.31	Inf	-Inf	112.13	3	Horizontal	281	1.33	-	31.62	7.16	38.60			
AV	11.22G	42.34	54.00	-11.66	34.50	3	Horizontal	279	1.00	-	39.50	10.24	41.90			
PK	11.22G	55.36	74.00	-18.64	47.52	3	Horizontal	279	1.00	-	39.50	10.24	41.90			
PK	16.83G	58.39	68.20	-9.81	51.49	3	Horizontal	27	1.00	-	39.50	12.75	45.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.61G	96.72	Inf	-Inf	96.54	3	Vertical	26	1.28	-	31.62	7.16	38.60			
PK	5.61G	110.08	Inf	-Inf	109.90	3	Vertical	26	1.28	-	31.62	7.16	38.60			
AV	11.22G	42.35	54.00	-11.65	34.51	3	Vertical	79	1.00	-	39.50	10.24	41.90			
PK	11.22G	54.64	74.00	-19.36	46.80	3	Vertical	79	1.00	-	39.50	10.24	41.90			
PK	16.83G	58.42	68.20	-9.78	51.52	3	Vertical	46	1.00	-	39.50	12.75	45.35			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.69G	99.04	Inf	-Inf	98.50	3	Horizontal	284	1.37	-	31.94	7.21	38.61			
PK	5.69G	113.35	Inf	-Inf	112.81	3	Horizontal	284	1.37	-	31.94	7.21	38.61			
AV	11.38G	42.15	54.00	-11.85	34.06	3	Horizontal	274	1.00	-	39.80	10.31	42.02			
PK	11.38G	55.03	74.00	-18.97	46.94	3	Horizontal	274	1.00	-	39.80	10.31	42.02			
PK	17.07G	58.42	68.20	-9.78	51.87	3	Horizontal	25	1.00	-	39.52	12.81	45.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.69G	97.99	Inf	-Inf	97.45	3	Vertical	24	1.30	-	31.94	7.21	38.61			
PK	5.69G	110.45	Inf	-Inf	109.91	3	Vertical	24	1.30	-	31.94	7.21	38.61			
AV	11.38G	42.29	54.00	-11.71	34.20	3	Vertical	86	1.00	-	39.80	10.31	42.02			
PK	11.38G	54.68	74.00	-19.32	46.59	3	Vertical	86	1.00	-	39.80	10.31	42.02			
PK	17.07G	58.30	68.20	-9.90	51.75	3	Vertical	27	1.00	-	39.52	12.81	45.78			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.391G	51.53	54.00	-2.47	51.63	3	Horizontal	208	1.53	-	31.38	7.05	38.53			
PK	5.391G	63.36	74.00	-10.64	63.46	3	Horizontal	208	1.53	-	31.38	7.05	38.53			
PK	5.487G	63.19	68.20	-5.01	63.01	3	Horizontal	212	1.49	-	31.67	7.09	38.58			
AV	5.775G	103.56	Inf	-Inf	102.85	3	Horizontal	176	1.23	-	32.05	7.27	38.61			
PK	5.775G	116.73	Inf	-Inf	116.02	3	Horizontal	176	1.23	-	32.05	7.27	38.61			
AV	11.55G	42.27	54.00	-11.73	34.18	3	Horizontal	52	1.00	-	39.80	10.39	42.10			
PK	11.55G	55.60	74.00	-18.40	47.51	3	Horizontal	52	1.00	-	39.80	10.39	42.10			
PK	17.325G	59.91	68.20	-8.29	53.46	3	Horizontal	21	1.00	-	39.90	12.89	46.34			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.391G	48.67	54.00	-5.33	48.77	3	Vertical	171	2.16	-	31.38	7.05	38.53			
PK	5.391G	60.37	74.00	-13.63	60.47	3	Vertical	171	2.16	-	31.38	7.05	38.53			
PK	5.487G	60.90	68.20	-7.30	60.72	3	Vertical	20	1.59	-	31.67	7.09	38.58			
AV	5.775G	100.12	Inf	-Inf	99.41	3	Vertical	20	1.59	-	32.05	7.27	38.61			
PK	5.775G	113.52	Inf	-Inf	112.81	3	Vertical	20	1.59	-	32.05	7.27	38.61			
AV	11.55G	42.41	54.00	-11.59	34.32	3	Vertical	29	1.00	-	39.80	10.39	42.10			
PK	11.55G	55.49	74.00	-18.51	47.40	3	Vertical	29	1.00	-	39.80	10.39	42.10			
PK	17.325G	59.20	68.20	-9.00	52.75	3	Vertical	34	1.00	-	39.90	12.89	46.34			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.25G	96.01	Inf	-Inf	96.09	3	Horizontal	287	1.46	-	31.40	6.98	38.46			
PK	5.25G	108.72	Inf	-Inf	108.80	3	Horizontal	287	1.46	-	31.40	6.98	38.46			
PK	10.5G	55.54	68.20	-12.66	47.42	3	Horizontal	36	1.00	-	39.60	9.95	41.43			
AV	15.75G	43.03	54.00	-10.97	37.49	3	Horizontal	24	1.00	-	38.30	12.14	44.90			
PK	15.75G	55.99	74.00	-18.01	50.45	3	Horizontal	24	1.00	-	38.30	12.14	44.90			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.25G	93.33	Inf	-Inf	93.41	3	Vertical	23	1.18	-	31.40	6.98	38.46			
PK	5.25G	106.25	Inf	-Inf	106.33	3	Vertical	23	1.18	-	31.40	6.98	38.46			
PK	10.5G	55.08	68.20	-13.12	46.96	3	Vertical	23	1.00	-	39.60	9.95	41.43			
AV	15.75G	42.95	54.00	-11.05	37.41	3	Vertical	41	1.00	-	38.30	12.14	44.90			
PK	15.75G	56.12	74.00	-17.88	50.58	3	Vertical	41	1.00	-	38.30	12.14	44.90			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.57G	96.00	Inf	-Inf	95.80	3	Horizontal	246	1.02	-	31.66	7.14	38.60			
PK	5.57G	107.50	Inf	-Inf	107.30	3	Horizontal	246	1.02	-	31.66	7.14	38.60			
AV	11.14G	42.06	54.00	-11.94	33.97	3	Horizontal	56	1.00	-	39.74	10.20	41.85			
PK	11.14G	54.54	74.00	-19.46	46.45	3	Horizontal	56	1.00	-	39.74	10.20	41.85			
PK	16.71G	58.29	68.20	-9.91	51.40	3	Horizontal	47	1.00	-	39.34	12.71	45.16			


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.57G	93.21	Inf	-Inf	93.01	3	Vertical	25	1.21	-	31.66	7.14	38.60			
PK	5.57G	106.21	Inf	-Inf	106.01	3	Vertical	25	1.21	-	31.66	7.14	38.60			
AV	11.14G	41.93	54.00	-12.07	33.84	3	Vertical	34	1.00	-	39.74	10.20	41.85			
PK	11.14G	55.28	74.00	-18.72	47.19	3	Vertical	34	1.00	-	39.74	10.20	41.85			
PK	16.71G	57.88	68.20	-10.32	50.99	3	Vertical	26	1.00	-	39.34	12.71	45.16			


















Band Edge measurement

Appendix D.3











Band Edge measurement

Appendix D.3













Band Edge measurement

Appendix D.3





Modulation	11a	Test Freq. (MHz)	5260						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5147.70	43.42	54.00	-10.58	43.01	0.41	Average	114	260
2	5362.80	44.55	54.00	-9.45	44.71	-0.16	Average	114	260



Band Edge measurement

Appendix D.3

