





Band Edge measurement

Appendix D.3








Band Edge measurement

Appendix D.3

Modulation	11a	Test Freq. (MHz)	5500																																																												
Polarization	Horizontal-Peak Value																																																														
Test By :Brad Wu Temperature(°C):23 Humidity(%):66																																																															
Level (dBuV/m)  Frequency (MHz)																																																															
<table><tr><td></td><td>Freq.</td><td>Emission</td><td>Limit</td><td>Margin</td><td>SA</td><td>Factor</td><td>Remark</td><td>ANT</td><td>Turn</td></tr><tr><td></td><td>MHz</td><td>level</td><td></td><td></td><td>reading</td><td></td><td></td><td>High</td><td>Table</td></tr><tr><td></td><td></td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td></td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5419.23</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>56.75</td><td>-0.01</td><td>Peak</td><td>119</td><td>269</td></tr><tr><td>2</td><td>5462.90</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>56.66</td><td>0.14</td><td>Peak</td><td>119</td><td>269</td></tr><tr><td>3</td><td>5759.32</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>56.07</td><td>0.67</td><td>Peak</td><td>119</td><td>269</td></tr></table>					Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn		MHz	level			reading			High	Table			dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg	1	5419.23	56.74	74.00	-17.26	56.75	-0.01	Peak	119	269	2	5462.90	56.80	68.20	-11.40	56.66	0.14	Peak	119	269	3	5759.32	56.74	68.20	-11.46	56.07	0.67	Peak	119	269
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn																																																						
	MHz	level			reading			High	Table																																																						
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg																																																						
1	5419.23	56.74	74.00	-17.26	56.75	-0.01	Peak	119	269																																																						
2	5462.90	56.80	68.20	-11.40	56.66	0.14	Peak	119	269																																																						
3	5759.32	56.74	68.20	-11.46	56.07	0.67	Peak	119	269																																																						



Band Edge measurement


Appendix D.3


Modulation	11a	Test Freq. (MHz)	5500						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5452.60	45.07	54.00	-8.93	44.95	0.12	Average	119	269





Band Edge measurement

Appendix D.3













Band Edge measurement

Appendix D.3






Modulation	11a	Test Freq. (MHz)	5580						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5458.99	44.20	54.00	-9.80	44.07	0.13	Average	127	24



Band Edge measurement

Appendix D.3





Band Edge measurement


Appendix D.3


Modulation	11a	Test Freq. (MHz)	5700						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBUV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBUV/m	dBUV/m	dB	dBUV	dB/m		cm	deg
1	5413.20	46.77	54.00	-7.23	46.80	-0.03	Average	150	292




Band Edge measurement

Appendix D.3









Band Edge measurement


Appendix D.3


Modulation	11a	Test Freq. (MHz)	5720						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5424.70	47.91	54.00	-6.09	47.90	0.01	Average	159	297





Band Edge measurement


Appendix D.3



















































Modulation	be EHT20	Test Freq. (MHz)	5240						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5140.20	49.24	54.00	-4.76	48.85	0.39	Average	146	241
2	5356.80	47.23	54.00	-6.77	47.41	-0.18	Average	146	241





Band Edge measurement


Appendix D.3
























Band Edge measurement

Appendix D.3











Band Edge measurement

Appendix D.3












Band Edge measurement


Appendix D.3






Band Edge measurement

Appendix D.3


Modulation	be EHT20	Test Freq. (MHz)	5500						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5455.44	44.88	54.00	-9.12	44.76	0.12	Average	110	245





Band Edge measurement


Appendix D.3

Modulation	be EHT20	Test Freq. (MHz)	5500						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5411.07	44.53	54.00	-9.47	44.57	-0.04	Average	141	28




Band Edge measurement

Appendix D.3


Modulation	be EHT20	Test Freq. (MHz)	5580						
Polarization	Horizontal-Peak Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5452.25	56.92	74.00	-17.08	56.81	0.11	Peak	145	249
2	5468.22	56.55	68.20	-11.65	56.40	0.15	Peak	145	249
3	5747.61	57.61	68.20	-10.59	56.97	0.64	Peak	145	249



Modulation	be EHT20	Test Freq. (MHz)	5580						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5452.60	44.73	54.00	-9.27	44.61	0.12	Average	145	249





Modulation	be EHT20	Test Freq. (MHz)	5580						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5454.02	44.14	54.00	-9.86	44.02	0.12	Average	129	26



Band Edge measurement

Appendix D.3

Modulation	be EHT20	Test Freq. (MHz)	5700
Polarization	Horizontal-Peak Value		

Test By :Brad Wu

Temperature(°C):23

Humidity(%):66

Level (dBuV/m)

Frequency (MHz)

Limit 1~2-PK


	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5413.91	58.04	74.00	-15.96	58.07	-0.03	Peak	133	180
2	5466.45	56.79	68.20	-11.41	56.65	0.14	Peak	133	180
3	5725.24	67.88	68.20	-0.32	67.25	0.63	Peak	133	180



Band Edge measurement

Appendix D.3

Modulation	be EHT20	Test Freq. (MHz)	5700						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5412.49	46.67	54.00	-7.33	46.70	-0.03	Average	133	180





Band Edge measurement


Appendix D.3

Modulation	be EHT20	Test Freq. (MHz)	5700						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5420.65	47.19	54.00	-6.81	47.20	-0.01	Average	125	22




Band Edge measurement

Appendix D.3






Modulation	be EHT20	Test Freq. (MHz)	5720						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	level				reading			High	Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5425.19	47.19	54.00	-6.81	47.18	0.01	Average	124	178





Band Edge measurement


Appendix D.3








Modulation	be EHT20	Test Freq. (MHz)	5720						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5428.62	45.35	54.00	-8.65	45.33	0.02	Average	158	2





















Modulation	be EHT40	Test Freq. (MHz)	5190						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m) UNII 1-2-AV Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.50	53.70	54.00	-0.30	53.29	0.41	Average	157	239
2	5396.70	45.34	54.00	-8.66	45.44	-0.10	Average	157	239




Band Edge measurement


Appendix D.3












Modulation	be EHT40	Test Freq. (MHz)	5230						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5145.30	53.62	54.00	-0.38	53.22	0.40	Average	146	242
2	5360.10	48.87	54.00	-5.13	49.04	-0.17	Average	146	242











Modulation	be EHT40	Test Freq. (MHz)	5270						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m) Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5139.90	45.13	54.00	-8.87	44.74	0.39	Average	148	286
2	5365.50	46.09	54.00	-7.91	46.25	-0.16	Average	148	286



Band Edge measurement

Appendix D.3











Band Edge measurement

Appendix D.3














Band Edge measurement

Appendix D.3






Modulation	be EHT40	Test Freq. (MHz)	5510						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBUV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBUV/m	dBUV/m	dB	dBUV	dB/m		cm	deg
1	5458.64	49.03	54.00	-4.97	48.90	0.13	Average	157	286






Band Edge measurement


Appendix D.3

Modulation	be EHT40	Test Freq. (MHz)	5510						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBUV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBUV/m	Limit dBUV/m	Margin dB	SA reading dBUV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5459.70	47.10	54.00	-6.90	46.97	0.13	Average	143	28






Modulation	be EHT40	Test Freq. (MHz)	5550						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBUV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBUV/m	dBUV/m	dB	dBUV	dB/m		cm	deg
1	5445.86	44.86	54.00	-9.14	44.77	0.09	Average	158	286





Modulation	be EHT40	Test Freq. (MHz)	5550						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5441.95	44.09	54.00	-9.91	44.01	0.08	Average	129	31



Band Edge measurement


Appendix D.3

Modulation	be EHT40	Test Freq. (MHz)	5590
Polarization	Horizontal-Peak Value		

Test By :Brad Wu

Temperature(°C):24

Humidity(%):63



Level (dBuV/m)

Frequency (MHz)

UNII 1~2-PK

	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5452.25	57.57	74.00	-16.43	57.46	0.11	Peak	165	314
2	5461.48	57.29	68.20	-10.91	57.16	0.13	Peak	165	314
3	5733.76	57.57	68.20	-10.63	56.94	0.63	Peak	165	314




Modulation	be EHT40	Test Freq. (MHz)	5590						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m) Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5446.57	46.46	54.00	-7.54	46.36	0.10	Average	165	314




Band Edge measurement

Appendix D.3






Modulation	be EHT40	Test Freq. (MHz)	5590						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5442.31	43.86	54.00	-10.14	43.78	0.08	Average	130	27




Band Edge measurement

Appendix D.3






Modulation	be EHT40	Test Freq. (MHz)	5670						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5459.70	46.23	54.00	-7.77	46.10	0.13	Average	161	314



Band Edge measurement

Appendix D.3







Band Edge measurement

Appendix D.3

Modulation	be EHT40	Test Freq. (MHz)	5670						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m) Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5419.23	44.14	54.00	-9.86	44.15	-0.01	Average	130	23






Modulation	be EHT40	Test Freq. (MHz)	5710						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	level				reading			High	Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5430.58	47.89	54.00	-6.11	47.85	0.04	Average	157	315




Band Edge measurement


Appendix D.3







Modulation	be EHT40	Test Freq. (MHz)	5710						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):24 Humidity(%):63									
Level (dBuV/m) Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5428.62	44.85	54.00	-9.15	44.83	0.02	Average	124	25
















Modulation	be EHT80	Test Freq. (MHz)	5210																																														
Polarization	Horizontal-Peak Value																																																
Test By :Brad Wu Temperature(°C):25 Humidity(%):62																																																	
The spectrum plot displays the signal level in dBuV/m across a frequency range from 5100 to 5400 MHz. The signal is relatively flat around 60 dBuV/m outside the 5170-5250 MHz range. Within this range, the signal rises to a plateau between 100 and 110 dBuV/m. Two specific peaks are identified and labeled with vertical blue lines and numbers: Peak 1 at 5145.30 MHz and Peak 2 at 5381.10 MHz. A red horizontal line at approximately 74 dBuV/m is labeled 'UNII 1-2-PK'.																																																	
	<table><tr><th>Freq.</th><th>Emission</th><th>Limit</th><th>Margin</th><th>SA</th><th>Factor</th><th>Remark</th><th>ANT</th><th>Turn</th></tr><tr><td></td><td>level</td><td></td><td></td><td>reading</td><td></td><td></td><td>High</td><td>Table</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5145.30</td><td>67.35</td><td>74.00</td><td>-6.65</td><td>66.95</td><td>0.40</td><td>Peak</td><td>112</td></tr><tr><td>2</td><td>5381.10</td><td>57.61</td><td>74.00</td><td>-16.39</td><td>57.74</td><td>-0.13</td><td>Peak</td><td>112</td></tr></table>	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn		level			reading			High	Table		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	cm	deg	1	5145.30	67.35	74.00	-6.65	66.95	0.40	Peak	112	2	5381.10	57.61	74.00	-16.39	57.74	-0.13	Peak	112			
Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn																																									
	level			reading			High	Table																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	cm	deg																																									
1	5145.30	67.35	74.00	-6.65	66.95	0.40	Peak	112																																									
2	5381.10	57.61	74.00	-16.39	57.74	-0.13	Peak	112																																									


























Modulation	be EHT80	Test Freq. (MHz)	5530						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5458.99	51.86	54.00	-2.14	51.73	0.13	Average	132	242






Modulation	be EHT80	Test Freq. (MHz)	5530						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5456.15	51.96	54.00	-2.04	51.84	0.12	Average	142	25






Modulation	be EHT80	Test Freq. (MHz)	5610						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5425.98	44.87	54.00	-9.13	44.86	0.01	Average	133	281






Modulation	be EHT80	Test Freq. (MHz)	5610																				
Polarization	Vertical -Average Value																						
Test By :Brad Wu Temperature(°C):23 Humidity(%):66																							
Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Freq. MHz</th><th>Emission level dBuV/m</th><th>Limit dBuV/m</th><th>Margin dB</th><th>SA reading dBuV</th><th>Factor dB/m</th><th>Remark</th><th>ANT High cm</th><th>Turn Table deg</th></tr></thead><tbody><tr><td>1</td><td>5435.97</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>43.27</td><td>0.05</td><td>Average</td><td>128</td><td>26</td></tr></tbody></table>					Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg	1	5435.97	43.32	54.00	-10.68	43.27	0.05	Average	128	26
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg														
1	5435.97	43.32	54.00	-10.68	43.27	0.05	Average	128	26														



Band Edge measurement

Appendix D.3






Modulation	be EHT80	Test Freq. (MHz)	5690						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5418.82	45.50	54.00	-8.50	45.51	-0.01	Average	137	284





Band Edge measurement


Appendix D.3







Modulation	be EHT80	Test Freq. (MHz)	5690						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):23 Humidity(%):66									
Level (dBuV/m)  Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5417.84	44.06	54.00	-9.94	44.08	-0.02	Average	130	24












Modulation	be EHT160	Test Freq. (MHz)	5250						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):62									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5146.20	53.58	54.00	-0.42	53.18	0.40	Average	146	287
2	5368.20	49.88	54.00	-4.12	50.02	-0.14	Average	146	287










Modulation	be EHT160	Test Freq. (MHz)	5570						
Polarization	Horizontal-Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):62									
Level (dBuV/m) Frequency (MHz)									
	Freq.	Emission	Limit	Margin	SA	Factor	Remark	ANT	Turn
	MHz	level			reading			High	Table
		dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	5446.92	51.65	54.00	-2.35	51.55	0.10	Average	102	246




Band Edge measurement

Appendix D.3





Modulation	be EHT160	Test Freq. (MHz)	5570						
Polarization	Vertical -Average Value								
Test By :Brad Wu Temperature(°C):25 Humidity(%):62									
Level (dBuV/m)  Frequency (MHz)									
	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5448.34	51.44	54.00	-2.56	51.34	0.10	Average	121	25



Frequency: 5300 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°C Vmax	0.57	0.19	1.00	0.27
T20°C Vmin	0.75	0.68	1.32	0.99
T40°C Vnom	-2.26	-2.27	-1.74	-1.74
T30°C Vnom	-1.70	-1.91	-1.48	-1.87
T20°C Vnom	0.94	1.08	1.27	1.05
T10°C Vnom	1.32	0.88	1.10	1.45
T0°C Vnom	1.51	1.15	1.38	1.58
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 5785 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°C Vmax	0.52	0.85	0.23	0.59
T20°C Vmin	0.69	0.83	1.38	0.57
T40°C Vnom	-2.07	-1.74	-2.00	-1.71
T30°C Vnom	-1.56	-1.40	-1.70	-1.87
T20°C Vnom	0.86	0.60	0.91	1.27
T10°C Vnom	1.21	1.56	1.88	1.66
T0°C Vnom	1.38	1.70	1.89	1.39
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	




Modulation Mode	be EHT40	Test Freq. (MHz)	5230
Power Phase	Line		

Test by : Joe Liao

Temperature: 26°C

Humidity: 64%



	Freq	Level	Limit	Over	Read	Factor	Cable	Aux	Remark
	MHz	dBuV	Line	Limit	Level	dB	loss	dB	
			dBuV	dB	dBuV		dB		
1	0.189	38.29	54.06	-15.77	28.32	9.64	0.08	0.25	Average
2*	0.189	49.32	64.06	-14.74	39.35	9.64	0.08	0.25	QP
3	0.255	31.74	51.60	-19.86	21.74	9.64	0.08	0.28	Average
4	0.255	43.47	61.60	-18.13	33.47	9.64	0.08	0.28	QP
5	0.647	22.23	46.00	-23.77	12.12	9.65	0.10	0.36	Average
6	0.647	31.65	56.00	-24.35	21.54	9.65	0.10	0.36	QP
7	2.487	30.89	46.00	-15.11	20.59	9.66	0.19	0.45	Average
8	2.487	38.39	56.00	-17.61	28.09	9.66	0.19	0.45	QP
9	4.384	26.79	46.00	-19.21	16.41	9.67	0.23	0.48	Average
10	4.384	34.19	56.00	-21.81	23.81	9.67	0.23	0.48	QP
11	10.452	25.03	50.00	-24.97	14.50	9.72	0.31	0.50	Average
12	10.452	31.58	60.00	-28.42	21.05	9.72	0.31	0.50	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).




Modulation Mode	be EHT40	Test Freq. (MHz)	5230
Power Phase	Neutral		

Test by : Joe Liao

Temperature: 26°C

Humidity: 64%



	Freq MHz	Level dBUV	Limit Line dBUV	Over Limit dB	Read Level dBUV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.183	35.10	54.33	-19.23	25.20	9.64	0.08	0.18	Average
2*	0.183	50.53	64.33	-13.80	40.63	9.64	0.08	0.18	QP
3	0.315	31.20	49.84	-18.64	21.24	9.63	0.09	0.24	Average
4	0.315	41.76	59.84	-18.08	31.80	9.63	0.09	0.24	QP
5	0.630	27.43	46.00	-18.57	17.41	9.63	0.09	0.30	Average
6	0.630	34.71	56.00	-21.29	24.69	9.63	0.09	0.30	QP
7	2.261	30.01	46.00	-15.99	19.75	9.65	0.18	0.43	Average
8	2.261	36.88	56.00	-19.12	26.62	9.65	0.18	0.43	QP
9	7.486	28.06	50.00	-21.94	17.57	9.70	0.27	0.52	Average
10	7.486	34.85	60.00	-25.15	24.36	9.70	0.27	0.52	QP
11	14.213	28.74	50.00	-21.26	17.99	9.76	0.42	0.57	Average
12	14.213	34.42	60.00	-25.58	23.67	9.76	0.42	0.57	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).




Modulation Mode	11a	Test Freq. (MHz)	5745
Power Phase	Line		

Test by : Joe Liao

Temperature: 26°C

Humidity: 64%



	Freq	Level	Limit	Over	Read	Factor	Cable	Aux	
	MHz	dBuV	Line	Limit	Level		loss		Remark
			dBuV	dB	dBuV	dB	dB	dB	
1	0.189	37.35	54.06	-16.71	27.38	9.64	0.08	0.25	Average
2	0.189	49.32	64.06	-14.74	39.35	9.64	0.08	0.25	QP
3	0.246	32.86	51.91	-19.05	22.86	9.64	0.08	0.28	Average
4	0.246	44.69	61.91	-17.22	34.69	9.64	0.08	0.28	QP
5	0.634	25.41	46.00	-20.59	15.32	9.64	0.09	0.36	Average
6	0.634	33.42	56.00	-22.58	23.33	9.64	0.09	0.36	QP
7*	2.461	31.94	46.00	-14.06	21.64	9.66	0.19	0.45	Average
8	2.461	38.54	56.00	-17.46	28.24	9.66	0.19	0.45	QP
9	4.672	29.22	46.00	-16.78	18.83	9.68	0.23	0.48	Average
10	4.672	35.05	56.00	-20.95	24.66	9.68	0.23	0.48	QP
11	7.290	29.30	50.00	-20.70	18.84	9.70	0.27	0.49	Average
12	7.290	34.71	60.00	-25.29	24.25	9.70	0.27	0.49	QP

Note 1: Level (dBUV) = Read Level (dBUV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBUV) - Limit Line (dBUV).




Modulation Mode	11a	Test Freq. (MHz)	5745
Power Phase	Neutral		

Test by : Joe Liao

Temperature: 26°C

Humidity: 64%



	Freq MHz	Level dBuV	Limit Line dBuV	Over Limit dB	Read Level dBuV	Factor dB	Cable loss dB	Aux dB	Remark
1	0.186	36.42	54.20	-17.78	26.51	9.64	0.08	0.19	Average
2*	0.186	50.32	64.20	-13.88	40.41	9.64	0.08	0.19	QP
3	0.252	34.29	51.69	-17.40	24.35	9.64	0.08	0.22	Average
4	0.252	43.65	61.69	-18.04	33.71	9.64	0.08	0.22	QP
5	0.428	28.67	47.29	-18.62	18.68	9.63	0.09	0.27	Average
6	0.428	37.93	57.29	-19.36	27.94	9.63	0.09	0.27	QP
7	2.273	30.36	46.00	-15.64	20.10	9.65	0.18	0.43	Average
8	2.273	37.80	56.00	-18.20	27.54	9.65	0.18	0.43	QP
9	4.622	28.18	46.00	-17.82	17.80	9.67	0.23	0.48	Average
10	4.622	34.08	56.00	-21.92	23.70	9.67	0.23	0.48	QP
11	10.288	27.63	50.00	-22.37	17.06	9.72	0.31	0.54	Average
12	10.288	34.44	60.00	-25.56	23.87	9.72	0.31	0.54	QP

Note 1: Level (dBuV) = Read Level (dBuV) + LISN Factor (dB) + Cable Loss (dB) + Aux (dB).

2: Over Limit (dB) = Level (dBuV) – Limit Line (dBuV).