


EX3510-B1  
AX5700 WiFi6 Gigabit Ethernet Gateway

Package Contents



Quick Start Guide

A member of the Zyxel MPro Mesh solution family.  
MPro Mesh Solution:


- EX5510-B0
- EX3510-B1
- WX3310-B1
- MPro Mesh App

Visit [www.zyxel.com/us/en](http://www.zyxel.com/us/en) for updated information.

**US Importer**  
Zyxel Communications, Inc  
1130 North Miller Street Anaheim, CA 92806-2001  
<https://www.zyxel.com/us/en/>  
Copyright © 2022 Zyxel Communications Corp. All Rights Reserved.

Step 1 Hardware Installation

- 1 Use the included blue cable to connect the xDSL/cable/fiber modem’s LAN port to the EX3510-B1’s WAN port as illustrated.
- 3 The **Power** /**Internet** /**WAN** /**2.4G** /**5G** LEDs will light up green as below when the setup is complete.  
Note: If the lights do not turn on green, please retry ① ② ③ or contact your service provider for assistance.




|  |                 |                                                                                                                                                                             |
|--|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <b>POWER</b>    | <b>Green</b><br><b>On</b> - Power is on.<br><b>Blinking</b> - Starting up.                                                                                                  |
|  | <b>INTERNET</b> | <b>Green</b><br><b>On</b> - Internet is ready.<br><b>Blinking</b> - Transmitting/receiving internet data.<br><b>Red</b><br><b>On</b> - Attempt to get an IP address failed. |
|  | <b>WAN</b>      | <b>Green</b><br><b>On</b> - Link up.<br><b>Off</b> - Link down.                                                                                                             |
|  | <b>LAN</b>      | <b>Green</b><br><b>On</b> - Link up.<br><b>Off</b> - Link down.                                                                                                             |
|  | <b>USB</b>      | <b>Green</b><br><b>On</b> - Link up.<br><b>Off</b> - Link down.                                                                                                             |
|  | <b>2.4G</b>     | <b>Green</b><br><b>On</b> - 2.4GHz WiFi is ready.<br><b>Blinking</b> - Transmitting/receiving data.                                                                         |
|  | <b>5G</b>       | <b>Green</b><br><b>On</b> - 5GHz WiFi is ready.<br><b>Blinking</b> - Transmitting/receiving data.                                                                           |

Step 2 WiFi Connection A or B

The label on the side of the EX3510 provides 2 ways to connect your wireless device to WiFi:  
Method A: Scan QR code or Method B: Using SSID


Method A: SCAN QR code to connect WiFi

- 1 Check the QR code on the EX3510’s side label, and use your wireless device to scan this QR code.
- 2 After scanning the QR code, join this SSID and you can surf the internet.



B. Using the SSID method to connect WiFi

- 1 The WiFi SSID is on the EX3510-B1’s side label.
- 2 On your wireless device, find this SSID and enter the WiFi Password on your wireless clients and you can surf the internet.




Step 3 App Management

1 After successfully surfing the internet, please download the MPro Mesh app to your wireless device to manage your MPro Mesh.



2 Open this app and enter the EX3510-B1's serial number. The serial number is on the bottom label as below.




3 Use this app to enjoy the following features:

- Remote Management
- View Home Devices
- Guest Wi-Fi
- Manage Home Wi-Fi Name
- Internet Instant Block
- Add Mesh Extender
- Push Notification

Adding a Wireless Extender

**WPS button:** If you have a wireless extender you want to add to your EX3510-B1's WiFi network, press the EX3510-B1 button once, and press the WPS button on your extender within 120 seconds to start the WPS process.



Regulatory Notice and Statement

UNITED STATES of AMERICA



The following information applies if you use the device within the USA.

FCC EMC Statement

- The device complies with Part 15 of FCC rules. Operation is subject to the following two conditions:
  - (1) This device may not cause harmful interference, and
  - (2) This device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the device.
- This device has been tested and complies with the specifications for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses, and can radiate radio frequency energy and, if not installed and used according to the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.
- If this device does cause harmful interference to radio or television reception, which is found by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
  - Reorient or relocate the receiving antenna
  - Increase the separation between the devices
  - Connect the equipment to an outlet other than the receiver's
  - Consult a dealer or an experienced radio/TV technician for assistance

The following information applies if you use the device with RF function within the USA.

FCC Radiation Exposure Statement

- This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.
- This transmitter must be at least 46 cm from the user and must not be co-located or operating in conjunction with any other antenna or transmitter.

Safety Warnings

- DO NOT use this product near water, for example, in a wet basement or near a swimming pool.
- DO NOT expose your device to dampness, dust or corrosive liquids.
- DO NOT store things on the device.
- DO NOT install, use, or service this device during a thunderstorm. There is a remote risk of electric shock from lightning.
- Connect ONLY suitable accessories to the device.
- DO NOT open the device or unit. Opening or removing covers can expose you to dangerous high voltage points or other risks.
- ONLY qualified service personnel should service or disassemble this device. Please contact your vendor for further information.
- Make sure to connect the cables to the correct ports.
- Place connecting cables carefully so that no one will step on them or stumble over them.
- Always disconnect all cables from this device before servicing or disassembling.
- Please use the provided or designated connection cables/power cables/ adaptors. Connect it to the right supply voltage (for example, 110V AC in North America or 230V AC in Europe). If the power adaptor or cord is damaged, it might cause electrocution. Remove it from the device and the power source, repairing the power adaptor or cord is prohibited. Contact your local vendor to order a new one.
- DO NOT remove the plug and connect it to a power outlet by itself; always attach the plug to the power adaptor first before connecting it to a power outlet.
- DO NOT allow anything to rest on the power adaptor or cord and do NOT place the product where anyone can walk on the power adaptor or cord.
- DO NOT use the device outside, and make sure all the connections are indoors. There is a remote risk of electric shock from lightning.
- CAUTION: Risk of explosion if battery (on the motherboard) is replaced by an incorrect type. Dispose of used batteries according to the instructions. Dispose of them at the applicable collection point for the recycling of electrical and electronic equipment. For detailed information about recycling of this product, please contact your local city office, your household waste disposal service or the store where you purchased the product.
- DO NOT obstruct the device ventilation slots, as insufficient airflow may harm your device. For example, do not place the device in an enclosed space such as a box or on a very soft surface such as a bed or sofa.
- The following warning statements apply, where the disconnect device is not incorporated in the equipment or where the plug on the power supply cord is intended to serve as the disconnect device,
  - for permanently connected devices, a readily accessible disconnect device shall be incorporated external to the equipment;
  - for pluggable devices, the socket-outlet shall be installed near the equipment and shall be easily accessible.
- Caution! The RJ-45 jacks are not used for telephone line connection.

- Operation of this device is restricted to indoor use only, except for relevant user's manual mention that this device can be installed into the external environment.
- For 2.4G WLAN, only channels 1 – 11 are operational. Selection of other channels is NOT possible.

CANADA

The following information applies if you use the device within Canada.

Innovation, Science and Economic Development Canada ICES Statement  
CAN ICES-003 (B)/NMB-003(B)

Innovation, Science and Economic Development Canada RSS-GEN & RSS-247 Statement

- This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.
- L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage; (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.
- This radio transmitter (2468C-EX3510B1) has been approved by Innovation, Science and Economic Development Canada to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list that have a gain greater than the maximum gain indicated for any type listed, are strictly prohibited for use with this device.
- Le présent émetteur radio (2468C-EX3510B1) a été approuvé par l'Innovation, Sciences et Développement économique Canada pour fonctionner avec les types d'antenne énumérés ci-dessous et ayant un gain admissible maximal. Les types d'antenne non inclus dans cette liste, et dont le gain est supérieur au gain maximal indiqué pour tout type figurant sur la liste, sont strictement interdits pour l'exploitation de l'émetteur.
- For 2.4G WLAN, only channels 1 – 11 are operational. Selection of other channels is NOT possible.

Antenna Information

| NO.       | MODEL NAME     | TYPE | MANUFACTURER | GAIN                                                                               | CONNECTOR |
|-----------|----------------|------|--------------|------------------------------------------------------------------------------------|-----------|
| 2.4G-ANT0 | 65-034-000142B | PCB  | WHAYU        | 3.64 dBi (2400 MHz)                                                                | N/A       |
| 2.4G-ANT1 | 65-034-000192B |      |              | 3.76 dBi (2450 MHz)                                                                |           |
| 2.4G-ANT2 | 65-034-000141B |      |              | 3.35 dBi (2483.5 MHz)                                                              |           |
| 5G-ANT0   | 65-034-000147B | PCB  | WHAYU        | 4.22 dBi (UNII 1)<br>4.47 dBi (UNII 2A)<br>4.36 dBi (UNII 2C)<br>5.32 dBi (UNII 3) | I-PEX     |
| 5G-ANT1   | 65-034-000195B |      |              |                                                                                    |           |
| 5G-ANT2   | 65-034-000194B |      |              |                                                                                    |           |
| 5G-ANT3   | 65-034-000193B |      |              |                                                                                    |           |

- If the device has 5G wireless function operating in the 5150-5250 MHz and 5725-5850 MHz bands, the following attention must be paid,
- The device operating in the 5150-5250 MHz band is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.
  - For devices with detachable antenna(s), the maximum antenna gain permitted for devices in the 5725-5850 MHz band shall be such that the equipment still complies with the e. i.r.p. limits as appropriate; and
  - Where applicable, antenna type(s), antenna model(s), and the worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in Section 6.2.2.3 of RSS 247 shall be clearly indicated.
- If the device has 5G wireless function operating in the 5250-5350 MHz and 5470-5725 MHz bands, the following attention must be paid.
- For devices with detachable antenna(s), the maximum antenna gain permitted for devices in the 5250-5350 MHz and 5470-5725 MHz bands shall be such that the equipment still complies with the e.i.r.p. limit.

Informations Antenne

| NUMÉRO    | NOM DU MODÈLE  | TAPER | FABRICANTE | GAIN                                                                               | CONNECTEUR |
|-----------|----------------|-------|------------|------------------------------------------------------------------------------------|------------|
| 2.4G-ANT0 | 65-034-000142B | PCB   | WHAYU      | 3.64 dBi (2400 MHz)                                                                | N/A        |
| 2.4G-ANT1 | 65-034-000192B |       |            | 3.76 dBi (2450 MHz)                                                                |            |
| 2.4G-ANT2 | 65-034-000141B |       |            | 3.35 dBi (2483.5 MHz)                                                              |            |
| 5G-ANT0   | 65-034-000147B | PCB   | WHAYU      | 4.22 dBi (UNII 1)<br>4.47 dBi (UNII 2A)<br>4.36 dBi (UNII 2C)<br>5.32 dBi (UNII 3) | I-PEX      |
| 5G-ANT1   | 65-034-000195B |       |            |                                                                                    |            |
| 5G-ANT2   | 65-034-000194B |       |            |                                                                                    |            |
| 5G-ANT3   | 65-034-000193B |       |            |                                                                                    |            |

- Lorsque la fonction sans fil 5G fonctionnant en 5150-5250 MHz and 5725-5850 MHz est activée pour ce produit , il est nécessaire de porter une attention particulière aux choses suivantes
- Les dispositifs fonctionnant dans la bande de 5 150 à 5 250 MHz so nt réservés uniquement pour une utilisation à l'intérieur af in de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
  - Pour les dispositifs munis d'antennes amovibles, le gain maxima l d'antenne permis (pour les dispositifs utilisant la bande de 5 725 à 5 850 MHz) doit être conforme à la limite de la p.i.r.e. spécifiée, selon le cas;
  - Lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'an tenne et les pires angles d'inc linaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3 du CNR-247, doi vent être clairement indiqués.
- Lorsque la fonction sans fil 5G fonctionnant en 5250-5350 MHz et 5470-5725 MHz est activée pour ce produit , il est nécessaire de porter une attention particulière aux choses suivantes.
- Pour les dispositifs munis d’antennes amovibles, le gain maxima l d'antenne permis pour les dispositifs utilisant les bandes de 5 250 à 5 350 MHz et de 5 470 à 5 725 MHz doit être conforme à la limite de la p.i.r.e.

Industry Canada radiation exposure statement

This device complies with ISED radiation exposure limits set forth for an uncontrolled environment. This device should be installed and operated with a minimum distance of 27 cm between the radiator and your body.

Déclaration d’exposition aux radiations:

Cet équipement est conforme aux limites d’exposition aux rayonnements ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 27 cm de distance entre la source de rayonnement et votre corps.