

樣品承認書

SAMPLE APPROVED DATA

客戶

Customer

SamZuk

日期

Date

2026.04.22

品名

Description

BU 214 Antenna spring

材質

Material

Brass

料號

Drawing No

0.7*16Tmm

版次 1

Editions1

(01)

確認

Affirm

創興龙五金塑胶製品有限公司

C.X.L HARDWARE SPRING PRODUCE CO.,LTD

Address: Third Industrial Zone, Daxin Group,
Chenjiang Town, Huizhou City

Phone : 0752-3132303

Fax : 0752-3132302

ANTENNA SPECIFICATION

目录 (Directory)

产品承认书Product Recognition Letter	1
1. 项目信息 Project Information.....	4
1.1. 外观尺寸 Appearance and Dimensions	4
2. 电气性能 Electrical Characteristics	5
2.1. 测试环境条件 Test Environment Conditions.....	5
2.2. 测试方法 Measurement method	5
2.2.1. 天线电压驻波比 Antenna VSWR.....	5
2.2.2. 天线回波损耗 Antenna Return loss	6
2.3. 天线无源测试数据 Antenna passive test data.....	6
2.3.1. 测试系统 Test system	6
2.3.2 天线效率及增益 Antenna efficiency and gain.....	7
2.3.3. 天线辐射方向图 Antenna Radiation Pattern	8

ANTENNA SPECIFICATION


Revision history

Version	Date	Remarks
A1	2026-04-28	First version

ANTENNA SPECIFICATION

1. 项目信息 Project Information

1.1.外观尺寸 Appearance and Dimensions




ANTENNA SPECIFICATION

2. 电气性能 Electrical Characteristics


2.1.测试环境条件 Test Environment Conditions

温度 Temperature	Ordinary Temperature (5 to 35℃)
湿度 Humidity	Ordinary Humidity (25 to 85% RH)

2.2.测试方法 Measurement method




2.2.1. 天线电压驻波比 Antenna VSWR




ANTENNA SPECIFICATION

2.2.2. 天线回波损耗 Antenna Return loss



2.3. 天线无源测试数据 Antenna passive test data

2.3.1. 测试系统 Test system



ANTENNA SPECIFICATION

2.3.2 天线效率及增益 Antenna efficiency and gain

Frequency (MHz)	Gain (dBi)	Efficiency (%)
462.5500 MHz	-4.10	55.32
462.6125 MHz	-4.03	57.71
462.7125 MHz	-4.07	61.33

ANTENNA SPECIFICATION

2.3.3. 天线辐射方向图 Antenna Radiation Pattern

