

ELITE ELECTRONIC ENGINEERING CO

MR 17.55 GHz
-46.70 dBm

hp

REF 7.0 dBm


ATTEN 20 dB + 20 dB EXT

10 dB/

OFFSET
-10.0
dB

DL
-33.0
dBm

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 ANTENNA CONDUCTED EMISSIONS
MODE : NADC @ 1900MHz
NOTES : FULL OUTPUT (15dB GAIN)



STOP 20.0 GHz
SWP 450 msec

VBW 3 MHz

START 2.0 GHz
RES BW 1 MHz

2


MANUFACTURER	:	TRL TECHNOLOGY
MODEL	:	SYN8486A
SERIAL No.	:	NONE ASSIGNED
TEST PERFORMED	:	FCC-24 ANTENNA
MODE	:	NADC @ 1900MHz
NOTES	:	INPUT

SERIAL NO.	:	NONE ASSIGNED	CONDUCTED EMISSIONS
TEST PERFORMED:	:	FCC-24 ANTENNA	
MODE	:	NADC @ 1980MHz	
NOTES	:	INPUT	

D. CROWDER
14 Mar 2008
18:33:28

START 30 MHz	STOP 1.000 GHz
RES BW 100 kHz	SUP 291 msec
	UBW 300 kHz

ELITE ELECTRONIC ENGINEERING CO



ELITE ELECTRONIC ENGINEERING CO

