

ELITE ELECTRONIC ENGINEERING CO


MRK 1.869 970 0 GHz
-24.90 dBm

hp

REF 18.0 dBm ATTN 30 dB +40dB EXT

10 dB/


MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
MODE : FM @ 1869.97MHz
NOTES : FULL OUTPUT (15dB GAIN)



CENTER 1.869 970 GHz RES BW 300 Hz SPAN 150 kHz SWP 4.50 sec

ELITE ELECTRONIC ENGINEERING CO

hp REF 18.0 dBm ATTN 30 dB + 40dB EXT. MKR 1.870 030 0 GHz -24.90 dBm



CENTER 1.870 030 GHz RES BW 300 Hz SPAN 150 kHz SWP 4.50 sec

ELITE ELECTRONIC ENGINEERING CO

MRK 1.889 970 2 GHz
-24.90 dBm

hp

REF 18.0 dBm

ATTEN 30 dB + 40 dB SAT

10 dB/

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
MODE : FM @ 1889.97MHz
NOTES : FULL OUTPUT (15dB GAIN)

D. CROWDER
13 Mar 2008
13:34:03

DL
-12.0
dBm

30 kHz

25 kHz

40 dBc

CENTER 1.889 970 GHz
RES BW 300 Hz

UBW 1 kHz

SPAN 150 kHz
SWP 4.50 sec

ELITE ELECTRONIC ENGINEERING CO

MRK 1.890 030 0 GHz
-24.90 dBm

ATTEN 30 dB + 40dB EXT

REF 18.0 dBm

hp

10 dB/

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
MODE : FM @ 1890.03MHz
NOTES : FULL OUTPUT (15dB GAIN)

D. CROWDER
13 Mar 2000
13:36:05

DL -12.0
dBm

30kHz

40dB

75kHz

CENTER 1.890 030 GHz
RES BW 300 Hz

VBW 1 kHz

SWP 4.50 sec

SPAN 150 kHz