

ELITE ELECTRONIC ENGINEERING CO

MKR 1.909 970 0 GHz
-26.90 dBm

REF 18.0 dBm ATTN 30 dB + 40dB EXT.

hp

10 dB/

MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
 MODE : FM @ 1909.97MHz
 NOTES : FULL OUTPUT (15dB GAIN)

D. CROUDER
13 Mar 2008
13:37:59DL
-12.0
dBm

30kHz

25kHz

40dBc

Page 31 of 41

CENTER 1.909 970 GHz
RES BW 300 Hz

UBW 1 kHz


SPAN 150 kHz
SWP 4.50 sec

ELITE ELECTRONIC ENGINEERING CO

hP REF 17.0 dBm MKR 1.850 030 0 GHz
-27.40 dBm

ATTEN 30 dB + 40 dB EXT

MANUFACTURER : TRL TECHNOLOGY
MODEL : SYN8486A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-24 OCCUPIED BANDWIDTH
MODE : CW US. NADC
NOTES : FULL OUTPUT (15dB GAIN)



D. CROWDER
14 Mar 2008
09:21:18

SPAN 150 kHz
SWP 4.50 sec

UBW 1 kHz

Hz

CENTER 1.850 030 GHz
RES BW 300 Hz


ELITE ELECTRONIC ENGINEERING CO

hp REF 17.0 dBm ATTN 30 dB + 20 dB EXT. MKR 1.850 030 0 GHz -22.80 dBm

MANUFACTURER : TRL TECHNOLOGY
 MODEL : SYN8486A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED: FCC-24 OCCUPIED BANDWIDTH
 MODE : NADC @ 1850.03MHz
 NOTES : INPUT

D. CROWDER
 14 Mar 2000
 09:44:10

DL -13.0 dBm



CENTER 1.850 030 GHz RES BW 300 Hz VBW 1 kHz SPAN 150 kHz SWP 4.50 sec

ELITE ELECTRONIC ENGINEERING CO

