

ELITE ELECTRONIC ENGINEERING CO

MKR 1.918 GHz
-55.50 dBm

hp

REF 10.0 dBm

ATTEN 10 dB + 30 dB EXT

10 dB/

OFFSET

10.0

dB

DL

-44.0

dBm

MANUFACTURER : TRL TECHNOLOGIES

MODEL : SYN8015A

SERIAL No. : NONE ASSIGNED

TEST PERFORMED: FCC-22 ANTENNA CONDUCTED EMISSIONS

MODE : TDMA @ 836.5MHz (31.2dBm OUTPUT)

NOTES : OUTPUT

D. CROWDER
28 Jun 1999
15:55:50

-13dBm

START 1.00 GHz

RES BW 1 MHz (i)

UBW 3 MHz


STOP 2.00 GHz

SWP 25.0 msec


ELITE ELECTRONIC ENGINEERING CO

hp	REF 0.0 dBm	ATTEN 10 dB + 30 dB Ext	MR 9.248 GHz -63.60 dBm
10 dB/	MANUFACTURER : IRL TECHNOLOGIES MODEL : SYN8015A SERIAL No. : NONE ASSIGNED TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS MODE : TDMA @ 836.5MHz (31.2dBm OUTPUT) NOTES : OUTPUT		
OFFSET 10.0 dB	D. CROUDER 28 Jun 1999 15:54:55		
DL -44.0 dBm	-130dBm		
START 2.00 GHz RES BW 1 MHz(1) STOP 10.00 GHz SWP 200 msec UBW 3 MHz			

ELITE ELECTRONIC ENGINEERING CO



ELITE ELECTRONIC ENGINEERING CO



ELITE ELECTRONIC ENGINEERING CO

MKR 1.406 GHz
-56.20 dBm

hp

REF 0.0 dBm

ATTEN 10 dB + 30 dB EXT.

10 dB/

OFFSET

10.0

dB

MANUFACTURER : TRL TECHNOLOGIES

MODEL : SYN8815A

SERIAL No. : NONE ASSIGNED

TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS

MODE : TDMA @ 836.5MHz (31.2dBm OUTPUT)

NOTES : INPUT

D. CROWDER
29 Jun 1999
07:47:52

[Handwritten signature across the grid]

START 1.00 GHz

RES BW 1 MHz (i)

UBW 3 MHz

STOP 2.00 GHz

SWP 25.0 msec

ELITE ELECTRONIC ENGINEERING CO

MKR 6.544 GHz
-72.30 dBm

hp

REF -10.0 dBm ATTEN 0 dB + 30 dB EXT

10 dB/

OFFSET

10.0

dB

MANUFACTURER : TRL TECHNOLOGIES

MODEL : SYN8015A

SERIAL No. : NONE ASSIGNED

TEST PERFORMED : FCC-22 ANTENNA CONDUCTED EMISSIONS

MODE : TDMA @ 836.5MHz (31.2dBm OUTPUT)

NOTES : INPUT

D. CROWDER
29 Jun 1999
07:47:10


START 2.00 GHz

RES BW 1 MHz (i)

UBW 3 MHz

STOP 10.00 GHz
SWP 200 msec

ELITE ELECTRONIC ENGINEERING CO



ELITE ELECTRONIC ENGINEERING CO

MKR 836.24 MHz
-8.40 dBm

REF 19.5 dBm ATTN 10 dB + 30 dB SXT

hp

10 dB/

OFFSET
30.0
dB

MANUFACTURER : TRL TECHNOLOGIES
 MODEL : SYN8015A
 SERIAL No. : NONE ASSIGNED
 TEST PERFORMED: FCC-22 ANTENNA CONDUCTED EMISSIONS
 MODE : CDMA @ 836.5MHz (29.5dBm OUTPUT)
 NOTES : OUTPUT

D. CROWDER
28 Jun 1999
15:47:26DL
-44.0
dBm