


ELITE ELECTRONIC ENGINEERING CO

MKR 836.495 0 MHz
-25.00 dBm


CENTER 836.500 MHz
RES BW 300 Hz(i)
SPAN 200 kHz
SWP 15.0 sec
UBW 3 kHz

ELITE ELECTRONIC ENGINEERING CO

MKR 836.500 0 MHz
1.30 dBm

REF 21.4 dBm ATTN 10 dB + 30dB EXT.

hp 10 dB/
OFFSET
30.0
dB




SPAN 200 kHz
SWP 15.0 sec


UBW 3 kHz

CENTER 836.500 MHz
RES BW 300 Hz (1)

ELITE ELECTRONIC ENGINEERING CO



ELITE ELECTRONIC ENGINEERING CO



ELITE ELECTRONIC ENGINEERING CO

MKR 836.495 MHz
-0.80 dBm

ATTEN 10 dB + 30dB EXT.

REF 19.1 dBm

hp

10 dB/


OFFSET

20.0

dB

MANUFACTURER : TRL TECHNOLOGIES
MODEL : SYN8015A
SERIAL No. : NONE ASSIGNED
TEST PERFORMED : FCC-22 OCCUPIED BANDWIDTH
MODE : CW US: CDMA
NOTES : OUTPUT

D. CROWDER
* 28 Jun 1999
13:09:40



SPAN 5.00 MHz
SWP 37.5 msec

VBW 300 kHz

CENTER 836.50 MHz
RES BW 30 kHz (i)

ELITE ELECTRONIC ENGINEERING CO

