

















WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Partial 52/37 CH01 5955MHz																																																																								
1+2	Vertical	Fundamental																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Power setting : 27 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.20</td><td>56.27</td><td>-32.03</td><td>88.30</td><td>41.64</td><td>35.88</td><td>12.29</td><td>33.54</td><td>140</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	5900.20	56.27	-32.03	88.30	41.64	35.88	12.29	33.54	140	23	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Power setting : 27 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5950.00</td><td>95.53</td><td>7.23</td><td>88.30</td><td>80.99</td><td>35.86</td><td>12.34</td><td>33.66</td><td>140</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5950.00</td><td>87.86</td><td>19.55</td><td>68.30</td><td>73.31</td><td>35.86</td><td>12.34</td><td>33.66</td><td>140</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	5950.00	95.53	7.23	88.30	80.99	35.86	12.34	33.66	140	23	Peak	VERTICAL	2	5950.00	87.86	19.55	68.30	73.31	35.86	12.34	33.66	140	23	Average	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																	
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	5900.20	56.27	-32.03	88.30	41.64	35.88	12.29	33.54	140	23	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	5950.00	95.53	7.23	88.30	80.99	35.86	12.34	33.66	140	23	Peak	VERTICAL																																																													
2	5950.00	87.86	19.55	68.30	73.31	35.86	12.34	33.66	140	23	Average	VERTICAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Power setting : 27 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5885.16</td><td>45.79</td><td>-22.51</td><td>68.30</td><td>31.06</td><td>35.90</td><td>12.26</td><td>33.43</td><td>140</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	5885.16	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	140	23	Average	VERTICAL	Left blank																																										
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	5885.16	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	140	23	Average	VERTICAL																																																													








U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																																
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz																																																																																																																
1+2	Horizontal	Fundamental																																																																																																															
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RBM 1000.000kHz VSW 3000.000kHz SWT Auto Project : (FR)192317 Mode : 1a Plane : Y Full-directivity IMEI : #17 Power setting : S.S Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5919.72</td><td>57.46</td><td>-30.84</td><td>88.30</td><td>42.81</td><td>35.88</td><td>12.31</td><td>33.54</td><td>100</td><td>347 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL RBM 1000.000kHz VSW 3000.000kHz SWT Auto Project : (FR)192317 Mode : 1a Plane : Y Full-directivity IMEI : #17 Power setting : S.S Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 5950.00</td><td>101.12</td><td>12.82</td><td>88.30</td><td>86.58</td><td>35.86</td><td>12.34</td><td>33.66</td><td>100</td><td>347 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 5950.00</td><td>92.20</td><td>23.90</td><td>68.30</td><td>77.66</td><td>35.86</td><td>12.34</td><td>33.66</td><td>100</td><td>347 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5919.72	57.46	-30.84	88.30	42.81	35.88	12.31	33.54	100	347 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5950.00	101.12	12.82	88.30	86.58	35.86	12.34	33.66	100	347 Peak	HORIZONTAL	2 * 5950.00	92.20	23.90	68.30	77.66	35.86	12.34	33.66	100	347 Average	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL RBM 1000.000kHz VSW 0.010kHz SWT Auto Project : (FR)192317 Mode : 1a Plane : Y Full-directivity IMEI : #17 Power setting : S.S Adapter:4USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 5865.00</td><td>45.76</td><td>-22.54</td><td>68.30</td><td>31.03</td><td>35.90</td><td>12.26</td><td>33.43</td><td>100</td><td>347 Average</td><td>HORIZONTAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5865.00	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	100	347 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5919.72	57.46	-30.84	88.30	42.81	35.88	12.31	33.54	100	347 Peak	HORIZONTAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 * 5950.00	101.12	12.82	88.30	86.58	35.86	12.34	33.66	100	347 Peak	HORIZONTAL																																																																																																							
2 * 5950.00	92.20	23.90	68.30	77.66	35.86	12.34	33.66	100	347 Average	HORIZONTAL																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																									
1 5865.00	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	100	347 Average	HORIZONTAL																																																																																																							






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																																																											
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz																																																																																																																																											
1+2	Vertical	Fundamental																																																																																																																																										
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5899.72</td><td>56.40</td><td>-31.90</td><td>88.30</td><td>41.77</td><td>35.88</td><td>12.29</td><td>33.54</td><td>166</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5950.00</td><td>95.96</td><td>-7.66</td><td>88.30</td><td>81.42</td><td>35.86</td><td>12.34</td><td>33.66</td><td>166</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5950.00</td><td>88.46</td><td>-20.30</td><td>68.30</td><td>14.56</td><td>35.86</td><td>12.34</td><td>33.66</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table> <tr><td rowspan="2">Avg.</td><td>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table> </td></tr>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5899.72	56.40	-31.90	88.30	41.77	35.88	12.29	33.54	166	23	Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5950.00	95.96	-7.66	88.30	81.42	35.86	12.34	33.66	166	23	Peak	VERTICAL	2	5950.00	88.46	-20.30	68.30	14.56	35.86	12.34	33.66	166	23	Average	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																			
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																					
1	5899.72	56.40	-31.90	88.30	41.77	35.88	12.29	33.54	166	23	Peak	VERTICAL																																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																					
1	5950.00	95.96	-7.66	88.30	81.42	35.86	12.34	33.66	166	23	Peak	VERTICAL																																																																																																																																
2	5950.00	88.46	-20.30	68.30	14.56	35.86	12.34	33.66	166	23	Average	VERTICAL																																																																																																																																
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.01000KHz SRT-Auto Bode : (FSS)192317 Plane : 16 Full-directivity : Full-directivity IMEI : 812 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.00</td><td>45.71</td><td>-22.59</td><td>68.30</td><td>30.98</td><td>35.90</td><td>12.26</td><td>33.42</td><td>166</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg		1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL																																																																													
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																			
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																					
1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL																																																																																																																																
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																																																																																					
1	5885.00	45.71	-22.59	68.30	30.98	35.90	12.26	33.42	166	23	Average	VERTICAL																																																																																																																																






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																												
ANT	802.11ax HE40 Full H03 5965MHz																																																																																																												
1+2	Vertical	Fundamental																																																																																																											
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5)192317 Plane : Y Polar : Full-directivity Polarization : H PowerSetting : 12 Adaptor2:USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.44</td><td>56.83</td><td>-31.47</td><td>88.30</td><td>42.14</td><td>35.87</td><td>12.25</td><td>33.43</td><td>142</td><td>19</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5)192317 Plane : Y Polar : Full-directivity Polarization : H PowerSetting : 12 Adaptor2:USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5959.00</td><td>98.92</td><td>10.62</td><td>88.30</td><td>84.38</td><td>35.85</td><td>12.25</td><td>33.46</td><td>142</td><td>19</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5959.00</td><td>90.24</td><td>21.94</td><td>68.30</td><td>75.70</td><td>35.85</td><td>12.25</td><td>33.46</td><td>142</td><td>19</td><td>Average</td><td>VERTICAL</td></tr></table> <tr><td>Avg.</td><td>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5)192317 Plane : Y Polar : Full-directivity Polarization : H PowerSetting : 12 Adaptor2:USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5858.46</td><td>46.03</td><td>-22.27</td><td>68.30</td><td>31.30</td><td>35.90</td><td>12.26</td><td>33.43</td><td>142</td><td>19</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank </td></tr>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	5852.44	56.83	-31.47	88.30	42.14	35.87	12.25	33.43	142	19	Peak	VERTICAL	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	5959.00	98.92	10.62	88.30	84.38	35.85	12.25	33.46	142	19	Peak	VERTICAL	2	5959.00	90.24	21.94	68.30	75.70	35.85	12.25	33.46	142	19	Average	VERTICAL	Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5)192317 Plane : Y Polar : Full-directivity Polarization : H PowerSetting : 12 Adaptor2:USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5858.46</td><td>46.03</td><td>-22.27</td><td>68.30</td><td>31.30</td><td>35.90</td><td>12.26</td><td>33.43</td><td>142</td><td>19</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	5858.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19	Average	VERTICAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																					
1	5852.44	56.83	-31.47	88.30	42.14	35.87	12.25	33.43	142	19	Peak	VERTICAL																																																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																					
1	5959.00	98.92	10.62	88.30	84.38	35.85	12.25	33.46	142	19	Peak	VERTICAL																																																																																																	
2	5959.00	90.24	21.94	68.30	75.70	35.85	12.25	33.46	142	19	Average	VERTICAL																																																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 5825 5850 5870 5890 5910 5930 5950 5965 Frequency (MHz) Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5)192317 Plane : Y Polar : Full-directivity Polarization : H PowerSetting : 12 Adaptor2:USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5858.46</td><td>46.03</td><td>-22.27</td><td>68.30</td><td>31.30</td><td>35.90</td><td>12.26</td><td>33.43</td><td>142</td><td>19</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg	1	5858.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19	Average	VERTICAL																																																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	deg																																																																																																					
1	5858.46	46.03	-22.27	68.30	31.30	35.90	12.26	33.43	142	19	Average	VERTICAL																																																																																																	

U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)




WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE40 Partial 242/61 H03 5965MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : 20 Plane : 0 Full-directivity IMEI : #17 Power setting : 8.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5881.00</td><td>57.15</td><td>-31.15</td><td>88.30</td><td>42.47</td><td>35.89</td><td>12.28</td><td>33.49</td><td>100</td><td>350 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5881.00	57.15	-31.15	88.30	42.47	35.89	12.28	33.49	100	350 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : 20 Plane : 0 Full-directivity IMEI : #17 Power setting : 8.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 5959.00</td><td>99.05</td><td>10.75</td><td>88.30</td><td>84.51</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>350 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 5959.00</td><td>91.42</td><td>23.12</td><td>68.30</td><td>76.88</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>350 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 5959.00	99.05	10.75	88.30	84.51	35.85	12.35	33.66	100	350 Peak	HORIZONTAL	2 * 5959.00	91.42	23.12	68.30	76.88	35.85	12.35	33.66	100	350 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5881.00	57.15	-31.15	88.30	42.47	35.89	12.28	33.49	100	350 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 5959.00	99.05	10.75	88.30	84.51	35.85	12.35	33.66	100	350 Peak	HORIZONTAL																																																																					
2 * 5959.00	91.42	23.12	68.30	76.88	35.85	12.35	33.66	100	350 Average	HORIZONTAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-0.0100Hz SRT-Auto Mode : 20 Plane : 0 Full-directivity IMEI : #17 Power setting : 8.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5865.16</td><td>45.80</td><td>-22.50</td><td>68.30</td><td>31.07</td><td>35.90</td><td>12.26</td><td>33.43</td><td>100</td><td>350 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5865.16	45.80	-22.50	68.30	31.07	35.90	12.26	33.43	100	350 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5865.16	45.80	-22.50	68.30	31.07	35.90	12.26	33.43	100	350 Average	HORIZONTAL																																																																					






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Partial 242/61 H03 5965MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Polar : Full-directivity IMEI : 812 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5874.76</td><td>57.09</td><td>-31.21</td><td>88.30</td><td>42.41</td><td>35.89</td><td>12.28</td><td>33.49</td><td>203</td><td>24</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1	5874.76	57.09	-31.21	88.30	42.41	35.89	12.28	33.49	203	24	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Polar : Full-directivity IMEI : 812 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5959.00</td><td>95.52</td><td>-7.22</td><td>88.30</td><td>80.98</td><td>35.85</td><td>12.35</td><td>33.66</td><td>203</td><td>24</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5959.00</td><td>95.52</td><td>-7.22</td><td>88.30</td><td>80.98</td><td>35.85</td><td>12.35</td><td>33.66</td><td>203</td><td>24</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1	5959.00	95.52	-7.22	88.30	80.98	35.85	12.35	33.66	203	24	Peak	VERTICAL	2	5959.00	95.52	-7.22	88.30	80.98	35.85	12.35	33.66	203	24	Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																						
1	5874.76	57.09	-31.21	88.30	42.41	35.89	12.28	33.49	203	24	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																						
1	5959.00	95.52	-7.22	88.30	80.98	35.85	12.35	33.66	203	24	Peak	VERTICAL																																																																	
2	5959.00	95.52	-7.22	88.30	80.98	35.85	12.35	33.66	203	24	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Polar : Full-directivity IMEI : 812 Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5885.16</td><td>45.78</td><td>-22.52</td><td>68.30</td><td>31.05</td><td>35.90</td><td>12.26</td><td>33.43</td><td>203</td><td>24</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg		1	5885.16	45.78	-22.52	68.30	31.05	35.90	12.26	33.43	203	24	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dB	dB	cm	deg																																																																						
1	5885.16	45.78	-22.52	68.30	31.05	35.90	12.26	33.43	203	24	Average	VERTICAL																																																																	



U-NII 5 - 5925-6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																		
ANT	802.11ax HE80 Full CH07 5985MHz																																																		
1+2	Horizontal	Fundamental																																																	
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto : 23 : Full-directivity : #17 : 14 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm dB cm deg <table><tr><td>1</td><td>5985.00</td><td>57.53</td><td>-30.77</td><td>88.30</td><td>42.90</td><td>35.88</td><td>12.29</td><td>33.54</td><td>133</td><td>9 Peak</td><td>HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto : 23 : Full-directivity : #17 : 14 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm dB cm deg <table><tr><td>1</td><td>5986.00</td><td>100.28</td><td>11.99</td><td>88.30</td><td>85.78</td><td>35.84</td><td>12.37</td><td>33.71</td><td>133</td><td>9 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5986.00</td><td>91.68</td><td>23.38</td><td>68.30</td><td>77.18</td><td>35.84</td><td>12.37</td><td>33.71</td><td>133</td><td>9 Average</td><td>HORIZONTAL</td></tr></table>	1	5985.00	57.53	-30.77	88.30	42.90	35.88	12.29	33.54	133	9 Peak	HORIZONTAL	1	5986.00	100.28	11.99	88.30	85.78	35.84	12.37	33.71	133	9 Peak	HORIZONTAL	2	5986.00	91.68	23.38	68.30	77.18	35.84	12.37	33.71	133	9 Average	HORIZONTAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Power setting : 032005-KS : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto : 23 : Full-directivity : #17 : 14 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas Freq Level Limit Line Level Factor Loss Factor dBm dB cm deg <table><tr><td>1</td><td>5924.96</td><td>47.38</td><td>-20.92</td><td>68.30</td><td>32.79</td><td>35.87</td><td>12.32</td><td>33.60</td><td>133</td><td>9 Average</td><td>HORIZONTAL</td></tr></table> Left blank	1	5924.96	47.38	-20.92	68.30	32.79	35.87	12.32	33.60	133	9 Average	HORIZONTAL
	1	5985.00	57.53	-30.77	88.30	42.90	35.88	12.29	33.54	133	9 Peak	HORIZONTAL																																							
1	5986.00	100.28	11.99	88.30	85.78	35.84	12.37	33.71	133	9 Peak	HORIZONTAL																																								
2	5986.00	91.68	23.38	68.30	77.18	35.84	12.37	33.71	133	9 Average	HORIZONTAL																																								
1	5924.96	47.38	-20.92	68.30	32.79	35.87	12.32	33.60	133	9 Average	HORIZONTAL																																								






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																													
ANT	802.11ax HE80 Full CH07 5985MHz																																																																													
1+2	Vertical	Fundamental																																																																												
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Polar : Full-directivity IMEI : #1 PowerSetting : 14 Adaptor:2458B 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5860.98</td><td>56.66</td><td>-31.64</td><td>88.30</td><td>41.93</td><td>35.90</td><td>12.26</td><td>33.43</td><td>122</td><td>13 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg			1	5860.98	56.66	-31.64	88.30	41.93	35.90	12.26	33.43	122	13 Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Polar : Full-directivity IMEI : #1 PowerSetting : 14 Adaptor:2458B 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5985.00</td><td>97.53</td><td>9.23</td><td>88.30</td><td>83.03</td><td>35.83</td><td>12.38</td><td>33.71</td><td>122</td><td>13 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5995.00</td><td>89.50</td><td>21.20</td><td>68.30</td><td>75.00</td><td>35.83</td><td>12.38</td><td>33.71</td><td>122</td><td>13 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg			1	5985.00	97.53	9.23	88.30	83.03	35.83	12.38	33.71	122	13 Peak	VERTICAL	2	5995.00	89.50	21.20	68.30	75.00	35.83	12.38	33.71	122	13 Average	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																							
1	5860.98	56.66	-31.64	88.30	41.93	35.90	12.26	33.43	122	13 Peak	VERTICAL																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																							
1	5985.00	97.53	9.23	88.30	83.03	35.83	12.38	33.71	122	13 Peak	VERTICAL																																																																			
2	5995.00	89.50	21.20	68.30	75.00	35.83	12.38	33.71	122	13 Average	VERTICAL																																																																			
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Polar : Full-directivity IMEI : #1 PowerSetting : 14 Adaptor:2458B 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5917.82</td><td>46.25</td><td>-22.05</td><td>68.30</td><td>31.60</td><td>35.88</td><td>12.31</td><td>33.54</td><td>122</td><td>13 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg			1	5917.82	46.25	-22.05	68.30	31.60	35.88	12.31	33.54	122	13 Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																							
1	5917.82	46.25	-22.05	68.30	31.60	35.88	12.31	33.54	122	13 Average	VERTICAL																																																																			




U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Mode : 24 Plane : 7 Full-directivity IMEI : 817 Power setting : 8 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5986.04</td><td>56.91</td><td>-31.29</td><td>88.30</td><td>42.28</td><td>35.88</td><td>12.29</td><td>33.54</td><td>100</td><td>351 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5986.04	56.91	-31.29	88.30	42.28	35.88	12.29	33.54	100	351 Peak	HORIZONTAL	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Mode : 24 Plane : 7 Full-directivity IMEI : 817 Power setting : 8 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5989.00</td><td>96.54</td><td>8.24</td><td>88.30</td><td>82.00</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>351 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>5989.00</td><td>88.42</td><td>20.12</td><td>68.30</td><td>73.88</td><td>35.85</td><td>12.35</td><td>33.66</td><td>100</td><td>351 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5989.00	96.54	8.24	88.30	82.00	35.85	12.35	33.66	100	351 Peak	HORIZONTAL	2	5989.00	88.42	20.12	68.30	73.88	35.85	12.35	33.66	100	351 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5986.04	56.91	-31.29	88.30	42.28	35.88	12.29	33.54	100	351 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5989.00	96.54	8.24	88.30	82.00	35.85	12.35	33.66	100	351 Peak	HORIZONTAL																																																																							
2	5989.00	88.42	20.12	68.30	73.88	35.85	12.35	33.66	100	351 Average	HORIZONTAL																																																																							
Avg.	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 0.0100Hz SWT Auto Mode : 24 Plane : 7 Full-directivity IMEI : 817 Power setting : 8 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5986.80</td><td>45.79</td><td>-22.51</td><td>68.30</td><td>31.06</td><td>35.90</td><td>12.26</td><td>33.43</td><td>100</td><td>351 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5986.80	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	100	351 Average	HORIZONTAL	Left blank																																														
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5986.80	45.79	-22.51	68.30	31.06	35.90	12.26	33.43	100	351 Average	HORIZONTAL																																																																							






WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																								
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz																																																																																								
1+2	Vertical	Fundamental																																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 24 Polar : V Full-directivity : Full-directivity Polarization : H Power setting : 8 Adaptor:2458B 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5883.24</td><td>56.28</td><td>-32.02</td><td>88.30</td><td>41.60</td><td>35.89</td><td>12.28</td><td>33.49</td><td>184</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	1	5883.24	56.28	-32.02	88.30	41.60	35.89	12.28	33.49	184	23	Peak	VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 24 Polar : V Full-directivity : Full-directivity Polarization : H Power setting : 8 Adaptor:2458B 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5977.00</td><td>94.21</td><td>5.91</td><td>88.30</td><td>79.71</td><td>35.84</td><td>12.37</td><td>33.71</td><td>184</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>5977.00</td><td>85.03</td><td>17.33</td><td>68.30</td><td>71.13</td><td>35.84</td><td>12.37</td><td>33.71</td><td>184</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	1	5977.00	94.21	5.91	88.30	79.71	35.84	12.37	33.71	184	23	Peak	VERTICAL	2	5977.00	85.03	17.33	68.30	71.13	35.84	12.37	33.71	184	23	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm																																																																																		
1	5883.24	56.28	-32.02	88.30	41.60	35.89	12.28	33.49	184	23	Peak	VERTICAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm																																																																																		
1	5977.00	94.21	5.91	88.30	79.71	35.84	12.37	33.71	184	23	Peak	VERTICAL																																																																													
2	5977.00	85.03	17.33	68.30	71.13	35.84	12.37	33.71	184	23	Average	VERTICAL																																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : 24 Polar : V Full-directivity : Full-directivity Polarization : H Power setting : 8 Adaptor:2458B 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5885.32</td><td>45.76</td><td>-22.54</td><td>68.30</td><td>31.03</td><td>35.90</td><td>12.26</td><td>33.43</td><td>184</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Limit	Line	Level	Factor	Loss	Factor	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm	1	5885.32	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	184	23	Average	VERTICAL	Left blank																																																		
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	cm																																																																																		
1	5885.32	45.76	-22.54	68.30	31.03	35.90	12.26	33.43	184	23	Average	VERTICAL																																																																													




U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Full CH15 6025MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : 27 Plane : Full-directivity IMEI : Full-directivity Power setting : 13 Adapter: 2400B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5874.28</td><td>58.54</td><td>-29.76</td><td>88.30</td><td>43.86</td><td>35.89</td><td>12.28</td><td>33.49</td><td>107</td><td>4 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5874.28	58.54	-29.76	88.30	43.86	35.89	12.28	33.49	107	4 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : 27 Plane : Full-directivity IMEI : Full-directivity Power setting : 13 Adapter: 2400B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 6013.00</td><td>96.52</td><td>8.22</td><td>88.30</td><td>82.06</td><td>35.83</td><td>12.40</td><td>33.77</td><td>107</td><td>4 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 6013.00</td><td>87.94</td><td>19.64</td><td>68.30</td><td>73.48</td><td>35.83</td><td>12.40</td><td>33.77</td><td>107</td><td>4 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 6013.00	96.52	8.22	88.30	82.06	35.83	12.40	33.77	107	4 Peak	HORIZONTAL	2 * 6013.00	87.94	19.64	68.30	73.48	35.83	12.40	33.77	107	4 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5874.28	58.54	-29.76	88.30	43.86	35.89	12.28	33.49	107	4 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 6013.00	96.52	8.22	88.30	82.06	35.83	12.40	33.77	107	4 Peak	HORIZONTAL																																																																					
2 * 6013.00	87.94	19.64	68.30	73.48	35.83	12.40	33.77	107	4 Average	HORIZONTAL																																																																					
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-0.0100Hz SRT-Auto Mode : 27 Plane : Full-directivity IMEI : Full-directivity Power setting : 13 Adapter: 2400B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 5924.82</td><td>47.69</td><td>-20.61</td><td>68.30</td><td>33.10</td><td>35.87</td><td>12.32</td><td>33.60</td><td>107</td><td>4 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 5924.82	47.69	-20.61	68.30	33.10	35.87	12.32	33.60	107	4 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 5924.82	47.69	-20.61	68.30	33.10	35.87	12.32	33.60	107	4 Average	HORIZONTAL																																																																					

U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SWT-Auto Mode : 20 Plane : 7 Full-directivity IMEI : 817 Powersetting : 8.5 Adapter:24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5915.88</td><td>61.74</td><td>-24.56</td><td>88.30</td><td>47.09</td><td>35.88</td><td>12.31</td><td>33.54</td><td>157</td><td>0 Peak</td><td>HOR1ZONT</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5915.88	61.74	-24.56	88.30	47.09	35.88	12.31	33.54	157	0 Peak	HOR1ZONT	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SWT-Auto Mode : 20 Plane : 7 Full-directivity IMEI : 817 Powersetting : 8.5 Adapter:24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6013.00</td><td>94.49</td><td>6.19</td><td>88.30</td><td>80.03</td><td>35.83</td><td>12.40</td><td>33.77</td><td>157</td><td>0 Peak</td><td>HOR1ZONT</td></tr><tr><td>2</td><td>6013.00</td><td>86.24</td><td>17.94</td><td>68.30</td><td>71.78</td><td>35.83</td><td>12.40</td><td>33.77</td><td>157</td><td>0 Average</td><td>HOR1ZONT</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	6013.00	94.49	6.19	88.30	80.03	35.83	12.40	33.77	157	0 Peak	HOR1ZONT	2	6013.00	86.24	17.94	68.30	71.78	35.83	12.40	33.77	157	0 Average	HOR1ZONT
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5915.88	61.74	-24.56	88.30	47.09	35.88	12.31	33.54	157	0 Peak	HOR1ZONT																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	6013.00	94.49	6.19	88.30	80.03	35.83	12.40	33.77	157	0 Peak	HOR1ZONT																																																																							
2	6013.00	86.24	17.94	68.30	71.78	35.83	12.40	33.77	157	0 Average	HOR1ZONT																																																																							
Avg.	 Site : 030605-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SWT-Auto Mode : 20 Plane : 7 Full-directivity IMEI : 817 Powersetting : 8.5 Adapter:24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.20</td><td>46.48</td><td>-21.82</td><td>68.30</td><td>31.89</td><td>35.87</td><td>12.32</td><td>33.60</td><td>157</td><td>0 Average</td><td>HOR1ZONT</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	5924.20	46.48	-21.82	68.30	31.89	35.87	12.32	33.60	157	0 Average	HOR1ZONT	Left blank																																														
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	5924.20	46.48	-21.82	68.30	31.89	35.87	12.32	33.60	157	0 Average	HOR1ZONT																																																																							







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																																
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz																																																																																																
1+2	Vertical	Fundamental																																																																																															
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 0000kHz SRT-Auto Mode : FDS192317 Plane : Y Power : Full-directivity Power setting : #17 IMEI : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.64</td><td>59.81</td><td>-28.49</td><td>88.30</td><td>45.16</td><td>35.88</td><td>12.31</td><td>33.54</td><td>171</td><td>19 Peak</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	cm	deg	1	5905.64	59.81	-28.49	88.30	45.16	35.88	12.31	33.54	171	19 Peak											VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 0000kHz SRT-Auto Mode : FDS192317 Plane : Y Power : Full-directivity Power setting : #17 IMEI : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6022.00</td><td>92.49</td><td>-4.19</td><td>88.30</td><td>78.03</td><td>35.83</td><td>12.40</td><td>33.77</td><td>171</td><td>19 Peak</td></tr><tr><td>2</td><td>6022.00</td><td>84.36</td><td>-10.00</td><td>68.30</td><td>69.84</td><td>35.83</td><td>12.40</td><td>33.77</td><td>171</td><td>19 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	cm	deg	1	6022.00	92.49	-4.19	88.30	78.03	35.83	12.40	33.77	171	19 Peak	2	6022.00	84.36	-10.00	68.30	69.84	35.83	12.40	33.77	171	19 Average											VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	cm	deg																																																																																								
1	5905.64	59.81	-28.49	88.30	45.16	35.88	12.31	33.54	171	19 Peak																																																																																							
										VERTICAL																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																								
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	cm	deg																																																																																								
1	6022.00	92.49	-4.19	88.30	78.03	35.83	12.40	33.77	171	19 Peak																																																																																							
2	6022.00	84.36	-10.00	68.30	69.84	35.83	12.40	33.77	171	19 Average																																																																																							
										VERTICAL																																																																																							
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 0000kHz VBR-3000 0000kHz SRT-Auto Mode : FDS192317 Plane : Y Power : Full-directivity Power setting : #17 IMEI : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5897.64</td><td>45.85</td><td>-22.45</td><td>68.30</td><td>31.22</td><td>35.88</td><td>12.29</td><td>33.54</td><td>171</td><td>19 Average</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	cm	deg	1	5897.64	45.85	-22.45	68.30	31.22	35.88	12.29	33.54	171	19 Average											VERTICAL	Left blank																																																					
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	dB	dB	cm	deg																																																																																								
1	5897.64	45.85	-22.45	68.30	31.22	35.88	12.29	33.54	171	19 Average																																																																																							
										VERTICAL																																																																																							





U-NII 5 - 5925-6425MHzMHz

WIFI 802.11a (Harmonic @ 3m)





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																																																																			
ANT	802.11a CH01 5955MHz																																																																																																																																			
1+2	Horizontal						Vertical																																																																																																																													
Peak Avg.	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR192317 Mode : Y Plane : Full-directivity Ant : #17 Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.38</td><td>44.96</td><td>-29.04</td><td>74.00</td><td>48.25</td><td>38.95</td><td>17.90</td><td>60.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR192317 Mode : Y Plane : Full-directivity Ant : #17 Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.38</td><td>44.96</td><td>-29.04</td><td>74.00</td><td>48.25</td><td>38.95</td><td>17.90</td><td>60.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	11910.38	44.96	-29.04	74.00	48.25	38.95	17.90	60.14	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	11910.38	44.96	-29.04	74.00	48.25	38.95	17.90	60.14	300	0 Peak	HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR192317 Mode : Y Plane : Full-directivity Ant : #17 Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.38</td><td>45.83</td><td>-28.17</td><td>74.00</td><td>49.12</td><td>38.95</td><td>17.90</td><td>60.14</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR192317 Mode : Y Plane : Full-directivity Ant : #17 Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.38</td><td>45.83</td><td>-28.17</td><td>74.00</td><td>49.12</td><td>38.95</td><td>17.90</td><td>60.14</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	11910.38	45.83	-28.17	74.00	49.12	38.95	17.90	60.14	100	360 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	11910.38	45.83	-28.17	74.00	49.12	38.95	17.90	60.14	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																													
1	11910.38	44.96	-29.04	74.00	48.25	38.95	17.90	60.14	300	0 Peak	HORIZONTAL																																																																																																																									
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																													
1	11910.38	44.96	-29.04	74.00	48.25	38.95	17.90	60.14	300	0 Peak	HORIZONTAL																																																																																																																									
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																													
1	11910.38	45.83	-28.17	74.00	49.12	38.95	17.90	60.14	100	360 Peak	VERTICAL																																																																																																																									
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																													
1	11910.38	45.83	-28.17	74.00	49.12	38.95	17.90	60.14	100	360 Peak	VERTICAL																																																																																																																									





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																				
ANT	802.11a CH45 6175 MHz																																																																				
1+2	Horizontal	Vertical																																																																			
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 5 Level (dBuV/m) Frequency (MHz) WIFI 45 PEAK 3m 3117.00218652 HORIZONTAL WIFI 45 PEAK 3m 3117.00218652 VERTICAL Site : 03PH05-KS Condition : WIFI 45 PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 2 Polar : Full-directivity IMEI : 87 Power setting : Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12350.94</td><td>44.80</td><td>-29.20</td><td>74.00</td><td>47.55</td><td>39.26</td><td>18.08</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 6 Level (dBuV/m) Frequency (MHz) WIFI 45 PEAK 3m 3117.00218652 VERTICAL WIFI 45 PEAK 3m 3117.00218652 HORIZONTAL Site : 03PH05-KS Condition : WIFI 45 PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 2 Polar : Full-directivity IMEI : 87 Power setting : Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12350.94</td><td>45.60</td><td>-28.40</td><td>74.00</td><td>48.35</td><td>39.26</td><td>18.08</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	12350.94	44.80	-29.20	74.00	47.55	39.26	18.08	60.09	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	12350.94	45.60	-28.40	74.00	48.35	39.26	18.08	60.09	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	12350.94	44.80	-29.20	74.00	47.55	39.26	18.08	60.09	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	12350.94	45.60	-28.40	74.00	48.35	39.26	18.08	60.09	100	360 Peak	VERTICAL																																																										







U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH01 5955MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1 11910.38</td><td>45.79</td><td>-28.21</td><td>74.00</td><td>49.08</td><td>38.95</td><td>17.90</td><td>60.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg	1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1 11910.38</td><td>45.58</td><td>-28.42</td><td>74.00</td><td>48.87</td><td>38.95</td><td>17.90</td><td>60.14</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg	1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg																																																										
1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg																																																										
1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL																																																										
Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1 11910.38</td><td>45.79</td><td>-28.21</td><td>74.00</td><td>49.08</td><td>38.95</td><td>17.90</td><td>60.14</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg	1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 13 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1 11910.38</td><td>45.58</td><td>-28.42</td><td>74.00</td><td>48.87</td><td>38.95</td><td>17.90</td><td>60.14</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg	1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg																																																										
1 11910.38	45.79	-28.21	74.00	49.08	38.95	17.90	60.14	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phase																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	dB	dB	deg																																																										
1 11910.38	45.58	-28.42	74.00	48.87	38.95	17.90	60.14	100	360 Peak	VERTICAL																																																										







WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																	
ANT	802.11ax HE20 Full CH45 6175MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak Avg.	 Site : 03905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FS) 192317 Plane : Y Full-directivity JME1 : 47 Power setting : 10 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.94</td><td>46.45</td><td>-27.55</td><td>74.00</td><td>49.20</td><td>39.26</td><td>18.08</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FS) 192317 Plane : Y Full-directivity JME1 : 47 Power setting : 10 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.94</td><td>45.65</td><td>-28.35</td><td>74.00</td><td>48.40</td><td>39.26</td><td>18.08</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	12350.94	46.45	-27.55	74.00	49.20	39.26	18.08	60.09	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	12350.94	45.65	-28.35	74.00	48.40	39.26	18.08	60.09	100	360 Peak	VERTICAL	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																									
1	12350.94	46.45	-27.55	74.00	49.20	39.26	18.08	60.09	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																									
1	12350.94	45.65	-28.35	74.00	48.40	39.26	18.08	60.09	100	360 Peak	VERTICAL																																																							



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																																																																				
ANT	802.11ax HE20 Full CH93 6415MHz																																																																																																																																				
1+2	Horizontal	Vertical																																																																																																																																			
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Plane : Full-directivity IME1 : 47 Powersetting : 10 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12831.54</td><td>45.35</td><td>-42.95</td><td>88.30</td><td>47.42</td><td>39.61</td><td>18.42</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Plane : Full-directivity IME1 : 47 Powersetting : 10 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12831.54</td><td>45.35</td><td>-42.95</td><td>88.30</td><td>47.42</td><td>39.61</td><td>18.42</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	12831.54	45.35	-42.95	88.30	47.42	39.61	18.42	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	12831.54	45.35	-42.95	88.30	47.42	39.61	18.42	60.10	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Plane : Full-directivity IME1 : 47 Powersetting : 10 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12831.54</td><td>46.47</td><td>-41.83</td><td>88.30</td><td>48.54</td><td>39.61</td><td>18.42</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : Y Plane : Full-directivity IME1 : 47 Powersetting : 10 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12831.54</td><td>46.47</td><td>-41.83</td><td>88.30</td><td>48.54</td><td>39.61</td><td>18.42</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	12831.54	46.47	-41.83	88.30	48.54	39.61	18.42	60.10	100	360 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	12831.54	46.47	-41.83	88.30	48.54	39.61	18.42	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																													
1	12831.54	45.35	-42.95	88.30	47.42	39.61	18.42	60.10	300	0 Peak	HORIZONTAL																																																																																																																										
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	12831.54	45.35	-42.95	88.30	47.42	39.61	18.42	60.10	300	0 Peak	HORIZONTAL																																																																																																																										
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	12831.54	46.47	-41.83	88.30	48.54	39.61	18.42	60.10	100	360 Peak	VERTICAL																																																																																																																										
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	12831.54	46.47	-41.83	88.30	48.54	39.61	18.42	60.10	100	360 Peak	VERTICAL																																																																																																																										





U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE40 Full CH03 5965MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 19 Plane : Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 11930.41</td><td>45.69</td><td>-28.31</td><td>74.00</td><td>48.95</td><td>38.96</td><td>17.91</td><td>60.13</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 19 Plane : Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 11930.41</td><td>45.69</td><td>-28.31</td><td>74.00</td><td>48.95</td><td>38.96</td><td>17.91</td><td>60.13</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 11930.41	45.69	-28.31	74.00	48.95	38.96	17.91	60.13	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 11930.41	45.69	-28.31	74.00	48.95	38.96	17.91	60.13	300	0 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 19 Plane : Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 11930.41</td><td>46.82</td><td>-27.18</td><td>74.00</td><td>50.08</td><td>38.96</td><td>17.91</td><td>60.13</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model : 19 Plane : Full-directivity MEI : 12 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 11930.41</td><td>46.82</td><td>-27.18</td><td>74.00</td><td>50.08</td><td>38.96</td><td>17.91</td><td>60.13</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 11930.41	46.82	-27.18	74.00	50.08	38.96	17.91	60.13	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 11930.41	46.82	-27.18	74.00	50.08	38.96	17.91	60.13	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 11930.41	45.69	-28.31	74.00	48.95	38.96	17.91	60.13	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 11930.41	45.69	-28.31	74.00	48.95	38.96	17.91	60.13	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 11930.41	46.82	-27.18	74.00	50.08	38.96	17.91	60.13	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 11930.41	46.82	-27.18	74.00	50.08	38.96	17.91	60.13	100	360 Peak	VERTICAL																																																																																																																												



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																							
ANT	802.11ax HE80 Full CH07 5985MHz																																																							
1+2	Horizontal	Vertical																																																						
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sparton.com.cn Data: 5  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Mode : 23 Plane : Y Full-directivity : Y ME1 : 14 Power setting : 14 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10</th><th>dBm/10</th><th>dBm/10</th><th>dBm/10</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11970.46</td><td>45.33</td><td>-28.67</td><td>74.00</td><td>48.51</td><td>38.98</td><td>17.94</td><td>60.10</td><td>300 0 Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10	dBm/10	dBm/10	dBm/10	cm	deg			1 11970.46	45.33	-28.67	74.00	48.51	38.98	17.94	60.10	300 0 Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900958 Fax: +86-512-57900958 http://www.sparton.com.cn Data: 6  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Mode : 23 Plane : X Full-directivity : Y ME1 : 14 Power setting : 14 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10</th><th>dBm/10</th><th>dBm/10</th><th>dBm/10</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11970.46</td><td>45.61</td><td>-28.39</td><td>74.00</td><td>48.79</td><td>38.98</td><td>17.94</td><td>60.10</td><td>100 360 Peak</td></tr></table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10	dBm/10	dBm/10	dBm/10	cm	deg			1 11970.46	45.61	-28.39	74.00	48.79	38.98	17.94	60.10	100 360 Peak
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																															
MHz	dBm/10	dBm/10	dBm/10	dBm/10	cm	deg																																																		
1 11970.46	45.33	-28.67	74.00	48.51	38.98	17.94	60.10	300 0 Peak																																																
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBm/10	dBm/10	dBm/10	dBm/10	cm	deg																																																		
1 11970.46	45.61	-28.39	74.00	48.79	38.98	17.94	60.10	100 360 Peak																																																






WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH39 6145MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 25 Plane : Y Full-directivity : Full-directivity IME1 : 47 Power setting : 14 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/Hz dB dBm/Hz dBm/Hz dBm/Hz dBm/Hz dBm/Hz dBm/Hz 1 12290.86 46.88 -27.12 74.00 49.70 39.21 18.06 60.09 300 0 Peak HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 25 Plane : Y Full-directivity : Full-directivity IME1 : 47 Power setting : 14 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/Hz dB dBm/Hz dBm/Hz dBm/Hz dBm/Hz dBm/Hz dBm/Hz 1 12290.86 46.04 -27.90 74.00 48.86 39.21 18.06 60.09 100 360 Peak VERTICAL



U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site Condition Project Model Plane Full-directivity MEI Power setting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.56</td><td>46.28</td><td>-27.72</td><td>74.00</td><td>49.34</td><td>39.04</td><td>17.98</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site Condition Project Model Plane Full-directivity MEI Power setting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.56</td><td>46.28</td><td>-27.72</td><td>74.00</td><td>49.34</td><td>39.04</td><td>17.98</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak	HORIZONTAL	 Site Condition Project Model Plane Full-directivity MEI Power setting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.56</td><td>45.07</td><td>-28.93</td><td>74.00</td><td>48.13</td><td>39.04</td><td>17.98</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site Condition Project Model Plane Full-directivity MEI Power setting <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poz</th><th>T/Poz</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12050.56</td><td>45.07</td><td>-28.93</td><td>74.00</td><td>48.13</td><td>39.04</td><td>17.98</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12050.56	46.28	-27.72	74.00	49.34	39.04	17.98	60.08	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poz	T/Poz	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 12050.56	45.07	-28.93	74.00	48.13	39.04	17.98	60.08	100	360 Peak	VERTICAL																																																																																																																												



WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																																	
ANT	802.11ax HE160 Full CH47 6185MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 5  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 29 Plane : 7 Full-directivity : 47 Power setting : 13 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12370.96</td><td>45.14</td><td>-28.86</td><td>74.00</td><td>47.86</td><td>39.28</td><td>18.09</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table> <td>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 29 Plane : 7 Full-directivity : 47 Power setting : 13 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12370.96</td><td>44.86</td><td>-29.14</td><td>74.00</td><td>47.58</td><td>39.28</td><td>18.09</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table> </td>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	12370.96	45.14	-28.86	74.00	47.86	39.28	18.09	60.09	300	0 Peak	HORIZONTAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 6  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 29 Plane : 7 Full-directivity : 47 Power setting : 13 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>12370.96</td><td>44.86</td><td>-29.14</td><td>74.00</td><td>47.58</td><td>39.28</td><td>18.09</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	12370.96	44.86	-29.14	74.00	47.58	39.28	18.09	60.09	100	360 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	12370.96	45.14	-28.86	74.00	47.86	39.28	18.09	60.09	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	12370.96	44.86	-29.14	74.00	47.58	39.28	18.09	60.09	100	360 Peak	VERTICAL																																																							





WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m																																																															
ANT	802.11ax HE160 Full CH79 6345MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : Y Polar : Full-directivity JME1 : 47 Power setting : 13 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12691.36</td><td>46.26</td><td>-27.74</td><td>74.00</td><td>48.54</td><td>39.51</td><td>18.30</td><td>60.09</td><td>300</td><td>0 Peak</td></tr></table> Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : Y Polar : Full-directivity JME1 : 47 Power setting : 13 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12691.36</td><td>46.59</td><td>-27.41</td><td>74.00</td><td>48.87</td><td>39.51</td><td>18.30</td><td>60.09</td><td>100</td><td>360 Peak</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg	1	12691.36	46.26	-27.74	74.00	48.54	39.51	18.30	60.09	300	0 Peak	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg	1	12691.36	46.59	-27.41	74.00	48.87	39.51	18.30	60.09	100	360 Peak	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																							
1	12691.36	46.26	-27.74	74.00	48.54	39.51	18.30	60.09	300	0 Peak																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																							
1	12691.36	46.59	-27.41	74.00	48.87	39.51	18.30	60.09	100	360 Peak																																																						





U-NII 6 - 6425-6525MHzMHz

WIFI 802.11a (Harmonic @ 3m)



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																							
ANT	802.11a CH97 6435MHz																																																																							
1+2	Horizontal						Vertical																																																																	
Peak Avg.	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR192317 Mode : d Plane : Y Full-directivity Ant : #1 Power setting : 0.5 Adapter2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12871.58</td><td>46.19</td><td>-42.11</td><td>88.30</td><td>48.20</td><td>39.64</td><td>18.45</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	12871.58	46.19	-42.11	88.30	48.20	39.64	18.45	60.10	300	0 Peak	HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto FR192317 Mode : d Plane : Y Full-directivity Ant : #1 Power setting : 0.5 Adapter2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12871.58</td><td>45.92</td><td>-42.38</td><td>88.30</td><td>47.93</td><td>39.64</td><td>18.45</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>						Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg		1	12871.58	45.92	-42.38	88.30	47.93	39.64	18.45	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	12871.58	46.19	-42.11	88.30	48.20	39.64	18.45	60.10	300	0 Peak	HORIZONTAL																																																													
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																	
1	12871.58	45.92	-42.38	88.30	47.93	39.64	18.45	60.10	100	360 Peak	VERTICAL																																																													





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																					
ANT	802.11a CH105 6475MHz																																																																					
1+2	Horizontal	Vertical																																																																				
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 5 Polar : Y Full-directivity : Full-directivity IMEI : 872 Power setting : V 0 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12951.69</td><td>46.01</td><td>-42.29</td><td>88.30</td><td>47.89</td><td>39.70</td><td>18.52</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 5 Polar : Y Full-directivity : Full-directivity IMEI : 872 Power setting : V 0 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>12951.69</td><td>45.94</td><td>-42.36</td><td>88.30</td><td>47.82</td><td>39.70</td><td>18.52</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	12951.69	45.94	-42.36	88.30	47.82	39.70	18.52	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																														
1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																														
1	12951.69	45.94	-42.36	88.30	47.82	39.70	18.52	60.10	100	360 Peak	VERTICAL																																																											





U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH97 6435MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 31 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12871.58</td><td>45.60</td><td>-42.70</td><td>88.30</td><td>47.61</td><td>39.64</td><td>18.45</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 12871.58	45.60	-42.70	88.30	47.61	39.64	18.45	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 31 Plane: 1 Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12871.58</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.92</td><td>39.64</td><td>18.45</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 12871.58	45.91	-42.39	88.30	47.92	39.64	18.45	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1 12871.58	45.60	-42.70	88.30	47.61	39.64	18.45	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1 12871.58	45.91	-42.39	88.30	47.92	39.64	18.45	60.10	100	360 Peak	VERTICAL																																																										





WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																
ANT	802.11ax HE20 Full CH105 6475MHz																																																																
1+2	Horizontal	Vertical																																																															
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR192317 Plane : 32 Polar : 47 Full-directivity Power setting : 10 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12951.69</td><td>46.01</td><td>-42.29</td><td>88.30</td><td>47.89</td><td>39.70</td><td>18.52</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR192317 Plane : 32 Polar : 47 Full-directivity Power setting : 10 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Poi/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12951.69</td><td>46.32</td><td>-41.99</td><td>88.30</td><td>48.20</td><td>39.70</td><td>18.52</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	12951.69	46.32	-41.99	88.30	48.20	39.70	18.52	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																								
1	12951.69	46.01	-42.29	88.30	47.89	39.70	18.52	60.10	300	0 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																								
1	12951.69	46.32	-41.99	88.30	48.20	39.70	18.52	60.10	100	360 Peak	VERTICAL																																																						



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																															
ANT	802.11ax HE20 Full CH113 6515MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900098 http://www.sporton.com.cn SPORTON LAB. Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR192317 Plane : 33 Y : 7 Full-directivity : 47 IME1 : 10 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13031.79</td><td>46.22</td><td>-42.08</td><td>88.30</td><td>47.97</td><td>39.76</td><td>18.59</td><td>60.10</td><td>300 0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	13031.79	46.22	-42.08	88.30	47.97	39.76	18.59	60.10	300 0 Peak	HORIZONTAL	 No. 1098 Pengzi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900098 http://www.sporton.com.cn SPORTON LAB. Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FR192317 Plane : 33 Y : 7 Full-directivity : 47 IME1 : 10 Powersetting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13031.79</td><td>46.49</td><td>-41.81</td><td>88.30</td><td>48.24</td><td>39.76</td><td>18.59</td><td>60.10</td><td>100 360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	13031.79	46.49	-41.81	88.30	48.24	39.76	18.59	60.10	100 360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																							
1	13031.79	46.22	-42.08	88.30	47.97	39.76	18.59	60.10	300 0 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																							
1	13031.79	46.49	-41.81	88.30	48.24	39.76	18.59	60.10	100 360 Peak	VERTICAL																																																						



U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE40 Full CH99 6445 MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 34 Plane: 1 Full-directivity MEI: 12.5 Power setting: 12.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12891.61</td><td>46.49</td><td>-41.81</td><td>88.30</td><td>48.46</td><td>39.66</td><td>18.47</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg			1 12891.61	46.49	-41.81	88.30	48.46	39.66	18.47	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 34 Plane: 1 Full-directivity MEI: 12.5 Power setting: 12.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBμV/m</th><th>dB</th><th>dBμV/m</th><th>dBμV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12891.61</td><td>46.39</td><td>-41.91</td><td>88.30</td><td>48.36</td><td>39.66</td><td>18.47</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg			1 12891.61	46.39	-41.91	88.30	48.36	39.66	18.47	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg																																																												
1 12891.61	46.49	-41.81	88.30	48.46	39.66	18.47	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBμV/m	dB	dBμV/m	dBμV	dB	dB	cm	deg																																																												
1 12891.61	46.39	-41.91	88.30	48.36	39.66	18.47	60.10	100	360 Peak	VERTICAL																																																										



WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																																																																																				
ANT	802.11ax HE40 Full CH107 6485 MHz																																																																																																																																				
1+2	Horizontal	Vertical																																																																																																																																			
Peak Avg.	Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00718662 HORIZONTAL RSM: 1000, 0000kHz VBR: 3000, 0000kHz SMT: Auto Project : FRS192317 Mode : 35 Plane : Y Full-directivity IMEI : #17 Powersetting : 12.5 Adaptor24USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12971.71</td><td>46.34</td><td>-41.96</td><td>88.30</td><td>48.20</td><td>39.71</td><td>18.53</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table> Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00718662 VERTICAL RSM: 1000, 0000kHz VBR: 3000, 0000kHz SMT: Auto Project : FRS192317 Mode : 35 Plane : Y Full-directivity IMEI : #17 Powersetting : 12.5 Adaptor24USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12971.71</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.77</td><td>39.71</td><td>18.53</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table> Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00718662 VERTICAL RSM: 1000, 0000kHz VBR: 3000, 0000kHz SMT: Auto Project : FRS192317 Mode : 35 Plane : Y Full-directivity IMEI : #17 Powersetting : 12.5 Adaptor24USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12971.71</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.77</td><td>39.71</td><td>18.53</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table> Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117 00718662 VERTICAL RSM: 1000, 0000kHz VBR: 3000, 0000kHz SMT: Auto Project : FRS192317 Mode : 35 Plane : Y Full-directivity IMEI : #17 Powersetting : 12.5 Adaptor24USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 12971.71</td><td>45.91</td><td>-42.39</td><td>88.30</td><td>47.77</td><td>39.71</td><td>18.53</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12971.71	46.34	-41.96	88.30	48.20	39.71	18.53	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL	Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																													
1 12971.71	46.34	-41.96	88.30	48.20	39.71	18.53	60.10	300	0 Peak	HORIZONTAL																																																																																																																											
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																													
1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL																																																																																																																											
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																													
1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL																																																																																																																											
Freq	Level	Limit	Line	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																													
1 12971.71	45.91	-42.39	88.30	47.77	39.71	18.53	60.10	100	360 Peak	VERTICAL																																																																																																																											







U-NII 6 - 6425-6525MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 - 6425-6525MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH103 6465MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-2000 0000Hz DRT-Auto Project: (FR) 192317 Mode: 3a Plane: Y Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12931.66</td><td>46.31</td><td>-41.99</td><td>88.30</td><td>48.22</td><td>39.69</td><td>18.50</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 12931.66	46.31	-41.99	88.30	48.22	39.69	18.50	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-2000 0000Hz DRT-Auto Project: (FR) 192317 Mode: 3a Plane: X Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12931.66</td><td>46.23</td><td>-42.07</td><td>88.30</td><td>48.14</td><td>39.69</td><td>18.50</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 12931.66	46.23	-42.07	88.30	48.14	39.69	18.50	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																									
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 12931.66	46.31	-41.99	88.30	48.22	39.69	18.50	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 12931.66	46.23	-42.07	88.30	48.14	39.69	18.50	60.10	100	360 Peak	VERTICAL																																																										





U-NII 6 - Straddle Channel

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																																																																																									
ANT	802.11ax HE40 Full CH115 6525MHz																																																																																																																									
1+2	Horizontal	Vertical																																																																																																																								
Peak Avg.	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 12 Adapter2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13051.81</td><td>46.02</td><td>-42.28</td><td>88.30</td><td>47.74</td><td>39.77</td><td>18.61</td><td>60.10</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 12 Adapter2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13051.81</td><td>46.02</td><td>-42.28</td><td>88.30</td><td>47.74</td><td>39.77</td><td>18.61</td><td>60.10</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13051.81	46.02	-42.28	88.30	47.74	39.77	18.61	60.10	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13051.81	46.02	-42.28	88.30	47.74	39.77	18.61	60.10	300	0 Peak HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 12 Adapter2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13051.81</td><td>45.87</td><td>-42.43</td><td>88.30</td><td>47.59</td><td>39.77</td><td>18.61</td><td>60.10</td><td>100</td><td>360 Peak VERTICAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RRM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 12 Adapter2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13051.81</td><td>45.87</td><td>-42.43</td><td>88.30</td><td>47.59</td><td>39.77</td><td>18.61</td><td>60.10</td><td>100</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13051.81	45.87	-42.43	88.30	47.59	39.77	18.61	60.10	100	360 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13051.81	45.87	-42.43	88.30	47.59	39.77	18.61	60.10	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13051.81	46.02	-42.28	88.30	47.74	39.77	18.61	60.10	300	0 Peak HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13051.81	46.02	-42.28	88.30	47.74	39.77	18.61	60.10	300	0 Peak HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13051.81	45.87	-42.43	88.30	47.59	39.77	18.61	60.10	100	360 Peak VERTICAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13051.81	45.87	-42.43	88.30	47.59	39.77	18.61	60.10	100	360 Peak VERTICAL																																																																																																																	







U-NII 6 – Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																																		
ANT	802.11ax HE80 Full CH119 6545MHz																																																																		
1+2	Horizontal	Vertical																																																																	
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition: 032005-KS Project: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Model: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Plane: (FR)192317 Full-directivity MEI: 38 Power setting: 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th></tr></thead><tbody><tr><td>1 13091.86</td><td>45.55</td><td>-42.75</td><td>88.30</td><td>47.20</td><td>39.80</td><td>18.65</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-0512-57900158 Fax: +86-0512-57900058 http://www.sporton.com.cn Site Condition: 032005-KS Project: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Model: RRM-1000-0000Hz VHM-3000-0000Hz DRT-Auto Plane: (FR)192317 Full-directivity MEI: 38 Power setting: 14 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th></tr></thead><tbody><tr><td>1 13091.86</td><td>46.60</td><td>-41.70</td><td>88.30</td><td>48.25</td><td>39.80</td><td>18.65</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	1 13091.86	45.55	-42.75	88.30	47.20	39.80	18.65	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	1 13091.86	46.60	-41.70	88.30	48.25	39.80	18.65	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz																																																									
1 13091.86	45.55	-42.75	88.30	47.20	39.80	18.65	60.10	300	0 Peak	HORIZONTAL																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz																																																									
1 13091.86	46.60	-41.70	88.30	48.25	39.80	18.65	60.10	100	360 Peak	VERTICAL																																																									







U-NII 6 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	U-NII 6 Straddle Channel Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE160 Full CH111 6505MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model : 29 Plane : Y Full-directivity MEI : #17 Power setting : 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13011.76</td><td>46.28</td><td>-42.02</td><td>88.30</td><td>48.05</td><td>39.75</td><td>18.58</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model : 29 Plane : Y Full-directivity MEI : #17 Power setting : 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13011.76</td><td>46.28</td><td>-42.02</td><td>88.30</td><td>48.05</td><td>39.75</td><td>18.58</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13011.76	46.28	-42.02	88.30	48.05	39.75	18.58	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13011.76	46.28	-42.02	88.30	48.05	39.75	18.58	60.10	300	0 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model : 29 Plane : X Full-directivity MEI : #17 Power setting : 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13011.76</td><td>45.97</td><td>-42.33</td><td>88.30</td><td>47.74</td><td>39.75</td><td>18.58</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model : 29 Plane : X Full-directivity MEI : #17 Power setting : 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13011.76</td><td>45.97</td><td>-42.33</td><td>88.30</td><td>47.74</td><td>39.75</td><td>18.58</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13011.76	45.97	-42.33	88.30	47.74	39.75	18.58	60.10	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13011.76	45.97	-42.33	88.30	47.74	39.75	18.58	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13011.76	46.28	-42.02	88.30	48.05	39.75	18.58	60.10	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13011.76	46.28	-42.02	88.30	48.05	39.75	18.58	60.10	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13011.76	45.97	-42.33	88.30	47.74	39.75	18.58	60.10	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13011.76	45.97	-42.33	88.30	47.74	39.75	18.58	60.10	100	360 Peak	VERTICAL																																																																																																																												





U-NII 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11a CH117 6535MHz																																																																																																																																	
1+2	Horizontal	Vertical																																																																																																																																
Peak Avg.	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Date : 0701192317 Plane : Y Polarization : Full-directivity Antenna : #1 Power setting : 0.5 Adapter:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13071.83</td><td>45.84</td><td>-42.46</td><td>88.30</td><td>47.52</td><td>39.79</td><td>18.63</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Date : 0701192317 Plane : Y Polarization : Full-directivity Antenna : #1 Power setting : 0.5 Adapter:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13071.83</td><td>45.84</td><td>-42.46</td><td>88.30</td><td>47.52</td><td>39.79</td><td>18.63</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak	HORIZONTAL	 Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Date : 0701192317 Plane : Y Polarization : Full-directivity Antenna : #1 Power setting : 0.5 Adapter:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13071.83</td><td>45.76</td><td>-42.54</td><td>88.30</td><td>47.44</td><td>39.79</td><td>18.63</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Date : 0701192317 Plane : Y Polarization : Full-directivity Antenna : #1 Power setting : 0.5 Adapter:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13071.83</td><td>45.76</td><td>-42.54</td><td>88.30</td><td>47.44</td><td>39.79</td><td>18.63</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	360 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																											
1	13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak	HORIZONTAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																											
1	13071.83	45.84	-42.46	88.30	47.52	39.79	18.63	60.10	300	0 Peak	HORIZONTAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																											
1	13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	360 Peak	VERTICAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																											
1	13071.83	45.76	-42.54	88.30	47.44	39.79	18.63	60.10	100	360 Peak	VERTICAL																																																																																																																							





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																					
ANT	802.11a CH149 6695MHz																																																																					
1+2	Horizontal	Vertical																																																																				
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto PRF192317 Mode : Y Plane : Y Full-directivity : Y IME1 : Full-directivity Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>13388.23</td><td>46.41</td><td>-27.59</td><td>74.00</td><td>47.55</td><td>40.02</td><td>18.95</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg		1	13388.23	46.41	-27.59	74.00	47.55	40.02	18.95	60.11	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto PRF192317 Mode : Y Plane : Y Full-directivity : Y IME1 : Full-directivity Power setting : 0 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th></tr><tr><td>1</td><td>13388.23</td><td>45.93</td><td>-28.07</td><td>74.00</td><td>47.07</td><td>40.02</td><td>18.95</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg		1	13388.23	45.93	-28.07	74.00	47.07	40.02	18.95	60.11	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg																																																													
1	13388.23	46.41	-27.59	74.00	47.55	40.02	18.95	60.11	300	0 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	dB	deg																																																													
1	13388.23	45.93	-28.07	74.00	47.07	40.02	18.95	60.11	100	360 Peak	VERTICAL																																																											



U-NII 7 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH117 6535MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 40 Plane: Y Full-directivity MEI: #17 Power setting: 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13071.83</td><td>46.08</td><td>-42.22</td><td>88.30</td><td>47.76</td><td>39.79</td><td>18.63</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	deg			1 13071.83	46.08	-42.22	88.30	47.76	39.79	18.63	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 40 Plane: X Full-directivity MEI: #17 Power setting: 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13071.83</td><td>45.88</td><td>-42.42</td><td>88.30</td><td>47.56</td><td>39.79</td><td>18.63</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	deg			1 13071.83	45.88	-42.42	88.30	47.56	39.79	18.63	60.10	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	deg																																																												
1 13071.83	46.08	-42.22	88.30	47.76	39.79	18.63	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	dB	deg																																																												
1 13071.83	45.88	-42.42	88.30	47.56	39.79	18.63	60.10	100	360 Peak	VERTICAL																																																										







WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																															
ANT	802.11ax HE20 Full CH149 6695MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 41 Polar : 7 Full-directivity : 47 IMEI : 10 Power setting : Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13388.23</td><td>46.76</td><td>-27.24</td><td>74.00</td><td>47.90</td><td>40.02</td><td>18.95</td><td>60.11</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	13388.23	46.76	-27.24	74.00	47.90	40.02	18.95	60.11	300	0 Peak HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 41 Polar : 7 Full-directivity : 47 IMEI : 10 Power setting : Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13388.23</td><td>45.76</td><td>-28.24</td><td>74.00</td><td>46.90</td><td>40.02</td><td>18.95</td><td>60.11</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	13388.23	45.76	-28.24	74.00	46.90	40.02	18.95	60.11	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																							
1	13388.23	46.76	-27.24	74.00	47.90	40.02	18.95	60.11	300	0 Peak HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																							
1	13388.23	45.76	-28.24	74.00	46.90	40.02	18.95	60.11	100	360 Peak VERTICAL																																																						





U-NII 7 6525~6875MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH123 6565MHz	
1+2	Horizontal	Vertical
Peak Avg.	No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 032005-KS Project : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Mode : RRM-1000, 0000Hz, VSW: 2000, 0000Hz, DRT: Auto Plane : 42 Polar : Full-directivity MEI : #17 Power setting : #17 Site Condition : 032005-KS Project : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Mode : RRM-1000, 0000Hz, VSW: 2000, 0000Hz, DRT: Auto Plane : 42 Polar : Full-directivity MEI : #17 Power setting : #17	No. 1098, Pengji North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition : 032005-KS Project : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Mode : RRM-1000, 0000Hz, VSW: 2000, 0000Hz, DRT: Auto Plane : 42 Polar : Full-directivity MEI : #17 Power setting : #17 Site Condition : 032005-KS Project : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Mode : RRM-1000, 0000Hz, VSW: 2000, 0000Hz, DRT: Auto Plane : 42 Polar : Full-directivity MEI : #17 Power setting : #17
	1 13131.91 47.00 -41.30 88.30 48.56 39.84 18.70 60.10 300 0 Peak HORIZONTAL	1 13131.91 46.43 -41.87 88.30 47.99 39.84 18.70 60.10 300 360 Peak VERTICAL







WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																																																																																
ANT	802.11ax HE40 Full CH147 6685MHz																																																																																																																																
1+2	Horizontal	Vertical																																																																																																																															
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 Full-directivity IME1 : 47 Power setting : 12 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13368.21</td><td>45.46</td><td>-28.54</td><td>74.00</td><td>46.62</td><td>40.01</td><td>18.94</td><td>60.11</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 Full-directivity IME1 : 47 Power setting : 12 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13368.21</td><td>45.46</td><td>-28.54</td><td>74.00</td><td>46.62</td><td>40.01</td><td>18.94</td><td>60.11</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg		1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 Full-directivity IME1 : 47 Power setting : 12 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13368.21</td><td>45.39</td><td>-28.61</td><td>74.00</td><td>46.55</td><td>40.01</td><td>18.94</td><td>60.11</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 43 Plane : 7 Full-directivity IME1 : 47 Power setting : 12 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13368.21</td><td>45.39</td><td>-28.61</td><td>74.00</td><td>46.55</td><td>40.01</td><td>18.94</td><td>60.11</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg		1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																																																																									
1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak HORIZONTAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																								
1	13368.21	45.46	-28.54	74.00	46.62	40.01	18.94	60.11	300	0 Peak HORIZONTAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																								
1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak VERTICAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																								
1	13368.21	45.39	-28.61	74.00	46.55	40.01	18.94	60.11	100	360 Peak VERTICAL																																																																																																																							







WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																															
ANT	802.11ax HE40 Full CH179 6845MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 44 Plane : Y Full-directivity : Y IME1 : 417 Power setting : 11 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13688.61</td><td>46.99</td><td>-41.31</td><td>88.30</td><td>47.89</td><td>39.95</td><td>19.24</td><td>60.09</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13688.61	46.99	-41.31	88.30	47.89	39.95	19.24	60.09	300	0 Peak HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : 44 Plane : Y Full-directivity : Y IME1 : 417 Power setting : 11 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13688.61</td><td>46.84</td><td>-41.46</td><td>88.30</td><td>47.74</td><td>39.95</td><td>19.24</td><td>60.09</td><td>100</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13688.61	46.84	-41.46	88.30	47.74	39.95	19.24	60.09	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																							
1	13688.61	46.99	-41.31	88.30	47.89	39.95	19.24	60.09	300	0 Peak HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																							
1	13688.61	46.84	-41.46	88.30	47.74	39.95	19.24	60.09	100	360 Peak VERTICAL																																																						



U-NII 7 6525~6875MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH135 6625MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 45 Plane: Y Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13248.05</td><td>46.04</td><td>-42.26</td><td>88.30</td><td>47.43</td><td>39.91</td><td>18.80</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 45 Plane: X Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13248.05</td><td>46.43</td><td>-41.67</td><td>88.30</td><td>48.02</td><td>39.91</td><td>18.80</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 13248.05	46.43	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1 13248.05	46.43	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL																																																										
Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 45 Plane: Y Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13248.05</td><td>46.04</td><td>-42.26</td><td>88.30</td><td>47.43</td><td>39.91</td><td>18.80</td><td>60.10</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 45 Plane: X Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13248.05</td><td>46.43</td><td>-41.67</td><td>88.30</td><td>48.02</td><td>39.91</td><td>18.80</td><td>60.10</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg			1 13248.05	46.43	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1 13248.05	46.04	-42.26	88.30	47.43	39.91	18.80	60.10	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																										
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																												
1 13248.05	46.43	-41.67	88.30	48.02	39.91	18.80	60.10	100	360 Peak	VERTICAL																																																										





WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																																																																																	
ANT	802.11ax HE80 Full CH151 6705MHz																																																																																																																																	
1+2	Horizontal	Vertical																																																																																																																																
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 46 T : 7 Full-directivity IMEI : 817 Power setting : 16 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13500.37</td><td>47.21</td><td>-41.09</td><td>88.30</td><td>48.16</td><td>40.10</td><td>19.06</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 46 T : 7 Full-directivity IMEI : 817 Power setting : 16 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13500.37</td><td>47.21</td><td>-41.09</td><td>88.30</td><td>48.16</td><td>40.10</td><td>19.06</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 46 T : 7 Full-directivity IMEI : 817 Power setting : 16 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13500.37</td><td>47.56</td><td>-40.74</td><td>88.30</td><td>48.51</td><td>40.10</td><td>19.06</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 46 T : 7 Full-directivity IMEI : 817 Power setting : 16 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13500.37</td><td>47.56</td><td>-40.74</td><td>88.30</td><td>48.51</td><td>40.10</td><td>19.06</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg	1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																																									
1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																																									
1	13500.37	47.21	-41.09	88.30	48.16	40.10	19.06	60.11	300	0 Peak	HORIZONTAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																																									
1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL																																																																																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																																																																																									
1	13500.37	47.56	-40.74	88.30	48.51	40.10	19.06	60.11	100	360 Peak	VERTICAL																																																																																																																							



U-NII 7 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)



WIFI	U-NII 7 6525~6875MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH143 6665MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 000MHz VHM-3000 000MHz DRT-Auto Model: 47 Plane: Y Full-directivity MEI: 13 Powersetting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13328.16</td><td>47.11</td><td>-26.89</td><td>74.00</td><td>48.36</td><td>39.97</td><td>18.89</td><td>60.11</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 000MHz VHM-3000 000MHz DRT-Auto Model: 47 Plane: X Full-directivity MEI: 13 Powersetting: 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13328.16</td><td>45.80</td><td>-28.20</td><td>74.00</td><td>47.05</td><td>39.97</td><td>18.89</td><td>60.11</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 13328.16	47.11	-26.89	74.00	48.36	39.97	18.89	60.11	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																												
1 13328.16	45.80	-28.20	74.00	47.05	39.97	18.89	60.11	100	360 Peak	VERTICAL																																																										

U-NII 7 - Straddle Channel
WIFI 802.11a (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																													
ANT	802.11a CH185 6875MHz																																																													
1+2	Horizontal	Vertical																																																												
Peak Avg.	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 HORIZONTAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : 0 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13748.68</td><td>46.93</td><td>-41.37</td><td>88.30</td><td>47.80</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13748.68	46.93	-41.37	88.30	47.80	39.90	19.31	60.08	300	0 Peak HORIZONTAL	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117.00218663 VERTICAL Project : RSM 1000.000KHz VSW 3000.000KHz SMT Auto Mode : 0 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13748.68</td><td>46.63</td><td>-41.67</td><td>88.30</td><td>47.50</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13748.68	46.63	-41.67	88.30	47.50	39.90	19.31	60.08	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1 13748.68	46.93	-41.37	88.30	47.80	39.90	19.31	60.08	300	0 Peak HORIZONTAL																																																					
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																							
1 13748.68	46.63	-41.67	88.30	47.50	39.90	19.31	60.08	100	360 Peak VERTICAL																																																					







U-NII 7 – Straddle Channel
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																
ANT	802.11ax HE20 Full CH185 6875MHz																																																																
1+2	Horizontal	Vertical																																																															
Peak Avg.	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  117 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK [dBm] WIFI 6E PEAK [dBm] WIFI 6E PEAK [dBm] Site Condition : 032005-KS WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : SMP 1000.000GHz YWP 3000.000GHz SWT Auto Mode : (FR)192317 Plane : 40 Full-directivity [M]1 Powersetting : 10 Adapter:CHUB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13748.68</td><td>47.35</td><td>-40.97</td><td>88.38</td><td>48.28</td><td>39.98</td><td>39.33</td><td>68.88</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 6  117 Level (dBuV/m) 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK [dBm] WIFI 6E PEAK [dBm] WIFI 6E PEAK [dBm] Site Condition : 032005-KS WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : SMP 1000.000GHz YWP 3000.000GHz SWT Auto Mode : (FR)192317 Plane : 40 Full-directivity [M]1 Powersetting : 10 Adapter:CHUB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13748.68</td><td>46.27</td><td>-42.83</td><td>88.38</td><td>47.14</td><td>39.98</td><td>39.33</td><td>68.88</td><td>300</td><td>368 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13748.68	47.35	-40.97	88.38	48.28	39.98	39.33	68.88	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	13748.68	46.27	-42.83	88.38	47.14	39.98	39.33	68.88	300	368 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1	13748.68	47.35	-40.97	88.38	48.28	39.98	39.33	68.88	300	0 Peak	HORIZONTAL																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																									
1	13748.68	46.27	-42.83	88.38	47.14	39.98	39.33	68.88	300	368 Peak	VERTICAL																																																						







U-NII 7 - Straddle Channel
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH183 6865MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 48 Plane: Y Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.20</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 48 Plane: X Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>46.27</td><td>-42.03</td><td>88.30</td><td>47.14</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL																																																										
Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 48 Plane: Y Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.20</td><td>39.90</td><td>19.31</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 48 Plane: X Full-directivity MEI: 10 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13748.68</td><td>46.27</td><td>-42.03</td><td>88.30</td><td>47.14</td><td>39.90</td><td>19.31</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13748.68	47.33	-40.97	88.30	48.20	39.90	19.31	60.08	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13748.68	46.27	-42.03	88.30	47.14	39.90	19.31	60.08	100	360 Peak	VERTICAL																																																										






U-NII 7 – Straddle Channel
WIFI 802.11ax HE160 Full (Harmonic @ 3m)




WIFI	U-NII 7 Straddle Channel Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE160 Full CH175 6825MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model : 50 Plane : Y Full-directivity MEI : #17 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13648.55</td><td>46.18</td><td>-42.12</td><td>88.30</td><td>47.08</td><td>39.98</td><td>19.21</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model : 50 Plane : Y Full-directivity MEI : #17 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13648.55</td><td>46.18</td><td>-42.12</td><td>88.30</td><td>47.08</td><td>39.98</td><td>19.21</td><td>60.09</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model : 50 Plane : X Full-directivity MEI : #17 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13648.55</td><td>46.11</td><td>-42.19</td><td>88.30</td><td>47.01</td><td>39.98</td><td>19.21</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>  Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model : 50 Plane : X Full-directivity MEI : #17 Power setting : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13648.55</td><td>46.11</td><td>-42.19</td><td>88.30</td><td>47.01</td><td>39.98</td><td>19.21</td><td>60.09</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13648.55	46.18	-42.12	88.30	47.08	39.98	19.21	60.09	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13648.55	46.11	-42.19	88.30	47.01	39.98	19.21	60.09	100	360 Peak	VERTICAL																																																																																																																												

U-NII 8 - 6875-7125MHzMHz

WIFI 802.11a (Band Edge @ 3m)




WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																													
ANT	802.11a CH229 7095MHz																																																																													
1+2	Horizontal	Fundamental																																																																												
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57600158 Fax: +86-512-57600958 http://www.sporton.com.cn Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTA Project : RRM 1000 00000u VBM 3000 00000u SRT Auto Mode : (FR) 192317 Plane : 12 Polar : Full-directivity Polarization : #17 Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7210.44</td><td>56.73</td><td>-31.57</td><td>88.30</td><td>42.30</td><td>36.72</td><td>13.62</td><td>35.91</td><td>208</td><td>0 Peak</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	7210.44	56.73	-31.57	88.30	42.30	36.72	13.62	35.91	208	0 Peak	HORIZONT	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57600158 Fax: +86-512-57600958 http://www.sporton.com.cn Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTA Project : RRM 1000 00000u VBM 3000 00000u SRT Auto Mode : (FR) 192317 Plane : 12 Polar : Full-directivity Polarization : #17 Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7093.00</td><td>100.74</td><td>12.44</td><td>88.30</td><td>86.38</td><td>36.77</td><td>13.50</td><td>35.91</td><td>208</td><td>0 Peak</td><td>HORIZONT</td></tr><tr><td>2</td><td>7093.00</td><td>92.89</td><td>24.09</td><td>68.30</td><td>78.53</td><td>36.77</td><td>13.50</td><td>35.91</td><td>208</td><td>0 Average</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	7093.00	100.74	12.44	88.30	86.38	36.77	13.50	35.91	208	0 Peak	HORIZONT	2	7093.00	92.89	24.09	68.30	78.53	36.77	13.50	35.91	208	0 Average	HORIZONT
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	7210.44	56.73	-31.57	88.30	42.30	36.72	13.62	35.91	208	0 Peak	HORIZONT																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	7093.00	100.74	12.44	88.30	86.38	36.77	13.50	35.91	208	0 Peak	HORIZONT																																																																			
2	7093.00	92.89	24.09	68.30	78.53	36.77	13.50	35.91	208	0 Average	HORIZONT																																																																			
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57600158 Fax: +86-512-57600958 http://www.sporton.com.cn Site : 030H05-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTA Project : RRM 1000 00000u VBM 0.010000u SRT Auto Mode : (FR) 192317 Plane : 12 Polar : Full-directivity Polarization : #17 Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7244.36</td><td>46.01</td><td>-22.29</td><td>68.30</td><td>31.57</td><td>36.70</td><td>13.65</td><td>35.91</td><td>208</td><td>0 Average</td><td>HORIZONT</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg			1	7244.36	46.01	-22.29	68.30	31.57	36.70	13.65	35.91	208	0 Average	HORIZONT	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																							
1	7244.36	46.01	-22.29	68.30	31.57	36.70	13.65	35.91	208	0 Average	HORIZONT																																																																			






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11a CH229 7095MHz																																																																			
1+2	Vertical	Fundamental																																																																		
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 0000Hz VBR-3000 0000Hz SRT-Auto Bode : (F8)192317 Plane : 12 Full-directivity : 7 Power setting : 87 Adaptor2+USB 1 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7239.72</td><td>56.24</td><td>-32.06</td><td>88.30</td><td>41.80</td><td>36.70</td><td>13.65</td><td>35.91</td><td>100</td><td>23 Peak</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7239.72	56.24	-32.06	88.30	41.80	36.70	13.65	35.91	100	23 Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 0000Hz VBR-3000 0000Hz SRT-Auto Bode : (F8)192317 Plane : 12 Full-directivity : 7 Power setting : 87 Adaptor2+USB 1 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7093.00</td><td>102.27</td><td>13.97</td><td>88.30</td><td>87.91</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7093.00</td><td>94.33</td><td>26.53</td><td>68.30</td><td>79.97</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23 Average</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7093.00	102.27	13.97	88.30	87.91	36.77	13.50	35.91	100	23 Peak	VERTICAL	2	7093.00	94.33	26.53	68.30	79.97	36.77	13.50	35.91	100	23 Average	VERTICAL
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																													
1	7239.72	56.24	-32.06	88.30	41.80	36.70	13.65	35.91	100	23 Peak	VERTICAL																																																									
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																													
1	7093.00	102.27	13.97	88.30	87.91	36.77	13.50	35.91	100	23 Peak	VERTICAL																																																									
2	7093.00	94.33	26.53	68.30	79.97	36.77	13.50	35.91	100	23 Average	VERTICAL																																																									
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030805-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 0000Hz VBR-3000 0000Hz SRT-Auto Bode : (F8)192317 Plane : 12 Full-directivity : 7 Power setting : 87 Adaptor2+USB 1 <table><tr><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.80</td><td>46.05</td><td>-22.25</td><td>68.30</td><td>31.61</td><td>36.71</td><td>13.64</td><td>35.91</td><td>100</td><td>23 Average</td><td>VERTICAL</td></tr></table>	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7213.80	46.05	-22.25	68.30	31.61	36.71	13.64	35.91	100	23 Average	VERTICAL	Left blank																																							
Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																													
1	7213.80	46.05	-22.25	68.30	31.61	36.71	13.64	35.91	100	23 Average	VERTICAL																																																									

U-NII 8 - 6875-7125MHzMHz




WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Full CH229 7095MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : S3 Plane : Full-directivity IMEI : #17 Power setting : 10 Adapter: 2400B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7197.16</td><td>57.08</td><td>-31.22</td><td>88.30</td><td>42.65</td><td>36.72</td><td>13.62</td><td>35.91</td><td>260</td><td>348 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7197.16	57.08	-31.22	88.30	42.65	36.72	13.62	35.91	260	348 Peak	HORIZONTAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : S3 Plane : Full-directivity IMEI : #17 Power setting : 10 Adapter: 2400B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7093.00</td><td>101.20</td><td>12.90</td><td>88.30</td><td>86.84</td><td>36.77</td><td>13.50</td><td>35.91</td><td>260</td><td>348 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7093.00</td><td>92.03</td><td>24.73</td><td>68.30</td><td>78.67</td><td>36.77</td><td>13.50</td><td>35.91</td><td>260</td><td>348 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7093.00	101.20	12.90	88.30	86.84	36.77	13.50	35.91	260	348 Peak	HORIZONTAL	2	7093.00	92.03	24.73	68.30	78.67	36.77	13.50	35.91	260	348 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7197.16	57.08	-31.22	88.30	42.65	36.72	13.62	35.91	260	348 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7093.00	101.20	12.90	88.30	86.84	36.77	13.50	35.91	260	348 Peak	HORIZONTAL																																																																							
2	7093.00	92.03	24.73	68.30	78.67	36.77	13.50	35.91	260	348 Average	HORIZONTAL																																																																							
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900158 http://www.sporton.com.cn Site : 032005-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : S3 Plane : Full-directivity IMEI : #17 Power setting : 10 Adapter: 2400B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7211.56</td><td>46.01</td><td>-22.29</td><td>68.30</td><td>31.58</td><td>36.72</td><td>13.62</td><td>35.91</td><td>260</td><td>348 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7211.56	46.01	-22.29	68.30	31.58	36.72	13.62	35.91	260	348 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7211.56	46.01	-22.29	68.30	31.58	36.72	13.62	35.91	260	348 Average	HORIZONTAL																																																																							






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																								
ANT	802.11ax HE20 Full CH229 7095MHz																																																																								
1+2	Vertical	Fundamental																																																																							
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Bode : (FR)192317 Plane : Y Full-directivity : Full-directivity IMEI : 87 Powersetting : Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7207.56</td><td>56.88</td><td>-31.42</td><td>88.30</td><td>42.45</td><td>36.72</td><td>13.62</td><td>35.91</td><td>100</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-3000 000KHz SRT-Auto Bode : (FR)192317 Plane : Y Full-directivity : Full-directivity IMEI : 87 Powersetting : Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7092.00</td><td>103.98</td><td>15.68</td><td>88.30</td><td>89.62</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7093.00</td><td>96.35</td><td>28.05</td><td>88.30</td><td>81.99</td><td>26.77</td><td>13.50</td><td>35.91</td><td>100</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7207.56	56.88	-31.42	88.30	42.45	36.72	13.62	35.91	100	23	Peak	VERTICAL	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7092.00	103.98	15.68	88.30	89.62	36.77	13.50	35.91	100	23	Peak	VERTICAL	2	7093.00	96.35	28.05	88.30	81.99	26.77	13.50	35.91	100	23	Average	VERTICAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7207.56	56.88	-31.42	88.30	42.45	36.72	13.62	35.91	100	23	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7092.00	103.98	15.68	88.30	89.62	36.77	13.50	35.91	100	23	Peak	VERTICAL																																																													
2	7093.00	96.35	28.05	88.30	81.99	26.77	13.50	35.91	100	23	Average	VERTICAL																																																													
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : RSM-1000 000KHz VBR-0 0100KHz SRT-Auto Bode : (FR)192317 Plane : Y Full-directivity : Full-directivity IMEI : 87 Powersetting : Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dB</th><th>dBm/100m</th><th>dBm/100m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7243.24</td><td>45.99</td><td>-22.31</td><td>68.30</td><td>31.55</td><td>36.70</td><td>13.65</td><td>35.91</td><td>100</td><td>23</td><td>Average</td><td>VERTICAL</td></tr></table> Left blank	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg	1	7243.24	45.99	-22.31	68.30	31.55	36.70	13.65	35.91	100	23	Average	VERTICAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBm/100m	dB	dBm/100m	dBm/100m	dB	cm	deg																																																																		
1	7243.24	45.99	-22.31	68.30	31.55	36.70	13.65	35.91	100	23	Average	VERTICAL																																																													




U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE20 Partial 26 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																			
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																			
1+2	Horizontal	Fundamental																																																																		
Peak	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Mode : S4 Plane : Full-directivity IMEI : #17 Power setting : -1.5 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7125.00</td><td>53.30</td><td>-35.00</td><td>88.30</td><td>38.92</td><td>36.75</td><td>13.54</td><td>35.91</td><td>298 360 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7125.00	53.30	-35.00	88.30	38.92	36.75	13.54	35.91	298 360 Peak	HORIZONTAL	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 3000 0000Hz SWT Auto Mode : S4 Plane : Full-directivity IMEI : #17 Power setting : -1.5 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 7102.00</td><td>97.94</td><td>9.64</td><td>88.30</td><td>83.57</td><td>36.75</td><td>13.52</td><td>35.91</td><td>298 360 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 7102.00</td><td>90.42</td><td>22.12</td><td>68.30</td><td>76.05</td><td>36.75</td><td>13.52</td><td>35.91</td><td>298 360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 * 7102.00	97.94	9.64	88.30	83.57	36.75	13.52	35.91	298 360 Peak	HORIZONTAL	2 * 7102.00	90.42	22.12	68.30	76.05	36.75	13.52	35.91	298 360 Average	HORIZONTAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 7125.00	53.30	-35.00	88.30	38.92	36.75	13.54	35.91	298 360 Peak	HORIZONTAL																																																											
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 * 7102.00	97.94	9.64	88.30	83.57	36.75	13.52	35.91	298 360 Peak	HORIZONTAL																																																											
2 * 7102.00	90.42	22.12	68.30	76.05	36.75	13.52	35.91	298 360 Average	HORIZONTAL																																																											
Avg.	 Site : 030605-KS Condition : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VSW 0.0100Hz SWT Auto Mode : S4 Plane : Full-directivity IMEI : #17 Power setting : -1.5 Adapter: 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7125.00</td><td>45.70</td><td>-22.60</td><td>68.30</td><td>31.32</td><td>36.75</td><td>13.54</td><td>35.91</td><td>298 360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	cm	deg			1 7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	298 360 Average	HORIZONTAL	Left blank																																						
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dB	cm	deg																																																														
1 7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	298 360 Average	HORIZONTAL																																																											






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																		
ANT	802.11ax HE20 Partial 26/8 CH229 7095MHz																																																																		
1+2	Vertical	Fundamental																																																																	
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : S4 Full-directivity : Y Power setting : -1.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dB</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>55.63</td><td>-32.67</td><td>88.30</td><td>41.25</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>357 Peak</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	cm	deg	1 7125.00	55.63	-32.67	88.30	41.25	36.75	13.54	35.91	100	357 Peak	VERTICAL	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : S4 Full-directivity : Y Power setting : -1.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dB</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>96.56</td><td>8.26</td><td>88.30</td><td>82.19</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>357 Peak</td><td>VERTICAL</td></tr><tr><td>2 7125.00</td><td>96.36</td><td>22.09</td><td>68.30</td><td>75.98</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>357 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	cm	deg	1 7125.00	96.56	8.26	88.30	82.19	36.76	13.52	35.91	100	357 Peak	VERTICAL	2 7125.00	96.36	22.09	68.30	75.98	36.76	13.52	35.91	100	357 Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	cm	deg																																																												
1 7125.00	55.63	-32.67	88.30	41.25	36.75	13.54	35.91	100	357 Peak	VERTICAL																																																									
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	cm	deg																																																												
1 7125.00	96.56	8.26	88.30	82.19	36.76	13.52	35.91	100	357 Peak	VERTICAL																																																									
2 7125.00	96.36	22.09	68.30	75.98	36.76	13.52	35.91	100	357 Average	VERTICAL																																																									
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site : 030905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto Bode : FRS192317 Plane : S4 Full-directivity : Y Power setting : -1.5 Adaptor2+USB 1 <table><tr><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1m</th><th>dB</th><th>dBm/1m</th><th>dBm/1m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.00</td><td>45.70</td><td>-22.60</td><td>68.30</td><td>31.32</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>357 Average</td><td>VERTICAL</td></tr></table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	cm	deg	1 7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	100	357 Average	VERTICAL	Left blank																																						
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBm/1m	dB	dBm/1m	dBm/1m	dB	cm	deg																																																												
1 7125.00	45.70	-22.60	68.30	31.32	36.75	13.54	35.91	100	357 Average	VERTICAL																																																									




U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE20 Partial 52 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT Auto Mode : 50 Plane : Full-directivity IME1 : Full-directivity Power setting : 1.5 Adapter:24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7185.80</td><td>56.81</td><td>-31.49</td><td>88.30</td><td>42.40</td><td>36.72</td><td>13.60</td><td>35.91</td><td>243</td><td>360 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7185.80	56.81	-31.49	88.30	42.40	36.72	13.60	35.91	243	360 Peak	HORIZONTAL	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW 3000.000KHz SWT Auto Mode : 50 Plane : Full-directivity IME1 : Full-directivity Power setting : 1.5 Adapter:24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 7102.00</td><td>97.90</td><td>9.60</td><td>88.30</td><td>83.53</td><td>36.76</td><td>13.52</td><td>35.91</td><td>243</td><td>360 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 7102.00</td><td>90.15</td><td>21.85</td><td>68.30</td><td>75.78</td><td>36.76</td><td>13.52</td><td>35.91</td><td>243</td><td>360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7102.00	97.90	9.60	88.30	83.53	36.76	13.52	35.91	243	360 Peak	HORIZONTAL	2 * 7102.00	90.15	21.85	68.30	75.78	36.76	13.52	35.91	243	360 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7185.80	56.81	-31.49	88.30	42.40	36.72	13.60	35.91	243	360 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7102.00	97.90	9.60	88.30	83.53	36.76	13.52	35.91	243	360 Peak	HORIZONTAL																																																																					
2 * 7102.00	90.15	21.85	68.30	75.78	36.76	13.52	35.91	243	360 Average	HORIZONTAL																																																																					
Avg.	 Site : 030605-KS Condition : WIFI 6E (AVERAGE) 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW 0.010KHz SWT Auto Mode : 50 Plane : Full-directivity IME1 : Full-directivity Power setting : 1.5 Adapter:24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7244.52</td><td>45.92</td><td>-22.38</td><td>68.30</td><td>31.48</td><td>36.70</td><td>13.65</td><td>35.91</td><td>243</td><td>360 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7244.52	45.92	-22.38	68.30	31.48	36.70	13.65	35.91	243	360 Average	HORIZONTAL	Left blank																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7244.52	45.92	-22.38	68.30	31.48	36.70	13.65	35.91	243	360 Average	HORIZONTAL																																																																					






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE20 Partial 52/40 CH229 7095MHz																																																																																	
1+2	Vertical	Fundamental																																																																																
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 4 Level (dBuV/m) 130 117.5 104.0 91.5 78.0 65.0 52.0 39.0 26.0 13.0 7085 7110 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) WIFI 6E PEAK -dB Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Power setting : 1.5 WE1 : Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7187.40</td><td>56.07</td><td>-32.23</td><td>88.30</td><td>41.66</td><td>36.72</td><td>13.60</td><td>35.91</td><td>115</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	7187.40	56.07	-32.23	88.30	41.66	36.72	13.60	35.91	115	0 Peak	VERTICAL	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 6 Level (dBuV/m) 130 117.5 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) WIFI 6E PEAK -dB Site : 032905-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Power setting : 1.5 WE1 : Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7102.00</td><td>96.51</td><td>8.21</td><td>88.30</td><td>82.14</td><td>36.76</td><td>13.52</td><td>35.91</td><td>115</td><td>0 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>95.07</td><td>21.77</td><td>68.30</td><td>75.70</td><td>35.76</td><td>13.52</td><td>35.91</td><td>115</td><td>0 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	7102.00	96.51	8.21	88.30	82.14	36.76	13.52	35.91	115	0 Peak	VERTICAL	2	7102.00	95.07	21.77	68.30	75.70	35.76	13.52	35.91	115	0 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	7187.40	56.07	-32.23	88.30	41.66	36.72	13.60	35.91	115	0 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	7102.00	96.51	8.21	88.30	82.14	36.76	13.52	35.91	115	0 Peak	VERTICAL																																																																							
2	7102.00	95.07	21.77	68.30	75.70	35.76	13.52	35.91	115	0 Average	VERTICAL																																																																							
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Data: 5 Level (dBuV/m) 130 117.5 104.0 91.5 78.0 65.0 52.0 39.0 26.0 13.0 7085 7110 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) WIFI 6E (AVG) -dB Site : 032905-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F8)192317 Plane : Y Full-directivity : Y Power setting : 1.5 WE1 : Power setting : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7241.48</td><td>45.94</td><td>-22.36</td><td>68.30</td><td>31.50</td><td>36.70</td><td>13.65</td><td>35.91</td><td>115</td><td>0 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	7241.48	45.94	-22.36	68.30	31.50	36.70	13.65	35.91	115	0 Average	VERTICAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	7241.48	45.94	-22.36	68.30	31.50	36.70	13.65	35.91	115	0 Average	VERTICAL																																																																							




U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : 50 Plane : Y Full-directivity IMEI : #17 Power setting : 4.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7199.88</td><td>56.62</td><td>-31.68</td><td>88.30</td><td>42.19</td><td>36.72</td><td>13.62</td><td>35.91</td><td>301</td><td>343 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7199.88	56.62	-31.68	88.30	42.19	36.72	13.62	35.91	301	343 Peak	HORIZONTAL	 Site : 030605-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-3000-0000Hz SRT-Auto Mode : 50 Plane : Y Full-directivity IMEI : #17 Power setting : 4.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 7102.00</td><td>99.77</td><td>11.47</td><td>88.30</td><td>85.40</td><td>36.76</td><td>13.52</td><td>35.91</td><td>301</td><td>343 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 7102.00</td><td>91.39</td><td>23.09</td><td>68.30</td><td>77.02</td><td>36.76</td><td>13.52</td><td>35.91</td><td>301</td><td>343 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7102.00	99.77	11.47	88.30	85.40	36.76	13.52	35.91	301	343 Peak	HORIZONTAL	2 * 7102.00	91.39	23.09	68.30	77.02	36.76	13.52	35.91	301	343 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7199.88	56.62	-31.68	88.30	42.19	36.72	13.62	35.91	301	343 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7102.00	99.77	11.47	88.30	85.40	36.76	13.52	35.91	301	343 Peak	HORIZONTAL																																																																					
2 * 7102.00	91.39	23.09	68.30	77.02	36.76	13.52	35.91	301	343 Average	HORIZONTAL																																																																					
Avg.	 Site : 030605-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM-1000-0000Hz VHM-0.0100Hz SRT-Auto Mode : 50 Plane : Y Full-directivity IMEI : #17 Power setting : 4.5 Adapter: 24dB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7244.68</td><td>45.92</td><td>-22.38</td><td>68.30</td><td>31.48</td><td>36.70</td><td>13.65</td><td>35.91</td><td>301</td><td>343 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7244.68	45.92	-22.38	68.30	31.48	36.70	13.65	35.91	301	343 Average	HORIZONTAL	Left blank																																												
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7244.68	45.92	-22.38	68.30	31.48	36.70	13.65	35.91	301	343 Average	HORIZONTAL																																																																					






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE20 Partial 106/54 CH229 7095MHz																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Powersetting : 032905-KS : WIFI 6E PEAK 3m 3117.00218652 VERTICAL : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto : (F8)192317 : Y : Full-directivity : #17 : 4.5 : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7108.92</td><td>56.61</td><td>-31.69</td><td>88.30</td><td>42.21</td><td>36.74</td><td>13.57</td><td>35.91</td><td>100</td><td>26 Peak</td></tr></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Powersetting : 032905-KS : WIFI 6E PEAK 3m 3117.00218652 VERTICAL : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto : (F8)192317 : Y : Full-directivity : #17 : 4.5 : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7102.00</td><td>99.75</td><td>11.45</td><td>88.30</td><td>85.38</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>26 Peak</td></tr><tr><td>2</td><td>7102.00</td><td>91.76</td><td>22.46</td><td>68.30</td><td>77.39</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>26 Average</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg	1	7108.92	56.61	-31.69	88.30	42.21	36.74	13.57	35.91	100	26 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg	1	7102.00	99.75	11.45	88.30	85.38	36.76	13.52	35.91	100	26 Peak	2	7102.00	91.76	22.46	68.30	77.39	36.76	13.52	35.91	100	26 Average	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																					
1	7108.92	56.61	-31.69	88.30	42.21	36.74	13.57	35.91	100	26 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																					
1	7102.00	99.75	11.45	88.30	85.38	36.76	13.52	35.91	100	26 Peak																																																																					
2	7102.00	91.76	22.46	68.30	77.39	36.76	13.52	35.91	100	26 Average																																																																					
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Site Condition Project Mode Plane IMEI Powersetting : 032905-KS : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL : RSM-1000.000KHz VBR-0.0100KHz SRT-Auto : (F8)192317 : Y : Full-directivity : #17 : 4.5 : Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7244.20</td><td>45.90</td><td>-22.49</td><td>68.30</td><td>31.46</td><td>36.70</td><td>13.65</td><td>35.91</td><td>100</td><td>26 Average</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg	1	7244.20	45.90	-22.49	68.30	31.46	36.70	13.65	35.91	100	26 Average																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																					
1	7244.20	45.90	-22.49	68.30	31.46	36.70	13.65	35.91	100	26 Average																																																																					






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Full H227 7085MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030805-KS : RIFI 46 PEAK 3m 3117.00218652 VERTICAL Project : R88-1000.000000 VBR-3000.000000 SRT-Auto Bode : (FR)192317 Plane : 62 Full-directivity : 7 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>57.18</td><td>-31.12</td><td>88.30</td><td>42.80</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>22</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg		1	7125.00	57.18	-31.12	88.30	42.80	36.75	13.54	35.91	100	22	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030805-KS : RIFI 46 PEAK 3m 3117.00218652 VERTICAL Project : R88-1000.000000 VBR-3000.000000 SRT-Auto Bode : (FR)192317 Plane : 62 Full-directivity : 7 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7085.00</td><td>101.71</td><td>13.41</td><td>88.30</td><td>87.35</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>22</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7095.00</td><td>92.35</td><td>24.05</td><td>68.30</td><td>77.99</td><td>36.77</td><td>13.50</td><td>35.91</td><td>100</td><td>22</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg		1	7085.00	101.71	13.41	88.30	87.35	36.77	13.50	35.91	100	22	Peak	VERTICAL	2	7095.00	92.35	24.05	68.30	77.99	36.77	13.50	35.91	100	22	Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																																																																						
1	7125.00	57.18	-31.12	88.30	42.80	36.75	13.54	35.91	100	22	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																																																																						
1	7085.00	101.71	13.41	88.30	87.35	36.77	13.50	35.91	100	22	Peak	VERTICAL																																																																	
2	7095.00	92.35	24.05	68.30	77.99	36.77	13.50	35.91	100	22	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900058 http://www.sporton.com.cn Site Condition : 030805-KS : RIFI 66 (AVG) 3m 3117.00218652 VERTICAL Project : R88-1000.000000 VBR-3000.000000 SRT-Auto Bode : (FR)192317 Plane : 62 Full-directivity : 7 Power setting : 11.5 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>46.08</td><td>-22.22</td><td>68.30</td><td>31.70</td><td>36.75</td><td>13.54</td><td>35.91</td><td>100</td><td>22</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg		1	7125.00	46.08	-22.22	68.30	31.70	36.75	13.54	35.91	100	22	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/100	dB	dBm/100	dB	dB	cm	deg																																																																						
1	7125.00	46.08	-22.22	68.30	31.70	36.75	13.54	35.91	100	22	Average	VERTICAL																																																																	

U-NII 8 - 6875-7125MHzMHz




WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																																	
ANT	802.11ax HE40 Partial 242/62 H227 7085MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SWT Auto Mode : 03 Plane : Full-directivity IMEI : #17 Power setting : 6 Adapter 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7226.28</td><td>56.99</td><td>-31.31</td><td>88.30</td><td>42.55</td><td>36.71</td><td>13.64</td><td>35.91</td><td>300</td><td>343 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7226.28	56.99	-31.31	88.30	42.55	36.71	13.64	35.91	300	343 Peak	HORIZONTAL	 Site : 032005-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 3000 0000Hz SWT Auto Mode : 03 Plane : Full-directivity IMEI : #17 Power setting : 6 Adapter 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7102.00</td><td>98.00</td><td>9.70</td><td>88.30</td><td>83.63</td><td>36.76</td><td>13.52</td><td>35.91</td><td>300</td><td>343 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7102.00</td><td>89.69</td><td>21.39</td><td>68.30</td><td>75.32</td><td>36.76</td><td>13.52</td><td>35.91</td><td>300</td><td>343 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7102.00	98.00	9.70	88.30	83.63	36.76	13.52	35.91	300	343 Peak	HORIZONTAL	2	7102.00	89.69	21.39	68.30	75.32	36.76	13.52	35.91	300	343 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7226.28	56.99	-31.31	88.30	42.55	36.71	13.64	35.91	300	343 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7102.00	98.00	9.70	88.30	83.63	36.76	13.52	35.91	300	343 Peak	HORIZONTAL																																																																							
2	7102.00	89.69	21.39	68.30	75.32	36.76	13.52	35.91	300	343 Average	HORIZONTAL																																																																							
Avg.	 Site : 032005-KS Condition : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL Project : RRM 1000 0000Hz VBR 0.0100Hz SWT Auto Mode : 03 Plane : Full-directivity IMEI : #17 Power setting : 6 Adapter 2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7211.72</td><td>45.92</td><td>-22.38</td><td>68.30</td><td>31.49</td><td>36.72</td><td>13.62</td><td>35.91</td><td>300</td><td>343 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	7211.72	45.92	-22.38	68.30	31.49	36.72	13.62	35.91	300	343 Average	HORIZONTAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																										
1	7211.72	45.92	-22.38	68.30	31.49	36.72	13.62	35.91	300	343 Average	HORIZONTAL																																																																							






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE40 Partial 242/62 H227 7085MHz																																																																												
1+2	Vertical	Fundamental																																																																											
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 4 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 0705 7110 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R88-1000 000000 VBR-3000 000000 SRT-Auto Mode : 63 Plane : Y Full-directivity : Y Power setting : 24 Adaptor 242/62 H227 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7203.72</td><td>57.26</td><td>-31.04</td><td>88.30</td><td>42.83</td><td>36.72</td><td>13.62</td><td>35.91</td><td>100</td><td>24</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg	1	7203.72	57.26	-31.04	88.30	42.83	36.72	13.62	35.91	100	24	Peak	VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 6 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project : R88-1000 000000 VBR-3000 000000 SRT-Auto Mode : 63 Plane : Y Full-directivity : Y Power setting : 24 Adaptor 242/62 H227 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7102.00</td><td>97.90</td><td>9.60</td><td>88.30</td><td>83.63</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>24</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7102.00</td><td>97.90</td><td>9.60</td><td>88.30</td><td>83.63</td><td>36.76</td><td>13.52</td><td>35.91</td><td>100</td><td>24</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg	1	7102.00	97.90	9.60	88.30	83.63	36.76	13.52	35.91	100	24	Peak	VERTICAL	2	7102.00	97.90	9.60	88.30	83.63	36.76	13.52	35.91	100	24	Average	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																					
1	7203.72	57.26	-31.04	88.30	42.83	36.72	13.62	35.91	100	24	Peak	VERTICAL																																																																	
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																					
1	7102.00	97.90	9.60	88.30	83.63	36.76	13.52	35.91	100	24	Peak	VERTICAL																																																																	
2	7102.00	97.90	9.60	88.30	83.63	36.76	13.52	35.91	100	24	Average	VERTICAL																																																																	
Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 5 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 0705 7110 7130 7150 7170 7190 7210 7230 7245 Frequency (MHz) Site : 030805-KS Condition : WIFI 6E (AVG) 3m 3117 00218652 VERTICAL Project : R88-1000 000000 VBR-3000 000000 SRT-Auto Mode : 63 Plane : Y Full-directivity : Y Power setting : 24 Adaptor 242/62 H227 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>dBm/100m</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7213.32</td><td>45.91</td><td>-22.39</td><td>68.30</td><td>31.48</td><td>36.72</td><td>13.62</td><td>35.91</td><td>100</td><td>24</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg	1	7213.32	45.91	-22.39	68.30	31.48	36.72	13.62	35.91	100	24	Average	VERTICAL	Left blank																																												
Freq	Level	Limit	ReadAntenna	Cable Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																					
MHz	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	dBm/100m	cm	deg																																																																					
1	7213.32	45.91	-22.39	68.30	31.48	36.72	13.62	35.91	100	24	Average	VERTICAL																																																																	






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE80 Full CH215 7025MHz																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 10 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6885 7010 7030 7050 7070 7090 7110 7130 7145 Frequency (MHz) WIFI 6E PEAK -0.01 1 Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FBI)192317 Plane : 05 Polar : Full-directivity IMEI : 817 PowerSetting : 14 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7127.24</td><td>56.73</td><td>-31.57</td><td>88.30</td><td>42.35</td><td>36.75</td><td>13.54</td><td>35.91</td><td>101</td><td>15 Peak VERTICAL</td></tr></table>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 12 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) WIFI 6E PEAK -0.01 1 Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FBI)192317 Plane : 05 Polar : Full-directivity IMEI : 817 PowerSetting : 14 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7021.00</td><td>102.28</td><td>13.98</td><td>88.30</td><td>87.86</td><td>36.79</td><td>13.44</td><td>35.91</td><td>101</td><td>15 Peak VERTICAL</td></tr><tr><td>2</td><td>7021.00</td><td>93.12</td><td>24.82</td><td>68.30</td><td>78.80</td><td>36.79</td><td>13.44</td><td>35.91</td><td>101</td><td>15 Average VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dBm/Hz	dB	cm	deg			1	7127.24	56.73	-31.57	88.30	42.35	36.75	13.54	35.91	101	15 Peak VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dBm/Hz	dB	cm	deg			1	7021.00	102.28	13.98	88.30	87.86	36.79	13.44	35.91	101	15 Peak VERTICAL	2	7021.00	93.12	24.82	68.30	78.80	36.79	13.44	35.91	101	15 Average VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dBm/Hz	dB	cm	deg																																																																							
1	7127.24	56.73	-31.57	88.30	42.35	36.75	13.54	35.91	101	15 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dBm/Hz	dB	cm	deg																																																																							
1	7021.00	102.28	13.98	88.30	87.86	36.79	13.44	35.91	101	15 Peak VERTICAL																																																																					
2	7021.00	93.12	24.82	68.30	78.80	36.79	13.44	35.91	101	15 Average VERTICAL																																																																					
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn Date: 11 Level (dBm/Hz) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6885 7010 7030 7050 7070 7090 7110 7130 7145 Frequency (MHz) WIFI 6E (AVG) -0.01 1 Site : 030805-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FBI)192317 Plane : 05 Polar : Full-directivity IMEI : 817 PowerSetting : 14 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dB</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>7128.04</td><td>46.52</td><td>-21.78</td><td>68.30</td><td>32.14</td><td>36.75</td><td>13.54</td><td>35.91</td><td>101</td><td>15 Average VERTICAL</td></tr></table> Left blank	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dBm/Hz	dB	cm	deg			1	7128.04	46.52	-21.78	68.30	32.14	36.75	13.54	35.91	101	15 Average VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Hz	dB	dBm/Hz	dBm/Hz	dBm/Hz	dB	cm	deg																																																																							
1	7128.04	46.52	-21.78	68.30	32.14	36.75	13.54	35.91	101	15 Average VERTICAL																																																																					









U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																												
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz																																																																												
1+2	Horizontal	Fundamental																																																																											
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Data: 1 Level (dBuV/m) Site Condition : 032005-KS WIFI 802.11ax HE80 Partial 484/66 CH215 7025MHz RBM 1000.000kHz VSW 3.000.000kHz SWT Auto Project : (FR)192317 Mode : 60 Plane : Y Full-directivity : Full-directivity IMEI : #17 Power setting : 6 Adapter: 2408B 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7144.36</td><td>55.84</td><td>-32.46</td><td>88.30</td><td>41.46</td><td>36.74</td><td>13.55</td><td>35.91</td><td>303</td><td>340</td><td>Peak</td><td>HORIZONT</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	7144.36	55.84	-32.46	88.30	41.46	36.74	13.55	35.91	303	340	Peak	HORIZONT	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Data: 3 Level (dBuV/m) Site Condition : 032005-KS WIFI 802.11ax HE80 Partial 484/66 CH215 7025MHz RBM 1000.000kHz VSW 3.000.000kHz SWT Auto Project : (FR)192317 Mode : 60 Plane : Y Full-directivity : Full-directivity IMEI : #17 Power setting : 6 Adapter: 2408B 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7048.00</td><td>95.46</td><td>7.16</td><td>88.30</td><td>81.12</td><td>36.78</td><td>13.47</td><td>35.91</td><td>303</td><td>340</td><td>Peak</td><td>HORIZONT</td></tr><tr><td>2</td><td>7048.00</td><td>86.37</td><td>18.07</td><td>68.30</td><td>72.03</td><td>36.78</td><td>13.47</td><td>35.91</td><td>303</td><td>340</td><td>Average</td><td>HORIZONT</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	7048.00	95.46	7.16	88.30	81.12	36.78	13.47	35.91	303	340	Peak	HORIZONT	2	7048.00	86.37	18.07	68.30	72.03	36.78	13.47	35.91	303	340	Average	HORIZONT
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
1	7144.36	55.84	-32.46	88.30	41.46	36.74	13.55	35.91	303	340	Peak	HORIZONT																																																																	
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
1	7048.00	95.46	7.16	88.30	81.12	36.78	13.47	35.91	303	340	Peak	HORIZONT																																																																	
2	7048.00	86.37	18.07	68.30	72.03	36.78	13.47	35.91	303	340	Average	HORIZONT																																																																	
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn SPORTON LAB. Data: 2 Level (dBuV/m) Site Condition : 032005-KS WIFI 802.11ax HE80 Partial 484/66 CH215 7025MHz RBM 1000.000kHz VSW 3.000.000kHz SWT Auto Project : (FR)192317 Mode : 60 Plane : Y Full-directivity : Full-directivity IMEI : #17 Power setting : 6 Adapter: 2408B 1 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7111.88</td><td>45.74</td><td>-22.56</td><td>68.30</td><td>31.36</td><td>36.75</td><td>13.54</td><td>35.91</td><td>303</td><td>340</td><td>Average</td><td>HORIZONT</td></tr></table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg		1	7111.88	45.74	-22.56	68.30	31.36	36.75	13.54	35.91	303	340	Average	HORIZONT	Left blank																																												
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																						
1	7111.88	45.74	-22.56	68.30	31.36	36.75	13.54	35.91	303	340	Average	HORIZONT																																																																	






WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/66 CH215 7025MHz	
1+2	Vertical	Fundamental
Peak	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 66 Full-directivity : Y Full-directivity : Y Power setting : 8 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/100m dB dBm/100m dBm/100m dBm/100m dBm/100m dBm/100m cm deg 1 7131.24 55.47 -32.83 88.30 41.09 36.74 13.55 35.91 193 360 Peak VERTICAL	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 66 Full-directivity : Y Full-directivity : Y Power setting : 8 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/100m dB dBm/100m dBm/100m dBm/100m dBm/100m dBm/100m cm deg 1 7048.00 94.94 6.64 88.30 80.60 36.78 13.47 35.91 193 360 Peak VERTICAL 2 7048.00 86.79 18.00 68.30 72.61 26.78 12.47 35.91 193 360 Average VERTICAL
Avg.	 No. 1098, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 03DH05-KS Condition : WIFI 6E (AVG) 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FR)192317 Plane : 66 Full-directivity : Y Full-directivity : Y Power setting : 8 Adaptor2+USB 1 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBm/100m dB dBm/100m dBm/100m dBm/100m dBm/100m dBm/100m cm deg 1 7110.92 45.68 -22.62 68.30 31.31 36.76 13.52 35.91 193 360 Average VERTICAL	Left blank

U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Full CH207 6985MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 7 Level (dBuV/m)  Frequency (MHz) Site Condition Project Mode Plane IMEI Powersetting Adaptor Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7156.84</td><td>57.27</td><td>-31.83</td><td>88.38</td><td>42.87</td><td>36.74</td><td>13.57</td><td>35.91</td><td>180</td><td>50 Peak</td></tr></tbody></table>  No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 9 Level (dBuV/m)  Frequency (MHz) Site Condition Project Mode Plane IMEI Powersetting Adaptor Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6976.00</td><td>95.50</td><td>8.20</td><td>88.38</td><td>82.22</td><td>36.73</td><td>13.40</td><td>35.85</td><td>180</td><td>50 Peak</td></tr><tr><td>2</td><td>6976.00</td><td>87.89</td><td>16.79</td><td>68.38</td><td>72.72</td><td>36.73</td><td>13.40</td><td>35.85</td><td>180</td><td>50 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7156.84	57.27	-31.83	88.38	42.87	36.74	13.57	35.91	180	50 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	6976.00	95.50	8.20	88.38	82.22	36.73	13.40	35.85	180	50 Peak	2	6976.00	87.89	16.79	68.38	72.72	36.73	13.40	35.85	180	50 Average	Left blank
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	7156.84	57.27	-31.83	88.38	42.87	36.74	13.57	35.91	180	50 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	6976.00	95.50	8.20	88.38	82.22	36.73	13.40	35.85	180	50 Peak																																																																					
2	6976.00	87.89	16.79	68.38	72.72	36.73	13.40	35.85	180	50 Average																																																																					
 No. 1008, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 8 Level (dBuV/m)  Frequency (MHz) Site Condition Project Mode Plane IMEI Powersetting Adaptor Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7126.76</td><td>46.81</td><td>-21.49</td><td>68.38</td><td>32.43</td><td>36.75</td><td>13.54</td><td>35.91</td><td>180</td><td>50 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7126.76	46.81	-21.49	68.38	32.43	36.75	13.54	35.91	180	50 Average																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	7126.76	46.81	-21.49	68.38	32.43	36.75	13.54	35.91	180	50 Average																																																																					

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Full CH207 6985MHz																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 10 Level (dBm/Vm) Site : 03CB05-KS Condition : WIFI 6E PEAK 3m 3117 00218052 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto Model : 07 Plane : T Polar : Full-directivity Polarization : H PowerSetting : 13 Adaptor:2H2B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7126.44</td><td>56.15</td><td>-32.15</td><td>88.30</td><td>41.77</td><td>36.75</td><td>13.54</td><td>35.91</td><td>133</td><td>6 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dBm/Vm	cm	deg			1	7126.44	56.15	-32.15	88.30	41.77	36.75	13.54	35.91	133	6 Peak VERTICAL	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Level (dBm/Vm) Site : 03CB05-KS Condition : WIFI 6E PEAK 3m 3117 00218052 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto Model : 07 Plane : T Polar : Full-directivity Polarization : H PowerSetting : 13 Adaptor:2H2B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6958.00</td><td>98.78</td><td>18.40</td><td>88.30</td><td>64.55</td><td>36.58</td><td>13.37</td><td>35.88</td><td>133</td><td>6 Peak VERTICAL</td></tr><tr><td>2</td><td>6958.00</td><td>88.77</td><td>20.47</td><td>68.30</td><td>74.62</td><td>36.58</td><td>13.37</td><td>35.88</td><td>133</td><td>6 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dBm/Vm	cm	deg			1	6958.00	98.78	18.40	88.30	64.55	36.58	13.37	35.88	133	6 Peak VERTICAL	2	6958.00	88.77	20.47	68.30	74.62	36.58	13.37	35.88	133	6 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dBm/Vm	cm	deg																																																																							
1	7126.44	56.15	-32.15	88.30	41.77	36.75	13.54	35.91	133	6 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dBm/Vm	cm	deg																																																																							
1	6958.00	98.78	18.40	88.30	64.55	36.58	13.37	35.88	133	6 Peak VERTICAL																																																																					
2	6958.00	88.77	20.47	68.30	74.62	36.58	13.37	35.88	133	6 Average VERTICAL																																																																					
Avg.	No. 1098, Pengzi North Road Kunshan Economic & Technical Development Zone Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 11 Level (dBm/Vm) Site : 03CB05-KS Condition : WIFI 6E (AVG) 3m 3117 00218052 VERTICAL Project : RFW 1000.000MHz YEW 3000.000MHz SPT Auto Model : 07 Plane : T Polar : Full-directivity Polarization : H PowerSetting : 13 Adaptor:2H2B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>dBm/Vm</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>7126.76</td><td>47.16</td><td>-21.14</td><td>68.30</td><td>32.78</td><td>36.75</td><td>13.54</td><td>35.91</td><td>133</td><td>6 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dBm/Vm	cm	deg			1	7126.76	47.16	-21.14	68.30	32.78	36.75	13.54	35.91	133	6 Average VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/Vm	dB	dBm/Vm	dBm/Vm	dBm/Vm	dBm/Vm	cm	deg																																																																							
1	7126.76	47.16	-21.14	68.30	32.78	36.75	13.54	35.91	133	6 Average VERTICAL																																																																					





U-NII 8 - 6875-7125MHzMHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Partial 996/S67 CH207 6985MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR) 192317 Plane : 00 Full-directivity IMEI : 817 Power setting : 6.5 Adapter:2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7133.80</td><td>57.34</td><td>-30.96</td><td>88.30</td><td>42.96</td><td>36.74</td><td>13.55</td><td>35.91</td><td>309</td><td>347 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7133.80	57.34	-30.96	88.30	42.96	36.74	13.55	35.91	309	347 Peak	HORIZONTAL	 Site : 030805-KS Condition : WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR) 192317 Plane : 00 Full-directivity IMEI : 817 Power setting : 6.5 Adapter:2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 * 7057.00</td><td>92.81</td><td>4.51</td><td>88.30</td><td>78.47</td><td>36.78</td><td>13.47</td><td>35.91</td><td>309</td><td>347 Peak</td><td>HORIZONTAL</td></tr><tr><td>2 * 7057.00</td><td>83.47</td><td>15.17</td><td>68.30</td><td>69.13</td><td>36.78</td><td>13.47</td><td>35.91</td><td>309</td><td>347 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 * 7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak	HORIZONTAL	2 * 7057.00	83.47	15.17	68.30	69.13	36.78	13.47	35.91	309	347 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7133.80	57.34	-30.96	88.30	42.96	36.74	13.55	35.91	309	347 Peak	HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 * 7057.00	92.81	4.51	88.30	78.47	36.78	13.47	35.91	309	347 Peak	HORIZONTAL																																																																					
2 * 7057.00	83.47	15.17	68.30	69.13	36.78	13.47	35.91	309	347 Average	HORIZONTAL																																																																					
Avg.	 Site : 030805-KS Condition : WIFI 6E (Ave) 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : (FR) 192317 Plane : 00 Full-directivity IMEI : 817 Power setting : 6.5 Adapter:2408B 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 7214.44</td><td>45.84</td><td>-22.46</td><td>68.30</td><td>31.40</td><td>36.71</td><td>13.64</td><td>35.91</td><td>309</td><td>347 Average</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 7214.44	45.84	-22.46	68.30	31.40	36.71	13.64	35.91	309	347 Average	HORIZONTAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																							
1 7214.44	45.84	-22.46	68.30	31.40	36.71	13.64	35.91	309	347 Average	HORIZONTAL																																																																					



WIFI	U-NII 8 - 6875-7125MHz Band Edge @ 3m		
ANT	802.11ax HE160 Partial 996/S67 CH207 6985MHz		
1+2	Vertical	Fundamental	
Peak	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 4 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 03DH05-KS RIFI 6E PEAK 3m 3117.00218652 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)192317 Y Full-directivity A.5 Adaptor:245B.1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBm/100m dB dBm/100m dBm/100m dB dB cm deg 1 7122.84 57.04 -31.26 88.30 42.66 36.74 13.55 35.91 109 13 Peak VERTICAL Data: 3 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 03DH05-KS RIFI 6E PEAK 3m 3117.00218652 HORIZONTAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)192317 Y Full-directivity A.5 Adaptor:245B.1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBm/100m dB dBm/100m dBm/100m dB dB cm deg 1 7057.00 92.81 -4.51 88.30 78.47 36.78 13.47 35.91 309 347 Peak HORIZONTAL 2 7057.00 93.47 -4.51 88.30 78.47 36.78 13.47 35.91 309 347 Average HORIZONTAL <tr><td>Avg.</td><td>  No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 03DH05-KS RIFI 6E (AVG) 3m 3117.00218652 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)192317 Y Full-directivity A.5 Adaptor:245B.1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBm/100m dB dBm/100m dBm/100m dB dB cm deg 1 7219.24 45.91 -22.39 68.30 31.47 36.71 13.64 35.91 109 13 Average VERTICAL Left blank </td></tr>	Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 03DH05-KS RIFI 6E (AVG) 3m 3117.00218652 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)192317 Y Full-directivity A.5 Adaptor:245B.1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBm/100m dB dBm/100m dBm/100m dB dB cm deg 1 7219.24 45.91 -22.39 68.30 31.47 36.71 13.64 35.91 109 13 Average VERTICAL Left blank
Avg.	 No. 1098, Pengxi North Road Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900058 http://www.sporton.com.cn SPORTON LAB. Logo Data: 5 Level (dBm/100m) 130 117.0 104.0 91.0 78.0 65.0 52.0 39.0 26.0 13.0 6905 6930 6950 6970 6990 7010 7030 7050 7070 7090 7110 7130 7150 7170 7190 7225 Frequency (MHz) Site Condition Project Mode Plane IMEI Power setting 03DH05-KS RIFI 6E (AVG) 3m 3117.00218652 VERTICAL RSM-1000.000KHz VBR-3000.000KHz SRT-Auto (FR)192317 Y Full-directivity A.5 Adaptor:245B.1 Over Limit ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas dBm/100m dB dBm/100m dBm/100m dB dB cm deg 1 7219.24 45.91 -22.39 68.30 31.47 36.71 13.64 35.91 109 13 Average VERTICAL Left blank		

U-NII 8 - 6875-7125MHzMHz
WIFI 802.11a (Harmonic @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																									
ANT	802.11a CH189 6895MHz																																																																																																																									
1+2	Horizontal	Vertical																																																																																																																								
Peak Avg.	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13788.73</td><td>45.85</td><td>-42.45</td><td>88.30</td><td>46.71</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13788.73</td><td>45.85</td><td>-42.45</td><td>88.30</td><td>46.71</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak HORIZONTAL	 Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13788.73</td><td>46.30</td><td>-42.00</td><td>88.30</td><td>47.16</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>  Site : 030H05-KS Condition : WIFI 6E PEAK 3m 3117 00218663 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Mode : FR192317 Plane : Y Full-directivity : Y Power setting : 0 Adaptor2+USB 1 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13788.73</td><td>46.30</td><td>-42.00</td><td>88.30</td><td>47.16</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13788.73	45.85	-42.45	88.30	46.71	39.87	19.35	60.08	300	0 Peak HORIZONTAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak VERTICAL																																																																																																																	
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																																																																			
1 13788.73	46.30	-42.00	88.30	47.16	39.87	19.35	60.08	100	360 Peak VERTICAL																																																																																																																	





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																													
ANT	802.11a CH229 7095 MHz																																																																													
1+2	Horizontal					Vertical																																																																								
Peak	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FS) 192317 Plane : 12 Full-directivity : 87 Power setting : 0 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr><tr><td>1</td><td>14005.00</td><td>45.80</td><td>-42.50</td><td>88.30</td><td>46.58</td><td>39.70</td><td>19.57</td><td>60.05</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FS) 192317 Plane : 12 Full-directivity : 87 Power setting : 0 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th></tr><tr><td>1</td><td>14005.00</td><td>45.97</td><td>-42.33</td><td>88.30</td><td>46.75</td><td>39.70</td><td>19.57</td><td>60.05</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	1	14005.00	45.80	-42.50	88.30	46.58	39.70	19.57	60.05	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	1	14005.00	45.97	-42.33	88.30	46.75	39.70	19.57	60.05	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																				
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																																				
1	14005.00	45.80	-42.50	88.30	46.58	39.70	19.57	60.05	300	0 Peak	HORIZONTAL																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																				
MHz	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm	dBm																																																																				
1	14005.00	45.97	-42.33	88.30	46.75	39.70	19.57	60.05	100	360 Peak	VERTICAL																																																																			



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE20 Full CH189 6895MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th></tr><tr><td>1 13788.73</td><td>46.40</td><td>-41.90</td><td>88.30</td><td>47.26</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	1 13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th></tr><tr><td>1 13788.73</td><td>46.79</td><td>-41.51</td><td>88.30</td><td>47.65</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	1 13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%																																																										
1 13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%																																																										
1 13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL																																																										
Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th></tr><tr><td>1 13788.73</td><td>46.40</td><td>-41.90</td><td>88.30</td><td>47.26</td><td>39.87</td><td>19.35</td><td>60.08</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	1 13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000 0000Hz VHM-3000 0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th><th>dBm/1%</th></tr><tr><td>1 13788.73</td><td>46.79</td><td>-41.51</td><td>88.30</td><td>47.65</td><td>39.87</td><td>19.35</td><td>60.08</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	1 13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%																																																										
1 13788.73	46.40	-41.90	88.30	47.26	39.87	19.35	60.08	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%	dBm/1%																																																										
1 13788.73	46.79	-41.51	88.30	47.65	39.87	19.35	60.08	100	360 Peak	VERTICAL																																																										







WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																	
ANT	802.11ax HE20 Full CH209 6995 MHz																																																																	
1+2	Horizontal	Vertical																																																																
Peak	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : 52 Polar : 7 IME1 : Full-directivity Power setting : 47 Adaptor2+USB 1 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13988.98</td><td>45.81</td><td>-42.49</td><td>88.30</td><td>46.60</td><td>39.71</td><td>19.55</td><td>60.05</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	13988.98	45.81	-42.49	88.30	46.60	39.71	19.55	60.05	300	0 Peak	HORIZONTAL	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : FRS192317 Plane : 52 Polar : 7 IME1 : Full-directivity Power setting : 47 Adaptor2+USB 1 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13988.98</td><td>45.21</td><td>-42.09</td><td>88.30</td><td>47.00</td><td>39.71</td><td>19.55</td><td>60.05</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg		1	13988.98	45.21	-42.09	88.30	47.00	39.71	19.55	60.05	100	360 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	13988.98	45.81	-42.49	88.30	46.60	39.71	19.55	60.05	300	0 Peak	HORIZONTAL																																																							
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																										
1	13988.98	45.21	-42.09	88.30	47.00	39.71	19.55	60.05	100	360 Peak	VERTICAL																																																							




WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																
ANT	802.11ax HE20 Full CH229 7095 MHz																																																																
1+2	Horizontal	Vertical																																																															
Peak Avg.	No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 53 Plane : 7 Full-directivity : Full-directivity IMEI : 817 Power setting : 10 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14192.00</td><td>45.41</td><td>-42.89</td><td>88.30</td><td>45.97</td><td>39.83</td><td>19.65</td><td>60.04</td><td>300</td><td>360 Peak</td><td>HORIZONTAL</td></tr></table> No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (FSS)192317 Plane : 53 Plane : 7 Full-directivity : Full-directivity IMEI : 817 Power setting : 10 Adaptor:2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>dBm/Hz</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14192.00</td><td>47.37</td><td>-40.93</td><td>88.30</td><td>47.93</td><td>39.83</td><td>19.65</td><td>60.04</td><td>100</td><td>0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	cm	deg	1	14192.00	45.41	-42.89	88.30	45.97	39.83	19.65	60.04	300	360 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	cm	deg	1	14192.00	47.37	-40.93	88.30	47.93	39.83	19.65	60.04	100	0 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																								
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	cm	deg																																																								
1	14192.00	45.41	-42.89	88.30	45.97	39.83	19.65	60.04	300	360 Peak	HORIZONTAL																																																						
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																								
MHz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	dBm/Hz	cm	deg																																																								
1	14192.00	47.37	-40.93	88.30	47.93	39.83	19.65	60.04	100	0 Peak	VERTICAL																																																						



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																																					
ANT	802.11ax HE40 Full CH203 6965MHz																																																																																																																																					
1+2	Horizontal	Vertical																																																																																																																																				
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13928.91</td><td>47.42</td><td>-40.88</td><td>88.30</td><td>48.23</td><td>39.75</td><td>19.50</td><td>60.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>  Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13928.91</td><td>47.42</td><td>-40.88</td><td>88.30</td><td>48.23</td><td>39.75</td><td>19.50</td><td>60.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13928.91</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.14</td><td>39.75</td><td>19.50</td><td>60.06</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>  Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: R08-1000-0000Hz V08-2000-0000Hz DRT-Auto Model: 01 Plane: 0 Full-directivity MEI: 017 Power setting: 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phase</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13928.91</td><td>47.33</td><td>-40.97</td><td>88.30</td><td>48.14</td><td>39.75</td><td>19.50</td><td>60.06</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.42	-40.88	88.30	48.23	39.75	19.50	60.06	300	0 Peak	HORIZONTAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																																																																																																																														
1 13928.91	47.33	-40.97	88.30	48.14	39.75	19.50	60.06	100	360 Peak	VERTICAL																																																																																																																												







WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH227 7085MHz	
1+2	Horizontal	Vertical
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-0512-57900158 fax: +86-0512-57900058 http://www.sporton.com.cn SPORTON LAB. Date: 5 Level (dBuV/m) Frequency (MHz) WIFI 6E PEAK WIFI 6E PE	



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE80 Full CH199 6945MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RHM-1000-0000Hz VHM-2000-0000Hz DHT-Auto Model: 04 Plane: Y Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13888.86</td><td>46.05</td><td>-42.25</td><td>88.30</td><td>46.87</td><td>39.79</td><td>19.45</td><td>60.06</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13888.86	46.05	-42.25	88.30	46.87	39.79	19.45	60.06	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RHM-1000-0000Hz VHM-2000-0000Hz DHT-Auto Model: 04 Plane: X Full-directivity MEI: 14 Power setting: 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100</th><th>dB</th><th>dBm/100</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13888.86</td><td>46.57</td><td>-41.73</td><td>88.30</td><td>47.39</td><td>39.79</td><td>19.45</td><td>60.06</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg			1 13888.86	46.57	-41.73	88.30	47.39	39.79	19.45	60.06	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13888.86	46.05	-42.25	88.30	46.87	39.79	19.45	60.06	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBm/100	dB	dBm/100	dBm	dB	dB	cm	deg																																																												
1 13888.86	46.57	-41.73	88.30	47.39	39.79	19.45	60.06	100	360 Peak	VERTICAL																																																										





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																																																																												
ANT	802.11ax HE80 Full CH215 7025MHz																																																																																																																												
1+2	Horizontal	Vertical																																																																																																																											
Peak Avg.	 Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 05 T : 7 Full-directivity : Full-directivity IME1 : 817 Power setting : 14 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14048.00</td><td>46.10</td><td>-42.20</td><td>88.30</td><td>46.82</td><td>39.74</td><td>19.59</td><td>60.05</td><td>300 360 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 HORIZONTAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 05 T : 7 Full-directivity : Full-directivity IME1 : 817 Power setting : 14 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14048.00</td><td>46.10</td><td>-42.20</td><td>88.30</td><td>46.82</td><td>39.74</td><td>19.59</td><td>60.05</td><td>300 360 Peak</td><td>HORIZONTAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 05 T : 7 Full-directivity : Full-directivity IME1 : 817 Power setting : 14 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14048.00</td><td>45.80</td><td>-42.50</td><td>88.30</td><td>46.52</td><td>39.74</td><td>19.59</td><td>60.05</td><td>100 0 Peak</td><td>VERTICAL</td></tr></table>  Site : 03PH05-KS Condition : WIFI 6E PEAK 3m 3117.00218652 VERTICAL Project : RSM-1000.000KHz VBR-3000.000KHz SRT-Auto Bode : (F5) 192317 Plane : 05 T : 7 Full-directivity : Full-directivity IME1 : 817 Power setting : 14 Adaptor2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Poss</th><th>T/Poss</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14048.00</td><td>45.80</td><td>-42.50</td><td>88.30</td><td>46.52</td><td>39.74</td><td>19.59</td><td>60.05</td><td>100 0 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	14048.00	46.10	-42.20	88.30	46.82	39.74	19.59	60.05	300 360 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	14048.00	46.10	-42.20	88.30	46.82	39.74	19.59	60.05	300 360 Peak	HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	14048.00	45.80	-42.50	88.30	46.52	39.74	19.59	60.05	100 0 Peak	VERTICAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg	1	14048.00	45.80	-42.50	88.30	46.52	39.74	19.59	60.05	100 0 Peak	VERTICAL
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	14048.00	46.10	-42.20	88.30	46.82	39.74	19.59	60.05	300 360 Peak	HORIZONTAL																																																																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	14048.00	46.10	-42.20	88.30	46.82	39.74	19.59	60.05	300 360 Peak	HORIZONTAL																																																																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	14048.00	45.80	-42.50	88.30	46.52	39.74	19.59	60.05	100 0 Peak	VERTICAL																																																																																																																			
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Poss	T/Poss	Remark	Pol/Phas																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	dB	cm	deg																																																																																																																				
1	14048.00	45.80	-42.50	88.30	46.52	39.74	19.59	60.05	100 0 Peak	VERTICAL																																																																																																																			



U-NII 8 - 6875-7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)



WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																																			
ANT	802.11ax HE160 Full CH207 6985MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 HORIZONTAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 60 Plane: Y Full-directivity MEI: 13 Power setting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13968.96</td><td>46.55</td><td>-41.75</td><td>88.30</td><td>47.33</td><td>29.73</td><td>19.54</td><td>60.05</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 13968.96	46.55	-41.75	88.30	47.33	29.73	19.54	60.05	300	0 Peak	HORIZONTAL	 Site: 032005-KS Condition: WIFI 6E PEAK 3m 3117 00218652 VERTICAL Project: RRM-1000-0000Hz VHM-2000-0000Hz DRT-Auto Model: 60 Plane: X Full-directivity MEI: 13 Power setting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1 13968.96</td><td>45.95</td><td>-42.35</td><td>88.30</td><td>46.73</td><td>29.73</td><td>19.54</td><td>60.05</td><td>100</td><td>360 Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg			1 13968.96	45.95	-42.35	88.30	46.73	29.73	19.54	60.05	100	360 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 13968.96	46.55	-41.75	88.30	47.33	29.73	19.54	60.05	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dBuV/m	dBuV/m	dBuV/m	dB	dB	cm	deg																																																												
1 13968.96	45.95	-42.35	88.30	46.73	29.73	19.54	60.05	100	360 Peak	VERTICAL																																																										

U-NII 8 - Straddle Channel
WIFI 802.11ax HE40 Full (Harmonic @ 3m)





WIFI	U-NII 8 - 6875-7125MHz Harmonic @ 3m																																																												
ANT	802.11ax HE40 Full CH187 6885MHz																																																												
1+2	Horizontal	Vertical																																																											
Peak Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902058 http://www.sporton.com.cn SPORTON LAB. Data: 5 Level (dBm/100kHz) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK dBm WIFI 6E AVG dBm Site Condition : 030H05-KS : WIFI 6E PEAK 3m 3117 00218663 HORIZONTAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Date : 09/19/2022 Plane : Y Polarization : Full-directivity Power setting : 11 Adaptor: 2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13768.71</td><td>46.59</td><td>-41.71</td><td>88.30</td><td>47.45</td><td>39.89</td><td>19.33</td><td>60.08</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57902158 fax: +86-512-57902058 http://www.sporton.com.cn SPORTON LAB. Data: 6 Level (dBm/100kHz) 117 105.3 93.6 81.9 70.2 58.5 46.8 35.1 23.4 11.7 0 10000 11000 12000 13000 14000 15000 16000 17000 18000 Frequency (MHz) WIFI 6E PEAK dBm WIFI 6E AVG dBm Site Condition : 030H05-KS : WIFI 6E PEAK 3m 3117 00218663 VERTICAL Project : RSM 1000 000KHz VSW 3000 000KHz SMT Auto Date : 09/19/2022 Plane : Y Polarization : Full-directivity Power setting : 11 Adaptor: 2+USB 1 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13768.71</td><td>46.83</td><td>-41.47</td><td>88.30</td><td>47.69</td><td>39.89</td><td>19.33</td><td>60.08</td><td>100</td><td>360 Peak VERTICAL</td></tr></table>	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300	0 Peak HORIZONTAL	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg			1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100	360 Peak VERTICAL
	Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																			
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																						
1 13768.71	46.59	-41.71	88.30	47.45	39.89	19.33	60.08	300	0 Peak HORIZONTAL																																																				
Freq	Level	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																				
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	cm	deg																																																						
1 13768.71	46.83	-41.47	88.30	47.69	39.89	19.33	60.08	100	360 Peak VERTICAL																																																				



Emission below 1GHz
5GHz WIFI 802.11ax HE160 Full (LF)

WIFI	5GHz WIFI																																																																																																																																																																																
ANT	802.11ax HE160 Full LF																																																																																																																																																																																
1+2	Horizontal	Vertical																																																																																																																																																																															
QP / Peak	 No. 1006, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 13  Site: a Condition: WIFI 4E PEAK In CH641110 CH2100 HORIZONTAL Project: RW 100.000000Hz YPR 300.000000Hz SPT: Auto Date: 27 Time: 7 Pulse: 1 Pull-directivity: 1 IMEI: 11 Power setting: 13 Adaptor: H20B 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th></tr><tr><td>1</td><td>45.52</td><td>27.25</td><td>-12.75</td><td>40.00</td><td>42.22</td><td>16.92</td><td>1.83</td><td>32.92</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>96.93</td><td>22.32</td><td>-22.18</td><td>43.50</td><td>36.14</td><td>17.47</td><td>1.49</td><td>32.78</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>184.23</td><td>21.84</td><td>-22.46</td><td>43.50</td><td>35.31</td><td>16.68</td><td>2.00</td><td>33.40</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>427.79</td><td>23.13</td><td>-22.87</td><td>46.00</td><td>29.51</td><td>23.20</td><td>3.10</td><td>32.74</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>686.49</td><td>26.58</td><td>-19.42</td><td>46.00</td><td>29.19</td><td>25.75</td><td>4.40</td><td>32.77</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>871.96</td><td>28.56</td><td>-17.44</td><td>46.00</td><td>29.32</td><td>27.29</td><td>4.51</td><td>32.56</td><td>---</td><td>Peak HORIZONTAL</td></tr></table>  No. 1006, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Data: 14  Site: a Condition: WIFI 4E PEAK In CH641110 CH2100 VERTICAL Project: RW 100.000000Hz YPR 300.000000Hz SPT: Auto Date: 27 Time: 7 Pulse: 1 Pull-directivity: 1 IMEI: 11 Power setting: 13 Adaptor: H20B 1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dBm/100kHz</th></tr><tr><td>1</td><td>45.52</td><td>27.82</td><td>-12.18</td><td>40.00</td><td>42.79</td><td>16.92</td><td>1.83</td><td>32.92</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>96.93</td><td>21.30</td><td>-22.20</td><td>43.50</td><td>35.32</td><td>17.47</td><td>1.49</td><td>32.78</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>184.23</td><td>20.26</td><td>-23.14</td><td>43.50</td><td>34.63</td><td>16.68</td><td>2.00</td><td>33.40</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>345.25</td><td>22.45</td><td>-23.95</td><td>46.00</td><td>30.84</td><td>21.29</td><td>2.83</td><td>32.90</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>572.23</td><td>26.40</td><td>-19.60</td><td>46.00</td><td>29.13</td><td>25.72</td><td>3.65</td><td>32.56</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>795.33</td><td>27.90</td><td>-18.10</td><td>46.00</td><td>29.25</td><td>26.86</td><td>4.31</td><td>32.52</td><td>---</td><td>Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	1	45.52	27.25	-12.75	40.00	42.22	16.92	1.83	32.92	---	Peak HORIZONTAL	2	96.93	22.32	-22.18	43.50	36.14	17.47	1.49	32.78	---	Peak HORIZONTAL	3	184.23	21.84	-22.46	43.50	35.31	16.68	2.00	33.40	---	Peak HORIZONTAL	4	427.79	23.13	-22.87	46.00	29.51	23.20	3.10	32.74	---	Peak HORIZONTAL	5	686.49	26.58	-19.42	46.00	29.19	25.75	4.40	32.77	---	Peak HORIZONTAL	6	871.96	28.56	-17.44	46.00	29.32	27.29	4.51	32.56	---	Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	1	45.52	27.82	-12.18	40.00	42.79	16.92	1.83	32.92	---	Peak VERTICAL	2	96.93	21.30	-22.20	43.50	35.32	17.47	1.49	32.78	---	Peak VERTICAL	3	184.23	20.26	-23.14	43.50	34.63	16.68	2.00	33.40	---	Peak VERTICAL	4	345.25	22.45	-23.95	46.00	30.84	21.29	2.83	32.90	---	Peak VERTICAL	5	572.23	26.40	-19.60	46.00	29.13	25.72	3.65	32.56	---	Peak VERTICAL	6	795.33	27.90	-18.10	46.00	29.25	26.86	4.31	32.52	---	Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz																																																																																																																																																																							
1	45.52	27.25	-12.75	40.00	42.22	16.92	1.83	32.92	---	Peak HORIZONTAL																																																																																																																																																																							
2	96.93	22.32	-22.18	43.50	36.14	17.47	1.49	32.78	---	Peak HORIZONTAL																																																																																																																																																																							
3	184.23	21.84	-22.46	43.50	35.31	16.68	2.00	33.40	---	Peak HORIZONTAL																																																																																																																																																																							
4	427.79	23.13	-22.87	46.00	29.51	23.20	3.10	32.74	---	Peak HORIZONTAL																																																																																																																																																																							
5	686.49	26.58	-19.42	46.00	29.19	25.75	4.40	32.77	---	Peak HORIZONTAL																																																																																																																																																																							
6	871.96	28.56	-17.44	46.00	29.32	27.29	4.51	32.56	---	Peak HORIZONTAL																																																																																																																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																							
MHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz	dBm/100kHz																																																																																																																																																																							
1	45.52	27.82	-12.18	40.00	42.79	16.92	1.83	32.92	---	Peak VERTICAL																																																																																																																																																																							
2	96.93	21.30	-22.20	43.50	35.32	17.47	1.49	32.78	---	Peak VERTICAL																																																																																																																																																																							
3	184.23	20.26	-23.14	43.50	34.63	16.68	2.00	33.40	---	Peak VERTICAL																																																																																																																																																																							
4	345.25	22.45	-23.95	46.00	30.84	21.29	2.83	32.90	---	Peak VERTICAL																																																																																																																																																																							
5	572.23	26.40	-19.60	46.00	29.13	25.72	3.65	32.56	---	Peak VERTICAL																																																																																																																																																																							
6	795.33	27.90	-18.10	46.00	29.25	26.86	4.31	32.52	---	Peak VERTICAL																																																																																																																																																																							




BLE		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																
ANT		BLE CH39 2480MHZ																																																																
1	Vertical	Fundamental																																																																
Peak	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 11  Site Condition: a FCC PART 15C 3m 3117 00218052 VERTICAL Economic & Technical Development Zone Jiangsu, China Project: RSW 1000, 0000Hz YEW 3000, 0000Hz SPT Auto Model: (FNU) 192317 Plane: 07 Polarization: Full-directivity IMEI: 417 Power setting: 13 BT <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>95.3</td><td>25.11</td><td>74.00</td><td>94.65</td><td>30.86</td><td>7.86</td><td>34.26</td><td>299</td><td>81 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg		1	2480.00	95.3	25.11	74.00	94.65	30.86	7.86	34.26	299	81 Peak	VERTICAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 13  Site Condition: a FCC PART 15C 3m 3117 00218052 VERTICAL Economic & Technical Development Zone Jiangsu, China Project: RSW 1000, 0000Hz YEW 3000, 0000Hz SPT Auto Model: (FNU) 192317 Plane: 07 Polarization: Full-directivity IMEI: 417 Power setting: 13 BT <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>99.11</td><td>25.11</td><td>74.00</td><td>94.65</td><td>30.86</td><td>7.86</td><td>34.26</td><td>299</td><td>81 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg		1	2480.00	99.11	25.11	74.00	94.65	30.86	7.86	34.26	299	81 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																								
MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg																																																										
1	2480.00	95.3	25.11	74.00	94.65	30.86	7.86	34.26	299	81 Peak	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg																																																										
1	2480.00	99.11	25.11	74.00	94.65	30.86	7.86	34.26	299	81 Peak	VERTICAL																																																							
Avg.	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12  Site Condition: a FCC PART 15C (AVG) 3m 3117 00218052 VERTICAL Economic & Technical Development Zone Jiangsu, China Project: RSW 1000, 0000Hz YEW 3000, 0000Hz SPT Auto Model: (FNU) 192317 Plane: 07 Polarization: Full-directivity IMEI: 417 Power setting: 13 BT <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.38</td><td>47.87</td><td>-6.13</td><td>54.00</td><td>43.41</td><td>30.86</td><td>7.86</td><td>34.26</td><td>299</td><td>81 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg		1	2483.38	47.87	-6.13	54.00	43.41	30.86	7.86	34.26	299	81 Average	VERTICAL	 No. 1008, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 14  Site Condition: a FCC PART 15C (AVG) 3m 3117 00218052 VERTICAL Economic & Technical Development Zone Jiangsu, China Project: RSW 1000, 0000Hz YEW 3000, 0000Hz SPT Auto Model: (FNU) 192317 Plane: 07 Polarization: Full-directivity IMEI: 417 Power setting: 13 BT <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>97.97</td><td>43.97</td><td>54.00</td><td>93.51</td><td>30.86</td><td>7.86</td><td>34.26</td><td>299</td><td>81 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg		1	2480.00	97.97	43.97	54.00	93.51	30.86	7.86	34.26	299	81 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg																																																										
1	2483.38	47.87	-6.13	54.00	43.41	30.86	7.86	34.26	299	81 Average	VERTICAL																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																									
MHz	dBm	dBm	Line	Level Factor	Loss Factor	dB	cm	deg																																																										
1	2480.00	97.97	43.97	54.00	93.51	30.86	7.86	34.26	299	81 Average	VERTICAL																																																							






U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Fundamental
Peak	 No. 1006, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Date: 1 Level (dBuV/m) </	





WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																																
ANT	802.11ax HE160 Full CH15 6025MHz																																																																																
1+2	Vertical	Fundamental																																																																															
Peak	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane File IMEI Power setting 0 WIFI 6E PEAK 3m 3117 00218052 VERTICAL RSW 1000.000MHz YEW 3000.000MHz SPT Auto FR192317 07 T Full-directivity 41.7 13 WIFI Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5956.48</td><td>56.38</td><td>-31.92</td><td>88.30</td><td>41.65</td><td>35.90</td><td>12.26</td><td>33.43</td><td>163</td><td>282</td><td>Peak</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5956.48	56.38	-31.92	88.30	41.65	35.90	12.26	33.43	163	282	Peak	VERTICAL	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane File IMEI Power setting 0 WIFI 6E PEAK 3m 3117 00218052 VERTICAL RSW 1000.000MHz YEW 3000.000MHz SPT Auto FR192317 07 T Full-directivity 41.7 13 WIFI Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6067.00</td><td>94.87</td><td>6.57</td><td>88.30</td><td>88.50</td><td>35.88</td><td>12.45</td><td>33.88</td><td>163</td><td>282</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>6067.00</td><td>85.85</td><td>17.55</td><td>68.30</td><td>71.48</td><td>35.88</td><td>12.45</td><td>33.88</td><td>163</td><td>282</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	6067.00	94.87	6.57	88.30	88.50	35.88	12.45	33.88	163	282	Peak	VERTICAL	2	6067.00	85.85	17.55	68.30	71.48	35.88	12.45	33.88	163	282	Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																										
1	5956.48	56.38	-31.92	88.30	41.65	35.90	12.26	33.43	163	282	Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																										
1	6067.00	94.87	6.57	88.30	88.50	35.88	12.45	33.88	163	282	Peak	VERTICAL																																																																					
2	6067.00	85.85	17.55	68.30	71.48	35.88	12.45	33.88	163	282	Average	VERTICAL																																																																					
Avg.	 No. 1008, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Site Condition Project Mode Plane File IMEI Power setting 0 WIFI 6E (AVG) 3m 3117 00218052 VERTICAL RSW 1000.000MHz YEW 3000.000MHz SPT Auto FR192317 07 T Full-directivity 41.7 13 WIFI Over Limit Line Level Factor ReadAntenna Cable Preamp Loss Factor A/Pos T/Pos Remark Pol/Phas <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5789.42</td><td>46.59</td><td>-21.71</td><td>68.30</td><td>31.69</td><td>35.78</td><td>12.21</td><td>33.09</td><td>163</td><td>282</td><td>Average</td><td>VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg			1	5789.42	46.59	-21.71	68.30	31.69	35.78	12.21	33.09	163	282	Average	VERTICAL	Left blank																																														
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	cm	deg																																																																										
1	5789.42	46.59	-21.71	68.30	31.69	35.78	12.21	33.09	163	282	Average	VERTICAL																																																																					



2.4GHz 2400~2483.5MHz

BLE (Harmonic @ 3m)





BLE	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																								
ANT	BLE CH39 2480MHz																																																																																								
1	Horizontal	Vertical																																																																																							
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900268 http://www.sporton.com.cn Site: a Condition: FCC PART 15C 3m 2117 00210652 HORIZONTAL BW 1000.000kHz VSW 3.000.000kHz SWT Auto Project: FR192317 Date: 07 Time: 7 Pul1-directivity: 0 IMEI: 817 Powersetting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4962.00</td><td>41.87</td><td>-32.97</td><td>74.00</td><td>68.29</td><td>34.82</td><td>11.39</td><td>65.47</td><td>300</td><td>0 Peak HORIZONTAL</td></tr><tr><td>2</td><td>7440.00</td><td>43.87</td><td>-30.93</td><td>74.00</td><td>58.91</td><td>36.62</td><td>13.85</td><td>66.31</td><td>300</td><td>0 Peak HORIZONTAL</td></tr></tbody></table>  No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900268 http://www.sporton.com.cn Site: a Condition: FCC PART 15C 3m 2117 00210653 VERTICAL BW 1000.000kHz VSW 3.000.000kHz SWT Auto Project: FR192317 Date: 07 Time: 7 Pul1-directivity: 0 IMEI: 817 Powersetting: 13 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/100kHz</th><th>dB</th><th>dBm/100kHz</th><th>dBm/100kHz</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>4962.00</td><td>48.95</td><td>-33.95</td><td>74.00</td><td>59.31</td><td>34.82</td><td>11.39</td><td>65.47</td><td>300</td><td>0 Peak VERTICAL</td></tr><tr><td>2</td><td>7440.00</td><td>43.86</td><td>-30.94</td><td>74.00</td><td>58.90</td><td>36.62</td><td>13.85</td><td>66.31</td><td>300</td><td>0 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	4962.00	41.87	-32.97	74.00	68.29	34.82	11.39	65.47	300	0 Peak HORIZONTAL	2	7440.00	43.87	-30.93	74.00	58.91	36.62	13.85	66.31	300	0 Peak HORIZONTAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg			1	4962.00	48.95	-33.95	74.00	59.31	34.82	11.39	65.47	300	0 Peak VERTICAL	2	7440.00	43.86	-30.94	74.00	58.90	36.62	13.85	66.31	300	0 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																														
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																																																	
1	4962.00	41.87	-32.97	74.00	68.29	34.82	11.39	65.47	300	0 Peak HORIZONTAL																																																																															
2	7440.00	43.87	-30.93	74.00	58.91	36.62	13.85	66.31	300	0 Peak HORIZONTAL																																																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
MHz	dBm/100kHz	dB	dBm/100kHz	dBm/100kHz	dB	dB	cm	deg																																																																																	
1	4962.00	48.95	-33.95	74.00	59.31	34.82	11.39	65.47	300	0 Peak VERTICAL																																																																															
2	7440.00	43.86	-30.94	74.00	58.90	36.62	13.85	66.31	300	0 Peak VERTICAL																																																																															




LTE B48 Link + WLAN 6GHz 802.11ax HE160 CH15 + WLAN 2.4GHz 802.11ax HE20 CH11

2.4GHz 2400~2483.5MHz




WIFI 802.11 ax HE20 Full RU (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11ax HE20 Full CH11 2462MHz																																																																					
1+2	Horizontal	Fundamental																																																																				
Peak	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition a FCC PART 15C 3e 3117 00218652 HORIZONTAL RFW 1000.000KHz VSW 3000.000KHz SWT Auto Project (FR)192317 Mode 08 Plane Y Pull-directivity IMEI #17 PowerSetting 2.4 2.4G 17.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2462.34</td><td>61.14</td><td>-12.86</td><td>74.00</td><td>56.68</td><td>30.86</td><td>7.86</td><td>34.26</td><td>141</td><td>212 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg		1	2462.34	61.14	-12.86	74.00	56.68	30.86	7.86	34.26	141	212 Peak	HORIZONTAL	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition a FCC PART 15C 3e 3117 00218652 HORIZONTAL RFW 1000.000KHz VSW 3000.000KHz SWT Auto Project (FR)192317 Mode 08 Plane Y Pull-directivity IMEI #17 PowerSetting 2.4 2.4G 17.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2460.00</td><td>188.87</td><td>34.87</td><td>74.00</td><td>183.73</td><td>38.79</td><td>7.83</td><td>34.28</td><td>141</td><td>212 Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg		1	2460.00	188.87	34.87	74.00	183.73	38.79	7.83	34.28	141	212 Peak	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																													
1	2462.34	61.14	-12.86	74.00	56.68	30.86	7.86	34.26	141	212 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																													
1	2460.00	188.87	34.87	74.00	183.73	38.79	7.83	34.28	141	212 Peak	HORIZONTAL																																																											
Avg.	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition a FCC PART 15C (Ave) 3e 3117 00218652 HORIZONTAL RFW 1000.000KHz VSW 0.010KHz SWT Auto Project (FR)192317 Mode 08 Plane Y Pull-directivity IMEI #17 PowerSetting 2.4 2.4G 17.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2463.58</td><td>47.56</td><td>-6.44</td><td>54.00</td><td>43.18</td><td>30.86</td><td>7.86</td><td>34.26</td><td>141</td><td>212 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg		1	2463.58	47.56	-6.44	54.00	43.18	30.86	7.86	34.26	141	212 Average	HORIZONTAL	 No. 1008, Pengji North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site Condition a FCC PART 15C (Ave) 3e 3117 00218652 HORIZONTAL RFW 1000.000KHz VSW 0.010KHz SWT Auto Project (FR)192317 Mode 08 Plane Y Pull-directivity IMEI #17 PowerSetting 2.4 2.4G 17.5 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2458.00</td><td>97.66</td><td>43.66</td><td>54.00</td><td>93.32</td><td>38.79</td><td>7.83</td><td>34.28</td><td>141</td><td>212 Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg		1	2458.00	97.66	43.66	54.00	93.32	38.79	7.83	34.28	141	212 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																													
1	2463.58	47.56	-6.44	54.00	43.18	30.86	7.86	34.26	141	212 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	cm	deg																																																													
1	2458.00	97.66	43.66	54.00	93.32	38.79	7.83	34.28	141	212 Average	HORIZONTAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH11 2462MHz	
1+2	Vertical	Fundamental
Peak	 No. 1098, Pengli North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 5  Site Condition: a FCC PART 15C 3e 3117 00218052 VERTICAL RSM 1000.000MHz YEW 3000.000MHz SPT Auto Project: (FR1)92317 Model: 09 Plane: Y Polarization: Full-directivity F1: 417 F2: 417 F3: 417 F4: 417 F5: 417 F6: 417 F7: 417 F8: 417 F9: 417 F10: 417 F11: 417 F12: 417 F13: 417 F14: 417 F15: 417 F16: 417 F17: 417 F18: 417 F19: 417 F20: 417 F21: 417 F22: 417 F23: 417 F24: 417 F25: 417 F26: 417 F27: 417 F28: 417 F29: 417 F30: 417 F31: 417 F32: 417 F33: 417 F34: 417 F35: 417 F36: 417 F37: 417 F38: 417 F39: 417 F40: 417 F41: 417 F42: 417 F43: 417 F44: 417 F45: 417 F46: 417 F47: 417 F48: 417 F49: 417 F50: 417 F51: 417 F52: 417 F53: 417 F54: 417 F55: 417 F56: 417 F57: 417 F58: 417 F59: 417 F60: 417 F61: 417 F62: 417 F63: 417 F64: 417 F65: 417 F66: 417 F67: 417 F68: 417 F69: 417 F70: 417 F71: 417 F72: 417 F73: 417 F74: 417 F75: 417 F76: 417 F77: 417 F78: 417 F79: 417 F80: 417 F81: 417 F82: 417 F83: 417 F84: 417 F85: 417 F86: 417 F87: 417 F88: 417 F89: 417 F90: 417 F91: 417 F92: 417 F93: 417 F94: 417 F95: 417 F96: 417 F97: 417 F98: 417 F99: 417 F100: 417 F101: 417 F102: 417 F103: 417 F104: 417 F105: 417 F106: 417 F107: 417 F108: 417 F109: 417 F110: 417 F111: 417 F112: 417 F113: 417 F114: 417 F115: 417 F116: 417 F117: 417 F118: 417 F119: 417 F120: 417 F121: 417 F122: 417 F123: 417 F124: 417 F125: 417 F126: 417 F127: 417 F128: 417 F129: 417 F130: 417 F131: 417 F132: 417 F133: 417 F134: 417 F135: 417 F136: 417 F137: 417 F138: 417 F139: 417 F140: 417 F141: 417 F142: 417 F143: 417 F144: 417 F145: 417 F146: 417 F147: 417 F148: 417 F149: 417 F150: 417 F151: 417 F152: 417 F153: 417 F154: 417 F155: 417 F156: 417 F157: 417 F158: 417 F159: 417 F160: 417 F161: 417 F162: 417 F163: 417 F164: 417 F165: 417 F166: 417 F167: 417 F168: 417 F169: 417 F170: 417 F171: 417 F172: 417 F173: 417 F174: 417 F175: 417 F176: 417 F177: 417 F178: 417 F179: 417 F180: 417 F181: 417 F182: 417 F183: 417 F184: 417 F185: 417 F186: 417 F187: 417 F188: 417 F189: 417 F190: 417 F191: 417 F192: 417 F193: 417 F194: 417 F195: 417 F196: 417 F197: 417 F198: 417 F199: 417 F200: 417 F201: 417 F202: 417 F203: 417 F204: 417 F205: 417 F206: 417 F207: 417 F208: 417 F209: 417 F210: 417 F211: 417 F212: 417 F213: 417 F214: 417 F215: 417 F216: 417 F217: 417 F218: 417 F219: 417 F220: 417 F221: 417 F222: 417 F223: 417 F224: 417 F225: 417 F226: 417 F227: 417 F228: 417 F229: 417 F230: 417 F231: 417 F232: 417 F233: 417 F234: 417 F235: 417 F236: 417 F237: 417 F238: 417 F239: 417 F240: 417 F241: 417 F242: 417 F243: 417 F244: 417 F245: 417 F246: 417 F247: 417 F248: 417 F249: 417 F250: 417 F251: 417 F252: 417 F253: 417 F254: 417 F255: 417 F256: 417 F257: 417 F258: 417 F259: 417 F260: 417 F261: 417 F262: 417 F263: 417 F264: 417 F265: 417 F266: 417 F267: 417 F268: 417 F269: 417 F270: 417 F271: 417 F272: 417 F273: 417 F274: 417 F275: 417 F276: 417 F277: 417 F278: 417 F279: 417 F280: 417 F281: 417 F282: 417 F283: 417 F284: 417 F285: 417 F286: 417 F287: 417 F288: 417 F289: 417 F290: 417 F291: 417 F292: 417 F293: 417 F294: 417 F295: 417 F296: 417 F297: 417 F298: 417 F299: 417 F300: 417 F301: 417 F302: 417 F303: 417 F304: 417 F305: 417 F306: 417 F307: 417 F308: 417 F309: 417 F310: 417 F311: 417 F312: 417 F313: 417 F314: 417 F315: 417 F316: 417 F317: 417 F318: 417 F319: 417 F320: 417 F321: 417 F322: 417 F323: 417 F324: 417 F325: 417 F326: 417 F327: 417 F328: 417 F329: 417 F330: 417 F331: 417 F332: 417 F333: 417 F334: 417 F335: 417 F336: 417 F337: 417 F338: 417 F339: 417 F340: 417 F341: 417 F342: 417 F343: 417 F344: 417 F345: 417 F346: 417 F347: 417 F348: 417 F349: 417 F350: 417 F351: 417 F352: 417 F353: 417 F354: 417 F355: 417 F356: 417 F357: 417 F358: 417 F359: 417 F360: 417 F361: 417 F362: 417 F363: 417 F364: 417 F365: 417 F366: 417 F367: 417 F368: 417 F369: 417 F370: 417 F371: 417 F372: 417 F373: 417 F374: 417 F375: 417 F376: 417 F377: 417 F378: 417 F379: 417 F380: 417 F381: 417 F382: 417 F383: 417 F384: 417 F385: 417 F386: 417 F387: 417 F388: 417 F389: 417 F390: 417 F391: 417 F392: 417 F393: 417 F394: 417 F395: 417 F396: 417 F397: 417 F398: 417 F399: 417 F400: 417 F401: 417 F402: 417 F403: 417 F404: 417 F405: 417 F406: 417 F407: 417 F408: 417 F409: 417 F410: 417 F411: 417 F412: 417 F413: 417 F414: 417 F415: 417 F416: 417 F417: 417 F418: 417 F419: 417 F420: 417 F421: 417 F422: 417 F423: 417 F424: 417 F425: 417 F426: 417 F427: 417 F428: 417 F429: 417 F430: 417 F431: 417 F432: 417 F433: 417 F434: 417 F435: 417 F436: 417 F437: 417 F438: 417 F439: 417 F440: 417 F441: 417 F442: 417 F443: 417 F444: 417 F445: 417 F446: 417 F447: 417 F448: 417 F449: 417 F450: 417 F451: 417 F452: 417 F453: 417 F454: 417 F455: 417 F456: 417 F457: 417 F458: 417 F459: 417 F460: 417 F461: 417 F462: 417 F463: 417 F464: 417 F465: 417 F466: 417 F467: 417 F468: 417 F469: 417 F470: 417 F471: 417 F472: 417 F473: 417 F474: 417 F475: 417 F476: 417 F477: 417 F478: 417 F479: 417 F480: 417 F481: 417 F482: 417 F483: 417 F484: 417 F485: 417 F486: 417 F487: 417 F488: 417 F489: 417 F490: 417 F491: 417 F492: 417 F493: 417 F494: 417 F495: 417 F496: 417 F497: 417 F498: 417 F499: 417 F500: 417 F501: 417 F502: 417 F503: 417 F504: 417 F505: 417 F506: 417 F507: 417 F508: 417 F509: 417 F510: 417 F511: 417 F512: 417 F513: 417 F514: 417 F515: 417 F516: 417 F517: 417 F518: 417 F519: 417 F520: 417 F521: 417 F522: 417 F523: 417 F524: 417 F525: 417 F526: 417 F527: 417 F528: 417 F529: 417 F530: 417 F531: 417 F532: 417 F533: 417 F534: 417 F535: 417 F536: 417 F537: 417 F538: 417 F539: 417 F540: 417 F541: 417 F542: 417 F543: 417 F544: 417 F545: 417 F546: 417 F547: 417 F548: 417 F549: 417 F550: 417 F551: 417 F552: 417 F553: 417 F554: 417 F555: 417 F556: 417 F557: 417 F558: 417 F559: 417 F560: 417 F561: 417 F562: 417 F563: 417 F564: 417 F565: 417 F566: 417 F567: 417 F568: 417 F569: 417 F570: 417 F571: 417 F572: 417 F573: 417 F574: 417 F575: 417 F576: 417 F577: 417 F578: 417 F579: 417 F580: 417 F581: 417 F582: 417 F583: 417 F584: 417 F585: 417 F586: 417 F587: 417 F588: 417 F589: 417 F590: 417 F591: 417 F592: 417 F593: 417 F594: 417 F595: 417 F596: 417 F597: 417 F598: 417 F599: 417 F600: 417 F601: 417 F602: 417 F603: 417 F604: 417 F605: 417 F606: 417 F607: 417 F608: 417 F609: 417 F610: 417 F611: 417 F612: 417 F613: 417 F614: 417 F615: 417 F616: 417 F617: 417 F618: 417 F619: 417 F620: 417 F621: 417 F622: 417 F623: 417 F624: 417 F625: 417 F626: 417 F627: 417 F628: 417 F629: 417 F630: 417 F631: 417 F632: 417 F633: 417 F634: 417 F635: 417 F636: 417 F637: 417 F638: 417 F639: 417 F640: 417 F641: 417 F642: 417 F643: 417 F644: 417 F645: 417 F646: 417 F647: 417 F648: 417 F649: 417 F650: 417 F651: 417 F652: 417 F653: 417 F654: 417 F655: 417 F656: 417 F657: 417 F658: 417 F659: 417 F660: 417 F661: 417 F662: 417 F663: 417 F664: 417 F665: 417 F666: 417 F667: 417 F668: 417 F669: 417 F670: 417 F671: 417 F672: 417 F673: 417 F674: 417 F675: 417 F676: 417 F677: 417 F678: 417 F679: 417 F680: 417 F681: 417 F682: 417 F683: 417 F684: 417 F685: 417 F686: 417 F687: 417 F688: 417 F689: 417 F690: 417 F691: 417 F692: 417 F693: 417 F694: 417 F695: 417 F696: 417 F697: 417 F698: 417 F699: 417 F700: 417 F701: 417 F702: 417 F703: 417 F704: 417 F705: 417 F706: 417 F707: 417 F708: 417 F709: 417 F710: 417 F711: 417 F712: 417 F713: 417 F714: 417 F715: 417 F716: 417 F717: 417 F718: 417 F719: 417 F720: 417 F721: 417 F722: 417 F723: 417 F724: 417 F725: 417 F726: 417 F727: 417 F728: 417 F729: 417 F730: 417 F731: 417 F732: 417 F733: 417 F734: 417 F735: 417 F736: 417 F737: 417 F738: 417 F739: 417 F740: 417 F741: 417 F742: 417 F743: 417 F744: 417 F745: 417 F746: 417 F747: 417 F748: 417 F749: 417 F750: 417 F751: 417 F752: 417 F753: 417 F754: 417 F755: 417 F756: 417 F757: 417 F758: 417 F759: 417 F760: 417 F761: 417 F762: 417 F763: 417 F764: 417 F765: 417 F766: 417 F767: 417 F768: 417 F769: 417 F770: 417 F771: 417 F772: 417 F773: 417 F774: 417 F775: 417 F776: 417 F777: 417 F778: 417 F779: 417 F780: 417 F781: 417 F782: 417 F783: 417 F784: 417 F785: 417 F786: 417 F787: 417 F788: 417 F789: 417 F790: 417 F791: 417 F792: 417 F793: 417 F794: 417 F795: 417 F796: 417 F797: 417 F798: 417 F799: 417 F800: 417 F801: 417 F802: 417 F803: 417 F804: 417 F805: 417 F806: 417 F807: 417 F808: 417 F809: 417 F810: 417 F811: 417 F812: 417 F813: 417 F814: 417 F815: 417 F816: 417 F817: 417 F818: 417 F819: 417 F820: 417 F821: 417 F822: 417 F823: 417 F824: 417 F825: 417 F826: 417 F827: 417 F828: 417 F829: 417 F830: 417 F831: 417 F832: 417 F833: 417 F834: 417 F835: 417 F836: 417 F837: 417 F838: 417 F839: 417 F840: 417 F841: 417 F842: 417 F843: 417 F844: 417 F845: 417 F846: 417 F847: 417 F848: 417 F849: 417 F850: 417 F851: 417 F852: 417 F853: 417 F854: 417 F855: 417 F856: 417 F857: 417 F858: 417 F859: 417 F860: 417 F861: 417 F862: 417 F863: 417 F864: 417 F865: 417 F866: 417 F867: 417 F868: 417 F869: 417 F870: 417 F871: 417 F872: 417 F873: 417 F874: 417 F875: 417 F876: 417 F877: 417 F878: 417 F879: 417 F880: 417 F881: 417 F882: 417 F883: 417 F884: 417 F885: 417 F886: 417 F887: 417 F888: 417 F889: 417 F890: 417 F891: 417 F892: 417 F893: 417 F894: 417 F895: 417 F896: 417 F897: 417 F898: 417 F899: 417 F900: 417 F901: 417 F902: 417 F903: 417 F904: 417 F905: 417 F906: 417 F907: 417 F908: 417 F909: 417 F910: 417 F911: 417 F912: 417 F913: 417 F914: 417 F915: 417 F916: 417 F917: 417 F918: 417 F919: 417 F920: 417 F921: 417 F922: 417 F923: 417 F924: 417 F925: 417 F926: 417 F927: 417 F928: 417 F929: 417 F930: 417 F931: 417 F932: 417 F933: 417 F934: 417 F935: 417 F936: 417 F937: 417 F938: 417 F939: 417 F940: 417 F941: 417 F942: 417 F943: 417 F944: 417 F945: 417 F946: 417 F947: 417 F948: 417 F949: 417 F950: 417 F951: 417 F952: 417 F953: 417 F954: 417 F955: 417 F956: 417 F957: 417 F958: 417 F959: 417 F960: 417 F961: 417 F962: 417 F963: 417 F964: 417 F965: 417 F966: 417 F967: 417 F968: 417 F969: 417 F970: 417 F971: 417 F972: 417 F973: 417 F974: 417 F975: 417 F976: 417 F977: 417 F978: 417 F979: 417 F980: 417 F981: 417 F982: 417 F983: 417 F984: 417 F985: 417 F986: 417 F987: 417 F988: 417 F989: 417 F990: 417 F991: 417 F992: 417 F993: 417 F994: 417 F995: 417 F996: 417 F997: 417 F998: 417 F999: 417 F1000: 417 F1001: 417 F1002: 417 F1003: 417 F1004: 417 F1005: 417 F1006: 417 F1007: 417 F1008: 417 F1009: 417 F1010: 417 F1011: 417 F1012: 417 F1013: 417 F1014: 417 F1015: 417 F1016: 417 F1017: 417 F1018: 417 F1019: 417 F1020: 417 F1021: 417 F1022: 417 F1023: 417 F1024: 417 F1025: 417 F1026: 417 F1027: 417 F1028: 417 F1029: 417 F1030: 417 F1031: 417 F1032: 417 F1033: 417 F1034: 417 F1035: 417 F1036: 417 F1037: 417 F1038: 417 F1039: 417 F1040: 417 F1041: 417 F1042: 417 F1043: 417 F1044: 417 F1045: 417 F1046: 417 F1047: 417 F1048: 417 F1049: 417 F1050: 417 F1051: 417 F1052: 417 F1053: 417 F1054: 417 F1055: 417 F1056: 417 F1057: 417 F1058: 417 F1059: 417 F1060: 417 F1061: 417 F1062: 417 F1063: 417 F1064: 417 F1065: 417 F1066: 417 F1067: 417 F1068: 417 F1069: 417 F1070: 417 F1071: 417 F1072: 417 F1073: 417 F1074: 417 F1075: 417 F1076: 417 F1077: 417 F1078: 417 F1079: 417 F1080: 417 F1081: 417 F1082: 417 F1083: 417 F1084: 417 F1085: 417 F1086: 417 F1087: 417 F1088: 417 	

U-NII 5 - 5925-6425MHzMHz
WIFI 802.11ax HE160 Full RU (Band Edge @ 3m)

WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Full CH15 6025MHz																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 SPORTRON LAB. No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportron.com.cn Date: 9  Site Condition: a WIFI 4E PEAK In 3117 00218652 HORIZONTAL Project: RFW 1000.000KHz VSW 3000.000KHz SWT Auto File: FR192317 Plane: 0 Pull-directivity: 0 IMEI: #17 Powersetting: 2.46 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5956.92</td><td>58.71</td><td>-29.59</td><td>88.30</td><td>44.06</td><td>35.88</td><td>12.31</td><td>33.54</td><td>181</td><td>360 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5956.92	58.71	-29.59	88.30	44.06	35.88	12.31	33.54	181	360 Peak	 SPORTRON LAB. No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportron.com.cn Date: 11  Site Condition: a WIFI 4E PEAK In 3117 00218652 HORIZONTAL Project: RFW 1000.000KHz VSW 3000.000KHz SWT Auto File: FR192317 Plane: 0 Pull-directivity: 0 IMEI: #17 Powersetting: 2.46 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5995.00</td><td>93.76</td><td>5.46</td><td>88.30</td><td>79.26</td><td>35.83</td><td>12.38</td><td>33.71</td><td>101</td><td>360 Peak</td></tr><tr><td>2</td><td>5995.00</td><td>86.82</td><td>17.72</td><td>68.38</td><td>71.52</td><td>35.83</td><td>12.38</td><td>33.71</td><td>101</td><td>360 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5995.00	93.76	5.46	88.30	79.26	35.83	12.38	33.71	101	360 Peak	2	5995.00	86.82	17.72	68.38	71.52	35.83	12.38	33.71	101	360 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5956.92	58.71	-29.59	88.30	44.06	35.88	12.31	33.54	181	360 Peak																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5995.00	93.76	5.46	88.30	79.26	35.83	12.38	33.71	101	360 Peak																																																																					
2	5995.00	86.82	17.72	68.38	71.52	35.83	12.38	33.71	101	360 Average																																																																					
Avg.	 SPORTRON LAB. No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sportron.com.cn Date: 10  Site Condition: a WIFI 4E (AVG) In 3117 00218652 HORIZONTAL Project: RFW 1000.000KHz VSW 0.0100KHz SWT Auto File: FR192317 Plane: 0 Pull-directivity: 0 IMEI: #17 Powersetting: 2.46 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5895.84</td><td>47.96</td><td>-28.34</td><td>68.30</td><td>33.33</td><td>35.88</td><td>12.29</td><td>33.54</td><td>181</td><td>360 Average</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5895.84	47.96	-28.34	68.30	33.33	35.88	12.29	33.54	181	360 Average	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																							
1	5895.84	47.96	-28.34	68.30	33.33	35.88	12.29	33.54	181	360 Average																																																																					







WIFI	U-NII 5 - 5925-6425MHz Band Edge @ 3m																																																																														
ANT	802.11ax HE160 Full CH15 6025MHz																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 12 Site Condition: WIFI GE PEAK 3m 3117 00218052 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SPT Auto Project: OFD 192317 Mode: OF Plane: T Polar: Full-directivity Polarization: H Power: 13 2.40 17.5 Power: 13 2.40 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5831.58</td><td>56.29</td><td>-32.81</td><td>88.30</td><td>41.53</td><td>35.84</td><td>12.24</td><td>35.32</td><td>136</td><td>15 Peak VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg			1	5831.58	56.29	-32.81	88.30	41.53	35.84	12.24	35.32	136	15 Peak VERTICAL	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 14 Site Condition: WIFI GE PEAK 3m 3117 00218052 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SPT Auto Project: OFD 192317 Mode: OF Plane: T Polar: Full-directivity Polarization: H Power: 13 2.40 17.5 Power: 13 2.40 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>6067.00</td><td>93.91</td><td>5.61</td><td>88.30</td><td>79.54</td><td>35.88</td><td>12.45</td><td>33.88</td><td>136</td><td>15 Peak VERTICAL</td></tr><tr><td>2</td><td>6067.00</td><td>86.33</td><td>18.03</td><td>68.30</td><td>71.96</td><td>35.88</td><td>12.45</td><td>33.88</td><td>136</td><td>15 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg			1	6067.00	93.91	5.61	88.30	79.54	35.88	12.45	33.88	136	15 Peak VERTICAL	2	6067.00	86.33	18.03	68.30	71.96	35.88	12.45	33.88	136	15 Average VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																				
MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg																																																																							
1	5831.58	56.29	-32.81	88.30	41.53	35.84	12.24	35.32	136	15 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg																																																																							
1	6067.00	93.91	5.61	88.30	79.54	35.88	12.45	33.88	136	15 Peak VERTICAL																																																																					
2	6067.00	86.33	18.03	68.30	71.96	35.88	12.45	33.88	136	15 Average VERTICAL																																																																					
Avg.	No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 13 Site Condition: WIFI GE (AVG) 3m 3117 00218052 VERTICAL RFW 1000.000MHz YFW 3000.000MHz SPT Auto Project: OFD 192317 Mode: OF Plane: T Polar: Full-directivity Polarization: H Power: 13 2.40 17.5 Power: 13 2.40 17.5 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/10m</th><th>dB</th><th>dBm/10m</th><th>dBm/10m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5911.14</td><td>46.77</td><td>-21.53</td><td>68.30</td><td>32.12</td><td>35.88</td><td>12.31</td><td>33.54</td><td>136</td><td>15 Average VERTICAL</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg			1	5911.14	46.77	-21.53	68.30	32.12	35.88	12.31	33.54	136	15 Average VERTICAL	Left blank																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBm/10m	dB	dBm/10m	dBm/10m	dB	dB	cm	deg																																																																							
1	5911.14	46.77	-21.53	68.30	32.12	35.88	12.31	33.54	136	15 Average VERTICAL																																																																					



2.4GHz 2400~2483.5MHz





WIFI 802.11 ax HE20 Full RU (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m	
ANT	802.11 ax HE20 Full CH11 2462MHz	
1+2	Horizontal	Vertical
Peak Avg.	The plot shows the frequency spectrum for the horizontal orientation. The y-axis represents Level (dBm/100kHz) from 11.7 to 117. The x-axis represents Frequency (MHz) from 5000 to 18000. A blue line shows the measured spectrum, and a red line indicates the FCC Part 15C limit. The spectrum is relatively flat with some noise, staying below the limit line. Site : a Condition : FCC PART 15C 3a 3117 00210652 HORIZONTAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project : FR192317 Date : 05 Time : 7 Full-directivity : Y IMEI : 8613 2 46 17.5 PowerSetting : 0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 4926.00 38.62 -35.38 74.00 57.95 34.77 11.35 65.45 300 0 Peak HORIZONTAL 2 7386.00 41.36 -32.64 74.00 57.68 36.64 11.00 66.16 300 0 Peak HORIZONTAL	The plot shows the frequency spectrum for the vertical orientation. The y-axis represents Level (dBm/100kHz) from 11.7 to 117. The x-axis represents Frequency (MHz) from 5000 to 18000. A blue line shows the measured spectrum, and a red line indicates the FCC Part 15C limit. The spectrum is relatively flat with some noise, staying below the limit line. Site : a Condition : FCC PART 15C 3a 3117 00210652 VERTICAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project : FR192317 Date : 05 Time : 7 Full-directivity : Y IMEI : 8613 2 46 17.5 PowerSetting : 0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 4926.00 38.73 -35.27 74.00 58.96 34.77 11.35 65.45 300 360 Peak VERTICAL 2 7386.00 40.62 -33.38 74.00 56.14 36.64 11.00 66.16 300 360 Peak VERTICAL
	The plot shows the average frequency spectrum for the horizontal orientation. The y-axis represents Level (dBm/100kHz) from 11.7 to 117. The x-axis represents Frequency (MHz) from 5000 to 18000. A blue line shows the measured spectrum, and a red line indicates the FCC Part 15C limit. The spectrum is relatively flat with some noise, staying below the limit line. Site : a Condition : FCC PART 15C 3a 3117 00210652 HORIZONTAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project : FR192317 Date : 05 Time : 7 Full-directivity : Y IMEI : 8613 2 46 17.5 PowerSetting : 0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 4926.00 38.62 -35.38 74.00 57.95 34.77 11.35 65.45 300 0 Peak HORIZONTAL 2 7386.00 41.36 -32.64 74.00 57.68 36.64 11.00 66.16 300 0 Peak HORIZONTAL	The plot shows the average frequency spectrum for the vertical orientation. The y-axis represents Level (dBm/100kHz) from 11.7 to 117. The x-axis represents Frequency (MHz) from 5000 to 18000. A blue line shows the measured spectrum, and a red line indicates the FCC Part 15C limit. The spectrum is relatively flat with some noise, staying below the limit line. Site : a Condition : FCC PART 15C 3a 3117 00210652 VERTICAL BW 1000.000KHz VSW 3000.000KHz SWT Auto Project : FR192317 Date : 05 Time : 7 Full-directivity : Y IMEI : 8613 2 46 17.5 PowerSetting : 0 Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Freq Level Limit Line Level Factor Loss Factor cm deg 1 4926.00 38.73 -35.27 74.00 58.96 34.77 11.35 65.45 300 360 Peak VERTICAL 2 7386.00 40.62 -33.38 74.00 56.14 36.64 11.00 66.16 300 360 Peak VERTICAL



U-NII 5 - 5925-6425MHzMHz

WIFI 802.11ax HE160 Full RU (Harmonic @ 3m)

WIFI	U-NII 5 - 5925-6425MHzMHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
1+2	Horizontal	Vertical
Peak Avg.	 Site: a Condition: FCC PART 15C 3a 3117 00210652 HORIZONTAL BW: 1000.000kHz VSW: 3000.000kHz SWT: Auto Project: FR192317 Date: 08 Time: 7 Polar: Pull-directivity IMEI: 8613 2 46 17.5 Power: 13 Over: 13 Limit: 13 Read: 13 Factor: 13 Loss: 13 A/Pos: 13 T/Pos: 13 Remark: 13 Pol/Phas: 13	 Site: a Condition: FCC PART 15C 3a 3117 00210652 VERTICAL BW: 1000.000kHz VSW: 3000.000kHz SWT: Auto Project: FR192317 Date: 08 Time: 7 Polar: Pull-directivity IMEI: 8613 2 46 17.5 Power: 13 Over: 13 Limit: 13 Read: 13 Factor: 13 Loss: 13 A/Pos: 13 T/Pos: 13 Remark: 13 Pol/Phas: 13
	 Site: a Condition: FCC PART 15C 3a 3117 00210652 HORIZONTAL BW: 1000.000kHz VSW: 3000.000kHz SWT: Auto Project: FR192317 Date: 08 Time: 7 Polar: Pull-directivity IMEI: 8613 2 46 17.5 Power: 13 Over: 13 Limit: 13 Read: 13 Factor: 13 Loss: 13 A/Pos: 13 T/Pos: 13 Remark: 13 Pol/Phas: 13	 Site: a Condition: FCC PART 15C 3a 3117 00210652 VERTICAL BW: 1000.000kHz VSW: 3000.000kHz SWT: Auto Project: FR192317 Date: 08 Time: 7 Polar: Pull-directivity IMEI: 8613 2 46 17.5 Power: 13 Over: 13 Limit: 13 Read: 13 Factor: 13 Loss: 13 A/Pos: 13 T/Pos: 13 Remark: 13 Pol/Phas: 13