





Test Graphs






BLE_1M_Ant3_2402_30~1000




BLE_1M_Ant3_2402_1000~26500







BLE_1M_Ant6_2440_30~1000




BLE_1M_Ant6_2440_1000~26500









BLE_1M_Ant6_2480_30~1000




BLE_1M_Ant6_2480_1000~26500










BLE_2M_Ant6_2402_30~1000



BLE_2M_Ant6_2402_1000~26500













BLE_2M_Ant3_2440_30~1000



BLE_2M_Ant3_2440_1000~26500










Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	54.29	-11.40	65.69	43.80	0.06	10.43	QP
2	0.156	36.39	-19.30	55.69	25.90	0.06	10.43	Average
3 *	0.179	58.56	-5.99	64.55	48.10	0.04	10.42	QP
4	0.179	39.76	-14.79	54.55	29.30	0.04	10.42	Average
5	0.198	57.40	-6.31	63.71	46.96	0.02	10.42	QP
6	0.198	37.04	-16.67	53.71	26.60	0.02	10.42	Average
7	0.243	55.63	-6.37	62.00	45.20	0.04	10.39	QP
8	0.243	36.73	-15.27	52.00	26.30	0.04	10.39	Average
9	0.307	47.30	-12.76	60.06	36.89	0.06	10.35	QP
10	0.307	31.60	-18.46	50.06	21.19	0.06	10.35	Average
11	0.363	43.14	-15.51	58.65	32.79	0.03	10.32	QP
12	0.363	32.54	-16.11	48.65	22.19	0.03	10.32	Average
13	0.440	44.85	-12.22	57.07	34.60	-0.01	10.26	QP
14	0.440	30.45	-16.62	47.07	20.20	-0.01	10.26	Average
15	0.486	44.40	-11.83	56.23	34.21	-0.03	10.22	QP
16	0.486	31.40	-14.83	46.23	21.21	-0.03	10.22	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	52.96	-12.69	65.65	42.50	0.03	10.43	QP
2	0.156	35.36	-20.29	55.65	24.90	0.03	10.43	Average
3 *	0.193	58.57	-5.32	63.89	48.10	0.05	10.42	QP
4	0.193	39.77	-14.12	53.89	29.30	0.05	10.42	Average
5	0.238	52.90	-9.27	62.17	42.50	0.01	10.39	QP
6	0.238	36.00	-16.17	52.17	25.60	0.01	10.39	Average
7	0.269	49.24	-11.92	61.16	38.89	-0.02	10.37	QP
8	0.269	31.54	-19.62	51.16	21.19	-0.02	10.37	Average
9	0.318	46.19	-13.56	59.75	35.90	-0.05	10.34	QP
10	0.318	33.59	-16.16	49.75	23.30	-0.05	10.34	Average
11	0.360	43.76	-14.98	58.74	33.50	-0.06	10.32	QP
12	0.360	30.86	-17.88	48.74	20.60	-0.06	10.32	Average
13	0.447	42.68	-14.25	56.93	32.49	-0.07	10.26	QP
14	0.447	26.98	-19.95	46.93	16.79	-0.07	10.26	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Radiated Spurious Emission Test Data

Test Engineer :	Carry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	3	BluetoothLE_GSKF	00	2402	1Mbps		
Mode 5	2400-2483.5	3	BluetoothLE_GSKF	19	2440	1Mbps		
Mode 6	2400-2483.5	3	BluetoothLE_GSKF	39	2480	1Mbps		
Mode 7	2400-2483.5	3	BluetoothLE_GSKF	00	2402	2Mbps		
Mode 8	2400-2483.5	3	BluetoothLE_GSKF	19	2440	2Mbps		
Mode 9	2400-2483.5	3	BluetoothLE_GSKF	39	2480	2Mbps		
Mode 13	2400-2483.5	6	BluetoothLE_GSKF	00	2402	1Mbps		
Mode 14	2400-2483.5	6	BluetoothLE_GSKF	19	2440	1Mbps		
Mode 15	2400-2483.5	6	BluetoothLE_GSKF	39	2480	1Mbps		
Mode 16	2400-2483.5	6	BluetoothLE_GSKF	00	2402	2Mbps		
Mode 17	2400-2483.5	6	BluetoothLE_GSKF	19	2440	2Mbps		
Mode 18	2400-2483.5	6	BluetoothLE_GSKF	39	2480	2Mbps		
Mode 38	2400-2483.5	6	BluetoothLE_GSKF	39	2480	2Mbps		LF





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
4	BluetoothLE_GSKF	00	2352.12	44.01	54.00	-9.99	H	Average	Pass	Band Edge
4	BluetoothLE_GSKF	00	4800.00	37.8	74	-36.2	H	Peak	Pass	Harmonic
5	BluetoothLE_GSKF	19	-	-	-	-	-	-	-	Band Edge
5	BluetoothLE_GSKF	19	7320.00	40.94	74.00	-33.06	H	Peak	Pass	Harmonic
6	BluetoothLE_GSKF	39	2497.06	44.62	54.00	-9.38	V	Average	Pass	Band Edge
6	BluetoothLE_GSKF	39	7440.00	40.05	74.00	-33.95	V	Peak	Pass	Harmonic
7	BluetoothLE_GSKF	00	2385.40	44.84	54.00	-9.16	H	Average	Pass	Band Edge
7	BluetoothLE_GSKF	00	4800.00	38.16	74	-35.84	H	Peak	Pass	Harmonic
8	BluetoothLE_GSKF	19	-	-	-	-	-	-	-	Band Edge
8	BluetoothLE_GSKF	19	7320.00	40.62	74.00	-33.38	H	Peak	Pass	Harmonic
9	BluetoothLE_GSKF	39	2485.06	45.20	54.00	-8.80	H	Average	Pass	Band Edge
9	BluetoothLE_GSKF	39	7440.00	40.75	74.00	-33.25	H	Peak	Pass	Harmonic
13	BluetoothLE_GSKF	00	2376.56	45.92	54.00	-8.08	H	AVERAGE	Pass	Band Edge
13	BluetoothLE_GSKF	00	4804.00	41.54	74.00	-32.46	V	PEAK	Pass	Harmonic
14	BluetoothLE_GSKF	19	-	-	-	-	-	-	-	Band Edge
14	BluetoothLE_GSKF	19	7320.00	43.12	74.00	-30.88	H	PEAK	Pass	Harmonic
15	BluetoothLE_GSKF	39	2488.48	46.38	54.00	-7.62	H	AVERAGE	Pass	Band Edge
15	BluetoothLE_GSKF	39	7440.00	42.34	74.00	-31.66	V	PEAK	Pass	Harmonic
16	BluetoothLE_GSKF	00	2387.87	46.39	54.00	-7.61	V	AVERAGE	Pass	Band Edge
16	BluetoothLE_GSKF	00	4804.00	40.51	74.00	-33.49	H	PEAK	Pass	Harmonic
17	BluetoothLE_GSKF	19	-	-	-	-	-	-	-	Band Edge
17	BluetoothLE_GSKF	19	7320.00	42.38	74.00	-31.62	V	PEAK	Pass	Harmonic
18	BluetoothLE_GSKF	39	2483.74	47.18	54.00	-6.82	H	AVERAGE	Pass	Band Edge
18	BluetoothLE_GSKF	39	7440.00	42.76	74.00	-31.24	V	PEAK	Pass	Harmonic
38	BluetoothLE_GSKF	39	47.46	33.08	40	-6.92	V	PEAK	Pass	LF





Mode	4																																																																																																
	Band Edge																																																																																																
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																
ANT	3																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2337.82</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>47.84</td><td>32.08</td><td>6.52</td><td>32.94</td><td>0.00</td><td>142</td><td>105</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2337.82	53.50	74.00	-20.50	47.84	32.08	6.52	32.94	0.00	142	105	Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>98.52</td><td>-----</td><td>-----</td><td>92.44</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>142</td><td>105</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	98.52	-----	-----	92.44	32.30	6.62	32.84	0.00	142	105	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2337.82	53.50	74.00	-20.50	47.84	32.08	6.52	32.94	0.00	142	105	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2402.00	98.52	-----	-----	92.44	32.30	6.62	32.84	0.00	142	105	Peak																																																																																						
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2352.12</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>38.24</td><td>32.14</td><td>6.55</td><td>32.92</td><td>0.00</td><td>142</td><td>105</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2352.12	44.01	54.00	-9.99	38.24	32.14	6.55	32.92	0.00	142	105	Average	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>97.59</td><td>-----</td><td>-----</td><td>91.51</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>142</td><td>105</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	97.59	-----	-----	91.51	32.30	6.62	32.84	0.00	142	105	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2352.12	44.01	54.00	-9.99	38.24	32.14	6.55	32.92	0.00	142	105	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 2402.00	97.59	-----	-----	91.51	32.30	6.62	32.84	0.00	142	105	Average																																																																																						





Mode	4																																																						
	Band Edge																																																						
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																						
ANT	3																																																						
Pol.	Vertical																																																						
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2362.26</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>47.43</td><td>32.18</td><td>6.56</td><td>32.91</td><td>0.00</td><td>344</td><td>75 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2362.26	53.26	74.00	-20.74	47.43	32.18	6.56	32.91	0.00	344	75 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2362.26	53.26	74.00	-20.74	47.43	32.18	6.56	32.91	0.00	344	75 Peak																																													
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>95.27</td><td>-----</td><td>-----</td><td>89.19</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>344</td><td>75 Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	95.27	-----	-----	89.19	32.30	6.62	32.84	0.00	344	75 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2402.00	95.27	-----	-----	89.19	32.30	6.62	32.84	0.00	344	75 Peak																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.52</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>37.92</td><td>32.28</td><td>6.60</td><td>32.86</td><td>0.00</td><td>344</td><td>75 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.52	43.94	54.00	-10.06	37.92	32.28	6.60	32.86	0.00	344	75 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2388.52	43.94	54.00	-10.06	37.92	32.28	6.60	32.86	0.00	344	75 Average																																													
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>94.32</td><td>-----</td><td>-----</td><td>88.24</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>344</td><td>75 Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2402.00	94.32	-----	-----	88.24	32.30	6.62	32.84	0.00	344	75 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2402.00	94.32	-----	-----	88.24	32.30	6.62	32.84	0.00	344	75 Average																																													







Mode	4																																																																																																
	Harmonic																																																																																																
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																
ANT	3																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>37.80</td><td>74.00</td><td>-36.20</td><td>55.89</td><td>34.29</td><td>9.44</td><td>61.82</td><td>0.00</td><td>300</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4800.00	37.80	74.00	-36.20	55.89	34.29	9.44	61.82	0.00	300	0 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>55.63</td><td>34.29</td><td>9.44</td><td>61.82</td><td>0.00</td><td>100</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4800.00	37.54	74.00	-36.46	55.63	34.29	9.44	61.82	0.00	100	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	4800.00	37.80	74.00	-36.20	55.89	34.29	9.44	61.82	0.00	300	0 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	4800.00	37.54	74.00	-36.46	55.63	34.29	9.44	61.82	0.00	100	0 Peak																																																																																						







Mode	5																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_BluetoothLE_GSKF_CH19_2440MHz																																																																																																																								
ANT	3																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>56.57</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7320.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>55.61</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>300</td><td>0 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4875.00	38.46	74.00	-35.54	56.57	34.14	9.52	61.77	0.00	300	0 Peak	2	7320.00	40.94	74.00	-33.06	55.61	35.70	11.69	62.06	0.00	300	0 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4875.00</td><td>38.22</td><td>74.00</td><td>-35.78</td><td>56.33</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7320.00</td><td>40.25</td><td>74.00</td><td>-33.75</td><td>54.92</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>100</td><td>0 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4875.00	38.22	74.00	-35.78	56.33	34.14	9.52	61.77	0.00	100	0 Peak	2	7320.00	40.25	74.00	-33.75	54.92	35.70	11.69	62.06	0.00	100	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4875.00	38.46	74.00	-35.54	56.57	34.14	9.52	61.77	0.00	300	0 Peak																																																																																																														
2	7320.00	40.94	74.00	-33.06	55.61	35.70	11.69	62.06	0.00	300	0 Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	4875.00	38.22	74.00	-35.78	56.33	34.14	9.52	61.77	0.00	100	0 Peak																																																																																																														
2	7320.00	40.25	74.00	-33.75	54.92	35.70	11.69	62.06	0.00	100	0 Peak																																																																																																														





Mode	6																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.64</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>46.81</td><td>32.50</td><td>6.75</td><td>32.58</td><td>0.00</td><td>129</td><td>118</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2499.64	53.48	74.00	-20.52	46.81	32.50	6.75	32.58	0.00	129	118	Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.11</td><td>-----</td><td>-----</td><td>91.57</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td><td>129</td><td>118</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.11	-----	-----	91.57	32.44	6.73	32.63	0.00	129	118	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2499.64	53.48	74.00	-20.52	46.81	32.50	6.75	32.58	0.00	129	118	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2480.00	98.11	-----	-----	91.57	32.44	6.73	32.63	0.00	129	118	Peak																																																																																								
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.72</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>37.86</td><td>32.47</td><td>6.74</td><td>32.61</td><td>0.00</td><td>129</td><td>118</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.72	44.46	54.00	-9.54	37.86	32.47	6.74	32.61	0.00	129	118	Average	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.15</td><td>-----</td><td>-----</td><td>90.61</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td><td>129</td><td>118</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	97.15	-----	-----	90.61	32.44	6.73	32.63	0.00	129	118	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2488.72	44.46	54.00	-9.54	37.86	32.47	6.74	32.61	0.00	129	118	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2480.00	97.15	-----	-----	90.61	32.44	6.73	32.63	0.00	129	118	Average																																																																																								



Mode	6																																																																						
	Band Edge																																																																						
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																						
ANT	3																																																																						
Pol.	Vertical																																																																						
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2490.88</td><td>54.43</td><td>74.00</td><td>-19.57</td><td>47.82</td><td>32.48</td><td>6.74</td><td>32.61</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>371</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>73 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2490.88	54.43	74.00	-19.57	47.82	32.48	6.74	32.61	0.00										371										73 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																														
1	2490.88	54.43	74.00	-19.57	47.82	32.48	6.74	32.61	0.00																																																														
									371																																																														
									73 Peak																																																														
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2480.00</td><td>93.78</td><td>-----</td><td>-----</td><td>87.24</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>371</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>73 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2480.00	93.78	-----	-----	87.24	32.44	6.73	32.63	0.00										371										73 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																														
1	2480.00	93.78	-----	-----	87.24	32.44	6.73	32.63	0.00																																																														
									371																																																														
									73 Peak																																																														
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2497.06</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>37.96</td><td>32.50</td><td>6.75</td><td>32.59</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>371</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>73 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2497.06	44.62	54.00	-9.38	37.96	32.50	6.75	32.59	0.00										371										73 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																														
1	2497.06	44.62	54.00	-9.38	37.96	32.50	6.75	32.59	0.00																																																														
									371																																																														
									73 Average																																																														
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2480.00</td><td>92.80</td><td>-----</td><td>-----</td><td>86.26</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>371</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>73 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	2480.00	92.80	-----	-----	86.26	32.44	6.73	32.63	0.00										371										73 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																														
1	2480.00	92.80	-----	-----	86.26	32.44	6.73	32.63	0.00																																																														
									371																																																														
									73 Average																																																														







Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																																									
ANT	3																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4965.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>56.69</td><td>34.10</td><td>9.62</td><td>61.71</td><td>0.00</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7440.00</td><td>39.99</td><td>74.00</td><td>-34.01</td><td>54.59</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>300</td><td>0 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4965.00	38.70	74.00	-35.30	56.69	34.10	9.62	61.71	0.00	300	0 Peak	2	7440.00	39.99	74.00	-34.01	54.59	35.70	11.77	62.07	0.00	300	0 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4965.00</td><td>38.73</td><td>74.00</td><td>-35.27</td><td>56.72</td><td>34.10</td><td>9.62</td><td>61.71</td><td>0.00</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7440.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>54.65</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>100</td><td>0 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4965.00	38.73	74.00	-35.27	56.72	34.10	9.62	61.71	0.00	100	0 Peak	2	7440.00	40.05	74.00	-33.95	54.65	35.70	11.77	62.07	0.00	100	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4965.00	38.70	74.00	-35.30	56.69	34.10	9.62	61.71	0.00	300	0 Peak																																																																																																															
2	7440.00	39.99	74.00	-34.01	54.59	35.70	11.77	62.07	0.00	300	0 Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4965.00	38.73	74.00	-35.27	56.72	34.10	9.62	61.71	0.00	100	0 Peak																																																																																																															
2	7440.00	40.05	74.00	-33.95	54.65	35.70	11.77	62.07	0.00	100	0 Peak																																																																																																															



Mode	7																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.87</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>47.55</td><td>32.22</td><td>6.58</td><td>32.88</td><td>0.00</td><td>162</td><td>123</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2374.87	53.47	74.00	-20.53	47.55	32.22	6.58	32.88	0.00	162	123	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.93</td><td>-----</td><td>-----</td><td>98.85</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>162</td><td>123</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	104.93	-----	-----	98.85	32.30	6.62	32.84	0.00	162	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2374.87	53.47	74.00	-20.53	47.55	32.22	6.58	32.88	0.00	162	123	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2402.00	104.93	-----	-----	98.85	32.30	6.62	32.84	0.00	162	123	Peak																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.40</td><td>44.84</td><td>54.00</td><td>-9.16</td><td>38.84</td><td>32.27</td><td>6.60</td><td>32.87</td><td>0.00</td><td>162</td><td>123</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2385.40	44.84	54.00	-9.16	38.84	32.27	6.60	32.87	0.00	162	123	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.64</td><td>-----</td><td>-----</td><td>96.56</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>162</td><td>123</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	102.64	-----	-----	96.56	32.30	6.62	32.84	0.00	162	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2385.40	44.84	54.00	-9.16	38.84	32.27	6.60	32.87	0.00	162	123	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2402.00	102.64	-----	-----	96.56	32.30	6.62	32.84	0.00	162	123	Average																																																																																							





Mode	7																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																										
ANT	3																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2317.93</td><td>53.44</td><td>74.00</td><td>-20.56</td><td></td><td>47.93</td><td>32.00</td><td>6.49</td><td>32.98</td><td>0.00</td><td>351</td><td>76</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2317.93	53.44	74.00	-20.56		47.93	32.00	6.49	32.98	0.00	351	76	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>102.25</td><td>-----</td><td>-----</td><td></td><td>96.17</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>351</td><td>76</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	102.25	-----	-----		96.17	32.30	6.62	32.84	0.00	351	76
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2317.93	53.44	74.00	-20.56		47.93	32.00	6.49	32.98	0.00	351	76	Peak																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2402.00	102.25	-----	-----		96.17	32.30	6.62	32.84	0.00	351	76	Peak																																																																																														
Avg																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2357.58</td><td>44.69</td><td>54.00</td><td>-9.31</td><td></td><td>38.89</td><td>32.16</td><td>6.55</td><td>32.91</td><td>0.00</td><td>351</td><td>76</td><td>Average</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2357.58	44.69	54.00	-9.31		38.89	32.16	6.55	32.91	0.00	351	76	Average	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>99.90</td><td>-----</td><td>-----</td><td></td><td>93.82</td><td>32.30</td><td>6.62</td><td>32.84</td><td>0.00</td><td>351</td><td>76</td><td>Average</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	99.90	-----	-----		93.82	32.30	6.62	32.84	0.00	351	76
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2357.58	44.69	54.00	-9.31		38.89	32.16	6.55	32.91	0.00	351	76	Average																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2402.00	99.90	-----	-----		93.82	32.30	6.62	32.84	0.00	351	76	Average																																																																																														







Mode	7																																																																																																		
	Harmonic																																																																																																		
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>38.16</td><td>74.00</td><td>-35.84</td><td>56.25</td><td>34.29</td><td>9.44</td><td>61.82</td><td>0.00</td><td>300</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4800.00	38.16	74.00	-35.84	56.25	34.29	9.44	61.82	0.00	300	0	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4800.00</td><td>37.88</td><td>74.00</td><td>-36.12</td><td>55.97</td><td>34.29</td><td>9.44</td><td>61.82</td><td>0.00</td><td>100</td><td>0</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4800.00	37.88	74.00	-36.12	55.97	34.29	9.44	61.82	0.00	100	0	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	4800.00	38.16	74.00	-35.84	56.25	34.29	9.44	61.82	0.00	300	0	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	4800.00	37.88	74.00	-36.12	55.97	34.29	9.44	61.82	0.00	100	0	Peak																																																																																							







Mode	8																																																																																																																											
	Harmonic																																																																																																																											
	2400-2483.5_BluetoothLE_GSKF_CH19_2440MHz																																																																																																																											
ANT	3																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4875.00</td><td>38.23</td><td>74.00</td><td>-35.77</td><td>56.34</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>300</td><td></td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>7320.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>55.29</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>300</td><td></td><td></td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4875.00	38.23	74.00	-35.77	56.34	34.14	9.52	61.77	0.00	300			0 Peak	2	7320.00	40.62	74.00	-33.38	55.29	35.70	11.69	62.06	0.00	300			0 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4875.00</td><td>37.79</td><td>74.00</td><td>-36.21</td><td>55.90</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>100</td><td></td><td></td><td>0 Peak</td></tr><tr><td>2</td><td>7320.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>54.65</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>100</td><td></td><td></td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	4875.00	37.79	74.00	-36.21	55.90	34.14	9.52	61.77	0.00	100			0 Peak	2	7320.00	39.98	74.00	-34.02	54.65	35.70	11.69	62.06	0.00	100			0 Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4875.00	38.23	74.00	-35.77	56.34	34.14	9.52	61.77	0.00	300			0 Peak																																																																																																															
2	7320.00	40.62	74.00	-33.38	55.29	35.70	11.69	62.06	0.00	300			0 Peak																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4875.00	37.79	74.00	-36.21	55.90	34.14	9.52	61.77	0.00	100			0 Peak																																																																																																															
2	7320.00	39.98	74.00	-34.02	54.65	35.70	11.69	62.06	0.00	100			0 Peak																																																																																																															





Mode	9																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																			
ANT	3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.78</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>47.40</td><td>32.48</td><td>6.74</td><td>32.60</td><td>0.00</td><td>196</td><td>103</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2491.78	54.02	74.00	-19.98	47.40	32.48	6.74	32.60	0.00	196	103	Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>101.85</td><td>-----</td><td>-----</td><td>95.31</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td><td>196</td><td>103</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.85	-----	-----	95.31	32.44	6.73	32.63	0.00	196	103	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2491.78	54.02	74.00	-19.98	47.40	32.48	6.74	32.60	0.00	196	103	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2480.00	101.85	-----	-----	95.31	32.44	6.73	32.63	0.00	196	103	Peak																																																																																								
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.06</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>38.63</td><td>32.46</td><td>6.73</td><td>32.62</td><td>0.00</td><td>196</td><td>103</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.06	45.20	54.00	-8.80	38.63	32.46	6.73	32.62	0.00	196	103	Average	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) -6dB <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.56</td><td>-----</td><td>-----</td><td>93.02</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td><td>196</td><td>103</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	99.56	-----	-----	93.02	32.44	6.73	32.63	0.00	196	103	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2485.06	45.20	54.00	-8.80	38.63	32.46	6.73	32.62	0.00	196	103	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	2480.00	99.56	-----	-----	93.02	32.44	6.73	32.63	0.00	196	103	Average																																																																																								







Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.38</td><td>54.76</td><td>74.00</td><td>-19.24</td><td>48.12</td><td>32.49</td><td>6.75</td><td>32.60</td><td>0.00</td><td>370 72 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2492.38	54.76	74.00	-19.24	48.12	32.49	6.75	32.60	0.00	370 72 Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.09</td><td>-----</td><td>-----</td><td>92.55</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td><td>370 72 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	99.09	-----	-----	92.55	32.44	6.73	32.63	0.00	370 72 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2492.38	54.76	74.00	-19.24	48.12	32.49	6.75	32.60	0.00	370 72 Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2480.00	99.09	-----	-----	92.55	32.44	6.73	32.63	0.00	370 72 Peak																																																																																									
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.08</td><td>45.01</td><td>54.00</td><td>-8.99</td><td>38.35</td><td>32.50</td><td>6.75</td><td>32.59</td><td>0.00</td><td>370 72 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2498.08	45.01	54.00	-8.99	38.35	32.50	6.75	32.59	0.00	370 72 Average	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.93</td><td>-----</td><td>-----</td><td>90.39</td><td>32.44</td><td>6.73</td><td>32.63</td><td>0.00</td><td>370 72 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.93	-----	-----	90.39	32.44	6.73	32.63	0.00	370 72 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2498.08	45.01	54.00	-8.99	38.35	32.50	6.75	32.59	0.00	370 72 Average																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2480.00	96.93	-----	-----	90.39	32.44	6.73	32.63	0.00	370 72 Average																																																																																									







Mode	9																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																																																					
ANT	3																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																															
Peak Avg																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4965.00</td><td>38.79</td><td>74.00</td><td>-35.21</td><td>56.78</td><td>34.10</td><td>9.62</td><td>61.71</td><td>0.00</td><td>300</td><td>0 Peak</td></tr><tr><td>2</td><td>7440.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>55.35</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>300</td><td>0 Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4965.00	38.79	74.00	-35.21	56.78	34.10	9.62	61.71	0.00	300	0 Peak	2	7440.00	40.75	74.00	-33.25	55.35	35.70	11.77	62.07	0.00	300	0 Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4965.00</td><td>37.94</td><td>74.00</td><td>-36.06</td><td>55.93</td><td>34.10</td><td>9.62</td><td>61.71</td><td>0.00</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7440.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>54.78</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>100</td><td>0 Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4965.00	37.94	74.00	-36.06	55.93	34.10	9.62	61.71	0.00	100	0 Peak	2	7440.00	40.18	74.00	-33.82	54.78	35.70	11.77	62.07	0.00	100	0 Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	4965.00	38.79	74.00	-35.21	56.78	34.10	9.62	61.71	0.00	300	0 Peak																																																																																																																											
2	7440.00	40.75	74.00	-33.25	55.35	35.70	11.77	62.07	0.00	300	0 Peak																																																																																																																											
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	4965.00	37.94	74.00	-36.06	55.93	34.10	9.62	61.71	0.00	100	0 Peak																																																																																																																											
2	7440.00	40.18	74.00	-33.82	54.78	35.70	11.77	62.07	0.00	100	0 Peak																																																																																																																											





Mode	13																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																		
ANT	6																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2331.84</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>44.52</td><td>32.06</td><td>6.51</td><td>32.95</td><td>6.00</td><td>100</td><td>127</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2331.84	56.14	74.00	-17.86	44.52	32.06	6.51	32.95	6.00	100	127	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.89</td><td>-----</td><td>-----</td><td>85.81</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>127</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	97.89	-----	-----	85.81	32.30	6.62	32.84	6.00	100	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2331.84	56.14	74.00	-17.86	44.52	32.06	6.51	32.95	6.00	100	127	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2402.00	97.89	-----	-----	85.81	32.30	6.62	32.84	6.00	100	127	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.56</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>33.99</td><td>32.23</td><td>6.58</td><td>32.88</td><td>6.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2376.56	45.92	54.00	-8.08	33.99	32.23	6.58	32.88	6.00	100	127	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.08</td><td>-----</td><td>-----</td><td>85.00</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>100</td><td>127</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	97.08	-----	-----	85.00	32.30	6.62	32.84	6.00	100	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2376.56	45.92	54.00	-8.08	33.99	32.23	6.58	32.88	6.00	100	127	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2402.00	97.08	-----	-----	85.00	32.30	6.62	32.84	6.00	100	127	AVERAGE																																																																																							





Mode	13																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																														
ANT	6																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.96</td><td>56.87</td><td>74.00</td><td>-17.13</td><td>45.05</td><td>32.17</td><td>6.56</td><td>32.91</td><td>6.00</td><td>348</td><td>73</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2368.96	56.87	74.00	-17.13	45.05	32.17	6.56	32.91	6.00	348	73	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.03</td><td>-----</td><td>-----</td><td>84.95</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>348</td><td>73</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.03	-----	-----	84.95	32.30	6.62	32.84	6.00	348	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2368.96	56.87	74.00	-17.13	45.05	32.17	6.56	32.91	6.00	348	73	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	97.03	-----	-----	84.95	32.30	6.62	32.84	6.00	348	73	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>45.87</td><td>54.00</td><td>-8.13</td><td>33.85</td><td>32.28</td><td>6.60</td><td>32.86</td><td>6.00</td><td>348</td><td>73</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	45.87	54.00	-8.13	33.85	32.28	6.60	32.86	6.00	348	73	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.25</td><td>-----</td><td>-----</td><td>84.17</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>348</td><td>73</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.25	-----	-----	84.17	32.30	6.62	32.84	6.00	348	73
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.13	45.87	54.00	-8.13	33.85	32.28	6.60	32.86	6.00	348	73	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	96.25	-----	-----	84.17	32.30	6.62	32.84	6.00	348	73	AVERAGE																																																																																																			







Mode	13																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.27</td><td>74.00</td><td>-32.73</td><td>59.35</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.27	74.00	-32.73	59.35	34.30	9.44	61.82	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>59.62</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	41.54	74.00	-32.46	59.62	34.30	9.44	61.82	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	41.27	74.00	-32.73	59.35	34.30	9.44	61.82	0.00	300	0	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	4804.00	41.54	74.00	-32.46	59.62	34.30	9.44	61.82	0.00	100	0	PEAK																																																																																								







Mode	14																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_BluetoothLE_GSKF_CH19_2440MHz																																																																																																																									
ANT	6																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak																																																																																																																										
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.79</td><td>74.00</td><td>-34.21</td><td>57.90</td><td>34.13</td><td>9.53</td><td>61.77</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>57.79</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.79	74.00	-34.21	57.90	34.13	9.53	61.77	0.00	300	0 PEAK	2	7320.00	43.12	74.00	-30.88	57.79	35.70	11.69	62.06	0.00	300	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>57.27</td><td>34.13</td><td>9.53</td><td>61.77</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>42.58</td><td>74.00</td><td>-31.42</td><td>57.25</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	39.16	74.00	-34.84	57.27	34.13	9.53	61.77	0.00	100	0 PEAK	2	7320.00	42.58	74.00	-31.42	57.25	35.70	11.69	62.06	0.00	100	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4880.00	39.79	74.00	-34.21	57.90	34.13	9.53	61.77	0.00	300	0 PEAK																																																																																																															
2	7320.00	43.12	74.00	-30.88	57.79	35.70	11.69	62.06	0.00	300	0 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4880.00	39.16	74.00	-34.84	57.27	34.13	9.53	61.77	0.00	100	0 PEAK																																																																																																															
2	7320.00	42.58	74.00	-31.42	57.25	35.70	11.69	62.06	0.00	100	0 PEAK																																																																																																															





Mode	15																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																														
ANT	6																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.10</td><td>57.33</td><td>74.00</td><td>-16.67</td><td>44.67</td><td>32.50</td><td>6.75</td><td>32.59</td><td>6.00</td><td>100</td><td>289</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.10	57.33	74.00	-16.67	44.67	32.50	6.75	32.59	6.00	100	289	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.22</td><td>-----</td><td>-----</td><td>90.67</td><td>32.45</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>289</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.22	-----	-----	90.67	32.45	6.73	32.63	6.00	100	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2496.10	57.33	74.00	-16.67	44.67	32.50	6.75	32.59	6.00	100	289	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	103.22	-----	-----	90.67	32.45	6.73	32.63	6.00	100	289	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.48</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>33.78</td><td>32.47</td><td>6.74</td><td>32.61</td><td>6.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.48	46.38	54.00	-7.62	33.78	32.47	6.74	32.61	6.00	100	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.36</td><td>-----</td><td>-----</td><td>89.82</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>289</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.36	-----	-----	89.82	32.44	6.73	32.63	6.00	100	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2488.48	46.38	54.00	-7.62	33.78	32.47	6.74	32.61	6.00	100	289	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	102.36	-----	-----	89.82	32.44	6.73	32.63	6.00	100	289	AVERAGE																																																																																																			







Mode	15																																																																																															
	Band Edge																																																																																															
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																															
ANT	6																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2486.86</td><td>58.20</td><td>74.00</td><td>-15.80</td><td>45.62</td><td>32.46</td><td>6.74</td><td>32.62</td><td>6.00</td><td>382</td><td>45</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2486.86	58.20	74.00	-15.80	45.62	32.46	6.74	32.62	6.00	382	45	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>99.59</td><td>-----</td><td>-----</td><td>87.04</td><td>32.45</td><td>6.73</td><td>32.63</td><td>6.00</td><td>382</td><td>45</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	99.59	-----	-----	87.04	32.45	6.73	32.63	6.00	382	45
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2486.86	58.20	74.00	-15.80	45.62	32.46	6.74	32.62	6.00	382	45	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2480.00	99.59	-----	-----	87.04	32.45	6.73	32.63	6.00	382	45	PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2499.04</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>33.65</td><td>32.50</td><td>6.75</td><td>32.58</td><td>6.00</td><td>382</td><td>45</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2499.04	46.32	54.00	-7.68	33.65	32.50	6.75	32.58	6.00	382	45	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>98.79</td><td>-----</td><td>-----</td><td>86.25</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>382</td><td>45</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2480.00	98.79	-----	-----	86.25	32.44	6.73	32.63	6.00	382	45
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2499.04	46.32	54.00	-7.68	33.65	32.50	6.75	32.58	6.00	382	45	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1 2480.00	98.79	-----	-----	86.25	32.44	6.73	32.63	6.00	382	45	AVERAGE																																																																																					







Mode	15																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																																																																							
ANT	6																																																																																																																																																							
Pol.	Horizontal												Vertical																																																																																																																																											
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.56</td><td>74.00</td><td>-34.44</td><td>57.56</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>300</td><td></td><td>0 PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.03</td><td>74.00</td><td>-31.97</td><td>56.63</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>300</td><td></td><td>0 PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4960.00	39.56	74.00	-34.44	57.56	34.10	9.61	61.71	0.00	300		0 PEAK	2	7440.00	42.03	74.00	-31.97	56.63	35.70	11.77	62.07	0.00	300		0 PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>58.41</td><td>34.10</td><td>9.61</td><td>61.71</td><td>0.00</td><td>100</td><td></td><td>0 PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.34</td><td>74.00</td><td>-31.66</td><td>56.94</td><td>35.70</td><td>11.77</td><td>62.07</td><td>0.00</td><td>100</td><td></td><td>0 PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4960.00	40.41	74.00	-33.59	58.41	34.10	9.61	61.71	0.00	100		0 PEAK	2	7440.00	42.34	74.00	-31.66	56.94	35.70	11.77	62.07	0.00	100		0 PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4960.00	39.56	74.00	-34.44	57.56	34.10	9.61	61.71	0.00	300		0 PEAK																																																																																																																																												
2	7440.00	42.03	74.00	-31.97	56.63	35.70	11.77	62.07	0.00	300		0 PEAK																																																																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4960.00	40.41	74.00	-33.59	58.41	34.10	9.61	61.71	0.00	100		0 PEAK																																																																																																																																												
2	7440.00	42.34	74.00	-31.66	56.94	35.70	11.77	62.07	0.00	100		0 PEAK																																																																																																																																												





Mode	16																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																														
ANT	6																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2347.96</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>44.43</td><td>32.12</td><td>6.54</td><td>32.93</td><td>6.00</td><td>300</td><td>143</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.96	56.16	74.00	-17.84	44.43	32.12	6.54	32.93	6.00	300	143	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>97.79</td><td>-----</td><td>-----</td><td>85.71</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>300</td><td>143</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	97.79	-----	-----	85.71	32.30	6.62	32.84	6.00	300	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2347.96	56.16	74.00	-17.84	44.43	32.12	6.54	32.93	6.00	300	143	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	97.79	-----	-----	85.71	32.30	6.62	32.84	6.00	300	143	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2346.79</td><td>46.36</td><td>54.00</td><td>-7.64</td><td>34.64</td><td>32.11</td><td>6.54</td><td>32.93</td><td>6.00</td><td>300</td><td>143</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2346.79	46.36	54.00	-7.64	34.64	32.11	6.54	32.93	6.00	300	143	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.61</td><td>-----</td><td>-----</td><td>83.53</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>300</td><td>143</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.61	-----	-----	83.53	32.30	6.62	32.84	6.00	300	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2346.79	46.36	54.00	-7.64	34.64	32.11	6.54	32.93	6.00	300	143	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	95.61	-----	-----	83.53	32.30	6.62	32.84	6.00	300	143	AVERAGE																																																																																																			







Mode	16																																																																																																										
	Band Edge																																																																																																										
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																										
ANT	6																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2329.11</td><td>56.51</td><td>74.00</td><td>-17.49</td><td></td><td>44.91</td><td>32.05</td><td>6.51</td><td>32.96</td><td>6.00</td><td>300</td><td>142</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2329.11	56.51	74.00	-17.49		44.91	32.05	6.51	32.96	6.00	300	142	PEAK	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>95.00</td><td>-----</td><td>-----</td><td></td><td>82.92</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>300</td><td>142</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	95.00	-----	-----		82.92	32.30	6.62	32.84	6.00	300	142
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2329.11	56.51	74.00	-17.49		44.91	32.05	6.51	32.96	6.00	300	142	PEAK																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2402.00	95.00	-----	-----		82.92	32.30	6.62	32.84	6.00	300	142	PEAK																																																																																														
Avg																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.87</td><td>46.39</td><td>54.00</td><td>-7.61</td><td></td><td>34.37</td><td>32.28</td><td>6.60</td><td>32.86</td><td>6.00</td><td>300</td><td>142</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2387.87	46.39	54.00	-7.61		34.37	32.28	6.60	32.86	6.00	300	142	AVERAGE	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>92.91</td><td>-----</td><td>-----</td><td></td><td>80.83</td><td>32.30</td><td>6.62</td><td>32.84</td><td>6.00</td><td>300</td><td>142</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	92.91	-----	-----		80.83	32.30	6.62	32.84	6.00	300	142
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2387.87	46.39	54.00	-7.61		34.37	32.28	6.60	32.86	6.00	300	142	AVERAGE																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	2402.00	92.91	-----	-----		80.83	32.30	6.62	32.84	6.00	300	142	AVERAGE																																																																																														







Mode	16																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_BluetoothLE_GSKF_CH00_2402MHz																																																																																																					
ANT	6																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.51</td><td>74.00</td><td>-33.49</td><td>58.59</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.51	74.00	-33.49	58.59	34.30	9.44	61.82	0.00	300	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.32</td><td>74.00</td><td>-33.68</td><td>58.40</td><td>34.30</td><td>9.44</td><td>61.82</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	40.32	74.00	-33.68	58.40	34.30	9.44	61.82	0.00	100	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	4804.00	40.51	74.00	-33.49	58.59	34.30	9.44	61.82	0.00	300	0	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	4804.00	40.32	74.00	-33.68	58.40	34.30	9.44	61.82	0.00	100	0	PEAK																																																																																										







Mode	17	
	Harmonic	
	2400-2483.5_BluetoothLE_GSKF_CH19_2440MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak		
Avg		



Mode	18																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																														
ANT	6																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>56.53</td><td>74.00</td><td>-17.47</td><td>43.98</td><td>32.45</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	56.53	74.00	-17.47	43.98	32.45	6.73	32.63	6.00	100	288	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.26</td><td>-----</td><td>-----</td><td>90.72</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.26	-----	-----	90.72	32.44	6.73	32.63	6.00	100	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.50	56.53	74.00	-17.47	43.98	32.45	6.73	32.63	6.00	100	288	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	103.26	-----	-----	90.72	32.44	6.73	32.63	6.00	100	288	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>47.18</td><td>54.00</td><td>-6.82</td><td>34.62</td><td>32.45</td><td>6.73</td><td>32.62</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	47.18	54.00	-6.82	34.62	32.45	6.73	32.62	6.00	100	288	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.17</td><td>-----</td><td>-----</td><td>88.63</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.17	-----	-----	88.63	32.44	6.73	32.63	6.00	100	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2483.74	47.18	54.00	-6.82	34.62	32.45	6.73	32.62	6.00	100	288	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2480.00	101.17	-----	-----	88.63	32.44	6.73	32.63	6.00	100	288	AVERAGE																																																																																																			





Mode	18																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																		
ANT	6																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>57.08</td><td>74.00</td><td>-16.92</td><td>44.50</td><td>32.46</td><td>6.74</td><td>32.62</td><td>6.00</td><td>379</td><td>44</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.54	57.08	74.00	-16.92	44.50	32.46	6.74	32.62	6.00	379	44	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.28</td><td>-----</td><td>-----</td><td>86.74</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>379</td><td>44</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.28	-----	-----	86.74	32.44	6.73	32.63	6.00	379	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.54	57.08	74.00	-16.92	44.50	32.46	6.74	32.62	6.00	379	44	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	99.28	-----	-----	86.74	32.44	6.73	32.63	6.00	379	44	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.12</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>34.24</td><td>32.50</td><td>6.75</td><td>32.59</td><td>6.00</td><td>379</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.12	46.90	54.00	-7.10	34.24	32.50	6.75	32.59	6.00	379	44	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.19</td><td>-----</td><td>-----</td><td>84.65</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>379</td><td>44</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.19	-----	-----	84.65	32.44	6.73	32.63	6.00	379	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2497.12	46.90	54.00	-7.10	34.24	32.50	6.75	32.59	6.00	379	44	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	97.19	-----	-----	84.65	32.44	6.73	32.63	6.00	379	44	AVERAGE																																																																																							





Mode	18										
	Harmonic										
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz										
ANT	6										
Pol.	Horizontal						Vertical				
Peak Avg											



Mode	18	
	SHF	
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak		
Avg	Blank	Blank



Mode	38																																																																																																																																																																																									
	LF																																																																																																																																																																																									
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																																																																																																									
ANT	6																																																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for FCC PART 15C and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>47.46</td><td>24.36</td><td>-15.64</td><td>40.00</td><td>40.00</td><td>15.87</td><td>0.69</td><td>32.20</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>115.36</td><td>31.81</td><td>-11.69</td><td>43.50</td><td>45.22</td><td>17.33</td><td>1.43</td><td>32.17</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>204.60</td><td>36.26</td><td>-7.24</td><td>43.50</td><td>51.28</td><td>15.15</td><td>1.94</td><td>32.11</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>260.86</td><td>30.78</td><td>-15.22</td><td>46.00</td><td>40.45</td><td>20.33</td><td>2.18</td><td>32.18</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>311.30</td><td>31.17</td><td>-14.83</td><td>46.00</td><td>41.40</td><td>19.51</td><td>2.38</td><td>32.12</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>831.22</td><td>34.21</td><td>-11.79</td><td>46.00</td><td>33.79</td><td>28.89</td><td>3.89</td><td>32.36</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	47.46	24.36	-15.64	40.00	40.00	15.87	0.69	32.20	---	Peak	2	115.36	31.81	-11.69	43.50	45.22	17.33	1.43	32.17	---	Peak	3	204.60	36.26	-7.24	43.50	51.28	15.15	1.94	32.11	---	Peak	4	260.86	30.78	-15.22	46.00	40.45	20.33	2.18	32.18	---	Peak	5	311.30	31.17	-14.83	46.00	41.40	19.51	2.38	32.12	---	Peak	6	831.22	34.21	-11.79	46.00	33.79	28.89	3.89	32.36	---	Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for FCC PART 15C and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>47.46</td><td>33.08</td><td>-6.92</td><td>40.00</td><td>48.72</td><td>15.87</td><td>0.69</td><td>32.20</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>89.17</td><td>23.83</td><td>-19.67</td><td>43.50</td><td>40.20</td><td>14.68</td><td>1.21</td><td>32.26</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>204.60</td><td>29.03</td><td>-14.47</td><td>43.50</td><td>44.05</td><td>15.15</td><td>1.94</td><td>32.11</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>261.83</td><td>30.54</td><td>-15.46</td><td>46.00</td><td>40.27</td><td>20.27</td><td>2.18</td><td>32.18</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>502.39</td><td>23.96</td><td>-22.04</td><td>46.00</td><td>29.28</td><td>24.05</td><td>3.03</td><td>32.40</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>731.31</td><td>26.07</td><td>-19.93</td><td>46.00</td><td>27.03</td><td>27.64</td><td>3.66</td><td>32.26</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	47.46	33.08	-6.92	40.00	48.72	15.87	0.69	32.20	---	Peak	2	89.17	23.83	-19.67	43.50	40.20	14.68	1.21	32.26	---	Peak	3	204.60	29.03	-14.47	43.50	44.05	15.15	1.94	32.11	---	Peak	4	261.83	30.54	-15.46	46.00	40.27	20.27	2.18	32.18	---	Peak	5	502.39	23.96	-22.04	46.00	29.28	24.05	3.03	32.40	---	Peak	6	731.31	26.07	-19.93	46.00	27.03	27.64	3.66	32.26	---	Peak
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
1	47.46	24.36	-15.64	40.00	40.00	15.87	0.69	32.20	---	Peak																																																																																																																																																																																
2	115.36	31.81	-11.69	43.50	45.22	17.33	1.43	32.17	---	Peak																																																																																																																																																																																
3	204.60	36.26	-7.24	43.50	51.28	15.15	1.94	32.11	---	Peak																																																																																																																																																																																
4	260.86	30.78	-15.22	46.00	40.45	20.33	2.18	32.18	---	Peak																																																																																																																																																																																
5	311.30	31.17	-14.83	46.00	41.40	19.51	2.38	32.12	---	Peak																																																																																																																																																																																
6	831.22	34.21	-11.79	46.00	33.79	28.89	3.89	32.36	---	Peak																																																																																																																																																																																
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
1	47.46	33.08	-6.92	40.00	48.72	15.87	0.69	32.20	---	Peak																																																																																																																																																																																
2	89.17	23.83	-19.67	43.50	40.20	14.68	1.21	32.26	---	Peak																																																																																																																																																																																
3	204.60	29.03	-14.47	43.50	44.05	15.15	1.94	32.11	---	Peak																																																																																																																																																																																
4	261.83	30.54	-15.46	46.00	40.27	20.27	2.18	32.18	---	Peak																																																																																																																																																																																
5	502.39	23.96	-22.04	46.00	29.28	24.05	3.03	32.40	---	Peak																																																																																																																																																																																
6	731.31	26.07	-19.93	46.00	27.03	27.64	3.66	32.26	---	Peak																																																																																																																																																																																
Avg	Blank					Blank																																																																																																																																																																																				

**Co-location:****Radiated Spurious Emission Test Modes**





Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 18	2400-2483.5	CDD 3+6	802.11ax HE40	09	2452	MCS0		
	WWAN B13							
Mode 19	2400-2483.5	6	BluetoothLE_GSKF	39	2480	2Mbps		
	WWAN B13							





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
18	802.11ax HE40	09	2483.54	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	09	7356.00	43.70	74.00	-30.30	H	PEAK	Pass	Harmonic
19	BluetoothLE_GSFK	39	2487.76	45.81	54.00	-8.19	H	AVERAGE	Pass	Band Edge
	BluetoothLE_GSFK	39	7440.00	44.83	74.00	-29.17	V	PEAK	Pass	Harmonic





	18																																																																																																		
Mode	Band Edge L																																																																																																		
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																																																																		
ANT	CDD 3+6																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2314.40</td><td>56.30</td><td>74.00</td><td>-17.70</td><td>44.80</td><td>31.99</td><td>6.49</td><td>32.98</td><td>6.00</td><td>260</td><td>35</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2314.40	56.30	74.00	-17.70	44.80	31.99	6.49	32.98	6.00	260	35	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.09</td><td>-----</td><td>-----</td><td>89.79</td><td>32.32</td><td>6.69</td><td>32.71</td><td>6.00</td><td>260</td><td>35</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.09	-----	-----	89.79	32.32	6.69	32.71	6.00	260	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2314.40	56.30	74.00	-17.70	44.80	31.99	6.49	32.98	6.00	260	35	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	102.09	-----	-----	89.79	32.32	6.69	32.71	6.00	260	35	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>30.85</td><td>32.28</td><td>6.60</td><td>32.86</td><td>6.00</td><td>260</td><td>35</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	42.87	54.00	-11.13	30.85	32.28	6.60	32.86	6.00	260	35	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>92.67</td><td>-----</td><td>-----</td><td>80.40</td><td>32.31</td><td>6.68</td><td>32.72</td><td>6.00</td><td>260</td><td>35</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	92.67	-----	-----	80.40	32.31	6.68	32.72	6.00	260	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.80	42.87	54.00	-11.13	30.85	32.28	6.60	32.86	6.00	260	35	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2452.00	92.67	-----	-----	80.40	32.31	6.68	32.72	6.00	260	35	AVERAGE																																																																																							



Mode	18																																																					
	Band Edge R																																																					
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																					
ANT	CDD 3+6																																																					
Pol.	Horizontal							Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.87</td><td>64.06</td><td>74.00</td><td>-9.94</td><td>51.50</td><td>32.45</td><td>6.73</td><td>32.62</td><td>6.00</td><td>260</td><td>35 PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.87	64.06	74.00	-9.94	51.50	32.45	6.73	32.62	6.00	260	35 PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.87	64.06	74.00	-9.94	51.50	32.45	6.73	32.62	6.00	260	35 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>38.13</td><td>32.45</td><td>6.73</td><td>32.63</td><td>6.00</td><td>260</td><td>35 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	50.68	54.00	-3.32	38.13	32.45	6.73	32.63	6.00	260	35 AVERAGE	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.54	50.68	54.00	-3.32	38.13	32.45	6.73	32.63	6.00	260	35 AVERAGE																																											




		18																																																						
Mode		Band Edge L																																																						
		2400-2483.5_802.11ax HE40_CH09_2452MHz																																																						
ANT		CDD 3+6																																																						
Pol.		Vertical																																																						
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.15</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>43.12</td><td>32.24</td><td>6.59</td><td>32.88</td><td>6.00</td><td>381</td><td>44</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.15	55.07	74.00	-18.93	43.12	32.24	6.59	32.88	6.00	381	44	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2379.15	55.07	74.00	-18.93	43.12	32.24	6.59	32.88	6.00	381	44	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.80</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>30.45</td><td>32.28</td><td>6.60</td><td>32.86</td><td>6.00</td><td>381</td><td>44</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.80	42.47	54.00	-11.53	30.45	32.28	6.60	32.86	6.00	381	44	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.80	42.47	54.00	-11.53	30.45	32.28	6.60	32.86	6.00	381	44	AVERAGE																																												



Mode	18										
	Band Edge R										
	2400-2483.5_802.11ax HE40_CH09_2452MHz										
ANT	CDD 3+6										
Pol.	Vertical										
Peak	Level (dBuV/m)										







Mode	18																																																															
	Harmonic																																																															
	2400-2483.5_802.11ax HE40_CH09_2452MHz																																																															
ANT	CDD 3+6																																																															
Pol.	Horizontal																																																															
Peak Avg																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>61.59</td><td>34.10</td><td>9.55</td><td>61.75</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>43.70</td><td>74.00</td><td>-30.30</td><td>58.35</td><td>35.70</td><td>11.71</td><td>62.06</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	43.49	74.00	-30.51	61.59	34.10	9.55	61.75	0.00	300	0 PEAK	2	7356.00	43.70	74.00	-30.30	58.35	35.70	11.71	62.06	0.00	300	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	4904.00	43.49	74.00	-30.51	61.59	34.10	9.55	61.75	0.00	300	0 PEAK																																																					
2	7356.00	43.70	74.00	-30.30	58.35	35.70	11.71	62.06	0.00	300	0 PEAK																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>61.06</td><td>34.10</td><td>9.55</td><td>61.75</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.64</td><td>35.70</td><td>11.71</td><td>62.06</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.96	74.00	-31.04	61.06	34.10	9.55	61.75	0.00	100	0 PEAK	2	7356.00	42.99	74.00	-31.01	57.64	35.70	11.71	62.06	0.00	100	0 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	4904.00	42.96	74.00	-31.04	61.06	34.10	9.55	61.75	0.00	100	0 PEAK																																																					
2	7356.00	42.99	74.00	-31.01	57.64	35.70	11.71	62.06	0.00	100	0 PEAK																																																					
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4904.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>61.06</td><td>34.10</td><td>9.55</td><td>61.75</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>42.99</td><td>74.00</td><td>-31.01</td><td>57.64</td><td>35.70</td><td>11.71</td><td>62.06</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4904.00	42.96	74.00	-31.04	61.06	34.10	9.55	61.75	0.00	100	0 PEAK	2	7356.00	42.99	74.00	-31.01	57.64	35.70	11.71	62.06	0.00	100	0 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	4904.00	42.96	74.00	-31.04	61.06	34.10	9.55	61.75	0.00	100	0 PEAK																																																					
2	7356.00	42.99	74.00	-31.01	57.64	35.70	11.71	62.06	0.00	100	0 PEAK																																																					





Mode	19																																																							
	Band Edge																																																							
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																							
ANT	6																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>56.05</td><td>74.00</td><td>-17.95</td><td>43.48</td><td>32.46</td><td>6.73</td><td>32.62</td><td>6.00</td><td>163</td><td>281</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.58	56.05	74.00	-17.95	43.48	32.46	6.73	32.62	6.00	163	281	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.58	56.05	74.00	-17.95	43.48	32.46	6.73	32.62	6.00	163	281	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.76</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>33.21</td><td>32.47</td><td>6.74</td><td>32.61</td><td>6.00</td><td>163</td><td>281</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.76	45.81	54.00	-8.19	33.21	32.47	6.74	32.61	6.00	163	281	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2487.76	45.81	54.00	-8.19	33.21	32.47	6.74	32.61	6.00	163	281	AVERAGE																																												
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.48</td><td>-----</td><td>-----</td><td>83.94</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>163</td><td>281</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.48	-----	-----	83.94	32.44	6.73	32.63	6.00	163	281	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	96.48	-----	-----	83.94	32.44	6.73	32.63	6.00	163	281	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.26</td><td>-----</td><td>-----</td><td>81.72</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>163</td><td>281</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.26	-----	-----	81.72	32.44	6.73	32.63	6.00	163	281	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2480.00	94.26	-----	-----	81.72	32.44	6.73	32.63	6.00	163	281	AVERAGE																																												



Mode	19																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																		
ANT	6																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.22</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>43.35</td><td>32.50</td><td>6.75</td><td>32.59</td><td>6.00</td><td>277</td><td>103</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.22	56.01	74.00	-17.99	43.35	32.50	6.75	32.59	6.00	277	103	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>93.64</td><td>-----</td><td>-----</td><td>81.10</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>277</td><td>103</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.64	-----	-----	81.10	32.44	6.73	32.63	6.00	277	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2496.22	56.01	74.00	-17.99	43.35	32.50	6.75	32.59	6.00	277	103	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	93.64	-----	-----	81.10	32.44	6.73	32.63	6.00	277	103	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2490.64</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>33.14</td><td>32.48</td><td>6.74</td><td>32.61</td><td>6.00</td><td>277</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.64	45.75	54.00	-8.25	33.14	32.48	6.74	32.61	6.00	277	103	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>91.49</td><td>-----</td><td>-----</td><td>78.95</td><td>32.44</td><td>6.73</td><td>32.63</td><td>6.00</td><td>277</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.49	-----	-----	78.95	32.44	6.73	32.63	6.00	277	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2490.64	45.75	54.00	-8.25	33.14	32.48	6.74	32.61	6.00	277	103	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	91.49	-----	-----	78.95	32.44	6.73	32.63	6.00	277	103	AVERAGE																																																																																							




Mode	19																																																																																																																							
	Harmonic																																																																																																																							
	2400-2483.5_BluetoothLE_GSKF_CH39_2480MHz																																																																																																																							
ANT	6																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>59.52</td><td>34.10</td><td>9.61</td><td>61.10</td></tr><tr><td>2</td><td>7440.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>58.16</td><td>35.70</td><td>11.77</td><td>60.97</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	42.13	74.00	-31.87	59.52	34.10	9.61	61.10	2	7440.00	44.66	74.00	-29.34	58.16	35.70	11.77	60.97	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>58.86</td><td>34.10</td><td>9.61</td><td>61.10</td></tr><tr><td>2</td><td>7440.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.33</td><td>35.70</td><td>11.77</td><td>60.97</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4960.00	41.47	74.00	-32.53	58.86	34.10	9.61	61.10	2	7440.00	44.83	74.00	-29.17	58.33	35.70	11.77	60.97																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																
1	4960.00	42.13	74.00	-31.87	59.52	34.10	9.61	61.10																																																																																																																
2	7440.00	44.66	74.00	-29.34	58.16	35.70	11.77	60.97																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																
1	4960.00	41.47	74.00	-32.53	58.86	34.10	9.61	61.10																																																																																																																
2	7440.00	44.83	74.00	-29.17	58.33	35.70	11.77	60.97																																																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>59.52</td><td>34.10</td><td>9.61</td><td>61.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>58.16</td><td>35.70</td><td>11.77</td><td>60.97</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.13	74.00	-31.87	59.52	34.10	9.61	61.10	0.00	300	0 PEAK	2	7440.00	44.66	74.00	-29.34	58.16	35.70	11.77	60.97	0.00	300	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>58.86</td><td>34.10</td><td>9.61</td><td>61.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.33</td><td>35.70</td><td>11.77</td><td>60.97</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.47	74.00	-32.53	58.86	34.10	9.61	61.10	0.00	100	0 PEAK	2	7440.00	44.83	74.00	-29.17	58.33	35.70	11.77	60.97	0.00	100	0 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4960.00	42.13	74.00	-31.87	59.52	34.10	9.61	61.10	0.00	300	0 PEAK																																																																																																													
2	7440.00	44.66	74.00	-29.34	58.16	35.70	11.77	60.97	0.00	300	0 PEAK																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4960.00	41.47	74.00	-32.53	58.86	34.10	9.61	61.10	0.00	100	0 PEAK																																																																																																													
2	7440.00	44.83	74.00	-29.17	58.33	35.70	11.77	60.97	0.00	100	0 PEAK																																																																																																													

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	62.04	0.388	2.575	2.7KHZ
Bluetooth LE 2Mbps	32.41	0.203	4.929	5.1KHZ

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps

