








Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>52.21</td><td>110.93</td><td>-58.72</td><td>37.33</td><td>34.87</td><td>11.49</td><td>31.48</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>5874.98</td><td>54.63</td><td>105.31</td><td>-50.68</td><td>39.72</td><td>34.09</td><td>11.51</td><td>31.49</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>54.35</td><td>68.50</td><td>-14.15</td><td>39.37</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>55.65</td><td>68.30</td><td>-12.65</td><td>40.63</td><td>34.95</td><td>11.57</td><td>31.50</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	52.21	110.93	-58.72	37.33	34.87	11.49	31.48	0.00	100	352	PEAK	2	5874.98	54.63	105.31	-50.68	39.72	34.09	11.51	31.49	0.00	100	352	PEAK	3	5924.74	54.35	68.50	-14.15	39.37	34.93	11.55	31.50	0.00	100	352	PEAK	4	5945.20	55.65	68.30	-12.65	40.63	34.95	11.57	31.50	0.00	100	352	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	52.21	110.93	-58.72	37.33	34.87	11.49	31.48	0.00	100	352	PEAK																																																																									
2	5874.98	54.63	105.31	-50.68	39.72	34.09	11.51	31.49	0.00	100	352	PEAK																																																																									
3	5924.74	54.35	68.50	-14.15	39.37	34.93	11.55	31.50	0.00	100	352	PEAK																																																																									
4	5945.20	55.65	68.30	-12.65	40.63	34.95	11.57	31.50	0.00	100	352	PEAK																																																																									





Mode	37																																																																																																																																																						
	Band Edge - L																																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																																						
ANT	SISO																																																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																																																
Peak																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.96</td><td>54.91</td><td>68.30</td><td>-13.39</td><td>40.49</td><td>34.70</td><td>11.20</td><td>31.48</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>2</td><td>5650.51</td><td>53.08</td><td>68.68</td><td>-15.60</td><td>38.62</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>3</td><td>5700.62</td><td>54.00</td><td>105.47</td><td>-50.67</td><td>40.24</td><td>34.75</td><td>11.29</td><td>31.48</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>53.30</td><td>112.06</td><td>-58.76</td><td>38.68</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.96	54.91	68.30	-13.39	40.49	34.70	11.20	31.48	0.00	100	147	PEAK	2	5650.51	53.08	68.68	-15.60	38.62	34.72	11.22	31.48	0.00	100	147	PEAK	3	5700.62	54.00	105.47	-50.67	40.24	34.75	11.29	31.48	0.00	100	147	PEAK	4	5720.51	53.30	112.06	-58.76	38.68	34.77	11.32	31.47	0.00	100	147	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.52</td><td>-----</td><td>-----</td><td>78.71</td><td>34.83</td><td>11.45</td><td>31.47</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.52	-----	-----	78.71	34.83	11.45	31.47	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	5632.96	54.91	68.30	-13.39	40.49	34.70	11.20	31.48	0.00	100	147	PEAK																																																																																																																																											
2	5650.51	53.08	68.68	-15.60	38.62	34.72	11.22	31.48	0.00	100	147	PEAK																																																																																																																																											
3	5700.62	54.00	105.47	-50.67	40.24	34.75	11.29	31.48	0.00	100	147	PEAK																																																																																																																																											
4	5720.51	53.30	112.06	-58.76	38.68	34.77	11.32	31.47	0.00	100	147	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5795.00	93.52	-----	-----	78.71	34.83	11.45	31.47	0.00	100	147	PEAK																																																																																																																																											
Avg	Blank																																																																																																																																																						
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>87.09</td><td>-----</td><td>-----</td><td>72.29</td><td>34.83</td><td>11.44</td><td>31.47</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	87.09	-----	-----	72.29	34.83	11.44	31.47	0.00	100	147	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	5795.00	87.09	-----	-----	72.29	34.83	11.44	31.47	0.00	100	147	AVERAGE																																																																																																																																											






Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.52</td><td>56.69</td><td>111.99</td><td>-55.30</td><td>41.81</td><td>34.87</td><td>11.49</td><td>31.48</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>2</td><td>5870.64</td><td>60.59</td><td>106.52</td><td>-45.93</td><td>45.68</td><td>34.09</td><td>11.51</td><td>31.49</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>55.28</td><td>68.50</td><td>-13.22</td><td>40.30</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr><tr><td>4</td><td>5925.05</td><td>55.74</td><td>68.30</td><td>-12.56</td><td>40.76</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.52	56.69	111.99	-55.30	41.81	34.87	11.49	31.48	0.00	100	147	PEAK	2	5870.64	60.59	106.52	-45.93	45.68	34.09	11.51	31.49	0.00	100	147	PEAK	3	5924.74	55.28	68.50	-13.22	40.30	34.93	11.55	31.50	0.00	100	147	PEAK	4	5925.05	55.74	68.30	-12.56	40.76	34.93	11.55	31.50	0.00	100	147	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.52	56.69	111.99	-55.30	41.81	34.87	11.49	31.48	0.00	100	147	PEAK																																																																									
2	5870.64	60.59	106.52	-45.93	45.68	34.09	11.51	31.49	0.00	100	147	PEAK																																																																									
3	5924.74	55.28	68.50	-13.22	40.30	34.93	11.55	31.50	0.00	100	147	PEAK																																																																									
4	5925.05	55.74	68.30	-12.56	40.76	34.93	11.55	31.50	0.00	100	147	PEAK																																																																									




Mode	37																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11587.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>50.24</td><td>38.87</td><td>17.84</td><td>61.47</td><td>0.00</td><td>100</td><td>0</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11587.00	45.48	74.00	-28.52	50.24	38.87	17.84	61.47	0.00	100	0	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11587.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>50.85</td><td>38.87</td><td>17.84</td><td>61.47</td><td>0.00</td><td>100</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11587.00	46.09	74.00	-27.91	50.85	38.87	17.84	61.47	0.00	100	360	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11587.00	45.48	74.00	-28.52	50.24	38.87	17.84	61.47	0.00	100	0	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11587.00	46.09	74.00	-27.91	50.85	38.87	17.84	61.47	0.00	100	360	Peak																																																																																								



Mode	38																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.88</td><td>55.48</td><td>68.30</td><td>-12.82</td><td>41.10</td><td>34.69</td><td>11.17</td><td>31.48</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>53.94</td><td>68.60</td><td>-14.66</td><td>39.48</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr><tr><td>3</td><td>5711.48</td><td>66.72</td><td>108.52</td><td>-41.80</td><td>52.13</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>61.04</td><td>112.61</td><td>-51.57</td><td>46.42</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.88	55.48	68.30	-12.82	41.10	34.69	11.17	31.48	0.00	100	91	PEAK	2	5650.40	53.94	68.60	-14.66	39.48	34.72	11.22	31.48	0.00	100	91	PEAK	3	5711.48	66.72	108.52	-41.80	52.13	34.76	11.31	31.48	0.00	100	91	PEAK	4	5720.75	61.04	112.61	-51.57	46.42	34.77	11.32	31.47	0.00	100	91	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.15</td><td>-----</td><td>-----</td><td>79.38</td><td>34.82</td><td>11.42</td><td>31.47</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.15	-----	-----	79.38	34.82	11.42	31.47	0.00	100	91
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5614.88	55.48	68.30	-12.82	41.10	34.69	11.17	31.48	0.00	100	91	PEAK																																																																																																																														
2	5650.40	53.94	68.60	-14.66	39.48	34.72	11.22	31.48	0.00	100	91	PEAK																																																																																																																														
3	5711.48	66.72	108.52	-41.80	52.13	34.76	11.31	31.48	0.00	100	91	PEAK																																																																																																																														
4	5720.75	61.04	112.61	-51.57	46.42	34.77	11.32	31.47	0.00	100	91	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	94.15	-----	-----	79.38	34.82	11.42	31.47	0.00	100	91	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.73</td><td>-----</td><td>-----</td><td>72.98</td><td>34.81</td><td>11.41</td><td>31.47</td><td>0.00</td><td>100</td><td>91</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	87.73	-----	-----	72.98	34.81	11.41	31.47	0.00	100	91	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	87.73	-----	-----	72.98	34.81	11.41	31.47	0.00	100	91	AVERAGE																																																																																																																														




Mode	38																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																
ANT	SISO																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>63.26</td><td>110.96</td><td>-47.70</td><td>48.38</td><td>34.87</td><td>11.49</td><td>31.48</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr><tr><td>2</td><td>5869.33</td><td>65.90</td><td>106.89</td><td>-40.99</td><td>50.98</td><td>34.89</td><td>11.51</td><td>31.48</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.78</td><td>68.45</td><td>-11.67</td><td>41.80</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr><tr><td>4</td><td>5925.50</td><td>56.19</td><td>68.30</td><td>-12.11</td><td>41.21</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>100</td><td>91 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.98	63.26	110.96	-47.70	48.38	34.87	11.49	31.48	0.00	100	91 PEAK	2	5869.33	65.90	106.89	-40.99	50.98	34.89	11.51	31.48	0.00	100	91 PEAK	3	5924.80	56.78	68.45	-11.67	41.80	34.93	11.55	31.50	0.00	100	91 PEAK	4	5925.50	56.19	68.30	-12.11	41.21	34.93	11.55	31.50	0.00	100	91 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.98	63.26	110.96	-47.70	48.38	34.87	11.49	31.48	0.00	100	91 PEAK																																																																						
2	5869.33	65.90	106.89	-40.99	50.98	34.89	11.51	31.48	0.00	100	91 PEAK																																																																						
3	5924.80	56.78	68.45	-11.67	41.80	34.93	11.55	31.50	0.00	100	91 PEAK																																																																						
4	5925.50	56.19	68.30	-12.11	41.21	34.93	11.55	31.50	0.00	100	91 PEAK																																																																						




Mode	38																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Blank																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Blank																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Blank																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Blank																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.37</td><td>-----</td><td>-----</td><td>82.63</td><td>34.81</td><td>11.40</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5775.00	97.37	-----	-----	82.63	34.81	11.40	31.47	0.00	104	360	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.50</td><td>56.09</td><td>68.30</td><td>-12.21</td><td>41.68</td><td>34.70</td><td>11.19</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.10</td><td>55.09</td><td>69.12</td><td>-13.23</td><td>41.43</td><td>34.72</td><td>11.22</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.43</td><td>64.64</td><td>108.22</td><td>-43.58</td><td>50.05</td><td>34.76</td><td>11.31</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>49.90</td><td>34.77</td><td>11.32</td><td>31.47</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK	2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK	3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK	4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th></tr></thead></table>							Limit	Read	Ant	Cable	Preamp	Aux																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5631.50	56.09	68.30	-12.21	41.68	34.70	11.19	31.48	0.00	104	360	PEAK																																																																																																																															
2	5651.10	55.09	69.12	-13.23	41.43	34.72	11.22	31.48	0.00	104	360	PEAK																																																																																																																															
3	5710.43	64.64	108.22	-43.58	50.05	34.76	11.31	31.48	0.00	104	360	PEAK																																																																																																																															
4	5720.23	64.52	111.41	-46.89	49.90	34.77	11.32	31.47	0.00	104	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux																																																																																																																																					





Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	SISO																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>59.24</td><td>110.96</td><td>-51.72</td><td>44.36</td><td>34.87</td><td>11.49</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5861.28</td><td>62.74</td><td>109.14</td><td>-46.40</td><td>47.84</td><td>34.88</td><td>11.50</td><td>31.48</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5922.70</td><td>56.48</td><td>70.00</td><td>-13.52</td><td>41.50</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5928.30</td><td>56.71</td><td>68.30</td><td>-11.59</td><td>41.73</td><td>34.93</td><td>11.55</td><td>31.50</td><td>0.00</td><td>104</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.98	59.24	110.96	-51.72	44.36	34.87	11.49	31.48	0.00	104	360	PEAK	2	5861.28	62.74	109.14	-46.40	47.84	34.88	11.50	31.48	0.00	104	360	PEAK	3	5922.70	56.48	70.00	-13.52	41.50	34.93	11.55	31.50	0.00	104	360	PEAK	4	5928.30	56.71	68.30	-11.59	41.73	34.93	11.55	31.50	0.00	104	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.98	59.24	110.96	-51.72	44.36	34.87	11.49	31.48	0.00	104	360	PEAK																																																																																		
2	5861.28	62.74	109.14	-46.40	47.84	34.88	11.50	31.48	0.00	104	360	PEAK																																																																																		
3	5922.70	56.48	70.00	-13.52	41.50	34.93	11.55	31.50	0.00	104	360	PEAK																																																																																		
4	5928.30	56.71	68.30	-11.59	41.73	34.93	11.55	31.50	0.00	104	360	PEAK																																																																																		



Mode	38																																																					
	Harmonic																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																					
ANT	SISO																																																					
Pol.	Horizontal						Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11554.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>50.07</td><td>38.84</td><td>17.81</td><td>61.47</td><td>0.00</td><td>100</td><td>360 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11554.00	45.25	74.00	-28.75	50.07	38.84	17.81	61.47	0.00	100	360 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	11554.00	45.25	74.00	-28.75	50.07	38.84	17.81	61.47	0.00	100	360 Peak																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11554.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>49.98</td><td>38.84</td><td>17.81</td><td>61.47</td><td>0.00</td><td>100</td><td>0 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11554.00	45.16	74.00	-28.84	49.98	38.84	17.81	61.47	0.00	100	0 Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	11554.00	45.16	74.00	-28.84	49.98	38.84	17.81	61.47	0.00	100	0 Peak																																											




Mode	-																																																																																																																																																																																																											
	Emission below 1GHz																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																																																																																											
ANT	SISO																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak QP	 Horizontal Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 30 to 1000 MHz. The plot shows a blue signal line with several peaks labeled 1 through 6. A red line indicates the 5G BAND 4 limit. The signal level is generally below the limit, with peaks around 100, 200, 300, 400, 500, and 600 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>24.93</td><td>40.00</td><td>-15.07</td><td>31.48</td><td>25.09</td><td>0.76</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>26.19</td><td>43.50</td><td>-17.31</td><td>42.03</td><td>15.20</td><td>1.36</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>197.81</td><td>27.23</td><td>43.50</td><td>-16.27</td><td>42.54</td><td>15.01</td><td>2.08</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>254.07</td><td>31.55</td><td>46.00</td><td>-14.45</td><td>42.82</td><td>19.00</td><td>2.13</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>388.90</td><td>28.70</td><td>46.00</td><td>-17.30</td><td>36.56</td><td>21.60</td><td>2.94</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>560.59</td><td>28.96</td><td>46.00</td><td>-17.04</td><td>32.74</td><td>25.33</td><td>3.29</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	24.93	40.00	-15.07	31.48	25.09	0.76	32.40	0.00	---	Peak	2	93.05	26.19	43.50	-17.31	42.03	15.20	1.36	32.40	0.00	---	Peak	3	197.81	27.23	43.50	-16.27	42.54	15.01	2.08	32.40	0.00	---	Peak	4	254.07	31.55	46.00	-14.45	42.82	19.00	2.13	32.40	0.00	---	Peak	5	388.90	28.70	46.00	-17.30	36.56	21.60	2.94	32.40	0.00	---	Peak	6	560.59	28.96	46.00	-17.04	32.74	25.33	3.29	32.40	0.00	---	Peak	 Vertical Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 30 to 1000 MHz. The plot shows a blue signal line with several peaks labeled 1 through 6. A red line indicates the 5G BAND 4 limit. The signal level is generally below the limit, with peaks around 100, 200, 300, 400, 500, and 600 MHz. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.00</td><td>26.57</td><td>40.00</td><td>-13.43</td><td>32.47</td><td>25.74</td><td>0.76</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>65.89</td><td>23.78</td><td>40.00</td><td>-16.22</td><td>40.83</td><td>14.21</td><td>1.14</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>23.29</td><td>43.50</td><td>-20.21</td><td>38.61</td><td>15.00</td><td>2.08</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>257.95</td><td>34.21</td><td>46.00</td><td>-11.79</td><td>45.00</td><td>19.45</td><td>2.16</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>374.35</td><td>29.32</td><td>46.00</td><td>-16.68</td><td>37.62</td><td>21.23</td><td>2.87</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>516.94</td><td>30.18</td><td>46.00</td><td>-15.82</td><td>35.04</td><td>24.39</td><td>3.15</td><td>32.40</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	26.57	40.00	-13.43	32.47	25.74	0.76	32.40	0.00	---	Peak	2	65.89	23.78	40.00	-16.22	40.83	14.21	1.14	32.40	0.00	---	Peak	3	198.78	23.29	43.50	-20.21	38.61	15.00	2.08	32.40	0.00	---	Peak	4	257.95	34.21	46.00	-11.79	45.00	19.45	2.16	32.40	0.00	---	Peak	5	374.35	29.32	46.00	-16.68	37.62	21.23	2.87	32.40	0.00	---	Peak	6	516.94	30.18	46.00	-15.82	35.04	24.39	3.15	32.40	0.00	---	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.97	24.93	40.00	-15.07	31.48	25.09	0.76	32.40	0.00	---	Peak																																																																																																																																																																																																	
2	93.05	26.19	43.50	-17.31	42.03	15.20	1.36	32.40	0.00	---	Peak																																																																																																																																																																																																	
3	197.81	27.23	43.50	-16.27	42.54	15.01	2.08	32.40	0.00	---	Peak																																																																																																																																																																																																	
4	254.07	31.55	46.00	-14.45	42.82	19.00	2.13	32.40	0.00	---	Peak																																																																																																																																																																																																	
5	388.90	28.70	46.00	-17.30	36.56	21.60	2.94	32.40	0.00	---	Peak																																																																																																																																																																																																	
6	560.59	28.96	46.00	-17.04	32.74	25.33	3.29	32.40	0.00	---	Peak																																																																																																																																																																																																	
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.00	26.57	40.00	-13.43	32.47	25.74	0.76	32.40	0.00	---	Peak																																																																																																																																																																																																	
2	65.89	23.78	40.00	-16.22	40.83	14.21	1.14	32.40	0.00	---	Peak																																																																																																																																																																																																	
3	198.78	23.29	43.50	-20.21	38.61	15.00	2.08	32.40	0.00	---	Peak																																																																																																																																																																																																	
4	257.95	34.21	46.00	-11.79	45.00	19.45	2.16	32.40	0.00	---	Peak																																																																																																																																																																																																	
5	374.35	29.32	46.00	-16.68	37.62	21.23	2.87	32.40	0.00	---	Peak																																																																																																																																																																																																	
6	516.94	30.18	46.00	-15.82	35.04	24.39	3.15	32.40	0.00	---	Peak																																																																																																																																																																																																	

Appendix B. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.7188	0.75KHz
802.11ac VHT20	96.80	1.316	0.760	0.82KHz
802.11ac VHT40	89.50	0.657	1.522	1.6KHz
802.11ac VHT80	88.23	0.326	3.067	3.3KHz

802.11a







802.11ac VHT 20



802.11ac VHT40



802.11ac VHT80





Appendix D. Reference Report

Please refer to Sporton report number FR282501D & FZ282501 which is issued separately.