









Mode	15																																																																																																																																																																																																							
	Emission below 1GHz																																																																																																																																																																																																							
	2400-2483.5_802.11n HT40_CH05_2432MHz																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																						
Peak QP	Horizontal Emission Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the FCC Part 15C limit and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>24.05</td><td>-15.95</td><td>28.88</td><td>25.69</td><td>0.88</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>184.23</td><td>24.76</td><td>-43.50</td><td>39.37</td><td>14.62</td><td>2.17</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>198.78</td><td>26.83</td><td>-43.50</td><td>-16.67</td><td>41.26</td><td>14.71</td><td>2.26</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>239.52</td><td>28.09</td><td>-46.00</td><td>-17.91</td><td>39.86</td><td>17.14</td><td>2.49</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>558.65</td><td>36.75</td><td>-46.00</td><td>-9.25</td><td>38.28</td><td>26.15</td><td>3.77</td><td>31.45</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>675.05</td><td>32.63</td><td>-46.00</td><td>-13.37</td><td>33.54</td><td>26.33</td><td>4.14</td><td>31.38</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	24.05	-15.95	28.88	25.69	0.88	31.40	0.00	---	---	Peak	2	184.23	24.76	-43.50	39.37	14.62	2.17	31.40	0.00	---	---	Peak	3	198.78	26.83	-43.50	-16.67	41.26	14.71	2.26	31.40	0.00	---	---	Peak	4	239.52	28.09	-46.00	-17.91	39.86	17.14	2.49	31.40	0.00	---	---	Peak	5	558.65	36.75	-46.00	-9.25	38.28	26.15	3.77	31.45	0.00	---	---	Peak	6	675.05	32.63	-46.00	-13.37	33.54	26.33	4.14	31.38	0.00	---	---	Peak	Vertical Emission Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the FCC Part 15C limit and a blue line for the measured signal. Peaks are labeled 1 through 6. <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>23.13</td><td>-40.00</td><td>-16.87</td><td>27.96</td><td>25.69</td><td>0.88</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>183.26</td><td>25.32</td><td>-43.50</td><td>-18.18</td><td>39.90</td><td>14.66</td><td>2.16</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>197.81</td><td>27.81</td><td>-43.50</td><td>-15.69</td><td>42.27</td><td>14.68</td><td>2.26</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>250.19</td><td>32.37</td><td>-46.00</td><td>-13.63</td><td>42.77</td><td>18.45</td><td>2.55</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>637.22</td><td>36.63</td><td>-46.00</td><td>-9.37</td><td>37.81</td><td>26.19</td><td>4.03</td><td>31.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>719.67</td><td>31.25</td><td>-46.00</td><td>-14.75</td><td>31.30</td><td>27.02</td><td>4.28</td><td>31.35</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	23.13	-40.00	-16.87	27.96	25.69	0.88	31.40	0.00	---	---	Peak	2	183.26	25.32	-43.50	-18.18	39.90	14.66	2.16	31.40	0.00	---	---	Peak	3	197.81	27.81	-43.50	-15.69	42.27	14.68	2.26	31.40	0.00	---	---	Peak	4	250.19	32.37	-46.00	-13.63	42.77	18.45	2.55	31.40	0.00	---	---	Peak	5	637.22	36.63	-46.00	-9.37	37.81	26.19	4.03	31.40	0.00	---	---	Peak	6	719.67	31.25	-46.00	-14.75	31.30	27.02	4.28	31.35	0.00	---	---	Peak
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																														
1	30.00	24.05	-15.95	28.88	25.69	0.88	31.40	0.00	---	---	Peak																																																																																																																																																																																													
2	184.23	24.76	-43.50	39.37	14.62	2.17	31.40	0.00	---	---	Peak																																																																																																																																																																																													
3	198.78	26.83	-43.50	-16.67	41.26	14.71	2.26	31.40	0.00	---	---	Peak																																																																																																																																																																																												
4	239.52	28.09	-46.00	-17.91	39.86	17.14	2.49	31.40	0.00	---	---	Peak																																																																																																																																																																																												
5	558.65	36.75	-46.00	-9.25	38.28	26.15	3.77	31.45	0.00	---	---	Peak																																																																																																																																																																																												
6	675.05	32.63	-46.00	-13.37	33.54	26.33	4.14	31.38	0.00	---	---	Peak																																																																																																																																																																																												
Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	Aux	A/Pos	T/Pos	Remark																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																														
1	30.00	23.13	-40.00	-16.87	27.96	25.69	0.88	31.40	0.00	---	---	Peak																																																																																																																																																																																												
2	183.26	25.32	-43.50	-18.18	39.90	14.66	2.16	31.40	0.00	---	---	Peak																																																																																																																																																																																												
3	197.81	27.81	-43.50	-15.69	42.27	14.68	2.26	31.40	0.00	---	---	Peak																																																																																																																																																																																												
4	250.19	32.37	-46.00	-13.63	42.77	18.45	2.55	31.40	0.00	---	---	Peak																																																																																																																																																																																												
5	637.22	36.63	-46.00	-9.37	37.81	26.19	4.03	31.40	0.00	---	---	Peak																																																																																																																																																																																												
6	719.67	31.25	-46.00	-14.75	31.30	27.02	4.28	31.35	0.00	---	---	Peak																																																																																																																																																																																												







		16																																																																																						
Mode		Band Edge - L																																																																																						
		802.11n HT40_CH05_TX + LTE Band 48 link																																																																																						
Pol.	Horizontal					Fundamental																																																																																		
Peak																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	60.04	74.00	-13.96	44.18	31.98	8.77	30.89	6.00	374	257	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2432.00</td><td>106.37</td><td>74.00</td><td>32.37</td><td>90.19</td><td>32.05</td><td>8.91</td><td>30.78</td><td>6.00</td><td>374</td><td>257</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	106.37	74.00	32.37	90.19	32.05	8.91	30.78	6.00	374	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2389.56	60.04	74.00	-13.96	44.18	31.98	8.77	30.89	6.00	374	257	PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2432.00	106.37	74.00	32.37	90.19	32.05	8.91	30.78	6.00	374	257	PEAK																																																																												
Avg																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.50	54.00	-3.50	34.64	31.98	8.77	30.89	6.00	374	257	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2432.00</td><td>96.71</td><td>54.00</td><td>42.71</td><td>80.58</td><td>32.04</td><td>8.89</td><td>30.80</td><td>6.00</td><td>374</td><td>257</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	96.71	54.00	42.71	80.58	32.04	8.89	30.80	6.00	374	257
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2389.95	50.50	54.00	-3.50	34.64	31.98	8.77	30.89	6.00	374	257	Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2432.00	96.71	54.00	42.71	80.58	32.04	8.89	30.80	6.00	374	257	AVERAGE																																																																												





Mode	16																																																						
	Band Edge - R																																																						
	802.11n HT40_CH05_TX + LTE Band 48 link																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.27</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>41.10</td><td>32.13</td><td>9.06</td><td>30.64</td><td>6.00</td><td>374</td><td>257</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.27	57.65	74.00	-16.35	41.10	32.13	9.06	30.64	6.00	374	257	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2486.27	57.65	74.00	-16.35	41.10	32.13	9.06	30.64	6.00	374	257	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.06</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>29.60</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>374</td><td>257</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.06	46.14	54.00	-7.86	29.60	32.13	9.05	30.64	6.00	374	257	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.06	46.14	54.00	-7.86	29.60	32.13	9.05	30.64	6.00	374	257	AVERAGE																																											



Mode	16																																																																																																		
	Band Edge - L																																																																																																		
	802.11n HT40_CH05_TX + LTE Band 48 link																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>58.31</td><td>74.00</td><td>-15.69</td><td>42.45</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>379</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	58.31	74.00	-15.69	42.45	31.98	8.77	30.89	6.00	379	237	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2432.00</td><td>104.35</td><td>74.00</td><td>30.35</td><td>88.18</td><td>32.05</td><td>8.90</td><td>30.78</td><td>6.00</td><td>379</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	104.35	74.00	30.35	88.18	32.05	8.90	30.78	6.00	379	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.78	58.31	74.00	-15.69	42.45	31.98	8.77	30.89	6.00	379	237	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2432.00	104.35	74.00	30.35	88.18	32.05	8.90	30.78	6.00	379	237	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.66</td><td>54.00</td><td>-5.34</td><td>32.80</td><td>31.98</td><td>8.77</td><td>30.89</td><td>6.00</td><td>379</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.66	54.00	-5.34	32.80	31.98	8.77	30.89	6.00	379	237	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2432.00</td><td>94.74</td><td>54.00</td><td>40.74</td><td>78.56</td><td>32.05</td><td>8.91</td><td>30.78</td><td>6.00</td><td>379</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2432.00	94.74	54.00	40.74	78.56	32.05	8.91	30.78	6.00	379	237
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	48.66	54.00	-5.34	32.80	31.98	8.77	30.89	6.00	379	237	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2432.00	94.74	54.00	40.74	78.56	32.05	8.91	30.78	6.00	379	237	AVERAGE																																																																																							



Mode	16																																																						
	Band Edge - R																																																						
	802.11n HT40_CH05_TX + LTE Band 48 link																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.94</td><td>58.37</td><td>74.00</td><td>-15.63</td><td>41.77</td><td>32.14</td><td>9.08</td><td>30.62</td><td>6.00</td><td>379</td><td>237</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.94	58.37	74.00	-15.63	41.77	32.14	9.08	30.62	6.00	379	237	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2491.94	58.37	74.00	-15.63	41.77	32.14	9.08	30.62	6.00	379	237	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>29.65</td><td>32.13</td><td>9.05</td><td>30.64</td><td>6.00</td><td>379</td><td>237</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.00	46.19	54.00	-7.81	29.65	32.13	9.05	30.64	6.00	379	237	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.00	46.19	54.00	-7.81	29.65	32.13	9.05	30.64	6.00	379	237	AVERAGE																																											




		16																																																																																																																																									
Mode	Harmonic																																																																																																																																										
	802.11n HT40_CH05_TX + LTE Band 48 link																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4864.00</td><td>41.51</td><td>74.00</td><td>-32.49</td><td>59.99</td><td>34.63</td><td>12.33</td><td>65.44</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7296.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>57.92</td><td>36.56</td><td>14.72</td><td>65.24</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4864.00	41.51	74.00	-32.49	59.99	34.63	12.33	65.44	0.00	300	360	PEAK	2	7296.00	43.96	74.00	-30.04	57.92	36.56	14.72	65.24	0.00	300	360	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4864.00</td><td>41.72</td><td>74.00</td><td>-32.28</td><td>60.20</td><td>34.63</td><td>12.33</td><td>65.44</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7296.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>57.85</td><td>36.56</td><td>14.72</td><td>65.24</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4864.00	41.72	74.00	-32.28	60.20	34.63	12.33	65.44	0.00	100	360	PEAK	2	7296.00	43.89	74.00	-30.11	57.85	36.56	14.72	65.24	0.00	100	360
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4864.00	41.51	74.00	-32.49	59.99	34.63	12.33	65.44	0.00	300	360	PEAK																																																																																																																															
2	7296.00	43.96	74.00	-30.04	57.92	36.56	14.72	65.24	0.00	300	360	PEAK																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	4864.00	41.72	74.00	-32.28	60.20	34.63	12.33	65.44	0.00	100	360	PEAK																																																																																																																															
2	7296.00	43.89	74.00	-30.11	57.85	36.56	14.72	65.24	0.00	100	360	PEAK																																																																																																																															


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10HZ
802.11g	98.61	-	-	10HZ
802.11n HT20	97.78	1.913	0.523	0.56kHz
802.11n HT40	94.89	0.942	1.062	1.1kHz


802.11b



802.11g



802.11n HT20



802.11n HT40

