Mode	31	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5439.75 53.42 74.00 -20.58 40.90 34.50 10.00 31.98 0.00 101 76 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.11 41.96 54.00 -12.04 29.47 34.50 9.91 31.92 0.00 101 76 AVERAGE	Blank

Mode	31	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 45.37 68.30 -22.93 55.79 37.28 14.14 61.84 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 45.50 68.30 -22.80 55.92 37.28 14.14 61.84 0.00 --- --- PEAK

Mode	32	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5136.62 56.46 74.00 -17.54 44.22 34.27 9.77 31.80 0.00 100 62 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 105.56 ------ ------ 93.09 34.48 9.85 31.86 0.00 100 62 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.96 44.16 54.00 -9.84 31.87 34.30 9.79 31.80 0.00 100 62 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 96.70 ------ ------ 84.24 34.46 9.85 31.85 0.00 100 62 AVERAGE

Mode	32	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5454.48 53.89 74.00 -20.11 41.36 34.50 10.02 31.99 0.00 100 62 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.90 42.32 54.00 -11.68 29.84 34.50 9.91 31.93 0.00 100 62 AVERAGE	Blank

Mode	32	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.36 55.84 74.00 -18.16 43.57 34.29 9.78 31.80 0.00 297 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 106.89 ------ ------ 94.43 34.46 9.85 31.85 0.00 297 73 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5144.67 43.78 54.00 -10.22 31.51 34.29 9.78 31.80 0.00 297 73 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5230.00 98.19 ------ ------ 85.73 34.46 9.85 31.85 0.00 297 73 AVERAGE

Mode	32	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5373.06 54.45 74.00 -19.55 41.97 34.50 9.92 31.94 0.00 297 73 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.52 42.27 54.00 -11.73 29.78 34.50 9.91 31.92 0.00 297 73 AVERAGE	Blank

Mode	32	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_Full_5230MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 45.11 68.30 -23.19 55.19 37.42 14.20 61.70 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10460.00 45.87 68.30 -22.43 55.95 37.42 14.20 61.70 0.00 --- --- PEAK

Mode	33	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5085.86 54.77 74.00 -19.23 42.66 34.14 9.73 31.76 0.00 100 66 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 106.21 ------ ------ 93.71 34.50 9.87 31.87 0.00 100 66 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.58 42.93 54.00 -11.07 30.64 34.30 9.79 31.80 0.00 100 66 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 97.15 ------ ------ 84.65 34.50 9.87 31.87 0.00 100 66 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5365.76 56.21 74.00 -17.79 43.72 34.50 9.92 31.93 0.00 100 66 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.18 43.75 54.00 -10.25 31.26 34.50 9.91 31.92 0.00 100 66 AVERAGE	Blank

Mode	33	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5114.48 54.01 74.00 -19.99 41.80 34.23 9.76 31.78 0.00 100 78 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 105.70 ------ ------ 93.20 34.50 9.87 31.87 0.00 100 78 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5136.62 42.76 54.00 -11.24 30.52 34.27 9.77 31.80 0.00 100 78 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5270.00 97.53 ------ ------ 85.03 34.50 9.87 31.87 0.00 100 78 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.13 54.75 74.00 -19.25 42.26 34.50 9.91 31.92 0.00 100 78 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.12 43.81 54.00 -10.19 31.33 34.50 9.91 31.93 0.00 100 78 AVERAGE	Blank

Mode	33	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 46.07 68.30 -22.23 55.95 37.50 14.25 61.63 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10540.00 46.36 68.30 -21.94 56.24 37.50 14.25 61.63 0.00 --- --- PEAK

Mode	34	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5129.27 55.90 74.00 -18.10 43.66 34.26 9.77 31.79 0.00 100 65 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 105.39 ------ ------ 92.90 34.50 9.89 31.90 0.00 100 65 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5138.88 42.71 54.00 -11.29 30.45 34.28 9.78 31.80 0.00 100 65 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 96.71 ------ ------ 84.22 34.50 9.89 31.90 0.00 100 65 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.20 60.32 74.00 -13.68 47.83 34.50 9.91 31.92 0.00 100 65 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.05 50.59 54.00 -3.41 38.10 34.50 9.91 31.92 0.00 100 65 AVERAGE	Blank

Mode	34	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5059.52 54.54 74.00 -19.46 42.54 34.04 9.71 31.75 0.00 104 77 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 107.58 ------ ------ 95.09 34.50 9.90 31.91 0.00 104 77 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5136.40 42.64 54.00 -11.36 30.39 34.27 9.77 31.79 0.00 104 77 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 97.98 ------ ------ 85.49 34.50 9.89 31.90 0.00 104 77 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.60 66.32 74.00 -7.68 53.84 34.50 9.91 31.93 0.00 104 77 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.30 50.62 54.00 -3.38 38.14 34.50 9.91 31.93 0.00 104 77 AVERAGE	Blank

Mode	34	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 45.23 74.00 -28.77 55.02 37.54 14.31 61.64 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 45.85 74.00 -28.15 55.64 37.54 14.31 61.64 0.00 --- --- PEAK

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.32 58.41 74.00 -15.59 45.88 34.50 10.01 31.98 0.00 100 72 PEAK 2 5463.28 65.10 68.30 -3.20 52.56 34.50 10.03 31.99 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 105.67 ------ ------ 93.09 34.50 10.09 32.01 0.00 100 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.44 45.35 54.00 -8.65 32.81 34.50 10.03 31.99 0.00 100 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 96.21 ------ ------ 83.63 34.50 10.11 32.03 0.00 100 72 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5738.99 53.80 68.30 -14.50 40.68 34.78 10.36 32.02 0.00 100 72 PEAK	Blank

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.88 55.13 74.00 -18.87 42.60 34.50 10.02 31.99 0.00 100 80 PEAK 2 5467.28 61.94 68.30 -6.36 49.39 34.50 10.04 31.99 0.00 100 80 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 105.50 ------ ------ 92.92 34.50 10.11 32.03 0.00 100 80 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.36 44.21 54.00 -9.79 31.68 34.50 10.02 31.99 0.00 100 80 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 96.06 ------ ------ 83.48 34.50 10.11 32.03 0.00 100 80 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.85 53.89 68.30 -14.41 40.80 34.76 10.35 32.02 0.00 100 80 PEAK	Blank

Mode	35	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 45.65 74.00 -28.35 54.58 38.20 14.58 61.71 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.21 74.00 -27.79 55.14 38.20 14.58 61.71 0.00 --- --- PEAK
Peak Avg		

Mode	36	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.20 54.28 74.00 -19.72 41.75 34.50 10.02 31.99 0.00 100 73 PEAK 2 5466.00 53.18 68.30 -15.12 40.63 34.50 10.04 31.99 0.00 100 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 107.01 ------ ------ 94.38 34.50 10.18 32.05 0.00 100 73 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.80 42.55 54.00 -11.45 30.01 34.50 10.03 31.99 0.00 100 73 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 97.94 ------ ------ 85.31 34.50 10.18 32.05 0.00 100 73 AVERAGE

Mode	36	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5747.80 54.42 68.30 -13.88 41.27 34.80 10.36 32.01 0.00 100 73 PEAK	Blank

Mode	36	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.20 53.66 74.00 -20.34 41.13 34.50 10.02 31.99 0.00 100 79 PEAK 2 5465.40 53.95 68.30 -14.35 41.41 34.50 10.03 31.99 0.00 100 79 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 107.49 ------ ------ 94.87 34.50 10.17 32.05 0.00 100 79 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.60 42.59 54.00 -11.41 30.06 34.50 10.02 31.99 0.00 100 79 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 98.70 ------ ------ 86.08 34.50 10.17 32.05 0.00 100 79 AVERAGE

Mode	36	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5762.42 53.76 68.30 -14.54 40.57 34.82 10.37 32.00 0.00 100 79 PEAK	Blank

Mode	36	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 45.94 74.00 -28.06 54.78 38.20 14.63 61.67 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 46.45 74.00 -27.55 55.29 38.20 14.63 61.67 0.00 --- --- PEAK

Mode	37	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5409.52 52.53 74.00 -21.47 40.04 34.50 9.95 31.96 0.00 100 74 PEAK 2 5468.08 52.27 68.30 -16.03 39.73 34.50 10.04 32.00 0.00 100 74 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 109.26 ------ ------ 96.40 34.64 10.30 32.08 0.00 100 74 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.44 41.91 54.00 -12.09 29.37 34.50 10.03 31.99 0.00 100 74 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 99.32 ------ ------ 86.46 34.64 10.30 32.08 0.00 100 74 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.67 64.07 68.30 -4.23 51.00 34.75 10.35 32.03 0.00 100 74 PEAK	Blank

Mode	37
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz
ANT	CDD 5+4

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5415.92 53.36 74.00 -20.64 40.86 34.50 9.96 31.96 0.00 125 81 PEAK 2 5468.72 52.10 68.30 -16.20 39.56 34.50 10.04 32.00 0.00 125 81 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 107.32 ------ ------ 94.40 34.67 10.31 32.06 0.00 125 81 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5453.68 41.89 54.00 -12.11 29.36 34.50 10.02 31.99 0.00 125 81 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 98.36 ------ ------ 85.50 34.64 10.30 32.08 0.00 125 81 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5728.05 60.54 68.30 -7.76 47.46 34.76 10.35 32.03 0.00 125 81 PEAK	Blank

Mode	37	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 45.84 74.00 -28.16 54.34 38.28 14.80 61.58 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 45.91 74.00 -28.09 54.41 38.28 14.80 61.58 0.00 --- --- PEAK

Mode	38	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.94 60.92 74.00 -13.08 48.63 34.30 9.79 31.80 0.00 100 68 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 101.72 ------ ------ 89.30 34.42 9.84 31.84 0.00 100 68 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5149.94 49.36 54.00 -4.64 37.07 34.30 9.79 31.80 0.00 100 68 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 92.22 ------ ------ 79.76 34.46 9.85 31.85 0.00 100 68 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5354.50 53.43 74.00 -20.57 40.95 34.50 9.91 31.93 0.00 100 68 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.25 42.88 54.00 -11.12 30.39 34.50 9.91 31.92 0.00 100 68 AVERAGE	Blank

Mode	38	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5147.00 62.30 74.00 -11.70 50.03 34.29 9.78 31.80 0.00 100 79 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 99.68 ------ ------ 87.24 34.45 9.84 31.85 0.00 100 79 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5146.37 47.37 54.00 -6.63 35.10 34.29 9.78 31.80 0.00 100 79 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5210.00 91.45 ------ ------ 79.01 34.45 9.84 31.85 0.00 100 79 AVERAGE

Mode	38	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5449.25 54.04 74.00 -19.96 41.51 34.50 10.01 31.98 0.00 100 79 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.25 43.00 54.00 -11.00 30.51 34.50 9.91 31.92 0.00 100 79 AVERAGE	Blank

Mode	38	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10420.00 46.02 68.30 -22.28 56.28 37.34 14.17 61.77 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10420.00 45.50 68.30 -22.80 55.76 37.34 14.17 61.77 0.00 --- --- PEAK

Mode	39	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5112.81 55.71 74.00 -18.29 43.51 34.23 9.75 31.78 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 102.32 ------ ------ 89.83 34.50 9.89 31.90 0.00 100 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5148.77 43.90 54.00 -10.10 31.61 34.30 9.79 31.80 0.00 100 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 93.41 ------ ------ 80.92 34.50 9.87 31.88 0.00 100 72 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5356.47 60.38 74.00 -13.62 47.90 34.50 9.91 31.93 0.00 100 72 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.01 49.82 54.00 -4.18 37.33 34.50 9.91 31.92 0.00 100 72 AVERAGE	Blank

Mode	39	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5099.47 54.76 74.00 -19.24 42.59 34.20 9.74 31.77 0.00 100 77 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 101.99 ------ ------ 89.49 34.50 9.88 31.88 0.00 100 77 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5145.29 43.55 54.00 -10.45 31.28 34.29 9.78 31.80 0.00 100 77 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 92.69 ------ ------ 80.20 34.50 9.89 31.90 0.00 100 77 AVERAGE

Mode	39	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5366.33 64.38 74.00 -9.62 51.89 34.50 9.92 31.93 0.00 100 77 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5355.79 49.37 54.00 -4.63 36.89 34.50 9.91 31.93 0.00 100 77 AVERAGE	Blank

Mode	39	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.70 68.30 -22.60 55.55 37.50 14.28 61.63 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.60 68.30 -22.70 55.45 37.50 14.28 61.63 0.00 --- --- PEAK

Mode	40	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.54 61.81 74.00 -12.19 49.28 34.50 10.02 31.99 0.00 100 72 PEAK 2 5468.08 64.75 68.30 -3.55 52.21 34.50 10.04 32.00 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 103.44 ------ ------ 90.81 34.50 10.18 32.05 0.00 100 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.08 48.31 54.00 -5.69 35.77 34.50 10.03 31.99 0.00 100 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 93.52 ------ ------ 80.89 34.50 10.18 32.05 0.00 100 72 AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5753.96 54.59 68.30 -13.71 41.42 34.81 10.37 32.01 0.00 100 72 PEAK	Blank

Mode	40	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.64 59.90 74.00 -14.10 47.37 34.50 10.02 31.99 0.00 111 98 PEAK 2 5467.18 61.33 68.30 -6.97 48.78 34.50 10.04 31.99 0.00 111 98 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 105.10 ------ ------ 92.50 34.50 10.13 32.03 0.00 111 98 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.36 47.18 54.00 -6.82 34.65 34.50 10.02 31.99 0.00 111 98 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 94.01 ------ ------ 81.41 34.50 10.14 32.04 0.00 111 98 AVERAGE

Mode	40	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5762.89 55.02 68.30 -13.28 41.81 34.83 10.38 32.00 0.00 111 98 PEAK	Blank

Mode	40	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 46.12 74.00 -27.88 55.00 38.20 14.61 61.69 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11060.00 46.25 74.00 -27.75 55.13 38.20 14.61 61.69 0.00 --- --- PEAK

Mode	41	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.64 54.83 74.00 -19.17 42.30 34.50 10.02 31.99 0.00 100 71 PEAK 2 5469.16 55.91 68.30 -12.39 43.37 34.50 10.04 32.00 0.00 100 71 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 106.49 ------ ------ 93.78 34.54 10.26 32.09 0.00 100 71 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.26 44.95 54.00 -9.05 32.41 34.50 10.03 31.99 0.00 100 71 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 96.73 ------ ------ 84.04 34.52 10.25 32.08 0.00 100 71 AVERAGE

Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5737.98 61.61 68.30 -6.69 48.49 34.78 10.36 32.02 0.00 100 71 PEAK	Blank

Mode	41
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz
ANT	CDD 5+4

Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.36 55.38 74.00 -18.62 42.85 34.50 10.02 31.99 0.00 100 79 PEAK 2 5467.00 56.60 68.30 -11.70 44.05 34.50 10.04 31.99 0.00 100 79 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 104.80 ------ ------ 92.14 34.50 10.24 32.08 0.00 100 79 PEAK
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.38 44.02 54.00 -9.98 31.49 34.50 10.02 31.99 0.00 100 79 AVERAGE	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 95.27 ------ ------ 82.58 34.52 10.25 32.08 0.00 100 79 AVERAGE

Mode	41	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.76 57.62 68.30 -10.68 44.55 34.75 10.35 32.03 0.00 100 79 PEAK	Blank

Mode	41	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 46.24 74.00 -27.76 55.03 38.12 14.72 61.63 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 46.49 74.00 -27.51 55.28 38.12 14.72 61.63 0.00 --- --- PEAK

Mode	42	
	Band Edge - L	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5131.50 60.06 74.00 -13.94 47.82 34.26 9.77 31.79 0.00 100 71 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 99.78 ------ ------ 87.31 34.48 9.85 31.86 0.00 100 71 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5129.75 48.57 54.00 -5.43 36.33 34.26 9.77 31.79 0.00 100 71 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 90.08 ------ ------ 77.61 34.48 9.85 31.86 0.00 100 71 AVERAGE

Mode	42	
	Band Edge - R	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.01 60.80 74.00 -13.20 48.31 34.50 9.91 31.92 0.00 100 71 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.17 50.52 54.00 -3.48 38.03 34.50 9.91 31.92 0.00 100 71 AVERAGE	Blank

Mode	42	
	Band Edge - L	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5114.50 57.46 74.00 -16.54 45.25 34.23 9.76 31.78 0.00 100 68 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 99.55 ------ ------ 87.05 34.50 9.87 31.87 0.00 100 68 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5136.00 47.00 54.00 -7.00 34.75 34.27 9.77 31.79 0.00 100 68 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 89.25 ------ ------ 76.75 34.50 9.87 31.87 0.00 100 68 AVERAGE

Mode	42	
	Band Edge - R	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5402.67 60.96 74.00 -13.04 48.48 34.50 9.94 31.96 0.00 100 68 PEAK	Blank
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.00 49.53 54.00 -4.47 37.04 34.50 9.93 31.94 0.00 100 68 AVERAGE	Blank

Mode	42	
	Harmonic	
	U-NII-2A_5.15-5.35_802.11ax HE160_CH50_Full_5250MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10500.00 45.70 68.30 -22.60 55.60 37.50 14.22 61.62 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10500.00 46.01 68.30 -22.29 55.91 37.50 14.22 61.62 0.00 --- --- PEAK

Mode	43	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.46 62.11 74.00 -11.89 49.58 34.50 10.02 31.99 0.00 100 72 PEAK 2 5467.92 60.15 68.30 -8.15 47.61 34.50 10.04 32.00 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 102.47 ------ ------ 89.78 34.52 10.25 32.08 0.00 100 72 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.90 50.40 54.00 -3.60 37.87 34.50 10.02 31.99 0.00 100 72 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 91.27 ------ ------ 78.61 34.50 10.23 32.07 0.00 100 72 AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.59 62.87 68.30 -5.43 49.80 34.75 10.35 32.03 0.00 100 72 PEAK	Blank

Mode	43
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz
ANT	CDD 5+4

Pol. — Vertical

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5426.12	60.76	74.00	-13.24	48.25	34.50	9.98	31.97	0.00	100	92	PEAK
2	5467.26	59.01	68.30	-9.29	46.46	34.50	10.04	31.99	0.00	100	92	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.48	48.72	54.00	-5.28	36.19	34.50	10.02	31.99	0.00	100	92	AVERAGE

Pol. — Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5570.00	99.90	------	------	87.25	34.50	10.21	32.06	0.00	100	92	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5570.00	90.04	------	------	77.39	34.50	10.21	32.06	0.00	100	92	AVERAGE

Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.42 59.07 68.30 -9.23 46.01 34.75 10.34 32.03 0.00 100 92 PEAK	Blank

Mode	43	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11140.00 47.30 74.00 -26.70 56.14 38.16 14.66 61.66 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11140.00 46.37 74.00 -27.63 55.21 38.16 14.66 61.66 0.00 --- --- PEAK

Mode	59	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11a_CH144_Full_5720MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.48 74.00 -26.52 55.63 38.52 14.87 61.54 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.24 74.00 -26.76 55.39 38.52 14.87 61.54 0.00 --- --- PEAK

Mode	60	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.63 74.00 -27.37 54.78 38.52 14.87 61.54 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.14 74.00 -26.86 55.29 38.52 14.87 61.54 0.00 --- --- PEAK

Mode	61	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.92 74.00 -27.08 55.14 38.46 14.86 61.54 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.05 74.00 -27.95 54.27 38.46 14.86 61.54 0.00 --- --- PEAK

Mode	62	
	Harmonic	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 46.66 74.00 -27.34 55.03 38.36 14.83 61.56 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 46.88 74.00 -27.12 55.25 38.36 14.83 61.56 0.00 --- --- PEAK

Mode	63	
	LF	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 114.39 23.51 -19.99 43.50 36.98 17.27 1.43 32.17 --- --- Peak 2 223.03 25.85 -20.15 46.00 40.37 15.63 2.02 32.17 --- --- Peak 3 346.22 20.00 -26.00 46.00 29.32 20.38 2.51 32.21 --- --- Peak 4 601.33 24.97 -21.03 46.00 28.23 25.81 3.31 32.38 --- --- Peak 5 780.78 28.46 -17.54 46.00 28.59 28.20 3.78 32.11 --- --- Peak 6 827.34 30.11 -15.89 46.00 29.35 28.80 3.88 31.92 --- --- Peak	 Freq Level Over Limit Limit Line ReadLevel Antenna Factor Cable Loss Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 53.28 29.37 -10.63 40.00 47.48 13.65 0.76 32.52 --- --- Peak 2 222.06 23.11 -22.89 46.00 37.75 15.52 2.01 32.17 --- --- Peak 3 324.88 20.16 -25.84 46.00 30.18 19.74 2.43 32.19 --- --- Peak 4 482.02 23.11 -22.89 46.00 29.13 23.67 2.96 32.65 --- --- Peak 5 711.91 27.47 -18.53 46.00 29.05 27.05 3.61 32.24 --- --- Peak 6 862.26 30.68 -15.32 46.00 29.19 29.25 3.96 31.72 --- --- Peak

Mode	44
	Band Edge
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz
ANT	CDD 5+4

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5630.16 54.94 68.30 -13.36 42.20 34.56 10.27 32.09 0.00 100 71 PEAK 2 5650.61 53.31 68.75 -15.44 40.52 34.60 10.28 32.09 0.00 100 71 PEAK 3 5718.90 76.58 110.59 -34.01 63.54 34.74 10.34 32.04 0.00 100 71 PEAK 4 5720.50 72.49 112.03 -39.54 59.44 34.74 10.34 32.03 0.00 100 71 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 113.52 ------ ------ 100.38 34.79 10.36 32.01 0.00 100 71 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 105.51 ------ ------ 92.37 34.79 10.36 32.01 0.00 100 71 AVERAGE

Mode	44	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5641.18 54.92 68.30 -13.38 42.16 34.58 10.28 32.10 0.00 316 101 PEAK 2 5650.32 53.13 68.53 -15.40 40.34 34.60 10.28 32.09 0.00 316 101 PEAK 3 5719.92 69.69 110.88 -41.19 56.64 34.74 10.34 32.03 0.00 316 101 PEAK 4 5720.21 68.84 111.37 -42.53 55.79 34.74 10.34 32.03 0.00 316 101 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 110.75 ------ ------ 97.61 34.79 10.36 32.01 0.00 316 101 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 102.96 ------ ------ 89.82 34.79 10.36 32.01 0.00 316 101 AVERAGE

Mode	44	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.78 74.00 -26.22 55.72 38.67 14.91 61.52 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.09 74.00 -26.91 55.03 38.67 14.91 61.52 0.00 --- --- PEAK

Mode	45	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.71 74.00 -27.29 54.53 38.70 14.97 61.49 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 47.48 74.00 -26.52 55.30 38.70 14.97 61.49 0.00 --- --- PEAK

Mode	46	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.63 65.28 114.03 -48.75 51.76 35.01 10.45 31.94 0.00 110 72 PEAK 2 5871.13 58.40 106.38 -47.98 44.84 35.04 10.47 31.95 0.00 110 72 PEAK 3 5922.88 54.58 69.87 -15.29 40.96 35.10 10.51 31.99 0.00 110 72 PEAK 4 5945.13 55.19 68.30 -13.11 41.57 35.10 10.53 32.01 0.00 110 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 112.52 ------ ------ 99.07 34.96 10.43 31.94 0.00 110 72 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 105.01 ------ ------ 91.56 34.96 10.43 31.94 0.00 110 72 AVERAGE

Mode	46	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.38 60.04 112.32 -52.28 46.52 35.01 10.45 31.94 0.00 283 80 PEAK 2 5874.75 53.94 105.37 -51.43 40.37 35.05 10.47 31.95 0.00 283 80 PEAK 3 5924.63 53.63 68.58 -14.95 40.00 35.10 10.52 31.99 0.00 283 80 PEAK 4 5940.50 54.75 68.30 -13.55 41.12 35.10 10.53 32.00 0.00 283 80 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 110.24 ------ ------ 96.83 34.94 10.42 31.95 0.00 283 80 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 102.09 ------ ------ 88.68 34.94 10.42 31.95 0.00 283 80 AVERAGE

Mode	46	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.08 74.00 -26.92 54.88 38.65 15.02 61.47 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.21 74.00 -26.79 55.01 38.65 15.02 61.47 0.00 --- --- PEAK

Mode	47	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5639.01 54.18 68.30 -14.12 41.42 34.58 10.28 32.10 0.00 100 69 PEAK 2 5650.46 53.10 68.64 -15.54 40.31 34.60 10.28 32.09 0.00 100 69 PEAK 3 5719.19 70.90 110.67 -39.77 57.85 34.74 10.34 32.03 0.00 100 69 PEAK 4 5721.08 76.86 113.35 -36.49 63.81 34.74 10.34 32.03 0.00 100 69 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 112.46 ------ ------ 99.30 34.80 10.37 32.01 0.00 100 69 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 103.81 ------ ------ 90.69 34.78 10.36 32.02 0.00 100 69 AVERAGE

Mode	47	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5608.70 53.75 68.30 -14.55 41.06 34.52 10.25 32.08 0.00 316 103 PEAK 2 5653.51 53.87 70.90 -17.03 41.06 34.61 10.29 32.09 0.00 316 103 PEAK 3 5711.80 65.73 108.60 -42.87 52.72 34.72 10.33 32.04 0.00 316 103 PEAK 4 5721.51 73.83 114.34 -40.51 60.78 34.74 10.34 32.03 0.00 316 103 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 110.97 ------ ------ 97.83 34.79 10.36 32.01 0.00 316 103 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 102.37 ------ ------ 89.23 34.79 10.36 32.01 0.00 316 103 AVERAGE

Mode	47	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.45 74.00 -26.55 55.39 38.67 14.91 61.52 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.07 74.00 -26.93 55.01 38.67 14.91 61.52 0.00 --- --- PEAK

Mode	48	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.64 74.00 -27.36 54.46 38.70 14.97 61.49 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 47.12 74.00 -26.88 54.94 38.70 14.97 61.49 0.00 --- --- PEAK

Mode	49	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5850.88 74.14 120.30 -46.16 60.62 35.00 10.45 31.93 0.00 100 72 PEAK 2 5859.88 63.54 109.53 -45.99 50.00 35.02 10.46 31.94 0.00 100 72 PEAK 3 5924.88 55.68 68.39 -12.71 42.05 35.10 10.52 31.99 0.00 100 72 PEAK 4 5940.13 55.69 68.30 -12.61 42.06 35.10 10.53 32.00 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 113.33 ------ ------ 99.88 34.96 10.43 31.94 0.00 100 72 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 104.15 ------ ------ 90.72 34.95 10.43 31.95 0.00 100 72 AVERAGE

Mode	49	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.38 63.09 114.60 -51.51 49.57 35.01 10.45 31.94 0.00 268 83 PEAK 2 5855.75 59.91 110.69 -50.78 46.39 35.01 10.45 31.94 0.00 268 83 PEAK 3 5925.00 54.48 68.30 -13.82 40.85 35.10 10.52 31.99 0.00 268 83 PEAK 4 5925.00 54.48 68.30 -13.82 40.85 35.10 10.52 31.99 0.00 268 83 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 111.24 ------ ------ 97.81 34.95 10.43 31.95 0.00 268 83 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 101.24 ------ ------ 87.81 34.95 10.43 31.95 0.00 268 83 AVERAGE

Mode	49	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.21 74.00 -26.79 55.01 38.65 15.02 61.47 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.31 74.00 -26.69 55.11 38.65 15.02 61.47 0.00 --- --- PEAK

Mode	50	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5624.18 54.70 68.30 -13.60 41.98 34.55 10.26 32.09 0.00 100 69 PEAK 2 5650.53 53.23 68.69 -15.46 40.44 34.60 10.28 32.09 0.00 100 69 PEAK 3 5719.04 76.78 110.63 -33.85 63.73 34.74 10.34 32.03 0.00 100 69 PEAK 4 5720.44 76.41 111.89 -35.48 63.36 34.74 10.34 32.03 0.00 100 69 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 109.67 ------ ------ 96.48 34.82 10.37 32.00 0.00 100 69 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 100.97 ------ ------ 87.81 34.80 10.37 32.01 0.00 100 69 AVERAGE

Mode	50	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.26 55.94 112.60 -56.66 42.42 35.01 10.45 31.94 0.00 100 69 PEAK 2 5871.42 55.02 106.30 -51.28 41.46 35.04 10.47 31.95 0.00 100 69 PEAK 3 5924.46 52.95 68.70 -15.75 39.32 35.10 10.52 31.99 0.00 100 69 PEAK 4 5948.25 54.07 68.30 -14.23 40.44 35.10 10.54 32.01 0.00 100 69 PEAK	Blank

Mode	50	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5642.94 54.38 68.30 -13.92 41.61 34.59 10.28 32.10 0.00 300 104 PEAK 2 5651.00 53.16 69.04 -15.88 40.36 34.60 10.29 32.09 0.00 300 104 PEAK 3 5710.52 70.73 108.25 -37.52 57.72 34.72 10.33 32.04 0.00 300 104 PEAK 4 5720.13 72.32 111.19 -38.87 59.27 34.74 10.34 32.03 0.00 300 104 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 108.12 ------ ------ 94.96 34.80 10.37 32.01 0.00 300 104 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 99.37 ------ ------ 86.21 34.80 10.37 32.01 0.00 300 104 AVERAGE

Mode	50	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.84 52.30 111.26 -58.96 38.78 35.01 10.45 31.94 0.00 300 104 PEAK 2 5874.54 55.11 105.43 -50.32 41.54 35.05 10.47 31.95 0.00 300 104 PEAK 3 5923.68 53.45 69.28 -15.83 39.83 35.10 10.51 31.99 0.00 300 104 PEAK 4 5932.26 54.57 68.30 -13.73 40.95 35.10 10.52 32.00 0.00 300 104 PEAK	Blank

Mode	50	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 46.69 74.00 -27.31 54.58 38.70 14.92 61.51 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11510.00 47.40 74.00 -26.60 55.29 38.70 14.92 61.51 0.00 --- --- PEAK

Mode	51	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5646.02 55.14 68.30 -13.16 42.37 34.59 10.28 32.10 0.00 100 69 PEAK 2 5650.31 52.16 68.53 -16.37 39.37 34.60 10.28 32.09 0.00 100 69 PEAK 3 5703.55 55.39 106.29 -50.90 42.40 34.71 10.33 32.05 0.00 100 69 PEAK 4 5720.12 56.12 111.17 -55.05 43.07 34.74 10.34 32.03 0.00 100 69 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 109.99 ------ ------ 96.69 34.88 10.40 31.98 0.00 100 69 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 100.98 ------ ------ 87.66 34.89 10.40 31.97 0.00 100 69 AVERAGE

Mode	51	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq / Level / Limit Line / Margin / Read Level / Ant Factor / Cable Loss / Preamp Factor / Aux Factor / APos / TPos / Remark MHz / dBuV/m / dBuV/m / dB / dBuV / dB/m / dB / dB / dB / cm / deg 1 5854.99 57.99 110.93 -52.94 44.47 35.01 10.45 31.94 0.00 100 69 PEAK 2 5872.66 57.89 105.96 -48.07 44.32 35.05 10.47 31.95 0.00 100 69 PEAK 3 5924.43 55.25 68.72 -13.47 41.62 35.10 10.52 31.99 0.00 100 69 PEAK 4 5940.08 55.28 68.30 -13.02 41.65 35.10 10.53 32.00 0.00 100 69 PEAK	Blank

Mode	51	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5642.32 55.30 68.30 -13.00 42.54 34.58 10.28 32.10 0.00 300 90 PEAK 2 5650.31 54.93 68.53 -13.60 42.14 34.60 10.28 32.09 0.00 300 90 PEAK 3 5700.62 52.38 105.47 -53.09 39.40 34.70 10.33 32.05 0.00 300 90 PEAK 4 5720.32 56.83 111.62 -54.79 43.78 34.74 10.34 32.03 0.00 300 90 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 108.02 ------ ------ 94.70 34.89 10.40 31.97 0.00 300 90 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 99.03 ------ ------ 85.71 34.89 10.40 31.97 0.00 300 90 AVERAGE

Mode	51	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.99 58.40 110.93 -52.53 44.88 35.01 10.45 31.94 0.00 300 90 PEAK 2 5874.21 54.91 105.52 -50.61 41.34 35.05 10.47 31.95 0.00 300 90 PEAK 3 5923.96 54.46 69.07 -14.61 40.84 35.10 10.51 31.99 0.00 300 90 PEAK 4 5929.54 55.38 68.30 -12.92 41.76 35.10 10.52 32.00 0.00 300 90 PEAK	Blank

Mode	51	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 47.33 74.00 -26.67 55.14 38.70 14.98 61.49 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.56 74.00 -27.44 54.37 38.70 14.98 61.49 0.00 --- --- PEAK

Mode	52	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5642.53 61.04 68.30 -7.26 48.27 34.59 10.28 32.10 0.00 100 72 PEAK 2 5650.75 59.17 68.86 -9.69 46.37 34.60 10.29 32.09 0.00 100 72 PEAK 3 5701.68 73.68 105.77 -32.09 60.70 34.70 10.33 32.05 0.00 100 72 PEAK 4 5721.10 76.24 113.41 -37.17 63.19 34.74 10.34 32.03 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 107.54 ------ ------ 94.29 34.85 10.39 31.99 0.00 100 72 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 98.06 ------ ------ 84.79 34.86 10.39 31.98 0.00 100 72 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5853.93 67.49 113.35 -45.86 53.97 35.01 10.45 31.94 0.00 100 72 PEAK 2 5860.40 70.16 109.39 -39.23 56.62 35.02 10.46 31.94 0.00 100 72 PEAK 3 5924.80 55.37 68.45 -13.08 41.74 35.10 10.52 31.99 0.00 100 72 PEAK 4 5930.23 56.02 68.30 -12.28 42.40 35.10 10.52 32.00 0.00 100 72 PEAK	Blank

Mode	52	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5646.55 57.96 68.30 -10.34 45.19 34.59 10.28 32.10 0.00 300 102 PEAK 2 5650.93 55.75 68.99 -13.24 42.95 34.60 10.29 32.09 0.00 300 102 PEAK 3 5700.63 68.26 105.48 -37.22 55.28 34.70 10.33 32.05 0.00 300 102 PEAK 4 5720.05 70.83 111.01 -40.18 57.78 34.74 10.34 32.03 0.00 300 102 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 103.80 ------ ------ 90.64 34.80 10.37 32.01 0.00 300 102 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 95.81 ------ ------ 82.60 34.83 10.38 32.00 0.00 300 102 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.63 64.30 111.75 -47.45 50.78 35.01 10.45 31.94 0.00 300 102 PEAK 2 5865.65 65.10 107.92 -42.82 51.56 35.03 10.46 31.95 0.00 300 102 PEAK 3 5924.45 53.59 68.71 -15.12 39.96 35.10 10.52 31.99 0.00 300 102 PEAK 4 5932.68 55.71 68.30 -12.59 42.09 35.10 10.52 32.00 0.00 300 102 PEAK	Blank

Mode	52	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 47.19 74.00 -26.81 55.04 38.70 14.95 61.50 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 46.51 74.00 -27.49 54.36 38.70 14.95 61.50 0.00 --- --- PEAK
Peak Avg	 	

Mode	53	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5614.36 54.09 68.30 -14.21 41.38 34.53 10.26 32.08 0.00 102 333 PEAK 2 5650.03 53.60 68.32 -14.72 40.81 34.60 10.28 32.09 0.00 102 333 PEAK 3 5700.92 53.43 105.56 -52.13 40.45 34.70 10.33 32.05 0.00 102 333 PEAK 4 5720.50 51.92 112.03 -60.11 38.87 34.74 10.34 32.03 0.00 102 333 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 108.07 ------ ------ 94.97 34.77 10.35 32.02 0.00 102 333 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 99.67 ------ ------ 86.57 34.77 10.35 32.02 0.00 102 333 AVERAGE

Mode	53	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU26/0_5745MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5608.70 53.39 68.30 -14.91 40.70 34.52 10.25 32.08 0.00 300 109 PEAK 2 5650.90 51.73 68.97 -17.24 38.93 34.60 10.29 32.09 0.00 300 109 PEAK 3 5703.10 54.94 106.17 -51.23 41.95 34.71 10.33 32.05 0.00 300 109 PEAK 4 5720.35 52.64 111.70 -59.06 39.59 34.74 10.34 32.03 0.00 300 109 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 107.52 ------ ------ 94.40 34.78 10.36 32.02 0.00 300 109 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 99.95 ------ ------ 86.85 34.77 10.35 32.02 0.00 300 109 AVERAGE

Mode	54	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.88 54.91 111.18 -56.27 41.39 35.01 10.45 31.94 0.00 126 73 PEAK 2 5874.50 53.35 105.44 -52.09 39.78 35.05 10.47 31.95 0.00 126 73 PEAK 3 5924.63 52.84 68.58 -15.74 39.21 35.10 10.52 31.99 0.00 126 73 PEAK 4 5940.50 54.50 68.30 -13.80 40.87 35.10 10.53 32.00 0.00 126 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 108.50 ------ ------ 95.03 34.97 10.44 31.94 0.00 126 73 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 102.18 ------ ------ 88.71 34.97 10.44 31.94 0.00 126 73 AVERAGE

Mode	54	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU26/8_5825MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.00 52.00 110.90 -58.90 38.48 35.01 10.45 31.94 0.00 281 81 PEAK 2 5874.25 54.76 105.51 -50.75 41.19 35.05 10.47 31.95 0.00 281 81 PEAK 3 5923.63 53.47 69.31 -15.84 39.85 35.10 10.51 31.99 0.00 281 81 PEAK 4 5927.75 53.98 68.30 -14.32 40.35 35.10 10.52 31.99 0.00 281 81 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 109.03 ------ ------ 95.56 34.97 10.44 31.94 0.00 281 81 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 101.04 ------ ------ 87.57 34.97 10.44 31.94 0.00 281 81 AVERAGE

Mode	55	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5642.49 54.20 68.30 -14.10 41.44 34.58 10.28 32.10 0.00 100 68 PEAK 2 5650.17 52.16 68.43 -16.27 39.37 34.60 10.28 32.09 0.00 100 68 PEAK 3 5703.97 55.09 106.41 -51.32 42.10 34.71 10.33 32.05 0.00 100 68 PEAK 4 5720.21 52.34 111.37 -59.03 39.29 34.74 10.34 32.03 0.00 100 68 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 107.82 ------ ------ 94.70 34.78 10.36 32.02 0.00 100 68 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 101.06 ------ ------ 87.94 34.78 10.36 32.02 0.00 100 68 AVERAGE

Mode	55	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU52/37_5745MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5611.02 54.29 68.30 -14.01 41.60 34.52 10.25 32.08 0.00 302 89 PEAK 2 5650.03 51.46 68.32 -16.86 38.67 34.60 10.28 32.09 0.00 302 89 PEAK 3 5701.36 53.35 105.68 -52.33 40.37 34.70 10.33 32.05 0.00 302 89 PEAK 4 5720.64 55.15 112.36 -57.21 42.10 34.74 10.34 32.03 0.00 302 89 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 109.74 ------ ------ 96.64 34.77 10.35 32.02 0.00 302 89 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 100.81 ------ ------ 87.71 34.77 10.35 32.02 0.00 302 89 AVERAGE

Mode	56	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.88 52.98 111.18 -58.20 39.46 35.01 10.45 31.94 0.00 100 69 PEAK 2 5874.13 54.26 105.54 -51.28 40.69 35.05 10.47 31.95 0.00 100 69 PEAK 3 5924.13 53.67 68.94 -15.27 40.05 35.10 10.51 31.99 0.00 100 69 PEAK 4 5939.38 55.19 68.30 -13.11 41.56 35.10 10.53 32.00 0.00 100 69 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 112.63 ------ ------ 99.18 34.96 10.43 31.94 0.00 100 69 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.18 ------ ------ 89.73 34.96 10.43 31.94 0.00 100 69 AVERAGE

Mode	56	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU52/40_5825MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.00 51.24 110.90 -59.66 37.72 35.01 10.45 31.94 0.00 293 92 PEAK 2 5874.75 53.77 105.37 -51.60 40.20 35.05 10.47 31.95 0.00 293 92 PEAK 3 5923.25 53.79 69.59 -15.80 40.17 35.10 10.51 31.99 0.00 293 92 PEAK 4 5947.13 54.96 68.30 -13.34 41.33 35.10 10.54 32.01 0.00 293 92 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 108.56 ------ ------ 95.11 34.96 10.43 31.94 0.00 293 92 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 100.45 ------ ------ 86.98 34.97 10.44 31.94 0.00 293 92 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5628.71 53.79 68.30 -14.51 41.05 34.56 10.27 32.09 0.00 100 70 PEAK 2 5651.48 53.71 69.40 -15.69 40.91 34.60 10.29 32.09 0.00 100 70 PEAK 3 5702.08 57.79 105.88 -48.09 44.81 34.70 10.33 32.05 0.00 100 70 PEAK 4 5720.79 54.47 112.69 -58.22 41.42 34.74 10.34 32.03 0.00 100 70 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 111.61 ------ ------ 98.49 34.78 10.36 32.02 0.00 100 70 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 104.12 ------ ------ 91.00 34.78 10.36 32.02 0.00 100 70 AVERAGE

Mode	57	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial RU106/53_5745MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5600.29 53.70 68.30 -14.60 41.04 34.50 10.24 32.08 0.00 316 104 PEAK 2 5650.03 52.17 68.32 -16.15 39.38 34.60 10.28 32.09 0.00 316 104 PEAK 3 5700.34 53.71 105.40 -51.69 40.74 34.70 10.32 32.05 0.00 316 104 PEAK 4 5720.21 53.31 111.37 -58.06 40.26 34.74 10.34 32.03 0.00 316 104 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 109.13 ------ ------ 96.03 34.77 10.35 32.02 0.00 316 104 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 101.64 ------ ------ 88.50 34.79 10.36 32.01 0.00 316 104 AVERAGE

Mode	58	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/54_5825MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5855.00 55.36 110.90 -55.54 41.84 35.01 10.45 31.94 0.00 100 72 PEAK 2 5870.63 55.99 106.52 -50.53 42.43 35.04 10.47 31.95 0.00 100 72 PEAK 3 5925.00 53.91 68.30 -14.39 40.28 35.10 10.52 31.99 0.00 100 72 PEAK 4 5945.88 54.78 68.30 -13.52 41.16 35.10 10.53 32.01 0.00 100 72 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 112.71 ------ ------ 99.26 34.96 10.43 31.94 0.00 100 72 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 103.53 ------ ------ 90.08 34.96 10.43 31.94 0.00 100 72 AVERAGE

Mode	58	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial RU106/54_5825MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5850.25 71.08 121.73 -50.65 57.56 35.00 10.45 31.93 0.00 100 262 PEAK 2 5870.75 55.28 106.49 -51.21 41.72 35.04 10.47 31.95 0.00 100 262 PEAK 3 5924.88 53.67 68.39 -14.72 40.04 35.10 10.52 31.99 0.00 100 262 PEAK 4 5928.50 54.78 68.30 -13.52 41.15 35.10 10.52 31.99 0.00 100 262 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 108.40 ------ ------ 94.95 34.96 10.43 31.94 0.00 100 262 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 100.03 ------ ------ 86.58 34.96 10.43 31.94 0.00 100 262 AVERAGE

Mode	64	
	LF	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Factor Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 114.39 23.89 -19.61 43.50 37.36 17.27 1.43 32.17 --- --- Peak 2 221.09 25.17 -20.83 46.00 39.92 15.41 2.01 32.17 --- --- Peak 3 346.22 22.85 -23.15 46.00 32.17 20.38 2.51 32.21 --- --- Peak 4 607.15 26.27 -19.73 46.00 29.41 25.90 3.33 32.37 --- --- Peak 5 773.02 28.51 -17.49 46.00 28.67 28.20 3.76 32.12 --- --- Peak 6 967.99 31.57 -22.43 54.00 27.33 30.85 4.19 30.80 --- --- Peak	 Freq Level Over Limit Limit Line ReadAntenna Level Factor Cable Loss Factor Preamp Factor A/Pos T/Pos Remark MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 53.28 29.40 -10.60 40.00 47.51 13.65 0.76 32.52 --- --- Peak 2 104.69 29.71 -13.79 43.50 43.95 16.55 1.38 32.17 --- --- Peak 3 222.06 22.63 -23.37 46.00 37.27 15.52 2.01 32.17 --- --- Peak 4 416.06 22.57 -23.43 46.00 29.86 22.29 2.75 32.33 --- --- Peak 5 661.47 27.03 -18.97 46.00 29.31 26.55 3.48 32.31 --- --- Peak 6 898.15 30.87 -15.13 46.00 29.24 29.11 4.04 31.52 --- --- Peak

Mode	65	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2488.60 55.79 74.00 -18.21 43.34 32.32 6.74 32.61 6.00 100 136 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2400.00 105.59 ------ ------ 93.15 32.34 6.73 32.63 6.00 100 136 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2492.80 46.00 54.00 -8.00 33.54 32.31 6.75 32.60 6.00 100 136 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2400.00 103.31 ------ ------ 90.87 32.34 6.73 32.63 6.00 100 136 AVERAGE

Mode	65	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.62 56.67 74.00 -17.33 44.24 32.33 6.73 32.63 6.00 100 112 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 107.78 ------ ------ 95.34 32.34 6.73 32.63 6.00 100 112 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.76 45.82 54.00 -8.18 33.38 32.33 6.73 32.62 6.00 100 112 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.76 45.82 54.00 -8.18 33.38 32.33 6.73 32.62 6.00 100 112 AVERAGE

Mode	65	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 3630.00 48.70 74.00 -25.30 68.37 33.06 8.27 61.00 0.00 --- --- Peak 2 4960.00 43.35 74.00 -30.65 60.52 34.02 9.61 60.80 0.00 --- --- PEAK 3 5520.00 49.61 74.00 -24.39 65.29 34.40 10.12 60.20 0.00 --- --- Peak 4 7440.00 46.03 74.00 -27.97 59.18 35.70 11.77 60.62 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 3630.00 48.89 74.00 -25.11 68.56 33.06 8.27 61.00 0.00 --- --- Peak 2 4960.00 43.94 74.00 -30.06 61.11 34.02 9.61 60.80 0.00 --- --- PEAK 3 5520.00 49.98 74.00 -24.02 65.66 34.40 10.12 60.20 0.00 --- --- Peak 4 7440.00 45.10 74.00 -28.90 58.25 35.70 11.77 60.62 0.00 --- --- PEAK

Mode	65	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5453.36 59.54 74.00 -14.46 47.11 34.40 10.02 31.99 0.00 100 71 PEAK 2 5466.80 61.06 68.30 -7.24 48.61 34.40 10.04 31.99 0.00 100 71 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 102.18 ------ ------ 95.74 32.34 6.73 32.63 0.00 100 71 Peak 2 3625.00 96.14 ------ ------ 86.88 33.05 8.26 32.05 0.00 100 71 Peak 3 5510.00 105.05 ------ ------ 92.57 34.40 10.10 32.02 0.00 100 71 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 45.00 54.00 -9.00 32.56 34.40 10.03 31.99 0.00 100 71 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 98.12 ------ ------ 91.68 32.34 6.73 32.63 0.00 100 71 Average 2 3625.00 89.21 ------ ------ 79.95 33.05 8.26 32.05 0.00 100 71 Average 3 5510.00 95.71 ------ ------ 83.23 34.40 10.10 32.02 0.00 100 71 Average

Mode	65	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5751.74 53.80 68.30 -14.50 40.84 34.60 10.37 32.01 0.00 100 71 PEAK	Blank

Mode	65
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz
ANT	CDD 5+4

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.44 58.00 74.00 -16.00 45.56 34.40 10.03 31.99 0.00 136 79 PEAK 2 5466.96 62.45 68.30 -5.85 50.00 34.40 10.04 31.99 0.00 136 79 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 105.78 ------ ------ 99.34 32.34 6.73 32.63 0.00 136 79 Peak 2 3625.00 104.11 ------ ------ 94.85 33.05 8.26 32.05 0.00 136 79 Peak 3 5510.00 106.04 ------ ------ 93.56 34.40 10.10 32.02 0.00 136 79 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.48 44.70 54.00 -9.30 32.27 34.40 10.02 31.99 0.00 136 79 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 101.41 ------ ------ 94.97 32.34 6.73 32.63 0.00 136 79 Average 2 3625.00 97.01 ------ ------ 87.75 33.05 8.26 32.05 0.00 136 79 Average 3 5510.00 96.15 ------ ------ 83.67 34.40 10.10 32.02 0.00 136 79 Average

Mode	65	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5737.72 53.61 68.30 -14.69 40.70 34.58 10.35 32.02 0.00 136 79 PEAK	Blank

Mode	65	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.32 74.00 -27.68 54.80 37.82 14.58 60.88 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.79 74.00 -27.21 55.27 37.82 14.58 60.88 0.00 --- --- PEAK

Mode	66	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 49.97 74.00 -24.03 43.54 32.33 6.73 32.63 0.00 100 136 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2400.00 97.69 ------ ------ 91.25 32.34 6.73 32.63 0.00 100 136 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2486.62 39.28 54.00 -14.72 32.83 32.33 6.74 32.62 0.00 100 136 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2400.00 95.39 ------ ------ 88.95 32.34 6.73 32.63 0.00 100 136 AVERAGE

Mode	66	
	Band Edge	
	2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.50 50.60 74.00 -23.40 44.17 32.33 6.73 32.63 0.00 100 114 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 100.32 ------ ------ 93.88 32.34 6.73 32.63 0.00 100 114 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.56 39.39 54.00 -14.61 32.96 32.33 6.73 32.63 0.00 100 114 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.56 39.39 54.00 -14.61 32.96 32.33 6.73 32.63 0.00 100 114 AVERAGE

Mode	66	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSFK_CH39_2480MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 3630.00 48.56 74.00 -25.44 68.23 33.06 8.27 61.00 0.00 --- --- Peak 2 4960.00 42.69 74.00 -31.31 59.86 34.02 9.61 60.80 0.00 --- --- PEAK 3 5520.00 49.86 74.00 -24.14 65.54 34.40 10.12 60.20 0.00 --- --- Peak 4 7440.00 44.45 74.00 -29.55 57.60 35.70 11.77 60.62 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 3615.00 47.98 74.00 -26.02 67.63 33.03 8.26 60.94 0.00 --- --- Peak 2 4960.00 42.88 74.00 -31.12 60.05 34.02 9.61 60.80 0.00 --- --- PEAK 3 5520.00 49.95 74.00 -24.05 65.63 34.40 10.12 60.20 0.00 --- --- Peak 4 7440.00 44.71 74.00 -29.29 57.86 35.70 11.77 60.62 0.00 --- --- PEAK

Mode	66
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz
ANT	CDD 5+4

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.08 60.00 74.00 -14.00 47.58 34.40 10.01 31.99 0.00 100 70 PEAK 2 5467.12 63.06 68.30 -5.24 50.61 34.40 10.04 31.99 0.00 100 70 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 101.27 ------ ------ 94.83 32.34 6.73 32.63 0.00 100 70 Peak 2 3625.00 94.60 ------ ------ 85.34 33.05 8.26 32.05 0.00 100 70 Peak 3 5510.00 104.57 ------ ------ 92.09 34.40 10.11 32.03 0.00 100 70 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 46.75 54.00 -7.25 34.31 34.40 10.03 31.99 0.00 100 70 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 97.41 ------ ------ 90.97 32.34 6.73 32.63 0.00 100 70 Average 2 3625.00 88.86 ------ ------ 79.60 33.05 8.26 32.05 0.00 100 70 Average 3 5510.00 95.37 ------ ------ 82.89 34.40 10.10 32.02 0.00 100 70 Average

Mode	66	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5749.96 54.96 68.30 -13.34 42.01 34.60 10.36 32.01 0.00 100 70 PEAK	Blank

Mode	66
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz
ANT	CDD 5+4

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.24 58.21 74.00 -15.79 45.78 34.40 10.02 31.99 0.00 134 80 PEAK 2 5467.76 63.01 68.30 -5.29 50.57 34.40 10.04 32.00 0.00 134 80 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 105.56 ------ ------ 99.12 32.34 6.73 32.63 0.00 134 80 Peak 2 3625.00 102.73 ------ ------ 93.47 33.05 8.26 32.05 0.00 134 80 Peak 3 5510.00 104.40 ------ ------ 91.92 34.40 10.10 32.02 0.00 134 80 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.52 45.67 54.00 -8.33 33.24 34.40 10.02 31.99 0.00 134 80 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2480.00 101.59 ------ ------ 95.15 32.34 6.73 32.63 0.00 134 80 Average 2 3625.00 95.80 ------ ------ 86.54 33.05 8.26 32.05 0.00 134 80 Average 3 5510.00 95.84 ------ ------ 83.36 34.40 10.10 32.02 0.00 134 80 Average

Mode	66	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5737.97 54.03 68.30 -14.27 41.11 34.58 10.36 32.02 0.00 134 80 PEAK	Blank

Mode	66	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.70 74.00 -27.30 55.18 37.82 14.58 60.88 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.14 74.00 -27.86 54.62 37.82 14.58 60.88 0.00 --- --- PEAK

Mode	67	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH09_2452MHz	
ANT	CDD 4+6	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2369.07 54.63 74.00 -19.37 43.32 31.63 6.57 32.89 6.00 100 65 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 108.57 ------ ------ 96.18 32.38 6.70 32.69 6.00 100 65 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.95 42.44 54.00 -11.56 30.82 31.88 6.60 32.86 6.00 100 65 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 98.04 ------ ------ 85.65 32.38 6.70 32.69 6.00 100 65 AVERAGE

Mode	67	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH09_2452MHz	
ANT	CDD 4+6	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2487.09 64.95 74.00 -9.05 52.50 32.33 6.74 32.62 6.00 100 65 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.54 47.24 54.00 -6.76 34.81 32.33 6.73 32.63 6.00 100 65 AVERAGE	Blank

Mode	67	
	Band Edge - L	
	2400-2483.5_802.11ax HE40_CH09_2452MHz	
ANT	CDD 4+6	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2341.52 56.10 74.00 -17.90 45.09 31.42 6.53 32.94 6.00 100 94 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2454.00 109.04 ------ ------ 96.66 32.39 6.69 32.70 6.00 100 94 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2389.80 42.84 54.00 -11.16 31.22 31.88 6.60 32.86 6.00 100 94 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 99.65 ------ ------ 87.27 32.39 6.69 32.70 6.00 100 94 AVERAGE

Mode	67	
	Band Edge - R	
	2400-2483.5_802.11ax HE40_CH09_2452MHz	
ANT	CDD 4+6	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2483.87 66.29 74.00 -7.71 53.85 32.33 6.73 32.62 6.00 100 94 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2484.54 50.77 54.00 -3.23 38.33 32.33 6.73 32.62 6.00 100 94 AVERAGE	Blank

Mode	67	
	Harmonic	
	2400-2483.5_802.11ax HE40_CH09_2452MHz	
ANT	CDD 4+6	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 3645.00 47.96 74.00 -26.04 67.67 33.09 8.27 61.07 0.00 --- --- Peak 2 4904.00 43.73 74.00 -30.27 60.94 34.09 9.55 60.85 0.00 --- --- PEAK 3 5520.00 48.53 74.00 -25.47 64.21 34.40 10.12 60.20 0.00 --- --- Peak 4 7356.00 45.56 74.00 -28.44 58.58 35.70 11.71 60.43 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 3645.00 48.22 74.00 -25.78 67.93 33.09 8.27 61.07 0.00 --- --- Peak 2 4904.00 44.55 74.00 -29.45 61.76 34.09 9.55 60.85 0.00 --- --- PEAK 3 5520.00 49.31 74.00 -24.69 64.99 34.40 10.12 60.20 0.00 --- --- Peak 4 7356.00 45.11 74.00 -28.89 58.13 35.70 11.71 60.43 0.00 --- --- PEAK

Mode	67
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz
ANT	CDD 5+4

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 58.68 74.00 -15.32 46.24 34.40 10.03 31.99 0.00 100 73 PEAK 2 5469.52 65.19 68.30 -3.11 52.75 34.40 10.04 32.00 0.00 100 73 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 105.31 ------ ------ 98.93 32.40 6.69 32.71 0.00 100 73 Peak 2 3625.00 90.24 ------ ------ 80.98 33.05 8.26 32.05 0.00 100 73 Peak 3 5510.00 105.25 ------ ------ 92.77 34.40 10.10 32.02 0.00 100 73 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 47.74 54.00 -6.26 35.30 34.40 10.03 31.99 0.00 100 73 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 2452.00 95.79 ------ ------ 89.40 32.38 6.70 32.69 0.00 100 73 Average 2 3625.00 84.95 ------ ------ 75.69 33.05 8.26 32.05 0.00 100 73 Average 3 5510.00 95.78 ------ ------ 83.30 34.40 10.10 32.02 0.00 100 73 Average

Mode	67	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5735.68 54.64 68.30 -13.66 41.74 34.57 10.35 32.02 0.00 100 73 PEAK	Blank

Mode	67	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5458.32 58.30 74.00 -15.70 45.87 34.40 10.02 31.99 0.00 188 95 PEAK 2 5470.00 65.22 68.30 -3.08 52.78 34.40 10.04 32.00 0.00 188 95 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2452.00 106.35 ------ ------ 99.97 32.40 6.69 32.71 0.00 188 95 Peak 2 3625.00 99.86 ------ ------ 90.60 33.05 8.26 32.05 0.00 188 95 Peak 3 5510.00 105.20 ------ ------ 92.72 34.40 10.10 32.02 0.00 188 95 Peak
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 5459.60 48.74 54.00 -5.26 36.30 34.40 10.03 31.99 0.00 188 95 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark 1 2452.00 97.07 ------ ------ 90.69 32.40 6.69 32.71 0.00 188 95 Average 2 3625.00 91.81 ------ ------ 82.55 33.05 8.26 32.05 0.00 188 95 Average 3 5510.00 96.05 ------ ------ 83.57 34.40 10.10 32.02 0.00 188 95 Average

Mode	67	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5758.63 54.18 68.30 -14.12 41.19 34.62 10.37 32.00 0.00 188 95 PEAK	Blank

Mode	67	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz	
ANT	CDD 5+4	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.62 74.00 -27.38 55.10 37.82 14.58 60.88 0.00 --- --- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.85 74.00 -27.15 55.33 37.82 14.58 60.88 0.00 --- --- PEAK

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
5+4	802.11a	99.32	-	-	10Hz
5+4	802.11ax HE20	100	-	-	10Hz
5+4	802.11ax HE20-RU26	100	-	-	10Hz
5+4	802.11ax HE20-RU52	100	-	-	10Hz
5+4	802.11ax HE20-RU106	100	-	-	10Hz
5+4	802.11ax HE40	100	-	-	10Hz
5+4	802.11ax HE80	100	-	-	10Hz
5+4	802.11ax HE160	100	-	-	10Hz

802.11a



802.11ax HE20



802.11ax HE20-RU26



802.11ax HE20-RU52



802.11ax HE20-RU106



802.11ax HE40



802.11ax HE80



802.11ax HE160