



Mode	6																																																					
	Band Edge																																																					
	2400-2483.5_802.11g_CH11_2462MHz																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>68.49</td><td>74.00</td><td>-5.51</td><td>55.62</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>181</td><td>74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	68.49	74.00	-5.51	55.62	32.77	6.73	32.63	6.00	181	74 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.62	68.49	74.00	-5.51	55.62	32.77	6.73	32.63	6.00	181	74 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.86</td><td>-----</td><td>-----</td><td>96.27</td><td>32.58</td><td>6.70</td><td>32.69</td><td>6.00</td><td>181</td><td>74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.86	-----	-----	96.27	32.58	6.70	32.69	6.00	181	74 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	108.86	-----	-----	96.27	32.58	6.70	32.69	6.00	181	74 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>50.15</td><td>54.00</td><td>-3.85</td><td>37.28</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>181</td><td>74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.15	54.00	-3.85	37.28	32.77	6.73	32.63	6.00	181	74 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.51	50.15	54.00	-3.85	37.28	32.77	6.73	32.63	6.00	181	74 AVERAGE																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.78</td><td>-----</td><td>-----</td><td>87.19</td><td>32.58</td><td>6.70</td><td>32.69</td><td>6.00</td><td>181</td><td>74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.78	-----	-----	87.19	32.58	6.70	32.69	6.00	181	74 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	99.78	-----	-----	87.19	32.58	6.70	32.69	6.00	181	74 AVERAGE																																											



6

Mode

Band Edge


2400-2483.5_802.11g_CH11_2462MHz

Pol.


Vertical

Fundamental

Peak




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2484.42	62.10	74.00	-11.90	49.21	32.78	6.73	32.62	6.00	229 102 PEAK




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2462.00	104.87	-----	-----	92.28	32.58	6.70	32.69	6.00	229 102 PEAK

Avg



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2483.51	46.50	54.00	-7.50	33.63	32.77	6.73	32.63	6.00	229 102 AVERAGE



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	2462.00	95.97	-----	-----	83.35	32.60	6.70	32.68	6.00	229 102 AVERAGE



Mode	6																																																																																																																																																											
	Harmonic																																																																																																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																										
Peak Avg	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.14</td><td>74.00</td><td>-31.86</td><td>59.20</td><td>34.20</td><td>9.57</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>66.35</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>102</td><td>318</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>41.51</td><td>54.00</td><td>-12.49</td><td>54.55</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>102</td><td>318</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4924.00	42.14	74.00	-31.86	59.20	34.20	9.57	60.83	0.00	---	---	PEAK	2	7386.00	53.31	74.00	-20.69	66.35	35.73	11.72	60.49	0.00	102	318	PEAK	3	7386.00	41.51	54.00	-12.49	54.55	35.73	11.72	60.49	0.00	102	318	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>42.34</td><td>74.00</td><td>-31.66</td><td>59.40</td><td>34.20</td><td>9.57</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>65.14</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>266</td><td>83</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>53.06</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>266</td><td>83</td><td>AVERAGE</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	4924.00	42.34	74.00	-31.66	59.40	34.20	9.57	60.83	0.00	---	---	PEAK	2	7386.00	52.10	74.00	-21.90	65.14	35.73	11.72	60.49	0.00	266	83	PEAK	3	7386.00	40.02	54.00	-13.98	53.06	35.73	11.72	60.49	0.00	266	83	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4924.00	42.14	74.00	-31.86	59.20	34.20	9.57	60.83	0.00	---	---	PEAK																																																																																																																																																
2	7386.00	53.31	74.00	-20.69	66.35	35.73	11.72	60.49	0.00	102	318	PEAK																																																																																																																																																
3	7386.00	41.51	54.00	-12.49	54.55	35.73	11.72	60.49	0.00	102	318	AVERAGE																																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	4924.00	42.34	74.00	-31.66	59.40	34.20	9.57	60.83	0.00	---	---	PEAK																																																																																																																																																
2	7386.00	52.10	74.00	-21.90	65.14	35.73	11.72	60.49	0.00	266	83	PEAK																																																																																																																																																
3	7386.00	40.02	54.00	-13.98	53.06	35.73	11.72	60.49	0.00	266	83	AVERAGE																																																																																																																																																



7

Mode

Band Edge


2400-2483.5_802.11n HT20_CH01_2412MHz

Pol.


Horizontal

Fundamental

Peak




Freq	Limit		Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level			Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	2389.30	67.74	74.00	-6.26	55.95	32.05	6.60	32.86	6.00	118	72 PEAK




Freq	Limit		Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		
	Level	Line Margin										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2412.00	107.77	-----	-----	95.66	32.28	6.64	32.81	6.00	118	72	PEAK

Avg



Freq	Limit		Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		
	Level	Line Margin										
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	2389.95	50.22	54.00	-3.78	38.42	32.06	6.60	32.86	6.00	118	72	AVERAGE



Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg			
1	2412.00	98.27	-----	-----	86.16	32.28	6.64	32.81	6.00				118	72			AVERAGE



7

Mode

Band Edge


2400-2483.5_802.11n HT20_CH01_2412MHz

Pol.


Vertical

Fundamental

Peak




Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		PEAK
1	2309.69	61.20	74.00	-12.80	49.40	32.06	6.60	32.86	6.00				269	99			




Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		PEAK
1	2412.00	103.94	-----	-----	91.83	32.28	6.64	32.81	6.00				269	99			

Avg





Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		AVERAGE
1	2309.95	46.95	54.00	-7.05	35.15	32.06	6.60	32.86	6.00				269	99			





Freq	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark
	Level	Line Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	Loss	Factor	
1	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg		AVERAGE
1	2412.00	94.82	-----	-----	82.71	32.28	6.64	32.81	6.00				269	99			







Mode	7																																																																																																			
	Harmonic																																																																																																			
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>42.19</td><td>74.00</td><td>-31.81</td><td>59.43</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.19	74.00	-31.81	59.43	34.20	9.47	60.91	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>42.89</td><td>74.00</td><td>-31.11</td><td>60.13</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	42.89	74.00	-31.11	60.13	34.20	9.47	60.91	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	42.19	74.00	-31.81	59.43	34.20	9.47	60.91	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	4824.00	42.89	74.00	-31.11	60.13	34.20	9.47	60.91	0.00	---	---	PEAK																																																																																								







		8																																																																																
Mode		Harmonic																																																																																
		2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																
Pol.		Horizontal																																																																																
Peak																																																																																		
Avg		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.89</td><td>74.00</td><td>-31.11</td><td>60.04</td><td>34.20</td><td>9.52</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>57.46</td><td>74.00</td><td>-16.54</td><td>70.46</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>107</td><td>317</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>45.18</td><td>54.00</td><td>-8.82</td><td>58.17</td><td>35.64</td><td>11.69</td><td>60.32</td><td>0.00</td><td>107</td><td>317</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	42.89	74.00	-31.11	60.04	34.20	9.52	60.87	0.00	---	---	PEAK	2	7311.00	57.46	74.00	-16.54	70.46	35.64	11.69	60.33	0.00	107	317	PEAK	3	7311.00	45.18	54.00	-8.82	58.17	35.64	11.69	60.32	0.00	107	317	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4874.00	42.89	74.00	-31.11	60.04	34.20	9.52	60.87	0.00	---	---	PEAK																																																																						
2	7311.00	57.46	74.00	-16.54	70.46	35.64	11.69	60.33	0.00	107	317	PEAK																																																																						
3	7311.00	45.18	54.00	-8.82	58.17	35.64	11.69	60.32	0.00	107	317	AVERAGE																																																																						
		Vertical																																																																																
																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>43.06</td><td>74.00</td><td>-30.94</td><td>60.21</td><td>34.20</td><td>9.52</td><td>60.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>55.58</td><td>74.00</td><td>-18.42</td><td>68.58</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>170</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>57.21</td><td>35.64</td><td>11.69</td><td>60.33</td><td>0.00</td><td>170</td><td>100</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.06	74.00	-30.94	60.21	34.20	9.52	60.87	0.00	---	---	PEAK	2	7311.00	55.58	74.00	-18.42	68.58	35.64	11.69	60.33	0.00	170	100	PEAK	3	7311.00	44.21	54.00	-9.79	57.21	35.64	11.69	60.33	0.00	170	100	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4874.00	43.06	74.00	-30.94	60.21	34.20	9.52	60.87	0.00	---	---	PEAK																																																																						
2	7311.00	55.58	74.00	-18.42	68.58	35.64	11.69	60.33	0.00	170	100	PEAK																																																																						
3	7311.00	44.21	54.00	-9.79	57.21	35.64	11.69	60.33	0.00	170	100	AVERAGE																																																																						





		9																																																							
Mode	Band Edge																																																								
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																								
Pol.	Horizontal																																																								
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting at approximately 113.8 dBuV/m at 2462 MHz, dropping to about 81.3 dBuV/m by 2477.2 MHz, and then fluctuating around 65.0 dBuV/m up to 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at 81.3 dBuV/m. A peak is marked at 2484.8 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2484.15</td><td>66.77</td><td>74.00</td><td>-7.23</td><td>53.89</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>100</td><td>78</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	2484.15	66.77	74.00	-7.23	53.89	32.77	6.73	32.62	6.00	100	78	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	2484.15	66.77	74.00	-7.23	53.89	32.77	6.73	32.62	6.00	100	78	PEAK																																													
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting at approximately 113.8 dBuV/m at 2462 MHz, dropping to about 81.3 dBuV/m by 2477.2 MHz, and then fluctuating around 65.0 dBuV/m up to 2500 MHz. A red horizontal line indicates the FCC PART 15C limit at 81.3 dBuV/m. A peak is marked at 2484.8 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.60</td><td>-----</td><td>-----</td><td>94.96</td><td>32.61</td><td>6.71</td><td>32.68</td><td>6.00</td><td>100</td><td>78</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	2462.00	107.60	-----	-----	94.96	32.61	6.71	32.68	6.00	100	78	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	2462.00	107.60	-----	-----	94.96	32.61	6.71	32.68	6.00	100	78	PEAK																																													
Avg	 Horizontal Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting at approximately 113.8 dBuV/m at 2462 MHz, dropping to about 81.3 dBuV/m by 2477.2 MHz, and then fluctuating around 65.0 dBuV/m up to 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at 81.3 dBuV/m. A peak is marked at 2484.8 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>36.78</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>100</td><td>78</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	2483.51	49.65	54.00	-4.35	36.78	32.77	6.73	32.63	6.00	100	78	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	2483.51	49.65	54.00	-4.35	36.78	32.77	6.73	32.63	6.00	100	78	AVERAGE																																													
Fundamental	 Fundamental Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting at approximately 113.8 dBuV/m at 2462 MHz, dropping to about 81.3 dBuV/m by 2477.2 MHz, and then fluctuating around 65.0 dBuV/m up to 2500 MHz. A red horizontal line indicates the FCC PART 15C (AVG) limit at 81.3 dBuV/m. A peak is marked at 2484.8 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.87</td><td>-----</td><td>-----</td><td>86.25</td><td>32.60</td><td>6.70</td><td>32.68</td><td>6.00</td><td>100</td><td>78</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	2462.00	98.87	-----	-----	86.25	32.60	6.70	32.68	6.00	100	78	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	2462.00	98.87	-----	-----	86.25	32.60	6.70	32.68	6.00	100	78	AVERAGE																																													







Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.89</td><td>63.19</td><td>74.00</td><td>-10.81</td><td>50.31</td><td>32.77</td><td>6.73</td><td>32.62</td><td>6.00</td><td>230</td><td>102</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	63.19	74.00	-10.81	50.31	32.77	6.73	32.62	6.00	230	102	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.54</td><td>-----</td><td>-----</td><td>91.95</td><td>32.58</td><td>6.70</td><td>32.69</td><td>6.00</td><td>230</td><td>102</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.54	-----	-----	91.95	32.58	6.70	32.69	6.00	230	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.89	63.19	74.00	-10.81	50.31	32.77	6.73	32.62	6.00	230	102	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	104.54	-----	-----	91.95	32.58	6.70	32.69	6.00	230	102	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>45.97</td><td>54.00</td><td>-8.03</td><td>33.10</td><td>32.77</td><td>6.73</td><td>32.63</td><td>6.00</td><td>230</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	45.97	54.00	-8.03	33.10	32.77	6.73	32.63	6.00	230	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.07</td><td>-----</td><td>-----</td><td>82.45</td><td>32.60</td><td>6.70</td><td>32.68</td><td>6.00</td><td>230</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.07	-----	-----	82.45	32.60	6.70	32.68	6.00	230	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.51	45.97	54.00	-8.03	33.10	32.77	6.73	32.63	6.00	230	102	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	95.07	-----	-----	82.45	32.60	6.70	32.68	6.00	230	102	AVERAGE																																																																																							



Mode	9																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.63</td><td>74.00</td><td>-31.37</td><td>59.69</td><td>34.20</td><td>9.57</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>64.07</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>101</td><td>303</td><td>PEAK</td></tr><tr><td>3</td><td>7386.00</td><td>38.75</td><td>54.00</td><td>-15.25</td><td>51.79</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>101</td><td>303</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.63	74.00	-31.37	59.69	34.20	9.57	60.83	0.00	---	---	PEAK	2	7386.00	51.03	74.00	-22.97	64.07	35.73	11.72	60.49	0.00	101	303	PEAK	3	7386.00	38.75	54.00	-15.25	51.79	35.73	11.72	60.49	0.00	101	303	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4924.00	42.63	74.00	-31.37	59.69	34.20	9.57	60.83	0.00	---	---	PEAK																																																																						
2	7386.00	51.03	74.00	-22.97	64.07	35.73	11.72	60.49	0.00	101	303	PEAK																																																																						
3	7386.00	38.75	54.00	-15.25	51.79	35.73	11.72	60.49	0.00	101	303	AVERAGE																																																																						
																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.68</td><td>74.00</td><td>-31.32</td><td>59.74</td><td>34.20</td><td>9.57</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7386.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>58.33</td><td>35.73</td><td>11.72</td><td>60.49</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.68	74.00	-31.32	59.74	34.20	9.57	60.83	0.00	---	---	PEAK	2	7386.00	45.29	74.00	-28.71	58.33	35.73	11.72	60.49	0.00	---	---	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4924.00	42.68	74.00	-31.32	59.74	34.20	9.57	60.83	0.00	---	---	PEAK																																																																						
2	7386.00	45.29	74.00	-28.71	58.33	35.73	11.72	60.49	0.00	---	---	PEAK																																																																						



Mode	10																																																																																															
	Band Edge																																																																																															
	2400-2483.5_802.11g_CH02_2417MHz																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>69.89</td><td>74.00</td><td>-4.11</td><td>58.12</td><td>32.03</td><td>6.60</td><td>32.86</td><td>6.00</td><td>114</td><td>71 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	69.89	74.00	-4.11	58.12	32.03	6.60	32.86	6.00	114	71 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>108.95</td><td>-----</td><td>-----</td><td>96.81</td><td>32.30</td><td>6.64</td><td>32.80</td><td>6.00</td><td>114</td><td>71 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	108.95	-----	-----	96.81	32.30	6.64	32.80	6.00	114	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2388.13	69.89	74.00	-4.11	58.12	32.03	6.60	32.86	6.00	114	71 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2417.00	108.95	-----	-----	96.81	32.30	6.64	32.80	6.00	114	71 PEAK																																																																																					
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>38.47</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>114</td><td>71 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.27	54.00	-3.73	38.47	32.06	6.60	32.86	6.00	114	71 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>99.94</td><td>-----</td><td>-----</td><td>87.79</td><td>32.31</td><td>6.64</td><td>32.80</td><td>6.00</td><td>114</td><td>71 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	99.94	-----	-----	87.79	32.31	6.64	32.80	6.00	114	71 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	50.27	54.00	-3.73	38.47	32.06	6.60	32.86	6.00	114	71 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2417.00	99.94	-----	-----	87.79	32.31	6.64	32.80	6.00	114	71 AVERAGE																																																																																					

Mode

10

Band Edge


2400-2483.5_802.11g_CH02_2417MHz

Pol.


Vertical

Fundamental

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 2389.95	65.28	74.00	-8.72	53.48	32.06	6.60	32.86	6.00	338	89	PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 2417.00	106.83	-----	-----	94.69	32.30	6.64	32.80	6.00	338	89	PEAK

Avg





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 2389.95	48.83	54.00	-5.17	37.03	32.06	6.60	32.86	6.00	338	89	AVERAGE



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 2417.00	97.82	-----	-----	85.68	32.30	6.64	32.80	6.00	338	89	AVERAGE



Mode	10																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11g_CH02_2417MHz																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>43.45</td><td>74.00</td><td>-30.55</td><td>60.67</td><td>34.20</td><td>9.48</td><td>60.90</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>57.34</td><td>35.00</td><td>11.67</td><td>60.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	43.45	74.00	-30.55	60.67	34.20	9.48	60.90	0.00	---	--- PEAK	2	7251.00	44.62	74.00	-29.38	57.34	35.00	11.67	60.19	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>60.24</td><td>34.20</td><td>9.48</td><td>60.90</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>58.64</td><td>35.80</td><td>11.67</td><td>60.19</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	43.02	74.00	-30.98	60.24	34.20	9.48	60.90	0.00	---	--- PEAK	2	7251.00	45.92	74.00	-28.08	58.64	35.80	11.67	60.19	0.00	---	--- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4834.00	43.45	74.00	-30.55	60.67	34.20	9.48	60.90	0.00	---	--- PEAK																																																																																																															
2	7251.00	44.62	74.00	-29.38	57.34	35.00	11.67	60.19	0.00	---	--- PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4834.00	43.02	74.00	-30.98	60.24	34.20	9.48	60.90	0.00	---	--- PEAK																																																																																																															
2	7251.00	45.92	74.00	-28.08	58.64	35.80	11.67	60.19	0.00	---	--- PEAK																																																																																																															





		11																																																				
Mode	Band Edge																																																					
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.43</td><td>69.59</td><td>74.00</td><td>-4.41</td><td>57.80</td><td>32.05</td><td>6.60</td><td>32.86</td><td>6.00</td><td>115</td></tr><tr><td colspan="10"></td><td>73 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	2389.43	69.59	74.00	-4.41	57.80	32.05	6.60	32.86	6.00	115										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
1	2389.43	69.59	74.00	-4.41	57.80	32.05	6.60	32.86	6.00	115																																												
										73 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>109.31</td><td>-----</td><td>-----</td><td>97.17</td><td>32.30</td><td>6.64</td><td>32.80</td><td>6.00</td><td>115</td></tr><tr><td colspan="10"></td><td>73 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	2417.00	109.31	-----	-----	97.17	32.30	6.64	32.80	6.00	115										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
1	2417.00	109.31	-----	-----	97.17	32.30	6.64	32.80	6.00	115																																												
										73 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>38.23</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>115</td></tr><tr><td colspan="10"></td><td>73 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	2389.95	50.03	54.00	-3.97	38.23	32.06	6.60	32.86	6.00	115										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
1	2389.95	50.03	54.00	-3.97	38.23	32.06	6.60	32.86	6.00	115																																												
										73 AVERAGE																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>99.98</td><td>-----</td><td>-----</td><td>87.84</td><td>32.30</td><td>6.64</td><td>32.80</td><td>6.00</td><td>115</td></tr><tr><td colspan="10"></td><td>73 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	2417.00	99.98	-----	-----	87.84	32.30	6.64	32.80	6.00	115										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
1	2417.00	99.98	-----	-----	87.84	32.30	6.64	32.80	6.00	115																																												
										73 AVERAGE																																												





Mode	11																																																					
	Band Edge																																																					
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2388.78</td><td>66.35</td><td>74.00</td><td>-7.65</td><td>54.57</td><td>32.04</td><td>6.60</td><td>32.86</td><td>6.00</td><td>338</td><td>89 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.78	66.35	74.00	-7.65	54.57	32.04	6.60	32.86	6.00	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2388.78	66.35	74.00	-7.65	54.57	32.04	6.60	32.86	6.00	338	89 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2417.00</td><td>107.76</td><td>-----</td><td>-----</td><td>95.65</td><td>32.28</td><td>6.64</td><td>32.81</td><td>6.00</td><td>338</td><td>89 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2417.00	107.76	-----	-----	95.65	32.28	6.64	32.81	6.00	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2417.00	107.76	-----	-----	95.65	32.28	6.64	32.81	6.00	338	89 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.95</td><td>49.21</td><td>54.00</td><td>-4.79</td><td>37.41</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>338</td><td>89 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	49.21	54.00	-4.79	37.41	32.06	6.60	32.86	6.00	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2389.95	49.21	54.00	-4.79	37.41	32.06	6.60	32.86	6.00	338	89 AVERAGE																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2417.00</td><td>98.79</td><td>-----</td><td>-----</td><td>86.65</td><td>32.30</td><td>6.64</td><td>32.80</td><td>6.00</td><td>338</td><td>89 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2417.00	98.79	-----	-----	86.65	32.30	6.64	32.80	6.00	338
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 2417.00	98.79	-----	-----	86.65	32.30	6.64	32.80	6.00	338	89 AVERAGE																																												







Mode	11																																																																																																																												
	Harmonic																																																																																																																												
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4834.00</td><td>41.36</td><td>74.00</td><td>-32.64</td><td>58.58</td><td>34.20</td><td>9.48</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>57.54</td><td>35.80</td><td>11.67</td><td>60.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	41.36	74.00	-32.64	58.58	34.20	9.48	60.90	0.00	---	---	PEAK	2	7251.00	44.82	74.00	-29.18	57.54	35.80	11.67	60.19	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4834.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>58.89</td><td>34.20</td><td>9.48</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>57.17</td><td>35.80</td><td>11.67</td><td>60.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	41.67	74.00	-32.33	58.89	34.20	9.48	60.90	0.00	---	---	PEAK	2	7251.00	44.45	74.00	-29.55	57.17	35.80	11.67	60.19	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4834.00	41.36	74.00	-32.64	58.58	34.20	9.48	60.90	0.00	---	---	PEAK																																																																																																																	
2	7251.00	44.82	74.00	-29.18	57.54	35.80	11.67	60.19	0.00	---	---	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	4834.00	41.67	74.00	-32.33	58.89	34.20	9.48	60.90	0.00	---	---	PEAK																																																																																																																	
2	7251.00	44.45	74.00	-29.55	57.17	35.80	11.67	60.19	0.00	---	---	PEAK																																																																																																																	



Mode																																																																																																																																																																																																																						
	LF																																																																																																																																																																																																																					
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																				
Peak	 Site : 03CH06-KS Condition : FCC PART 15C 3m LF 6111D SN44483 HORIZONTAL Project : 352916 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>20.64</td><td>-19.36</td><td>40.00</td><td>28.43</td><td>0.48</td><td>24.04</td><td>32.31</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>173.56</td><td>19.81</td><td>-23.69</td><td>43.50</td><td>34.73</td><td>1.77</td><td>15.48</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>350.10</td><td>22.05</td><td>-23.95</td><td>46.00</td><td>31.24</td><td>2.52</td><td>20.50</td><td>32.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>557.68</td><td>23.83</td><td>-22.17</td><td>46.00</td><td>27.67</td><td>3.18</td><td>25.46</td><td>32.48</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>636.25</td><td>25.79</td><td>-20.21</td><td>46.00</td><td>28.41</td><td>3.41</td><td>26.31</td><td>32.34</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>736.16</td><td>27.74</td><td>-18.26</td><td>46.00</td><td>28.47</td><td>3.67</td><td>27.79</td><td>32.19</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>958.29</td><td>31.00</td><td>-15.00</td><td>46.00</td><td>26.80</td><td>4.17</td><td>30.93</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	31.94	20.64	-19.36	40.00	28.43	0.48	24.04	32.31	---	---	Peak	2	173.56	19.81	-23.69	43.50	34.73	1.77	15.48	32.17	---	---	Peak	3	350.10	22.05	-23.95	46.00	31.24	2.52	20.50	32.21	---	---	Peak	4	557.68	23.83	-22.17	46.00	27.67	3.18	25.46	32.48	---	---	Peak	5	636.25	25.79	-20.21	46.00	28.41	3.41	26.31	32.34	---	---	Peak	6	736.16	27.74	-18.26	46.00	28.47	3.67	27.79	32.19	---	---	Peak	7	958.29	31.00	-15.00	46.00	26.80	4.17	30.93	30.90	---	---	Peak	 Site : 03CH06-KS Condition : FCC PART 15C 3m LF 6111D SN44483 VERTICAL Project : 352916 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>39.70</td><td>29.29</td><td>-10.71</td><td>40.00</td><td>41.32</td><td>0.58</td><td>19.80</td><td>32.41</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>109.54</td><td>19.15</td><td>-24.35</td><td>43.50</td><td>32.91</td><td>1.41</td><td>17.00</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>25.01</td><td>-18.49</td><td>43.50</td><td>39.74</td><td>1.74</td><td>15.70</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>299.66</td><td>19.29</td><td>-26.71</td><td>46.00</td><td>29.72</td><td>2.34</td><td>19.40</td><td>32.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>515.97</td><td>22.58</td><td>-23.42</td><td>46.00</td><td>27.65</td><td>3.06</td><td>24.44</td><td>32.57</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>741.01</td><td>28.17</td><td>-17.83</td><td>46.00</td><td>28.73</td><td>3.68</td><td>27.94</td><td>32.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>959.26</td><td>30.40</td><td>-15.60</td><td>46.00</td><td>26.20</td><td>4.17</td><td>30.92</td><td>30.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	39.70	29.29	-10.71	40.00	41.32	0.58	19.80	32.41	---	---	Peak	2	109.54	19.15	-24.35	43.50	32.91	1.41	17.00	32.17	---	---	Peak	3	169.68	25.01	-18.49	43.50	39.74	1.74	15.70	32.17	---	---	Peak	4	299.66	19.29	-26.71	46.00	29.72	2.34	19.40	32.17	---	---	Peak	5	515.97	22.58	-23.42	46.00	27.65	3.06	24.44	32.57	---	---	Peak	6	741.01	28.17	-17.83	46.00	28.73	3.68	27.94	32.18	---	---	Peak	7	959.26	30.40	-15.60	46.00	26.20	4.17	30.92	30.89	---	---	Peak
		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																												
1	31.94	20.64	-19.36	40.00	28.43	0.48	24.04	32.31	---	---	Peak																																																																																																																																																																																																											
2	173.56	19.81	-23.69	43.50	34.73	1.77	15.48	32.17	---	---	Peak																																																																																																																																																																																																											
3	350.10	22.05	-23.95	46.00	31.24	2.52	20.50	32.21	---	---	Peak																																																																																																																																																																																																											
4	557.68	23.83	-22.17	46.00	27.67	3.18	25.46	32.48	---	---	Peak																																																																																																																																																																																																											
5	636.25	25.79	-20.21	46.00	28.41	3.41	26.31	32.34	---	---	Peak																																																																																																																																																																																																											
6	736.16	27.74	-18.26	46.00	28.47	3.67	27.79	32.19	---	---	Peak																																																																																																																																																																																																											
7	958.29	31.00	-15.00	46.00	26.80	4.17	30.93	30.90	---	---	Peak																																																																																																																																																																																																											
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																												
1	39.70	29.29	-10.71	40.00	41.32	0.58	19.80	32.41	---	---	Peak																																																																																																																																																																																																											
2	109.54	19.15	-24.35	43.50	32.91	1.41	17.00	32.17	---	---	Peak																																																																																																																																																																																																											
3	169.68	25.01	-18.49	43.50	39.74	1.74	15.70	32.17	---	---	Peak																																																																																																																																																																																																											
4	299.66	19.29	-26.71	46.00	29.72	2.34	19.40	32.17	---	---	Peak																																																																																																																																																																																																											
5	515.97	22.58	-23.42	46.00	27.65	3.06	24.44	32.57	---	---	Peak																																																																																																																																																																																																											
6	741.01	28.17	-17.83	46.00	28.73	3.68	27.94	32.18	---	---	Peak																																																																																																																																																																																																											
7	959.26	30.40	-15.60	46.00	26.20	4.17	30.92	30.89	---	---	Peak																																																																																																																																																																																																											







<Co-location>

		12																																																			
Mode		Band Edge																																																			
		2400-2483.5_802.11g_CH01_2412MHz																																																			
Pol.		Horizontal					Fundamental																																														
Peak																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>64.79</td><td>74.00</td><td>-9.21</td><td>52.99</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>133</td><td>67 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	64.79	74.00	-9.21	52.99	32.06	6.60	32.86	6.00	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2389.69	64.79	74.00	-9.21	52.99	32.06	6.60	32.86	6.00	133	67 PEAK																																										
Fundamental																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.63</td><td>-----</td><td>-----</td><td>94.52</td><td>32.28</td><td>6.64</td><td>32.81</td><td>6.00</td><td>133</td><td>67 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.63	-----	-----	94.52	32.28	6.64	32.81	6.00	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2412.00	106.63	-----	-----	94.52	32.28	6.64	32.81	6.00	133	67 PEAK																																										
Avg																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>48.16</td><td>54.00</td><td>-5.84</td><td>36.36</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>133</td><td>67 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.16	54.00	-5.84	36.36	32.06	6.60	32.86	6.00	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2389.95	48.16	54.00	-5.84	36.36	32.06	6.60	32.86	6.00	133	67 AVERAGE																																										
Fundamental																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.30</td><td>-----</td><td>-----</td><td>85.21</td><td>32.27</td><td>6.63</td><td>32.81</td><td>6.00</td><td>133</td><td>67 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.30	-----	-----	85.21	32.27	6.63	32.81	6.00	133
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	2412.00	97.30	-----	-----	85.21	32.27	6.63	32.81	6.00	133	67 AVERAGE																																										



Note: The highest signals over limit are WLAN + WWAN co-location fundamental signals.



		12																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>63.47</td><td>74.00</td><td>-10.53</td><td>51.71</td><td>32.02</td><td>6.60</td><td>32.86</td><td>6.00</td><td>394</td><td>100</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.48	63.47	74.00	-10.53	51.71	32.02	6.60	32.86	6.00	394	100	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.44</td><td>-----</td><td>-----</td><td>92.37</td><td>32.26</td><td>6.63</td><td>32.82</td><td>6.00</td><td>394</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	104.44	-----	-----	92.37	32.26	6.63	32.82	6.00	394	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2387.48	63.47	74.00	-10.53	51.71	32.02	6.60	32.86	6.00	394	100	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	104.44	-----	-----	92.37	32.26	6.63	32.82	6.00	394	100	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>35.83</td><td>32.06</td><td>6.60</td><td>32.86</td><td>6.00</td><td>394</td><td>100</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	47.63	54.00	-6.37	35.83	32.06	6.60	32.86	6.00	394	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.37</td><td>-----</td><td>-----</td><td>82.28</td><td>32.85</td><td>6.79</td><td>32.55</td><td>6.00</td><td>394</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	95.37	-----	-----	82.28	32.85	6.79	32.55	6.00	394	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2389.95	47.63	54.00	-6.37	35.83	32.06	6.60	32.86	6.00	394	100	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	95.37	-----	-----	82.28	32.85	6.79	32.55	6.00	394	100	AVERAGE																																																																																						

Note: The highest signals over limit are WLAN + WWAN co-location fundamental signals.



Mode	12																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																															
Pol.	Horizontal											Vertical																																																																																																				
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.17</td><td>74.00</td><td>-30.83</td><td>60.41</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.17	74.00	-30.83	60.41	34.20	9.47	60.91	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.13</td><td>74.00</td><td>-30.87</td><td>60.37</td><td>34.20</td><td>9.47</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.13	74.00	-30.87	60.37	34.20	9.47	60.91	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4824.00	43.17	74.00	-30.83	60.41	34.20	9.47	60.91	0.00	---	---	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4824.00	43.13	74.00	-30.87	60.37	34.20	9.47	60.91	0.00	---	---	PEAK																																																																																																				

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100%	-	-	10Hz
802.11g	100%	-	-	10Hz
802.11n HT20	100%	-	-	10Hz


802.11b



Date: 15 JUN 2023 03:24:11




802.11g



Date: 15 JUN 2023 03:24:35

802.11n HT20



Date: 15 JUN 2023 03:25:13