









Mode	40																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																					
ANT	STBC 7+8																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5752.32</td><td>59.99</td><td>68.20</td><td>-8.21</td><td>40.36</td><td>34.76</td><td>14.94</td><td>30.07</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5752.32	59.99	68.20	-8.21	40.36	34.76	14.94	30.07	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5752.32	59.99	68.20	-8.21	40.36	34.76	14.94	30.07																														





		40																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																
ANT		STBC 7+8																																																																																																
Pol.		Vertical					Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.93	58.89	74.00	-15.11	40.14	34.54	14.28	30.07	0.00	181	0 PEAK	2	5468.97	59.40	68.20	-8.80	40.53	34.57	14.38	30.08	0.00	181	0 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>98.29</td><td>-----</td><td>-----</td><td>79.29</td><td>34.60</td><td>14.48</td><td>30.08</td><td>0.00</td><td>181</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.29	-----	-----	79.29	34.60	14.48	30.08	0.00	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5437.93	58.89	74.00	-15.11	40.14	34.54	14.28	30.07	0.00	181	0 PEAK																																																																																							
2	5468.97	59.40	68.20	-8.80	40.53	34.57	14.38	30.08	0.00	181	0 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	98.29	-----	-----	79.29	34.60	14.48	30.08	0.00	181	0 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.29	50.40	54.00	-3.60	31.65	34.54	14.28	30.07	0.00	181	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>88.84</td><td>-----</td><td>-----</td><td>69.83</td><td>34.60</td><td>14.49</td><td>30.08</td><td>0.00</td><td>181</td><td>0 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.84	-----	-----	69.83	34.60	14.49	30.08	0.00	181	0 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5437.29	50.40	54.00	-3.60	31.65	34.54	14.28	30.07	0.00	181	0 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5530.00	88.84	-----	-----	69.83	34.60	14.49	30.08	0.00	181	0 AVERAGE																																																																																							





Mode	40																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																				
ANT	STBC 7+8																																																				
Pol.	Vertical						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5751.36</td><td>59.32</td><td>68.20</td><td>-8.88</td><td>39.70</td><td>34.75</td><td>14.94</td><td>30.07</td><td>0.00</td><td>181</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5751.36	59.32	68.20	-8.88	39.70	34.75	14.94	30.07	0.00	181	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5751.36	59.32	68.20	-8.88	39.70	34.75	14.94	30.07	0.00	181	0 PEAK																																										





Mode	40																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																				
ANT	STBC 7+8																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>52.74</td><td>37.95</td><td>18.78</td><td>64.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	45.08	74.00	-28.92	52.74	37.95	18.78	64.39	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11060.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>53.52</td><td>37.95</td><td>18.78</td><td>64.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11060.00	45.86	74.00	-28.14	53.52	37.95	18.78	64.39	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11060.00	45.08	74.00	-28.92	52.74	37.95	18.78	64.39	0.00	---	---	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11060.00	45.86	74.00	-28.14	53.52	37.95	18.78	64.39	0.00	---	---	PEAK																																																																																									






Mode	10	
	18G-40G	
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz	
ANT	STBC 7+8	
Pol.	Horizontal	Vertical
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak signal and a blue line for the average signal. The red line is labeled 'U-NII-1-U-NII-2A-U-NII-2C' and the blue line is labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'. The frequency range is from 18000 to 40000 MHz, and the level range is from 0 to 120 dBuV/m.	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak signal and a blue line for the average signal. The red line is labeled 'U-NII-1-U-NII-2A-U-NII-2C' and the blue line is labeled 'U-NII-1-U-NII-2A-U-NII-2C(AVG)'. The frequency range is from 18000 to 40000 MHz, and the level range is from 0 to 120 dBuV/m.






Mode	10																																																																																																		
	30M-1G																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																		
ANT	STBC 7+8																																																																																																		
Pol.	Horizontal																																																																																																		
Peak Avg																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>18.95</td><td>-21.05</td><td>40.00</td><td>23.94</td><td>25.74</td><td>0.50</td><td>31.23</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>90.14</td><td>19.33</td><td>-24.17</td><td>43.50</td><td>35.05</td><td>14.84</td><td>1.32</td><td>31.88</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>180.35</td><td>22.67</td><td>-20.83</td><td>43.50</td><td>36.96</td><td>15.09</td><td>1.95</td><td>31.33</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>207.51</td><td>26.23</td><td>-17.27</td><td>43.50</td><td>40.32</td><td>15.14</td><td>2.11</td><td>31.34</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>737.13</td><td>27.08</td><td>-18.92</td><td>46.00</td><td>26.97</td><td>27.27</td><td>3.96</td><td>31.12</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>996.12</td><td>29.06</td><td>-24.94</td><td>54.00</td><td>24.39</td><td>30.53</td><td>4.59</td><td>30.45</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	18.95	-21.05	40.00	23.94	25.74	0.50	31.23	---	--- Peak	2	90.14	19.33	-24.17	43.50	35.05	14.84	1.32	31.88	---	--- Peak	3	180.35	22.67	-20.83	43.50	36.96	15.09	1.95	31.33	---	--- Peak	4	207.51	26.23	-17.27	43.50	40.32	15.14	2.11	31.34	---	--- Peak	5	737.13	27.08	-18.92	46.00	26.97	27.27	3.96	31.12	---	--- Peak	6	996.12	29.06	-24.94	54.00	24.39	30.53	4.59	30.45	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
	1	30.00	18.95	-21.05	40.00	23.94	25.74	0.50	31.23	---	--- Peak																																																																																								
	2	90.14	19.33	-24.17	43.50	35.05	14.84	1.32	31.88	---	--- Peak																																																																																								
	3	180.35	22.67	-20.83	43.50	36.96	15.09	1.95	31.33	---	--- Peak																																																																																								
	4	207.51	26.23	-17.27	43.50	40.32	15.14	2.11	31.34	---	--- Peak																																																																																								
	5	737.13	27.08	-18.92	46.00	26.97	27.27	3.96	31.12	---	--- Peak																																																																																								
	6	996.12	29.06	-24.94	54.00	24.39	30.53	4.59	30.45	---	--- Peak																																																																																								
Vertical																																																																																																			
Peak Avg																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.25</td><td>31.64</td><td>-8.36</td><td>40.00</td><td>48.56</td><td>13.55</td><td>0.83</td><td>31.30</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>179.38</td><td>29.63</td><td>-13.87</td><td>43.50</td><td>43.85</td><td>15.16</td><td>1.95</td><td>31.33</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>325.85</td><td>20.68</td><td>-25.32</td><td>46.00</td><td>29.69</td><td>20.00</td><td>2.64</td><td>31.65</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>574.17</td><td>22.75</td><td>-23.25</td><td>46.00</td><td>25.09</td><td>25.63</td><td>3.49</td><td>31.46</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>760.41</td><td>26.69</td><td>-19.31</td><td>46.00</td><td>26.20</td><td>27.61</td><td>4.02</td><td>31.14</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>978.66</td><td>29.27</td><td>-24.73</td><td>54.00</td><td>24.85</td><td>30.27</td><td>4.55</td><td>30.40</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	54.25	31.64	-8.36	40.00	48.56	13.55	0.83	31.30	---	--- Peak	2	179.38	29.63	-13.87	43.50	43.85	15.16	1.95	31.33	---	--- Peak	3	325.85	20.68	-25.32	46.00	29.69	20.00	2.64	31.65	---	--- Peak	4	574.17	22.75	-23.25	46.00	25.09	25.63	3.49	31.46	---	--- Peak	5	760.41	26.69	-19.31	46.00	26.20	27.61	4.02	31.14	---	--- Peak	6	978.66	29.27	-24.73	54.00	24.85	30.27	4.55	30.40	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
	1	54.25	31.64	-8.36	40.00	48.56	13.55	0.83	31.30	---	--- Peak																																																																																								
	2	179.38	29.63	-13.87	43.50	43.85	15.16	1.95	31.33	---	--- Peak																																																																																								
	3	325.85	20.68	-25.32	46.00	29.69	20.00	2.64	31.65	---	--- Peak																																																																																								
	4	574.17	22.75	-23.25	46.00	25.09	25.63	3.49	31.46	---	--- Peak																																																																																								
	5	760.41	26.69	-19.31	46.00	26.20	27.61	4.02	31.14	---	--- Peak																																																																																								
	6	978.66	29.27	-24.73	54.00	24.85	30.27	4.55	30.40	---	--- Peak																																																																																								





		41																																																																																																																																									
Mode	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	STBC 7+8																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5683.20</td><td>59.07</td><td>68.20</td><td>-9.13</td><td>40.04</td><td>34.60</td><td>14.53</td><td>30.10</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.62</td><td>68.20</td><td>-12.58</td><td>36.53</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>58.12</td><td>106.09</td><td>-47.97</td><td>38.91</td><td>34.61</td><td>14.69</td><td>30.09</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.47</td><td>110.90</td><td>-50.43</td><td>41.11</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5683.20	59.07	68.20	-9.13	40.04	34.60	14.53	30.10	0.00	100	24	PEAK	2	5650.00	55.62	68.20	-12.58	36.53	34.60	14.60	30.11	0.00	100	24	PEAK	3	5702.80	58.12	106.09	-47.97	38.91	34.61	14.69	30.09	0.00	100	24	PEAK	4	5720.00	60.47	110.90	-50.43	41.11	34.66	14.78	30.08	0.00	100	24	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.13</td><td>-----</td><td>-----</td><td>86.55</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.13	-----	-----	86.55	34.74	14.91	30.07	0.00	100	24	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5683.20	59.07	68.20	-9.13	40.04	34.60	14.53	30.10	0.00	100	24	PEAK																																																																																																																															
2	5650.00	55.62	68.20	-12.58	36.53	34.60	14.60	30.11	0.00	100	24	PEAK																																																																																																																															
3	5702.80	58.12	106.09	-47.97	38.91	34.61	14.69	30.09	0.00	100	24	PEAK																																																																																																																															
4	5720.00	60.47	110.90	-50.43	41.11	34.66	14.78	30.08	0.00	100	24	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.13	-----	-----	86.55	34.74	14.91	30.07	0.00	100	24	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.00</td><td>-----</td><td>-----</td><td>79.50</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.00	-----	-----	79.50	34.74	14.91	30.07	0.00	100	24	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	99.00	-----	-----	79.50	34.74	14.91	30.07	0.00	100	24	AVERAGE																																																																																																																															



Mode	41																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																														
ANT	STBC 7+8																																																																																																																														
Pol.	Vertical					Fundamental																																																																																																																									
Peak																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.00</td><td>58.63</td><td>68.20</td><td>-9.57</td><td>39.61</td><td>34.60</td><td>14.52</td><td>30.10</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr><tr><td>2 5650.40</td><td>57.42</td><td>68.50</td><td>-11.08</td><td>38.33</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr><tr><td>3 5700.00</td><td>56.64</td><td>105.30</td><td>-48.66</td><td>37.45</td><td>34.60</td><td>14.68</td><td>30.09</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>58.33</td><td>110.90</td><td>-52.57</td><td>38.97</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.00	58.63	68.20	-9.57	39.61	34.60	14.52	30.10	0.00	193	360 PEAK	2 5650.40	57.42	68.50	-11.08	38.33	34.60	14.60	30.11	0.00	193	360 PEAK	3 5700.00	56.64	105.30	-48.66	37.45	34.60	14.68	30.09	0.00	193	360 PEAK	4 5720.00	58.33	110.90	-52.57	38.97	34.66	14.78	30.08	0.00	193	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>107.47</td><td>-----</td><td>-----</td><td>87.89</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	107.47	-----	-----	87.89	34.74	14.91	30.07	0.00	193	360 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5602.00	58.63	68.20	-9.57	39.61	34.60	14.52	30.10	0.00	193	360 PEAK																																																																																																																					
2 5650.40	57.42	68.50	-11.08	38.33	34.60	14.60	30.11	0.00	193	360 PEAK																																																																																																																					
3 5700.00	56.64	105.30	-48.66	37.45	34.60	14.68	30.09	0.00	193	360 PEAK																																																																																																																					
4 5720.00	58.33	110.90	-52.57	38.97	34.66	14.78	30.08	0.00	193	360 PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	107.47	-----	-----	87.89	34.74	14.91	30.07	0.00	193	360 PEAK																																																																																																																					
Avg	Blank																																																																																																																														
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.31</td><td>-----</td><td>-----</td><td>78.73</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>193</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.31	-----	-----	78.73	34.74	14.91	30.07	0.00	193	360 AVERAGE																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1 5745.00	98.31	-----	-----	78.73	34.74	14.91	30.07	0.00	193	360 AVERAGE																																																																																																																					






Mode	41																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																											
ANT	STBC 7+8																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>58.55</td><td>74.00</td><td>-15.45</td><td>64.99</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>110</td><td>69</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.31</td><td>54.00</td><td>-6.69</td><td>53.74</td><td>38.29</td><td>19.17</td><td>63.89</td><td>0.00</td><td>110</td><td>69</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	58.55	74.00	-15.45	64.99	38.29	19.16	63.89	0.00	110	69	PEAK	2	11490.00	47.31	54.00	-6.69	53.74	38.29	19.17	63.89	0.00	110	69	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>61.43</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>102</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.81</td><td>54.00</td><td>-9.19</td><td>51.25</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>102</td><td>350</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	54.99	74.00	-19.01	61.43	38.29	19.16	63.89	0.00	102	350	PEAK	2	11490.00	44.81	54.00	-9.19	51.25	38.29	19.16	63.89	0.00	102	350	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11490.00	58.55	74.00	-15.45	64.99	38.29	19.16	63.89	0.00	110	69	PEAK																																																																																																																																
2	11490.00	47.31	54.00	-6.69	53.74	38.29	19.17	63.89	0.00	110	69	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11490.00	54.99	74.00	-19.01	61.43	38.29	19.16	63.89	0.00	102	350	PEAK																																																																																																																																
2	11490.00	44.81	54.00	-9.19	51.25	38.29	19.16	63.89	0.00	102	350	AVERAGE																																																																																																																																



Mode	42																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																													
ANT	STBC 7+8																																																																													
Pol.	Horizontal												Vertical																																																																	
Peak Avg																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>58.81</td><td>74.00</td><td>-15.19</td><td>65.31</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00</td><td>105</td><td>68</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>53.64</td><td>38.36</td><td>19.20</td><td>64.07</td><td>0.00</td><td>105</td><td>68</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	58.81	74.00	-15.19	65.31	38.36	19.20	64.06	0.00	105	68	PEAK	2	11570.00	47.13	54.00	-6.87	53.64	38.36	19.20	64.07	0.00	105	68	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	11570.00	58.81	74.00	-15.19	65.31	38.36	19.20	64.06	0.00	105	68	PEAK																																																																		
2	11570.00	47.13	54.00	-6.87	53.64	38.36	19.20	64.07	0.00	105	68	AVERAGE																																																																		
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>58.92</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>49.67</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00</td><td>100</td><td>354</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11570.00	52.42	74.00	-21.58	58.92	38.36	19.20	64.06	0.00	100	354	PEAK	2	11570.00	43.17	54.00	-10.83	49.67	38.36	19.20	64.06	0.00	100	354	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1	11570.00	52.42	74.00	-21.58	58.92	38.36	19.20	64.06	0.00	100	354	PEAK																																																																		
2	11570.00	43.17	54.00	-10.83	49.67	38.36	19.20	64.06	0.00	100	354	AVERAGE																																																																		





		43																																																																																						
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																							
ANT	STBC 7+8																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>57.97</td><td>112.27</td><td>-54.30</td><td>38.13</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>117</td><td>26 PEAK</td></tr><tr><td>2 5868.00</td><td>60.15</td><td>107.03</td><td>-46.88</td><td>40.37</td><td>35.04</td><td>14.78</td><td>30.04</td><td>0.00</td><td>117</td><td>26 PEAK</td></tr><tr><td>3 5923.20</td><td>58.63</td><td>69.53</td><td>-10.90</td><td>39.05</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>117</td><td>26 PEAK</td></tr><tr><td>4 5959.20</td><td>59.39</td><td>68.20</td><td>-8.81</td><td>39.91</td><td>35.16</td><td>14.42</td><td>30.10</td><td>0.00</td><td>117</td><td>26 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	57.97	112.27	-54.30	38.13	35.01	14.86	30.03	0.00	117	26 PEAK	2 5868.00	60.15	107.03	-46.88	40.37	35.04	14.78	30.04	0.00	117	26 PEAK	3 5923.20	58.63	69.53	-10.90	39.05	35.12	14.53	30.07	0.00	117	26 PEAK	4 5959.20	59.39	68.20	-8.81	39.91	35.16	14.42	30.10	0.00	117	26 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	57.97	112.27	-54.30	38.13	35.01	14.86	30.03	0.00	117	26 PEAK																																																																														
2 5868.00	60.15	107.03	-46.88	40.37	35.04	14.78	30.04	0.00	117	26 PEAK																																																																														
3 5923.20	58.63	69.53	-10.90	39.05	35.12	14.53	30.07	0.00	117	26 PEAK																																																																														
4 5959.20	59.39	68.20	-8.81	39.91	35.16	14.42	30.10	0.00	117	26 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.23</td><td>-----</td><td>-----</td><td>85.30</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>117</td><td>26 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.23	-----	-----	85.30	34.96	15.01	30.04	0.00	117	26 PEAK																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	105.23	-----	-----	85.30	34.96	15.01	30.04	0.00	117	26 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.25</td><td>-----</td><td>-----</td><td>78.30</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>117</td><td>26 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.25	-----	-----	78.30	34.95	15.04	30.04	0.00	117	26 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	98.25	-----	-----	78.30	34.95	15.04	30.04	0.00	117	26 AVERAGE																																																																														






Mode	43																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	STBC 7+8																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>58.07</td><td>111.36</td><td>-53.29</td><td>38.23</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>300</td><td>1 PEAK</td></tr><tr><td>2 5874.00</td><td>57.56</td><td>105.58</td><td>-48.02</td><td>37.00</td><td>35.05</td><td>14.75</td><td>30.04</td><td>0.00</td><td>300</td><td>1 PEAK</td></tr><tr><td>3 5923.20</td><td>59.17</td><td>69.53</td><td>-10.36</td><td>39.59</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>300</td><td>1 PEAK</td></tr><tr><td>4 5994.40</td><td>59.10</td><td>68.20</td><td>-9.10</td><td>39.71</td><td>35.19</td><td>14.32</td><td>30.12</td><td>0.00</td><td>300</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	58.07	111.36	-53.29	38.23	35.01	14.86	30.03	0.00	300	1 PEAK	2 5874.00	57.56	105.58	-48.02	37.00	35.05	14.75	30.04	0.00	300	1 PEAK	3 5923.20	59.17	69.53	-10.36	39.59	35.12	14.53	30.07	0.00	300	1 PEAK	4 5994.40	59.10	68.20	-9.10	39.71	35.19	14.32	30.12	0.00	300	1 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>105.22</td><td>-----</td><td>-----</td><td>85.27</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>300</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.22	-----	-----	85.27	34.95	15.04	30.04	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5854.00	58.07	111.36	-53.29	38.23	35.01	14.86	30.03	0.00	300	1 PEAK																																																																																																																				
2 5874.00	57.56	105.58	-48.02	37.00	35.05	14.75	30.04	0.00	300	1 PEAK																																																																																																																				
3 5923.20	59.17	69.53	-10.36	39.59	35.12	14.53	30.07	0.00	300	1 PEAK																																																																																																																				
4 5994.40	59.10	68.20	-9.10	39.71	35.19	14.32	30.12	0.00	300	1 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	105.22	-----	-----	85.27	34.95	15.04	30.04	0.00	300	1 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.13</td><td>-----</td><td>-----</td><td>76.18</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>300</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.13	-----	-----	76.18	34.95	15.04	30.04	0.00	300	1 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	96.13	-----	-----	76.18	34.95	15.04	30.04	0.00	300	1 AVERAGE																																																																																																																				






Mode	43																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																											
ANT	STBC 7+8																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>57.11</td><td>74.00</td><td>-16.89</td><td>63.79</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>100</td><td>27</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.62</td><td>54.00</td><td>-8.38</td><td>52.30</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>100</td><td>27</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	57.11	74.00	-16.89	63.79	38.42	19.17	64.27	0.00	100	27	PEAK	2	11650.00	45.62	54.00	-8.38	52.30	38.42	19.17	64.27	0.00	100	27	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>60.73</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>102</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>50.33</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>102</td><td>356</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	54.05	74.00	-19.95	60.73	38.42	19.17	64.27	0.00	102	356	PEAK	2	11650.00	43.65	54.00	-10.35	50.33	38.42	19.17	64.27	0.00	102	356	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11650.00	57.11	74.00	-16.89	63.79	38.42	19.17	64.27	0.00	100	27	PEAK																																																																																																																																
2	11650.00	45.62	54.00	-8.38	52.30	38.42	19.17	64.27	0.00	100	27	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11650.00	54.05	74.00	-19.95	60.73	38.42	19.17	64.27	0.00	102	356	PEAK																																																																																																																																
2	11650.00	43.65	54.00	-10.35	50.33	38.42	19.17	64.27	0.00	102	356	AVERAGE																																																																																																																																





Mode	44																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																				
ANT	STBC 7+8																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5645.20 58.93 68.20 -9.27</td><td>39.85</td><td>34.60</td><td>14.59</td><td>30.11</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>2 5650.40 55.98 68.50 -12.52</td><td>36.89</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>3 5701.20 58.89 105.64 -46.75</td><td>39.69</td><td>34.60</td><td>14.69</td><td>30.09</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>4 5720.00 58.91 110.90 -51.99</td><td>39.55</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5645.20 58.93 68.20 -9.27	39.85	34.60	14.59	30.11	0.00	100	24	PEAK	2 5650.40 55.98 68.50 -12.52	36.89	34.60	14.60	30.11	0.00	100	24	PEAK	3 5701.20 58.89 105.64 -46.75	39.69	34.60	14.69	30.09	0.00	100	24	PEAK	4 5720.00 58.91 110.90 -51.99	39.55	34.66	14.78	30.08	0.00	100	24	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5745.00 104.78 -----</td><td>85.20</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5745.00 104.78 -----	85.20	34.74	14.91	30.07	0.00	100	24	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																														
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 5645.20 58.93 68.20 -9.27	39.85	34.60	14.59	30.11	0.00	100	24	PEAK																																																																																													
2 5650.40 55.98 68.50 -12.52	36.89	34.60	14.60	30.11	0.00	100	24	PEAK																																																																																													
3 5701.20 58.89 105.64 -46.75	39.69	34.60	14.69	30.09	0.00	100	24	PEAK																																																																																													
4 5720.00 58.91 110.90 -51.99	39.55	34.66	14.78	30.08	0.00	100	24	PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																														
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 5745.00 104.78 -----	85.20	34.74	14.91	30.07	0.00	100	24	PEAK																																																																																													
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz dBuV/m dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5745.00 96.26 -----</td><td>76.68</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor		MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5745.00 96.26 -----	76.68	34.74	14.91	30.07	0.00	100	24	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq Level Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor																																																																																														
MHz dBuV/m dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1 5745.00 96.26 -----	76.68	34.74	14.91	30.07	0.00	100	24	AVERAGE																																																																																													





Mode	44																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																													
ANT	STBC 7+8																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5613.20</td><td>60.31</td><td>68.20</td><td>-7.89</td><td>41.27</td><td>34.60</td><td>14.54</td><td>30.10</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr><tr><td>2 5653.60</td><td>58.47</td><td>70.88</td><td>-12.41</td><td>39.36</td><td>34.60</td><td>14.61</td><td>30.10</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr><tr><td>3 5710.00</td><td>60.51</td><td>108.10</td><td>-47.59</td><td>41.23</td><td>34.63</td><td>14.73</td><td>30.08</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>59.26</td><td>110.90</td><td>-51.64</td><td>39.90</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5613.20	60.31	68.20	-7.89	41.27	34.60	14.54	30.10	0.00	194	360 PEAK	2 5653.60	58.47	70.88	-12.41	39.36	34.60	14.61	30.10	0.00	194	360 PEAK	3 5710.00	60.51	108.10	-47.59	41.23	34.63	14.73	30.08	0.00	194	360 PEAK	4 5720.00	59.26	110.90	-51.64	39.90	34.66	14.78	30.08	0.00	194	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.30</td><td>-----</td><td>-----</td><td>85.72</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.30	-----	-----	85.72	34.74	14.91	30.07	0.00	194
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5613.20	60.31	68.20	-7.89	41.27	34.60	14.54	30.10	0.00	194	360 PEAK																																																																																																																				
2 5653.60	58.47	70.88	-12.41	39.36	34.60	14.61	30.10	0.00	194	360 PEAK																																																																																																																				
3 5710.00	60.51	108.10	-47.59	41.23	34.63	14.73	30.08	0.00	194	360 PEAK																																																																																																																				
4 5720.00	59.26	110.90	-51.64	39.90	34.66	14.78	30.08	0.00	194	360 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	105.30	-----	-----	85.72	34.74	14.91	30.07	0.00	194	360 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.74</td><td>-----</td><td>-----</td><td>77.16</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>194</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	96.74	-----	-----	77.16	34.74	14.91	30.07	0.00	194	360 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	96.74	-----	-----	77.16	34.74	14.91	30.07	0.00	194	360 AVERAGE																																																																																																																				






Mode	44																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																											
ANT	STBC 7+8																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>58.13</td><td>74.00</td><td>-15.87</td><td>64.57</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>115</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>52.73</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>115</td><td>67</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	58.13	74.00	-15.87	64.57	38.29	19.16	63.89	0.00	115	67	PEAK	2	11490.00	46.29	54.00	-7.71	52.73	38.29	19.16	63.89	0.00	115	67	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>59.53</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>101</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>49.32</td><td>38.29</td><td>19.16</td><td>63.89</td><td>0.00</td><td>101</td><td>356</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11490.00	53.09	74.00	-20.91	59.53	38.29	19.16	63.89	0.00	101	356	PEAK	2	11490.00	42.88	54.00	-11.12	49.32	38.29	19.16	63.89	0.00	101	356	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11490.00	58.13	74.00	-15.87	64.57	38.29	19.16	63.89	0.00	115	67	PEAK																																																																																																																																
2	11490.00	46.29	54.00	-7.71	52.73	38.29	19.16	63.89	0.00	115	67	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11490.00	53.09	74.00	-20.91	59.53	38.29	19.16	63.89	0.00	101	356	PEAK																																																																																																																																
2	11490.00	42.88	54.00	-11.12	49.32	38.29	19.16	63.89	0.00	101	356	AVERAGE																																																																																																																																






Mode	45																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																															
ANT	STBC 7+8																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>56.42</td><td>74.00</td><td>-17.58</td><td>62.92</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00 100 66 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.47</td><td>54.00</td><td>-7.53</td><td>52.97</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00 100 66 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	11570.00	56.42	74.00	-17.58	62.92	38.36	19.20	64.06	0.00 100 66 PEAK	2	11570.00	46.47	54.00	-7.53	52.97	38.36	19.20	64.06	0.00 100 66 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>60.23</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00 100 350 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>49.69</td><td>38.36</td><td>19.20</td><td>64.06</td><td>0.00 100 350 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	11570.00	53.73	74.00	-20.27	60.23	38.36	19.20	64.06	0.00 100 350 PEAK	2	11570.00	43.19	54.00	-10.81	49.69	38.36	19.20	64.06	0.00 100 350 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																								
1	11570.00	56.42	74.00	-17.58	62.92	38.36	19.20	64.06	0.00 100 66 PEAK																																																																																																							
2	11570.00	46.47	54.00	-7.53	52.97	38.36	19.20	64.06	0.00 100 66 AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																								
1	11570.00	53.73	74.00	-20.27	60.23	38.36	19.20	64.06	0.00 100 350 PEAK																																																																																																							
2	11570.00	43.19	54.00	-10.81	49.69	38.36	19.20	64.06	0.00 100 350 AVERAGE																																																																																																							





Mode	46																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																													
ANT	STBC 7+8																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>59.00</td><td>111.36</td><td>-52.36</td><td>39.16</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>116</td><td>26 PEAK</td></tr><tr><td>2 5872.00</td><td>57.95</td><td>105.92</td><td>-47.97</td><td>38.18</td><td>35.05</td><td>14.76</td><td>30.04</td><td>0.00</td><td>116</td><td>26 PEAK</td></tr><tr><td>3 5924.00</td><td>56.89</td><td>68.35</td><td>-11.46</td><td>37.31</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>116</td><td>26 PEAK</td></tr><tr><td>4 5987.60</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>39.37</td><td>35.19</td><td>14.34</td><td>30.11</td><td>0.00</td><td>116</td><td>26 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	59.00	111.36	-52.36	39.16	35.01	14.86	30.03	0.00	116	26 PEAK	2 5872.00	57.95	105.92	-47.97	38.18	35.05	14.76	30.04	0.00	116	26 PEAK	3 5924.00	56.89	68.35	-11.46	37.31	35.12	14.53	30.07	0.00	116	26 PEAK	4 5987.60	58.79	68.20	-9.41	39.37	35.19	14.34	30.11	0.00	116	26 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.66</td><td>-----</td><td>-----</td><td>86.71</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>116</td><td>26 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.66	-----	-----	86.71	34.95	15.04	30.04	0.00	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5854.00	59.00	111.36	-52.36	39.16	35.01	14.86	30.03	0.00	116	26 PEAK																																																																																																																				
2 5872.00	57.95	105.92	-47.97	38.18	35.05	14.76	30.04	0.00	116	26 PEAK																																																																																																																				
3 5924.00	56.89	68.35	-11.46	37.31	35.12	14.53	30.07	0.00	116	26 PEAK																																																																																																																				
4 5987.60	58.79	68.20	-9.41	39.37	35.19	14.34	30.11	0.00	116	26 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	106.66	-----	-----	86.71	34.95	15.04	30.04	0.00	116	26 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.12</td><td>-----</td><td>-----</td><td>76.17</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>116</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.12	-----	-----	76.17	34.95	15.04	30.04	0.00	116	26 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5825.00	96.12	-----	-----	76.17	34.95	15.04	30.04	0.00	116	26 AVERAGE																																																																																																																				






Mode	46																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																							
ANT	STBC 7+8																																																																																																																							
Pol.	Vertical					Fundamental																																																																																																																		
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.80</td><td>58.46</td><td>111.36</td><td>-52.90</td><td>38.62</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>2 5865.20</td><td>60.39</td><td>108.04</td><td>-47.65</td><td>40.60</td><td>35.03</td><td>14.80</td><td>30.04</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>3 5924.80</td><td>57.35</td><td>68.35</td><td>-11.00</td><td>37.77</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>175 360 PEAK</td></tr><tr><td>4 5974.40</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>39.35</td><td>35.17</td><td>14.38</td><td>30.11</td><td>0.00</td><td>175 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.80	58.46	111.36	-52.90	38.62	35.01	14.86	30.03	0.00	175 360 PEAK	2 5865.20	60.39	108.04	-47.65	40.60	35.03	14.80	30.04	0.00	175 360 PEAK	3 5924.80	57.35	68.35	-11.00	37.77	35.12	14.53	30.07	0.00	175 360 PEAK	4 5974.40	58.79	68.20	-9.41	39.35	35.17	14.38	30.11	0.00	175 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.76</td><td>-----</td><td>-----</td><td>83.81</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>175 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	103.76	-----	-----	83.81	34.95	15.04	30.04	0.00	175 360 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5854.80	58.46	111.36	-52.90	38.62	35.01	14.86	30.03	0.00	175 360 PEAK																																																																																																															
2 5865.20	60.39	108.04	-47.65	40.60	35.03	14.80	30.04	0.00	175 360 PEAK																																																																																																															
3 5924.80	57.35	68.35	-11.00	37.77	35.12	14.53	30.07	0.00	175 360 PEAK																																																																																																															
4 5974.40	58.79	68.20	-9.41	39.35	35.17	14.38	30.11	0.00	175 360 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	103.76	-----	-----	83.81	34.95	15.04	30.04	0.00	175 360 PEAK																																																																																																															
Avg	Blank																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.63</td><td>-----</td><td>-----</td><td>74.68</td><td>34.95</td><td>15.04</td><td>30.04</td><td>0.00</td><td>175 360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	94.63	-----	-----	74.68	34.95	15.04	30.04	0.00	175 360 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	94.63	-----	-----	74.68	34.95	15.04	30.04	0.00	175 360 AVERAGE																																																																																																															




Mode	46																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																											
ANT	STBC 7+8																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>62.14</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>132</td><td>63</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>51.31</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>132</td><td>63</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	55.46	74.00	-18.54	62.14	38.42	19.17	64.27	0.00	132	63	PEAK	2	11650.00	44.63	54.00	-9.37	51.31	38.42	19.17	64.27	0.00	132	63	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>59.62</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>122</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>48.51</td><td>38.42</td><td>19.17</td><td>64.27</td><td>0.00</td><td>122</td><td>352</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	52.94	74.00	-21.06	59.62	38.42	19.17	64.27	0.00	122	352	PEAK	2	11650.00	41.83	54.00	-12.17	48.51	38.42	19.17	64.27	0.00	122	352	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11650.00	55.46	74.00	-18.54	62.14	38.42	19.17	64.27	0.00	132	63	PEAK																																																																																																																																
2	11650.00	44.63	54.00	-9.37	51.31	38.42	19.17	64.27	0.00	132	63	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11650.00	52.94	74.00	-21.06	59.62	38.42	19.17	64.27	0.00	122	352	PEAK																																																																																																																																
2	11650.00	41.83	54.00	-12.17	48.51	38.42	19.17	64.27	0.00	122	352	AVERAGE																																																																																																																																



Mode	47																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																													
ANT	STBC 7+8																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.41</td><td>59.67</td><td>68.20</td><td>-8.53</td><td>40.64</td><td>34.60</td><td>14.53</td><td>30.10</td><td>0.00</td><td>110</td><td>26 PEAK</td></tr><tr><td>2 5650.38</td><td>57.97</td><td>68.48</td><td>-10.51</td><td>38.88</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>110</td><td>26 PEAK</td></tr><tr><td>3 5718.73</td><td>72.97</td><td>110.54</td><td>-37.57</td><td>53.62</td><td>34.66</td><td>14.77</td><td>30.08</td><td>0.00</td><td>110</td><td>26 PEAK</td></tr><tr><td>4 5724.47</td><td>73.41</td><td>121.08</td><td>-47.67</td><td>54.02</td><td>34.67</td><td>14.80</td><td>30.08</td><td>0.00</td><td>110</td><td>26 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5603.41	59.67	68.20	-8.53	40.64	34.60	14.53	30.10	0.00	110	26 PEAK	2 5650.38	57.97	68.48	-10.51	38.88	34.60	14.60	30.11	0.00	110	26 PEAK	3 5718.73	72.97	110.54	-37.57	53.62	34.66	14.77	30.08	0.00	110	26 PEAK	4 5724.47	73.41	121.08	-47.67	54.02	34.67	14.80	30.08	0.00	110	26 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>101.86</td><td>-----</td><td>-----</td><td>82.23</td><td>34.76</td><td>14.94</td><td>30.07</td><td>0.00</td><td>110</td><td>26 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	101.86	-----	-----	82.23	34.76	14.94	30.07	0.00	110
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5603.41	59.67	68.20	-8.53	40.64	34.60	14.53	30.10	0.00	110	26 PEAK																																																																																																																				
2 5650.38	57.97	68.48	-10.51	38.88	34.60	14.60	30.11	0.00	110	26 PEAK																																																																																																																				
3 5718.73	72.97	110.54	-37.57	53.62	34.66	14.77	30.08	0.00	110	26 PEAK																																																																																																																				
4 5724.47	73.41	121.08	-47.67	54.02	34.67	14.80	30.08	0.00	110	26 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	101.86	-----	-----	82.23	34.76	14.94	30.07	0.00	110	26 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.03</td><td>-----</td><td>-----</td><td>74.40</td><td>34.76</td><td>14.94</td><td>30.07</td><td>0.00</td><td>110</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.03	-----	-----	74.40	34.76	14.94	30.07	0.00	110	26 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5755.00	94.03	-----	-----	74.40	34.76	14.94	30.07	0.00	110	26 AVERAGE																																																																																																																				



Mode	47																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	STBC 7+8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>56.91</td><td>111.26</td><td>-54.35</td><td>37.07</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>110</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>59.30</td><td>105.81</td><td>-46.51</td><td>39.53</td><td>35.05</td><td>14.76</td><td>30.04</td><td>0.00</td><td>110</td><td>26</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>58.63</td><td>68.60</td><td>-9.97</td><td>39.05</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>110</td><td>26</td><td>PEAK</td></tr><tr><td>4</td><td>5949.61</td><td>59.31</td><td>68.20</td><td>-8.89</td><td>39.80</td><td>35.15</td><td>14.45</td><td>30.09</td><td>0.00</td><td>110</td><td>26</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	56.91	111.26	-54.35	37.07	35.01	14.86	30.03	0.00	110	26	PEAK	2	5873.17	59.30	105.81	-46.51	39.53	35.05	14.76	30.04	0.00	110	26	PEAK	3	5924.46	58.63	68.60	-9.97	39.05	35.12	14.53	30.07	0.00	110	26	PEAK	4	5949.61	59.31	68.20	-8.89	39.80	35.15	14.45	30.09	0.00	110	26	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	56.91	111.26	-54.35	37.07	35.01	14.86	30.03	0.00	110	26	PEAK																																																																									
2	5873.17	59.30	105.81	-46.51	39.53	35.05	14.76	30.04	0.00	110	26	PEAK																																																																									
3	5924.46	58.63	68.60	-9.97	39.05	35.12	14.53	30.07	0.00	110	26	PEAK																																																																									
4	5949.61	59.31	68.20	-8.89	39.80	35.15	14.45	30.09	0.00	110	26	PEAK																																																																									

Mode

47

Band Edge - L

U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz


ANT

STBC 7+8

Pol.


Vertical

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	5605.27	60.10	68.20	-8.10	41.07	34.60	14.53	30.10	0.00	179	360	PEAK
2	5651.62	59.06	69.40	-10.34	39.97	34.60	14.60	30.11	0.00	179	360	PEAK
3	5718.09	65.09	110.59	-45.50	45.74	34.66	14.77	30.08	0.00	179	360	PEAK
4	5720.28	62.37	111.54	-49.17	43.01	34.66	14.78	30.08	0.00	179	360	PEAK

Fundamental




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	5755.00	102.69	-----	-----	83.06	34.76	14.94	30.07	0.00	179	360	PEAK

Blank





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	5755.00	93.41	-----	-----	73.74	34.77	14.97	30.07	0.00	179	360	AVERAGE






Mode	47																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	STBC 7+8																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>57.92</td><td>111.71</td><td>-53.79</td><td>38.08</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5872.39</td><td>58.76</td><td>106.03</td><td>-47.27</td><td>39.00</td><td>35.04</td><td>14.76</td><td>30.04</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>59.68</td><td>68.31</td><td>-8.63</td><td>40.10</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5930.50</td><td>59.23</td><td>68.20</td><td>-8.97</td><td>39.67</td><td>35.13</td><td>14.51</td><td>30.08</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	57.92	111.71	-53.79	38.08	35.01	14.86	30.03	0.00	179	360	PEAK	2	5872.39	58.76	106.03	-47.27	39.00	35.04	14.76	30.04	0.00	179	360	PEAK	3	5924.85	59.68	68.31	-8.63	40.10	35.12	14.53	30.07	0.00	179	360	PEAK	4	5930.50	59.23	68.20	-8.97	39.67	35.13	14.51	30.08	0.00	179	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.65	57.92	111.71	-53.79	38.08	35.01	14.86	30.03	0.00	179	360	PEAK																																																																																		
2	5872.39	58.76	106.03	-47.27	39.00	35.04	14.76	30.04	0.00	179	360	PEAK																																																																																		
3	5924.85	59.68	68.31	-8.63	40.10	35.12	14.53	30.07	0.00	179	360	PEAK																																																																																		
4	5930.50	59.23	68.20	-8.97	39.67	35.13	14.51	30.08	0.00	179	360	PEAK																																																																																		




Mode	47																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																															
ANT	STBC 7+8																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>53.75</td><td>74.00</td><td>-20.25</td><td>60.16</td><td>38.31</td><td>19.19</td><td>63.91</td><td>0.00</td><td>143</td><td>66</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>48.59</td><td>38.31</td><td>19.19</td><td>63.90</td><td>0.00</td><td>143</td><td>66</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	53.75	74.00	-20.25	60.16	38.31	19.19	63.91	0.00	143	66	PEAK	2	11510.00	42.19	54.00	-11.81	48.59	38.31	19.19	63.90	0.00	143	66	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>53.46</td><td>38.31</td><td>19.19</td><td>63.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	47.05	74.00	-26.95	53.46	38.31	19.19	63.91	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11510.00	53.75	74.00	-20.25	60.16	38.31	19.19	63.91	0.00	143	66	PEAK																																																																																																				
2	11510.00	42.19	54.00	-11.81	48.59	38.31	19.19	63.90	0.00	143	66	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11510.00	47.05	74.00	-26.95	53.46	38.31	19.19	63.91	0.00	---	---	PEAK																																																																																																				






Mode	48																																																																																																																																					
	Band Edge - L																																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																					
ANT	STBC 7+8																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.20</td><td>59.31</td><td>68.20</td><td>-8.89</td><td>40.23</td><td>34.60</td><td>14.59</td><td>30.11</td><td>0.00</td><td>110</td><td>25 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.69</td><td>68.00</td><td>-11.11</td><td>38.60</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>110</td><td>25 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>58.24</td><td>105.30</td><td>-47.06</td><td>39.05</td><td>34.60</td><td>14.68</td><td>30.09</td><td>0.00</td><td>110</td><td>25 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.60</td><td>110.90</td><td>-54.30</td><td>37.24</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>110</td><td>25 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.20	59.31	68.20	-8.89	40.23	34.60	14.59	30.11	0.00	110	25 PEAK	2	5650.00	57.69	68.00	-11.11	38.60	34.60	14.60	30.11	0.00	110	25 PEAK	3	5700.00	58.24	105.30	-47.06	39.05	34.60	14.68	30.09	0.00	110	25 PEAK	4	5720.00	56.60	110.90	-54.30	37.24	34.66	14.78	30.08	0.00	110	25 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.36</td><td>-----</td><td>-----</td><td>81.38</td><td>34.88</td><td>15.15</td><td>30.05</td><td>0.00</td><td>110</td><td>25 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.36	-----	-----	81.38	34.88	15.15	30.05	0.00	110	25 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5645.20	59.31	68.20	-8.89	40.23	34.60	14.59	30.11	0.00	110	25 PEAK																																																																																																																											
2	5650.00	57.69	68.00	-11.11	38.60	34.60	14.60	30.11	0.00	110	25 PEAK																																																																																																																											
3	5700.00	58.24	105.30	-47.06	39.05	34.60	14.68	30.09	0.00	110	25 PEAK																																																																																																																											
4	5720.00	56.60	110.90	-54.30	37.24	34.66	14.78	30.08	0.00	110	25 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5795.00	101.36	-----	-----	81.38	34.88	15.15	30.05	0.00	110	25 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.86</td><td>-----</td><td>-----</td><td>71.88</td><td>34.88</td><td>15.15</td><td>30.05</td><td>0.00</td><td>110</td><td>25 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	91.86	-----	-----	71.88	34.88	15.15	30.05	0.00	110	25 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	5795.00	91.86	-----	-----	71.88	34.88	15.15	30.05	0.00	110	25 AVERAGE																																																																																																																											




Mode	48																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	STBC 7+8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>58.71</td><td>111.36</td><td>-52.65</td><td>38.87</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>110</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>58.03</td><td>105.36</td><td>-47.33</td><td>38.27</td><td>35.05</td><td>14.75</td><td>30.04</td><td>0.00</td><td>110</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>58.25</td><td>68.35</td><td>-10.10</td><td>38.67</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>110</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>59.42</td><td>68.20</td><td>-8.78</td><td>39.85</td><td>35.13</td><td>14.52</td><td>30.08</td><td>0.00</td><td>110</td><td>25</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	58.71	111.36	-52.65	38.87	35.01	14.86	30.03	0.00	110	25	PEAK	2	5874.80	58.03	105.36	-47.33	38.27	35.05	14.75	30.04	0.00	110	25	PEAK	3	5924.80	58.25	68.35	-10.10	38.67	35.12	14.53	30.07	0.00	110	25	PEAK	4	5927.60	59.42	68.20	-8.78	39.85	35.13	14.52	30.08	0.00	110	25	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	58.71	111.36	-52.65	38.87	35.01	14.86	30.03	0.00	110	25	PEAK																																																																									
2	5874.80	58.03	105.36	-47.33	38.27	35.05	14.75	30.04	0.00	110	25	PEAK																																																																									
3	5924.80	58.25	68.35	-10.10	38.67	35.12	14.53	30.07	0.00	110	25	PEAK																																																																									
4	5927.60	59.42	68.20	-8.78	39.85	35.13	14.52	30.08	0.00	110	25	PEAK																																																																									





Mode	48																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																						
ANT	STBC 7+8																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																	
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5681.20</td><td>59.26</td><td>68.20</td><td>-8.94</td><td>40.24</td><td>34.60</td><td>14.52</td><td>30.10</td><td>0.00</td><td>179 360 PEAK</td></tr><tr><td>2 5652.00</td><td>57.96</td><td>69.69</td><td>-11.73</td><td>38.87</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>179 360 PEAK</td></tr><tr><td>3 5700.80</td><td>57.59</td><td>105.52</td><td>-47.93</td><td>38.40</td><td>34.60</td><td>14.68</td><td>30.09</td><td>0.00</td><td>179 360 PEAK</td></tr><tr><td>4 5720.40</td><td>57.40</td><td>111.81</td><td>-54.41</td><td>38.04</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>179 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5681.20	59.26	68.20	-8.94	40.24	34.60	14.52	30.10	0.00	179 360 PEAK	2 5652.00	57.96	69.69	-11.73	38.87	34.60	14.60	30.11	0.00	179 360 PEAK	3 5700.80	57.59	105.52	-47.93	38.40	34.60	14.68	30.09	0.00	179 360 PEAK	4 5720.40	57.40	111.81	-54.41	38.04	34.66	14.78	30.08	0.00	179 360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>101.46</td><td>-----</td><td>-----</td><td>81.48</td><td>34.88</td><td>15.15</td><td>30.05</td><td>0.00</td><td>179 360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	101.46	-----	-----	81.48	34.88	15.15	30.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5681.20	59.26	68.20	-8.94	40.24	34.60	14.52	30.10	0.00	179 360 PEAK																																																																																																														
2 5652.00	57.96	69.69	-11.73	38.87	34.60	14.60	30.11	0.00	179 360 PEAK																																																																																																														
3 5700.80	57.59	105.52	-47.93	38.40	34.60	14.68	30.09	0.00	179 360 PEAK																																																																																																														
4 5720.40	57.40	111.81	-54.41	38.04	34.66	14.78	30.08	0.00	179 360 PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5795.00	101.46	-----	-----	81.48	34.88	15.15	30.05	0.00	179 360 PEAK																																																																																																														
Avg	Blank																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>92.46</td><td>-----</td><td>-----</td><td>72.48</td><td>34.88</td><td>15.15</td><td>30.05</td><td>0.00</td><td>179 360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	92.46	-----	-----	72.48	34.88	15.15	30.05	0.00	179 360 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1 5795.00	92.46	-----	-----	72.48	34.88	15.15	30.05	0.00	179 360 AVERAGE																																																																																																														






Mode	48																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																
ANT	STBC 7+8																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.80</td><td>59.09</td><td>111.36</td><td>-52.27</td><td>39.25</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr><tr><td>2 5872.00</td><td>59.16</td><td>106.14</td><td>-46.98</td><td>39.40</td><td>35.04</td><td>14.76</td><td>30.04</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr><tr><td>3 5924.00</td><td>58.17</td><td>68.94</td><td>-10.77</td><td>38.59</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr><tr><td>4 5983.60</td><td>58.92</td><td>68.20</td><td>-9.28</td><td>39.50</td><td>35.18</td><td>14.35</td><td>30.11</td><td>0.00</td><td>179</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.80	59.09	111.36	-52.27	39.25	35.01	14.86	30.03	0.00	179	360	PEAK	2 5872.00	59.16	106.14	-46.98	39.40	35.04	14.76	30.04	0.00	179	360	PEAK	3 5924.00	58.17	68.94	-10.77	38.59	35.12	14.53	30.07	0.00	179	360	PEAK	4 5983.60	58.92	68.20	-9.28	39.50	35.18	14.35	30.11	0.00	179	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 5854.80	59.09	111.36	-52.27	39.25	35.01	14.86	30.03	0.00	179	360	PEAK																																																																						
2 5872.00	59.16	106.14	-46.98	39.40	35.04	14.76	30.04	0.00	179	360	PEAK																																																																						
3 5924.00	58.17	68.94	-10.77	38.59	35.12	14.53	30.07	0.00	179	360	PEAK																																																																						
4 5983.60	58.92	68.20	-9.28	39.50	35.18	14.35	30.11	0.00	179	360	PEAK																																																																						




Mode	48																																																																																																															
	Harmonic																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																															
ANT	STBC 7+8																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>61.45</td><td>38.37</td><td>19.20</td><td>64.11</td><td>0.00</td><td>105</td><td>67</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>51.02</td><td>38.37</td><td>19.20</td><td>64.11</td><td>0.00</td><td>105</td><td>67</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	54.91	74.00	-19.09	61.45	38.37	19.20	64.11	0.00	105	67	PEAK	2	11590.00	44.48	54.00	-9.52	51.02	38.37	19.20	64.11	0.00	105	67	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>53.02</td><td>38.37</td><td>19.20</td><td>64.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.48	74.00	-27.52	53.02	38.37	19.20	64.11	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11590.00	54.91	74.00	-19.09	61.45	38.37	19.20	64.11	0.00	105	67	PEAK																																																																																																				
2	11590.00	44.48	54.00	-9.52	51.02	38.37	19.20	64.11	0.00	105	67	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	11590.00	46.48	74.00	-27.52	53.02	38.37	19.20	64.11	0.00	---	---	PEAK																																																																																																				






Mode	49																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																							
ANT	STBC 7+8																																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																																		
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5685.60</td><td>59.62</td><td>68.20</td><td>-8.58</td><td>40.59</td><td>34.60</td><td>14.53</td><td>30.10</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>59.21</td><td>69.69</td><td>-10.48</td><td>40.12</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>61.34</td><td>105.75</td><td>-44.41</td><td>42.14</td><td>34.60</td><td>14.69</td><td>30.09</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.08</td><td>110.90</td><td>-47.82</td><td>43.72</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5685.60	59.62	68.20	-8.58	40.59	34.60	14.53	30.10	0.00	100	24	PEAK	2	5652.00	59.21	69.69	-10.48	40.12	34.60	14.60	30.11	0.00	100	24	PEAK	3	5701.60	61.34	105.75	-44.41	42.14	34.60	14.69	30.09	0.00	100	24	PEAK	4	5720.00	63.08	110.90	-47.82	43.72	34.66	14.78	30.08	0.00	100	24	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>98.55</td><td>-----</td><td>-----</td><td>78.82</td><td>34.79</td><td>15.00</td><td>30.06</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.55	-----	-----	78.82	34.79	15.00	30.06	0.00	100	24
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5685.60	59.62	68.20	-8.58	40.59	34.60	14.53	30.10	0.00	100	24	PEAK																																																																																																																												
2	5652.00	59.21	69.69	-10.48	40.12	34.60	14.60	30.11	0.00	100	24	PEAK																																																																																																																												
3	5701.60	61.34	105.75	-44.41	42.14	34.60	14.69	30.09	0.00	100	24	PEAK																																																																																																																												
4	5720.00	63.08	110.90	-47.82	43.72	34.66	14.78	30.08	0.00	100	24	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	98.55	-----	-----	78.82	34.79	15.00	30.06	0.00	100	24	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.62</td><td>-----</td><td>-----</td><td>69.99</td><td>34.76</td><td>14.94</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	89.62	-----	-----	69.99	34.76	14.94	30.07	0.00	100	24	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	89.62	-----	-----	69.99	34.76	14.94	30.07	0.00	100	24	AVERAGE																																																																																																																												




Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	STBC 7+8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>61.16</td><td>113.18</td><td>-52.02</td><td>41.31</td><td>35.01</td><td>14.87</td><td>30.03</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>58.17</td><td>105.36</td><td>-47.19</td><td>38.41</td><td>35.05</td><td>14.75</td><td>30.04</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>56.39</td><td>68.64</td><td>-12.25</td><td>36.81</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>40.23</td><td>35.13</td><td>14.52</td><td>30.07</td><td>0.00</td><td>100</td><td>24</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	61.16	113.18	-52.02	41.31	35.01	14.87	30.03	0.00	100	24	PEAK	2	5874.00	58.17	105.36	-47.19	38.41	35.05	14.75	30.04	0.00	100	24	PEAK	3	5924.40	56.39	68.64	-12.25	36.81	35.12	14.53	30.07	0.00	100	24	PEAK	4	5925.60	59.81	68.20	-8.39	40.23	35.13	14.52	30.07	0.00	100	24	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	61.16	113.18	-52.02	41.31	35.01	14.87	30.03	0.00	100	24	PEAK																																																																									
2	5874.00	58.17	105.36	-47.19	38.41	35.05	14.75	30.04	0.00	100	24	PEAK																																																																									
3	5924.40	56.39	68.64	-12.25	36.81	35.12	14.53	30.07	0.00	100	24	PEAK																																																																									
4	5925.60	59.81	68.20	-8.39	40.23	35.13	14.52	30.07	0.00	100	24	PEAK																																																																									





Mode	49																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																													
ANT	STBC 7+8																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5615.20</td><td>60.59</td><td>68.20</td><td>-7.61</td><td>41.56</td><td>34.60</td><td>14.54</td><td>30.11</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr><tr><td>2 5650.00</td><td>56.66</td><td>68.20</td><td>-11.54</td><td>37.57</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr><tr><td>3 5702.40</td><td>60.45</td><td>105.97</td><td>-45.52</td><td>41.24</td><td>34.61</td><td>14.69</td><td>30.09</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>59.89</td><td>110.90</td><td>-51.01</td><td>40.53</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5615.20	60.59	68.20	-7.61	41.56	34.60	14.54	30.11	0.00	193	360 PEAK	2 5650.00	56.66	68.20	-11.54	37.57	34.60	14.60	30.11	0.00	193	360 PEAK	3 5702.40	60.45	105.97	-45.52	41.24	34.61	14.69	30.09	0.00	193	360 PEAK	4 5720.00	59.89	110.90	-51.01	40.53	34.66	14.78	30.08	0.00	193	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>98.42</td><td>-----</td><td>-----</td><td>78.84</td><td>34.74</td><td>14.91</td><td>30.07</td><td>0.00</td><td>193</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	98.42	-----	-----	78.84	34.74	14.91	30.07	0.00	193
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5615.20	60.59	68.20	-7.61	41.56	34.60	14.54	30.11	0.00	193	360 PEAK																																																																																																																				
2 5650.00	56.66	68.20	-11.54	37.57	34.60	14.60	30.11	0.00	193	360 PEAK																																																																																																																				
3 5702.40	60.45	105.97	-45.52	41.24	34.61	14.69	30.09	0.00	193	360 PEAK																																																																																																																				
4 5720.00	59.89	110.90	-51.01	40.53	34.66	14.78	30.08	0.00	193	360 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	98.42	-----	-----	78.84	34.74	14.91	30.07	0.00	193	360 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>89.26</td><td>-----</td><td>-----</td><td>69.73</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>193</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	89.26	-----	-----	69.73	34.72	14.88	30.07	0.00	193	360 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	89.26	-----	-----	69.73	34.72	14.88	30.07	0.00	193	360 AVERAGE																																																																																																																				






Mode	49																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	STBC 7+8																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.39</td><td>111.36</td><td>-53.97</td><td>37.55</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>58.64</td><td>105.36</td><td>-46.72</td><td>38.88</td><td>35.05</td><td>14.75</td><td>30.04</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.62</td><td>68.64</td><td>-11.02</td><td>38.04</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>59.23</td><td>68.20</td><td>-8.97</td><td>39.67</td><td>35.13</td><td>14.51</td><td>30.08</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	57.39	111.36	-53.97	37.55	35.01	14.86	30.03	0.00	193	360	PEAK	2	5874.80	58.64	105.36	-46.72	38.88	35.05	14.75	30.04	0.00	193	360	PEAK	3	5924.40	57.62	68.64	-11.02	38.04	35.12	14.53	30.07	0.00	193	360	PEAK	4	5931.60	59.23	68.20	-8.97	39.67	35.13	14.51	30.08	0.00	193	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.80	57.39	111.36	-53.97	37.55	35.01	14.86	30.03	0.00	193	360	PEAK																																																																									
2	5874.80	58.64	105.36	-46.72	38.88	35.05	14.75	30.04	0.00	193	360	PEAK																																																																									
3	5924.40	57.62	68.64	-11.02	38.04	35.12	14.53	30.07	0.00	193	360	PEAK																																																																									
4	5931.60	59.23	68.20	-8.97	39.67	35.13	14.51	30.08	0.00	193	360	PEAK																																																																									






Mode	49																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																					
ANT	STBC 7+8																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11550.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>51.46</td><td>38.34</td><td>19.19</td><td>64.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11550.00	44.98	74.00	-29.02	51.46	38.34	19.19	64.01	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11550.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>51.98</td><td>38.34</td><td>19.19</td><td>64.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11550.00	45.50	74.00	-28.50	51.98	38.34	19.19	64.01	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11550.00	44.98	74.00	-29.02	51.46	38.34	19.19	64.01	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11550.00	45.50	74.00	-28.50	51.98	38.34	19.19	64.01	0.00	---	---	PEAK																																																																																										







Mode	50																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																	
ANT	STBC 7+8																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5619.20</td><td>59.39</td><td>68.20</td><td>-8.81</td><td>40.35</td><td>34.60</td><td>14.55</td><td>30.11</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>2 5650.40</td><td>56.70</td><td>68.50</td><td>-11.80</td><td>37.61</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>3 5702.40</td><td>57.97</td><td>105.97</td><td>-48.00</td><td>38.76</td><td>34.61</td><td>14.69</td><td>30.09</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr><tr><td>4 5720.80</td><td>57.26</td><td>112.72</td><td>-55.46</td><td>37.90</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5619.20	59.39	68.20	-8.81	40.35	34.60	14.55	30.11	0.00	100	276 PEAK	2 5650.40	56.70	68.50	-11.80	37.61	34.60	14.60	30.11	0.00	100	276 PEAK	3 5702.40	57.97	105.97	-48.00	38.76	34.61	14.69	30.09	0.00	100	276 PEAK	4 5720.80	57.26	112.72	-55.46	37.90	34.66	14.78	30.08	0.00	100	276 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.19</td><td>-----</td><td>-----</td><td>81.66</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>100</td><td>276 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.19	-----	-----	81.66	34.72	14.88	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5619.20	59.39	68.20	-8.81	40.35	34.60	14.55	30.11	0.00	100	276 PEAK																																																																																																																								
2 5650.40	56.70	68.50	-11.80	37.61	34.60	14.60	30.11	0.00	100	276 PEAK																																																																																																																								
3 5702.40	57.97	105.97	-48.00	38.76	34.61	14.69	30.09	0.00	100	276 PEAK																																																																																																																								
4 5720.80	57.26	112.72	-55.46	37.90	34.66	14.78	30.08	0.00	100	276 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	101.19	-----	-----	81.66	34.72	14.88	30.07	0.00	100	276 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>94.29</td><td>-----</td><td>-----</td><td>74.76</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>100</td><td>276 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	94.29	-----	-----	74.76	34.72	14.88	30.07	0.00	100	276 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	94.29	-----	-----	74.76	34.72	14.88	30.07	0.00	100	276 AVERAGE																																																																																																																								






Mode	50																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																	
ANT	STBC 7+8																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>59.63</td><td>68.20</td><td>-8.57</td><td>40.59</td><td>34.60</td><td>14.54</td><td>30.10</td><td>0.00</td><td>383</td><td>177 PEAK</td></tr><tr><td>2 5650.00</td><td>57.47</td><td>68.20</td><td>-10.73</td><td>38.38</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>383</td><td>177 PEAK</td></tr><tr><td>3 5700.00</td><td>57.13</td><td>105.52</td><td>-48.39</td><td>37.94</td><td>34.60</td><td>14.68</td><td>30.09</td><td>0.00</td><td>383</td><td>177 PEAK</td></tr><tr><td>4 5720.00</td><td>56.11</td><td>110.90</td><td>-54.79</td><td>36.75</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>383</td><td>177 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.00	59.63	68.20	-8.57	40.59	34.60	14.54	30.10	0.00	383	177 PEAK	2 5650.00	57.47	68.20	-10.73	38.38	34.60	14.60	30.11	0.00	383	177 PEAK	3 5700.00	57.13	105.52	-48.39	37.94	34.60	14.68	30.09	0.00	383	177 PEAK	4 5720.00	56.11	110.90	-54.79	36.75	34.66	14.78	30.08	0.00	383	177 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.68</td><td>-----</td><td>-----</td><td>84.20</td><td>34.70</td><td>14.85</td><td>30.07</td><td>0.00</td><td>383</td><td>177 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	103.68	-----	-----	84.20	34.70	14.85	30.07	0.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5610.00	59.63	68.20	-8.57	40.59	34.60	14.54	30.10	0.00	383	177 PEAK																																																																																																																								
2 5650.00	57.47	68.20	-10.73	38.38	34.60	14.60	30.11	0.00	383	177 PEAK																																																																																																																								
3 5700.00	57.13	105.52	-48.39	37.94	34.60	14.68	30.09	0.00	383	177 PEAK																																																																																																																								
4 5720.00	56.11	110.90	-54.79	36.75	34.66	14.78	30.08	0.00	383	177 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	103.68	-----	-----	84.20	34.70	14.85	30.07	0.00	383	177 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.19</td><td>-----</td><td>-----</td><td>76.71</td><td>34.70</td><td>14.85</td><td>30.07</td><td>0.00</td><td>383</td><td>177 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	96.19	-----	-----	76.71	34.70	14.85	30.07	0.00	383	177 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	96.19	-----	-----	76.71	34.70	14.85	30.07	0.00	383	177 AVERAGE																																																																																																																								






Mode	51																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																									
ANT	STBC 7+8																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.34</td><td>112.27</td><td>-55.93</td><td>36.50</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>57.87</td><td>105.36</td><td>-47.49</td><td>38.11</td><td>35.05</td><td>14.75</td><td>30.04</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>58.32</td><td>68.35</td><td>-10.03</td><td>38.74</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>59.27</td><td>68.20</td><td>-8.93</td><td>39.73</td><td>35.14</td><td>14.48</td><td>30.08</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.34	112.27	-55.93	36.50	35.01	14.86	30.03	0.00	100	232 PEAK	2	5874.00	57.87	105.36	-47.49	38.11	35.05	14.75	30.04	0.00	100	232 PEAK	3	5924.00	58.32	68.35	-10.03	38.74	35.12	14.53	30.07	0.00	100	232 PEAK	4	5939.20	59.27	68.20	-8.93	39.73	35.14	14.48	30.08	0.00	100	232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.20</td><td>-----</td><td>-----</td><td>83.30</td><td>34.97</td><td>14.97</td><td>30.04</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.20	-----	-----	83.30	34.97	14.97	30.04	0.00	100	232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	56.34	112.27	-55.93	36.50	35.01	14.86	30.03	0.00	100	232 PEAK																																																																																																																															
2	5874.00	57.87	105.36	-47.49	38.11	35.05	14.75	30.04	0.00	100	232 PEAK																																																																																																																															
3	5924.00	58.32	68.35	-10.03	38.74	35.12	14.53	30.07	0.00	100	232 PEAK																																																																																																																															
4	5939.20	59.27	68.20	-8.93	39.73	35.14	14.48	30.08	0.00	100	232 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.20	-----	-----	83.30	34.97	14.97	30.04	0.00	100	232 PEAK																																																																																																																															
Avg																																																																																																																																										
	Blank																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.99</td><td>-----</td><td>-----</td><td>75.09</td><td>34.97</td><td>14.97</td><td>30.04</td><td>0.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.99	-----	-----	75.09	34.97	14.97	30.04	0.00	100	232 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.99</td><td>-----</td><td>-----</td><td>75.09</td><td>34.97</td><td>14.97</td><td>30.04</td><td>0.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.99	-----	-----	75.09	34.97	14.97	30.04	0.00	100	232 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	94.99	-----	-----	75.09	34.97	14.97	30.04	0.00	100	232 AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	94.99	-----	-----	75.09	34.97	14.97	30.04	0.00	100	232 AVERAGE																																																																																																																															






		51																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																						
ANT	STBC 7+8																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>56.62</td><td>111.36</td><td>-54.74</td><td>36.78</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>388</td><td>125 PEAK</td></tr><tr><td>2 5873.60</td><td>58.67</td><td>105.69</td><td>-47.02</td><td>38.91</td><td>35.05</td><td>14.75</td><td>30.04</td><td>0.00</td><td>388</td><td>125 PEAK</td></tr><tr><td>3 5923.60</td><td>59.17</td><td>69.23</td><td>-10.06</td><td>39.59</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>388</td><td>125 PEAK</td></tr><tr><td>4 5954.00</td><td>59.86</td><td>68.20</td><td>-8.34</td><td>40.36</td><td>35.15</td><td>14.44</td><td>30.09</td><td>0.00</td><td>388</td><td>125 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	56.62	111.36	-54.74	36.78	35.01	14.86	30.03	0.00	388	125 PEAK	2 5873.60	58.67	105.69	-47.02	38.91	35.05	14.75	30.04	0.00	388	125 PEAK	3 5923.60	59.17	69.23	-10.06	39.59	35.12	14.53	30.07	0.00	388	125 PEAK	4 5954.00	59.86	68.20	-8.34	40.36	35.15	14.44	30.09	0.00	388
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5854.00	56.62	111.36	-54.74	36.78	35.01	14.86	30.03	0.00	388	125 PEAK																																																																													
2 5873.60	58.67	105.69	-47.02	38.91	35.05	14.75	30.04	0.00	388	125 PEAK																																																																													
3 5923.60	59.17	69.23	-10.06	39.59	35.12	14.53	30.07	0.00	388	125 PEAK																																																																													
4 5954.00	59.86	68.20	-8.34	40.36	35.15	14.44	30.09	0.00	388	125 PEAK																																																																													
Fundamental																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>100.69</td><td>-----</td><td>-----</td><td>80.79</td><td>34.97</td><td>14.97</td><td>30.04</td><td>0.00</td><td>388</td><td>125 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.69	-----	-----	80.79	34.97	14.97	30.04	0.00	388	125 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	100.69	-----	-----	80.79	34.97	14.97	30.04	0.00	388	125 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5825.00</td><td>93.89</td><td>-----</td><td>-----</td><td>73.99</td><td>34.97</td><td>14.97</td><td>30.04</td><td>0.00</td><td>388</td><td>125 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	93.89	-----	-----	73.99	34.97	14.97	30.04	0.00	388	125 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5825.00	93.89	-----	-----	73.99	34.97	14.97	30.04	0.00	388	125 AVERAGE																																																																													






		52																																																																																																																																		
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																			
ANT	STBC 7+8																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5606.80</td><td>58.41</td><td>68.20</td><td>-9.79</td><td>39.38</td><td>34.60</td><td>14.53</td><td>30.10</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>2 5651.20</td><td>57.09</td><td>69.09</td><td>-11.20</td><td>38.00</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>3 5705.20</td><td>58.28</td><td>106.76</td><td>-48.48</td><td>39.04</td><td>34.62</td><td>14.71</td><td>30.09</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr><tr><td>4 5720.00</td><td>55.83</td><td>110.90</td><td>-55.07</td><td>36.47</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5606.80	58.41	68.20	-9.79	39.38	34.60	14.53	30.10	0.00	100	236 PEAK	2 5651.20	57.09	69.09	-11.20	38.00	34.60	14.60	30.11	0.00	100	236 PEAK	3 5705.20	58.28	106.76	-48.48	39.04	34.62	14.71	30.09	0.00	100	236 PEAK	4 5720.00	55.83	110.90	-55.07	36.47	34.66	14.78	30.08	0.00	100	236 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.71</td><td>-----</td><td>-----</td><td>83.23</td><td>34.70</td><td>14.85</td><td>30.07</td><td>0.00</td><td>100</td><td>236 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.71	-----	-----	83.23	34.70	14.85	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5606.80	58.41	68.20	-9.79	39.38	34.60	14.53	30.10	0.00	100	236 PEAK																																																																																																																										
2 5651.20	57.09	69.09	-11.20	38.00	34.60	14.60	30.11	0.00	100	236 PEAK																																																																																																																										
3 5705.20	58.28	106.76	-48.48	39.04	34.62	14.71	30.09	0.00	100	236 PEAK																																																																																																																										
4 5720.00	55.83	110.90	-55.07	36.47	34.66	14.78	30.08	0.00	100	236 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	102.71	-----	-----	83.23	34.70	14.85	30.07	0.00	100	236 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>95.81</td><td>-----</td><td>-----</td><td>76.28</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>100</td><td>236 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	95.81	-----	-----	76.28	34.72	14.88	30.07	0.00	100	236 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5745.00	95.81	-----	-----	76.28	34.72	14.88	30.07	0.00	100	236 AVERAGE																																																																																																																										






Mode	52																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																								
ANT	STBC 7+8																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.40</td><td>58.48</td><td>68.20</td><td>-9.72</td><td>39.45</td><td>34.60</td><td>14.54</td><td>30.11</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>58.05</td><td>69.09</td><td>-11.04</td><td>38.96</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr><tr><td>3</td><td>5700.40</td><td>57.73</td><td>105.41</td><td>-47.68</td><td>38.54</td><td>34.60</td><td>14.68</td><td>30.09</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.64</td><td>110.90</td><td>-54.26</td><td>37.28</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.40	58.48	68.20	-9.72	39.45	34.60	14.54	30.11	0.00	300	125 PEAK	2	5651.20	58.05	69.09	-11.04	38.96	34.60	14.60	30.11	0.00	300	125 PEAK	3	5700.40	57.73	105.41	-47.68	38.54	34.60	14.68	30.09	0.00	300	125 PEAK	4	5720.00	56.64	110.90	-54.26	37.28	34.66	14.78	30.08	0.00	300	125 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.90</td><td>-----</td><td>-----</td><td>84.37</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>300</td><td>125 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.90	-----	-----	84.37	34.72	14.88	30.07	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5614.40	58.48	68.20	-9.72	39.45	34.60	14.54	30.11	0.00	300	125 PEAK																																																																																																																														
2	5651.20	58.05	69.09	-11.04	38.96	34.60	14.60	30.11	0.00	300	125 PEAK																																																																																																																														
3	5700.40	57.73	105.41	-47.68	38.54	34.60	14.68	30.09	0.00	300	125 PEAK																																																																																																																														
4	5720.00	56.64	110.90	-54.26	37.28	34.66	14.78	30.08	0.00	300	125 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.90	-----	-----	84.37	34.72	14.88	30.07	0.00	300	125 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.90</td><td>-----</td><td>-----</td><td>75.50</td><td>34.70</td><td>14.85</td><td>30.07</td><td>0.00</td><td>300</td><td>125 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	94.90	-----	-----	75.50	34.70	14.85	30.07	0.00	300	125 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	94.90	-----	-----	75.50	34.70	14.85	30.07	0.00	300	125 AVERAGE																																																																																																																														






Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																									
ANT	STBC 7+8																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>56.64</td><td>112.27</td><td>-55.63</td><td>36.80</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>58.29</td><td>106.25</td><td>-47.96</td><td>38.53</td><td>35.04</td><td>14.76</td><td>30.04</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.75</td><td>68.35</td><td>-10.60</td><td>38.17</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr><tr><td>4</td><td>5957.60</td><td>59.21</td><td>68.20</td><td>-8.99</td><td>39.72</td><td>35.16</td><td>14.43</td><td>30.10</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.64	112.27	-55.63	36.80	35.01	14.86	30.03	0.00	100	233 PEAK	2	5871.60	58.29	106.25	-47.96	38.53	35.04	14.76	30.04	0.00	100	233 PEAK	3	5924.80	57.75	68.35	-10.60	38.17	35.12	14.53	30.07	0.00	100	233 PEAK	4	5957.60	59.21	68.20	-8.99	39.72	35.16	14.43	30.10	0.00	100	233 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.67</td><td>-----</td><td>-----</td><td>83.74</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>100</td><td>233 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.67	-----	-----	83.74	34.96	15.01	30.04	0.00	100	233 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	56.64	112.27	-55.63	36.80	35.01	14.86	30.03	0.00	100	233 PEAK																																																																																																																															
2	5871.60	58.29	106.25	-47.96	38.53	35.04	14.76	30.04	0.00	100	233 PEAK																																																																																																																															
3	5924.80	57.75	68.35	-10.60	38.17	35.12	14.53	30.07	0.00	100	233 PEAK																																																																																																																															
4	5957.60	59.21	68.20	-8.99	39.72	35.16	14.43	30.10	0.00	100	233 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.67	-----	-----	83.74	34.96	15.01	30.04	0.00	100	233 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.95</td><td>-----</td><td>-----</td><td>75.02</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>100</td><td>233 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.95	-----	-----	75.02	34.96	15.01	30.04	0.00	100	233 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	94.95	-----	-----	75.02	34.96	15.01	30.04	0.00	100	233 AVERAGE																																																																																																																															






Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																									
ANT	STBC 7+8																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>58.76</td><td>112.27</td><td>-53.51</td><td>38.92</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>58.28</td><td>105.80</td><td>-47.52</td><td>38.51</td><td>35.05</td><td>14.76</td><td>30.04</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.17</td><td>68.64</td><td>-11.47</td><td>37.59</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr><tr><td>4</td><td>5933.20</td><td>60.13</td><td>68.20</td><td>-8.07</td><td>40.58</td><td>35.13</td><td>14.50</td><td>30.08</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	58.76	112.27	-53.51	38.92	35.01	14.86	30.03	0.00	390	154 PEAK	2	5873.20	58.28	105.80	-47.52	38.51	35.05	14.76	30.04	0.00	390	154 PEAK	3	5924.40	57.17	68.64	-11.47	37.59	35.12	14.53	30.07	0.00	390	154 PEAK	4	5933.20	60.13	68.20	-8.07	40.58	35.13	14.50	30.08	0.00	390	154 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.64</td><td>-----</td><td>-----</td><td>83.74</td><td>34.97</td><td>14.97</td><td>30.04</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.64	-----	-----	83.74	34.97	14.97	30.04	0.00	390	154 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	58.76	112.27	-53.51	38.92	35.01	14.86	30.03	0.00	390	154 PEAK																																																																																																																															
2	5873.20	58.28	105.80	-47.52	38.51	35.05	14.76	30.04	0.00	390	154 PEAK																																																																																																																															
3	5924.40	57.17	68.64	-11.47	37.59	35.12	14.53	30.07	0.00	390	154 PEAK																																																																																																																															
4	5933.20	60.13	68.20	-8.07	40.58	35.13	14.50	30.08	0.00	390	154 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	103.64	-----	-----	83.74	34.97	14.97	30.04	0.00	390	154 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.35</td><td>-----</td><td>-----</td><td>75.42</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>390</td><td>154 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.35	-----	-----	75.42	34.96	15.01	30.04	0.00	390	154 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	95.35	-----	-----	75.42	34.96	15.01	30.04	0.00	390	154 AVERAGE																																																																																																																															






Mode	54																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	STBC 7+8																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.60</td><td>59.61</td><td>68.20</td><td>-8.59</td><td>40.55</td><td>34.60</td><td>14.57</td><td>30.11</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>57.74</td><td>69.09</td><td>-11.35</td><td>38.65</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>59.13</td><td>105.30</td><td>-46.17</td><td>39.94</td><td>34.60</td><td>14.68</td><td>30.09</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>57.05</td><td>111.81</td><td>-54.76</td><td>37.69</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.60	59.61	68.20	-8.59	40.55	34.60	14.57	30.11	0.00	100	237 PEAK	2	5651.20	57.74	69.09	-11.35	38.65	34.60	14.60	30.11	0.00	100	237 PEAK	3	5700.00	59.13	105.30	-46.17	39.94	34.60	14.68	30.09	0.00	100	237 PEAK	4	5720.40	57.05	111.81	-54.76	37.69	34.66	14.78	30.08	0.00	100	237 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.27</td><td>-----</td><td>-----</td><td>84.74</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>100</td><td>237 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.27	-----	-----	84.74	34.72	14.88	30.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5631.60	59.61	68.20	-8.59	40.55	34.60	14.57	30.11	0.00	100	237 PEAK																																																																																																																														
2	5651.20	57.74	69.09	-11.35	38.65	34.60	14.60	30.11	0.00	100	237 PEAK																																																																																																																														
3	5700.00	59.13	105.30	-46.17	39.94	34.60	14.68	30.09	0.00	100	237 PEAK																																																																																																																														
4	5720.40	57.05	111.81	-54.76	37.69	34.66	14.78	30.08	0.00	100	237 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	104.27	-----	-----	84.74	34.72	14.88	30.07	0.00	100	237 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.85</td><td>-----</td><td>-----</td><td>76.32</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>100</td><td>237 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.85	-----	-----	76.32	34.72	14.88	30.07	0.00	100	237 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	95.85	-----	-----	76.32	34.72	14.88	30.07	0.00	100	237 AVERAGE																																																																																																																														






Mode	54																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																	
ANT	STBC 7+8																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																												
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>59.64</td><td>68.20</td><td>-8.56</td><td>40.59</td><td>34.60</td><td>14.56</td><td>30.11</td><td>0.00</td><td>300</td><td>126 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>38.05</td><td>34.60</td><td>14.60</td><td>30.11</td><td>0.00</td><td>300</td><td>126 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>57.94</td><td>105.64</td><td>-47.70</td><td>38.74</td><td>34.60</td><td>14.69</td><td>30.09</td><td>0.00</td><td>300</td><td>126 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>57.01</td><td>112.72</td><td>-55.71</td><td>37.65</td><td>34.66</td><td>14.78</td><td>30.08</td><td>0.00</td><td>300</td><td>126 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5622.00	59.64	68.20	-8.56	40.59	34.60	14.56	30.11	0.00	300	126 PEAK	2	5650.00	57.14	68.20	-11.06	38.05	34.60	14.60	30.11	0.00	300	126 PEAK	3	5701.20	57.94	105.64	-47.70	38.74	34.60	14.69	30.09	0.00	300	126 PEAK	4	5720.80	57.01	112.72	-55.71	37.65	34.66	14.78	30.08	0.00	300	126 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.34</td><td>-----</td><td>-----</td><td>83.81</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>300</td><td>126 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	103.34	-----	-----	83.81	34.72	14.88	30.07	0.00	300	126 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5622.00	59.64	68.20	-8.56	40.59	34.60	14.56	30.11	0.00	300	126 PEAK																																																																																																							
2	5650.00	57.14	68.20	-11.06	38.05	34.60	14.60	30.11	0.00	300	126 PEAK																																																																																																							
3	5701.20	57.94	105.64	-47.70	38.74	34.60	14.69	30.09	0.00	300	126 PEAK																																																																																																							
4	5720.80	57.01	112.72	-55.71	37.65	34.66	14.78	30.08	0.00	300	126 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	103.34	-----	-----	83.81	34.72	14.88	30.07	0.00	300	126 PEAK																																																																																																							
Avg	Blank																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.77</td><td>-----</td><td>-----</td><td>75.24</td><td>34.72</td><td>14.88</td><td>30.07</td><td>0.00</td><td>300</td><td>126 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	94.77	-----	-----	75.24	34.72	14.88	30.07	0.00	300	126 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	94.77	-----	-----	75.24	34.72	14.88	30.07	0.00	300	126 AVERAGE																																																																																																							





Mode	55																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																						
ANT	STBC 7+8																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>59.05</td><td>113.18</td><td>-54.13</td><td>39.20</td><td>35.01</td><td>14.87</td><td>30.03</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>58.91</td><td>105.80</td><td>-46.89</td><td>39.14</td><td>35.05</td><td>14.76</td><td>30.04</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>56.86</td><td>69.53</td><td>-12.67</td><td>37.28</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>39.37</td><td>35.15</td><td>14.46</td><td>30.09</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	59.05	113.18	-54.13	39.20	35.01	14.87	30.03	0.00	100	234 PEAK	2	5873.20	58.91	105.80	-46.89	39.14	35.05	14.76	30.04	0.00	100	234 PEAK	3	5923.20	56.86	69.53	-12.67	37.28	35.12	14.53	30.07	0.00	100	234 PEAK	4	5946.00	58.89	68.20	-9.31	39.37	35.15	14.46	30.09	0.00	100	234 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.57</td><td>-----</td><td>-----</td><td>84.64</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>100</td><td>234 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	104.57	-----	-----	84.64	34.96	15.01	30.04	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	59.05	113.18	-54.13	39.20	35.01	14.87	30.03	0.00	100	234 PEAK																																																																																																												
2	5873.20	58.91	105.80	-46.89	39.14	35.05	14.76	30.04	0.00	100	234 PEAK																																																																																																												
3	5923.20	56.86	69.53	-12.67	37.28	35.12	14.53	30.07	0.00	100	234 PEAK																																																																																																												
4	5946.00	58.89	68.20	-9.31	39.37	35.15	14.46	30.09	0.00	100	234 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	104.57	-----	-----	84.64	34.96	15.01	30.04	0.00	100	234 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.20</td><td>-----</td><td>-----</td><td>75.27</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>100</td><td>234 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	95.20	-----	-----	75.27	34.96	15.01	30.04	0.00	100	234 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	95.20	-----	-----	75.27	34.96	15.01	30.04	0.00	100	234 AVERAGE																																																																																																												







		55																																																																																																																																							
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	STBC 7+8																																																																																																																																								
Pol.	Vertical					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>56.85</td><td>112.27</td><td>-55.42</td><td>37.01</td><td>35.01</td><td>14.86</td><td>30.03</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>58.35</td><td>106.36</td><td>-48.01</td><td>38.58</td><td>35.04</td><td>14.77</td><td>30.04</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>57.52</td><td>69.23</td><td>-11.71</td><td>37.94</td><td>35.12</td><td>14.53</td><td>30.07</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr><tr><td>4</td><td>5942.80</td><td>60.17</td><td>68.20</td><td>-8.03</td><td>40.65</td><td>35.14</td><td>14.47</td><td>30.09</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.85	112.27	-55.42	37.01	35.01	14.86	30.03	0.00	390	154 PEAK	2	5871.20	58.35	106.36	-48.01	38.58	35.04	14.77	30.04	0.00	390	154 PEAK	3	5923.60	57.52	69.23	-11.71	37.94	35.12	14.53	30.07	0.00	390	154 PEAK	4	5942.80	60.17	68.20	-8.03	40.65	35.14	14.47	30.09	0.00	390	154 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>104.66</td><td>-----</td><td>-----</td><td>84.73</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>390</td><td>154 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.66	-----	-----	84.73	34.96	15.01	30.04	0.00	390	154 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5854.40	56.85	112.27	-55.42	37.01	35.01	14.86	30.03	0.00	390	154 PEAK																																																																																																																														
2	5871.20	58.35	106.36	-48.01	38.58	35.04	14.77	30.04	0.00	390	154 PEAK																																																																																																																														
3	5923.60	57.52	69.23	-11.71	37.94	35.12	14.53	30.07	0.00	390	154 PEAK																																																																																																																														
4	5942.80	60.17	68.20	-8.03	40.65	35.14	14.47	30.09	0.00	390	154 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.66	-----	-----	84.73	34.96	15.01	30.04	0.00	390	154 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>95.39</td><td>-----</td><td>-----</td><td>75.46</td><td>34.96</td><td>15.01</td><td>30.04</td><td>0.00</td><td>390</td><td>154 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.39	-----	-----	75.46	34.96	15.01	30.04	0.00	390	154 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	95.39	-----	-----	75.46	34.96	15.01	30.04	0.00	390	154 AVERAGE																																																																																																																														



Mode	41																																																																																																		
	30M-1G																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																		
ANT	STBC 7+8																																																																																																		
Pol.	Horizontal																																																																																																		
Peak Avg																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>18.26</td><td>-21.74</td><td>40.00</td><td>24.62</td><td>24.39</td><td>0.52</td><td>31.27</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>180.35</td><td>22.67</td><td>-20.83</td><td>43.50</td><td>36.96</td><td>15.09</td><td>1.95</td><td>31.33</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>324.88</td><td>19.22</td><td>-26.78</td><td>46.00</td><td>28.27</td><td>19.97</td><td>2.63</td><td>31.65</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>424.79</td><td>19.66</td><td>-26.34</td><td>46.00</td><td>25.48</td><td>22.41</td><td>3.01</td><td>31.24</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>542.16</td><td>22.06</td><td>-23.94</td><td>46.00</td><td>25.33</td><td>24.94</td><td>3.39</td><td>31.60</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>665.35</td><td>24.24</td><td>-21.76</td><td>46.00</td><td>25.21</td><td>26.53</td><td>3.77</td><td>31.27</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	31.94	18.26	-21.74	40.00	24.62	24.39	0.52	31.27	---	--- Peak	2	180.35	22.67	-20.83	43.50	36.96	15.09	1.95	31.33	---	--- Peak	3	324.88	19.22	-26.78	46.00	28.27	19.97	2.63	31.65	---	--- Peak	4	424.79	19.66	-26.34	46.00	25.48	22.41	3.01	31.24	---	--- Peak	5	542.16	22.06	-23.94	46.00	25.33	24.94	3.39	31.60	---	--- Peak	6	665.35	24.24	-21.76	46.00	25.21	26.53	3.77	31.27	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	31.94	18.26	-21.74	40.00	24.62	24.39	0.52	31.27	---	--- Peak																																																																																									
2	180.35	22.67	-20.83	43.50	36.96	15.09	1.95	31.33	---	--- Peak																																																																																									
3	324.88	19.22	-26.78	46.00	28.27	19.97	2.63	31.65	---	--- Peak																																																																																									
4	424.79	19.66	-26.34	46.00	25.48	22.41	3.01	31.24	---	--- Peak																																																																																									
5	542.16	22.06	-23.94	46.00	25.33	24.94	3.39	31.60	---	--- Peak																																																																																									
6	665.35	24.24	-21.76	46.00	25.21	26.53	3.77	31.27	---	--- Peak																																																																																									
Peak Avg																																																																																																			
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>54.25</td><td>29.64</td><td>-10.36</td><td>40.00</td><td>46.56</td><td>13.55</td><td>0.83</td><td>31.30</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>72.68</td><td>25.51</td><td>-14.49</td><td>40.00</td><td>41.26</td><td>15.04</td><td>1.09</td><td>31.88</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>91.11</td><td>24.41</td><td>-19.09</td><td>43.50</td><td>40.00</td><td>14.96</td><td>1.34</td><td>31.89</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>179.38</td><td>29.63</td><td>-13.87</td><td>43.50</td><td>43.85</td><td>15.16</td><td>1.95</td><td>31.33</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>202.66</td><td>28.66</td><td>-14.84</td><td>43.50</td><td>42.87</td><td>15.05</td><td>2.08</td><td>31.34</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>325.85</td><td>20.68</td><td>-25.32</td><td>46.00</td><td>29.69</td><td>20.00</td><td>2.64</td><td>31.65</td><td>---</td><td>--- Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	54.25	29.64	-10.36	40.00	46.56	13.55	0.83	31.30	---	--- Peak	2	72.68	25.51	-14.49	40.00	41.26	15.04	1.09	31.88	---	--- Peak	3	91.11	24.41	-19.09	43.50	40.00	14.96	1.34	31.89	---	--- Peak	4	179.38	29.63	-13.87	43.50	43.85	15.16	1.95	31.33	---	--- Peak	5	202.66	28.66	-14.84	43.50	42.87	15.05	2.08	31.34	---	--- Peak	6	325.85	20.68	-25.32	46.00	29.69	20.00	2.64	31.65	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	54.25	29.64	-10.36	40.00	46.56	13.55	0.83	31.30	---	--- Peak																																																																																									
2	72.68	25.51	-14.49	40.00	41.26	15.04	1.09	31.88	---	--- Peak																																																																																									
3	91.11	24.41	-19.09	43.50	40.00	14.96	1.34	31.89	---	--- Peak																																																																																									
4	179.38	29.63	-13.87	43.50	43.85	15.16	1.95	31.33	---	--- Peak																																																																																									
5	202.66	28.66	-14.84	43.50	42.87	15.05	2.08	31.34	---	--- Peak																																																																																									
6	325.85	20.68	-25.32	46.00	29.69	20.00	2.64	31.65	---	--- Peak																																																																																									







<Co-location>

		56																																																				
Mode	Band Edge																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																					
ANT	STBC 7+8																																																					
Pol.																																																						
Peak	Horizontal																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5143.85</td><td>61.06</td><td>74.00</td><td>-12.94</td><td>43.07</td><td>34.13</td><td>13.87</td><td>30.01</td><td>0.00</td><td>114</td><td>62 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5143.85	61.06	74.00	-12.94	43.07	34.13	13.87	30.01	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5143.85	61.06	74.00	-12.94	43.07	34.13	13.87	30.01	0.00	114	62 PEAK																																												
Peak	Fundamental																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>106.52</td><td>-----</td><td>-----</td><td>88.48</td><td>34.22</td><td>13.84</td><td>30.02</td><td>0.00</td><td>114</td><td>62 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	106.52	-----	-----	88.48	34.22	13.84	30.02	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5180.00	106.52	-----	-----	88.48	34.22	13.84	30.02	0.00	114	62 PEAK																																												
Avg	Horizontal																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5148.35</td><td>49.69</td><td>54.00</td><td>-4.31</td><td>31.70</td><td>34.15</td><td>13.86</td><td>30.02</td><td>0.00</td><td>114</td><td>62 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5148.35	49.69	54.00	-4.31	31.70	34.15	13.86	30.02	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5148.35	49.69	54.00	-4.31	31.70	34.15	13.86	30.02	0.00	114	62 AVERAGE																																												
Avg	Fundamental																																																					
																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5180.00</td><td>96.97</td><td>-----</td><td>-----</td><td>78.92</td><td>34.24</td><td>13.83</td><td>30.02</td><td>0.00</td><td>114</td><td>62 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5180.00	96.97	-----	-----	78.92	34.24	13.83	30.02	0.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1 5180.00	96.97	-----	-----	78.92	34.24	13.83	30.02	0.00	114	62 AVERAGE																																												



Note: the highest signals over limit are BLE + WLAN 5G co-location fundamental signals.







Mode	56																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																		
ANT	STBC 7+8																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.35</td><td>60.56</td><td>74.00</td><td>-13.44</td><td>42.57</td><td>34.15</td><td>13.86</td><td>30.02</td><td>0.00</td><td>344 120 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.35	60.56	74.00	-13.44	42.57	34.15	13.86	30.02	0.00	344 120 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.62</td><td>-----</td><td>-----</td><td>90.57</td><td>34.24</td><td>13.83</td><td>30.02</td><td>0.00</td><td>344 120 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.62	-----	-----	90.57	34.24	13.83	30.02	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.35	60.56	74.00	-13.44	42.57	34.15	13.86	30.02	0.00	344 120 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	108.62	-----	-----	90.57	34.24	13.83	30.02	0.00	344 120 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.85</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>32.74</td><td>34.15</td><td>13.86</td><td>30.02</td><td>0.00</td><td>344 120 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	50.73	54.00	-3.27	32.74	34.15	13.86	30.02	0.00	344 120 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.02</td><td>-----</td><td>-----</td><td>82.97</td><td>34.24</td><td>13.83</td><td>30.02</td><td>0.00</td><td>344 120 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.02	-----	-----	82.97	34.24	13.83	30.02	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.85	50.73	54.00	-3.27	32.74	34.15	13.86	30.02	0.00	344 120 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.02	-----	-----	82.97	34.24	13.83	30.02	0.00	344 120 AVERAGE																																																																																									

Note: the highest signals over limit are BLE + WLAN 5G co-location fundamental signals.







Mode	56																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full RU_5180MHz																																																																																																			
ANT	STBC 7+8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10366.00</td><td>57.03</td><td>68.20</td><td>-11.17</td><td>66.52</td><td>37.46</td><td>18.24</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10366.00	57.03	68.20	-11.17	66.52	37.46	18.24	65.19	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10357.20</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>65.65</td><td>37.45</td><td>18.22</td><td>65.20</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10357.20	56.12	68.20	-12.08	65.65	37.45	18.22	65.20	0.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10366.00	57.03	68.20	-11.17	66.52	37.46	18.24	65.19	0.00	---	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10357.20	56.12	68.20	-12.08	65.65	37.45	18.22	65.20	0.00	---	---	Peak																																																																																								





Mode	57																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																						
ANT	3																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.14</td><td>58.36</td><td>74.00</td><td>-15.64</td><td>41.35</td><td>32.55</td><td>9.33</td><td>30.87</td><td>6.00</td><td>369 80 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.14	58.36	74.00	-15.64	41.35	32.55	9.33	30.87	6.00	369 80 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2489.14	58.36	74.00	-15.64	41.35	32.55	9.33	30.87	6.00	369 80 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.61</td><td>-----</td><td>-----</td><td>84.69</td><td>32.50</td><td>9.30</td><td>30.88</td><td>6.00</td><td>369 80 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.61	-----	-----	84.69	32.50	9.30	30.88	6.00	369 80 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	101.61	-----	-----	84.69	32.50	9.30	30.88	6.00	369 80 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>29.97</td><td>32.52</td><td>9.31</td><td>30.88</td><td>6.00</td><td>369 80 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.92	54.00	-7.08	29.97	32.52	9.31	30.88	6.00	369 80 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	46.92	54.00	-7.08	29.97	32.52	9.31	30.88	6.00	369 80 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.17</td><td>-----</td><td>-----</td><td>80.25</td><td>32.50</td><td>9.30</td><td>30.88</td><td>6.00</td><td>369 80 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.17	-----	-----	80.25	32.50	9.30	30.88	6.00	369 80 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	97.17	-----	-----	80.25	32.50	9.30	30.88	6.00	369 80 AVERAGE																																													



Mode	57																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																				
ANT	3																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.76</td><td>58.28</td><td>74.00</td><td>-15.72</td><td>41.23</td><td>32.57</td><td>9.35</td><td>30.87</td><td>6.00</td><td>323</td><td>117 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.76	58.28	74.00	-15.72	41.23	32.57	9.35	30.87	6.00	323	117 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.23</td><td>-----</td><td>-----</td><td>81.31</td><td>32.50</td><td>9.30</td><td>30.88</td><td>6.00</td><td>323</td><td>117 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.23	-----	-----	81.31	32.50	9.30	30.88	6.00	323	117 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2493.76	58.28	74.00	-15.72	41.23	32.57	9.35	30.87	6.00	323	117 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	98.23	-----	-----	81.31	32.50	9.30	30.88	6.00	323	117 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.90</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>29.74</td><td>32.57</td><td>9.36</td><td>30.87</td><td>6.00</td><td>323</td><td>117 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.90	46.80	54.00	-7.20	29.74	32.57	9.36	30.87	6.00	323	117 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.43</td><td>-----</td><td>-----</td><td>78.51</td><td>32.50</td><td>9.30</td><td>30.88</td><td>6.00</td><td>323</td><td>117 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.43	-----	-----	78.51	32.50	9.30	30.88	6.00	323	117 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2494.90	46.80	54.00	-7.20	29.74	32.57	9.36	30.87	6.00	323	117 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	95.43	-----	-----	78.51	32.50	9.30	30.88	6.00	323	117 AVERAGE																																																																																										




		57																																																																												
Mode		Harmonic																																																																												
		2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																												
ANT		3																																																																												
Pol.		Horizontal																																																																												
Peak Avg																																																																														
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>61.08</td><td>34.02</td><td>13.69</td><td>65.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>55.95</td><td></td><td></td><td>73.34</td><td>34.24</td><td>13.83</td><td>65.46</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>57.39</td><td>35.74</td><td>15.75</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	43.39	74.00	-30.61	61.08	34.02	13.69	65.40	0.00	---	---	Peak	2	5180.00	55.95			73.34	34.24	13.83	65.46	0.00	---	---	Peak	3	7440.00	43.69	74.00	-30.31	57.39	35.74	15.75	65.19	0.00	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4960.00	43.39	74.00	-30.61	61.08	34.02	13.69	65.40	0.00	---	---	Peak																																																																		
2	5180.00	55.95			73.34	34.24	13.83	65.46	0.00	---	---	Peak																																																																		
3	7440.00	43.69	74.00	-30.31	57.39	35.74	15.75	65.19	0.00	---	---	Peak																																																																		
																																																																														
		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>42.73</td><td>74.00</td><td>-31.27</td><td>60.42</td><td>34.02</td><td>13.69</td><td>65.40</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>56.84</td><td></td><td></td><td>74.23</td><td>34.24</td><td>13.83</td><td>65.46</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>57.09</td><td>35.74</td><td>15.75</td><td>65.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	42.73	74.00	-31.27	60.42	34.02	13.69	65.40	0.00	---	---	Peak	2	5180.00	56.84			74.23	34.24	13.83	65.46	0.00	---	---	Peak	3	7440.00	43.39	74.00	-30.61	57.09	35.74	15.75	65.19	0.00	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4960.00	42.73	74.00	-31.27	60.42	34.02	13.69	65.40	0.00	---	---	Peak																																																																		
2	5180.00	56.84			74.23	34.24	13.83	65.46	0.00	---	---	Peak																																																																		
3	7440.00	43.39	74.00	-30.61	57.09	35.74	15.75	65.19	0.00	---	---	Peak																																																																		

Note: #2 is GSM 850 Harmonic which is more than 20dB lower than WWAN Spurious limit (-13dBm).

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75KHz
802.11ax HE20	92.54	0.539	1.855	2KHz
802.11ax HE40	87.39	0.301	3.317	3.6KHz
802.11ax HE80	92.21	0.514	1.944	2KHz
802.11ax HE20 RU26	98.36	-	-	10Hz
802.11ax HE20 RU52	98.33	-	-	10Hz
802.11ax HE20 RU106	96.65	1.254	0.798	0.82KHz

802.11a






802.11ax HE20




Date: 18 JUL 2023 19:30:26

802.11ax HE40




Date: 18 JUL 2023 19:28:20

802.11ax HE80




802.11ax HE20 RU 26






802.11ax HE20 RU 52



Date: 18 JUL 2023 20:51:23

802.11ax HE20 RU 106



Date: 18 JUL 2023 20:54:33