Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 46.10 74.00 -27.90 52.69 39.50 12.21 58.30 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 46.42 74.00 -27.58 53.01 39.50 12.21 58.30 -- -- Peak

Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 48.57 88.20 -39.63 55.16 39.58 12.48 58.65 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 47.68 88.20 -40.52 54.27 39.58 12.48 58.65 -- -- Peak

Mode	34
	Harmonic
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz
ANT	5+7

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13850.00	47.06	88.20	-41.14	53.64	39.64	12.61	58.83	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13850.00	47.86	88.20	-40.34	54.44	39.64	12.61	58.83	--	--	Peak

Mode	35	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full RU_6965MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13930.00	46.65	88.20	-41.55	53.22	39.67	12.68	58.92	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13930.00	46.92	88.20	-41.28	53.49	39.67	12.68	58.92	--	--	Peak

Mode	36
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz
ANT	5+7

Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7133.76	50.92	88.20	-37.28	39.71	36.19	8.67	33.65	139	271	PEAK
2	7261.49	51.50	74.00	-22.50	40.35	36.09	8.77	33.71	139	271	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7085.00	97.24	------	------	85.88	36.24	8.75	33.63	139	271	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7127.14	41.96	68.20	-26.24	30.73	36.20	8.68	33.65	139	271	AVERAGE
2	7263.88	41.40	54.00	-12.60	30.24	36.09	8.78	33.71	139	271	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7085.00	88.31	------	------	76.99	36.23	8.73	33.64	139	271	AVERAGE

Mode	36
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz
ANT	5+7

Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7130.32	51.66	88.20	-36.54	40.44	36.20	8.67	33.65	171	274	PEAK
2	7335.43	51.30	74.00	-22.70	40.00	36.03	9.01	33.74	171	274	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7085.00	97.54	------	------	86.18	36.24	8.75	33.63	171	274	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7127.40	42.16	68.20	-26.04	30.93	36.20	8.68	33.65	171	274	AVERAGE
2	7255.93	41.35	54.00	-12.65	30.21	36.09	8.75	33.70	171	274	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7085.00	88.97	------	------	77.61	36.24	8.75	33.63	171	274	AVERAGE

Mode	36	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	14170.00	47.14	88.20	-41.06	53.48	39.83	12.73	58.90	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	14170.00	47.50	88.20	-40.70	53.84	39.83	12.73	58.90	--	--	Peak

Mode	37
	Band Edge
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz
ANT	5+7

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5910.12 51.90 88.20 -36.30 41.05 35.36 8.81 33.32 225 65 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 92.15 ------ ------ 81.27 35.46 8.73 33.31 225 65 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5922.12 42.12 68.20 -26.08 31.27 35.38 8.79 33.32 225 65 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 5985.00 83.68 ------ ------ 72.80 35.46 8.73 33.31 225 65 AVERAGE

Mode	37
	Band Edge
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz
ANT	5+7

Pol.	Vertical	Fundamental
Peak		
Avg		

Vertical – Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5924.68	52.02	88.20	-36.18	41.17	35.38	8.79	33.32	194	319	PEAK

Fundamental – Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5985.00	94.60	------	------	83.72	35.45	8.74	33.31	194	319	PEAK

Vertical – Avg

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5915.40	43.25	68.20	-24.95	32.40	35.37	8.80	33.32	194	319	AVERAGE

Fundamental – Avg

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5985.00	85.98	------	------	75.10	35.45	8.74	33.31	194	319	AVERAGE

Mode	37	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11970.00	48.62	74.00	-25.38	55.00	39.16	11.69	57.23	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	11970.00	48.45	74.00	-25.55	54.83	39.16	11.69	57.23	--	--	Peak

Mode	38	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full RU_6145MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12290.00 44.80 74.00 -29.20 51.12 39.32 11.76 57.40 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12290.00 44.96 74.00 -29.04 51.28 39.32 11.76 57.40 -- -- Peak

Mode	39	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 46.64 88.20 -41.56 53.07 39.45 11.86 57.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 45.35 88.20 -42.85 51.78 39.45 11.86 57.74 -- -- Peak

Mode	40	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	12930.00	46.55	88.20	-41.65	53.02	39.49	11.89	57.85	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	12930.00	46.20	88.20	-42.00	52.67	39.49	11.89	57.85	--	--	Peak

Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 46.43 74.00 -27.57 52.99 39.50 12.11 58.17 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 47.52 74.00 -26.48 54.08 39.50 12.11 58.17 -- -- Peak

Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 45.43 88.20 -42.77 52.04 39.50 12.24 58.35 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 45.47 88.20 -42.73 52.08 39.50 12.24 58.35 -- -- Peak

Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13570.00	46.09	88.20	-42.11	52.70	39.53	12.38	58.52	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13570.00	47.00	88.20	-41.20	53.61	39.53	12.38	58.52	--	--	Peak

Mode	44	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13890.00	48.56	88.20	-39.64	55.13	39.65	12.65	58.87	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13890.00	48.20	88.20	-40.00	54.77	39.65	12.65	58.87	--	--	Peak

Mode	45
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz
ANT	5+7

Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7130.95	52.85	88.20	-35.35	41.64	36.19	8.67	33.65	197	271	PEAK
2	7274.28	51.15	74.00	-22.85	39.97	36.08	8.81	33.71	197	271	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7025.00	96.21	------	------	84.76	36.27	8.80	33.62	197	271	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7127.38	43.01	68.20	-25.19	31.78	36.20	8.68	33.65	197	271	AVERAGE
2	7270.70	41.40	54.00	-12.60	30.23	36.08	8.80	33.71	197	271	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7025.00	86.84	------	------	75.36	36.28	8.81	33.61	197	271	AVERAGE

Mode	45
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz
ANT	5+7

Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7129.33	52.28	88.20	-35.92	41.05	36.20	8.68	33.65	200	253	PEAK
2	7280.13	50.23	74.00	-23.77	39.04	36.07	8.83	33.71	200	253	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7025.00	94.40	------	------	82.92	36.28	8.81	33.61	200	253	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7130.63	42.37	68.20	-25.83	31.16	36.19	8.67	33.65	200	253	AVERAGE
2	7250.23	41.30	54.00	-12.70	30.16	36.10	8.74	33.70	200	253	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7025.00	85.94	------	------	74.45	36.28	8.82	33.61	200	253	AVERAGE

Mode	45	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	14050.00	48.21	88.20	-39.99	54.71	39.74	12.73	58.97	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	14050.00	48.02	88.20	-40.18	54.52	39.74	12.73	58.97	--	--	Peak

Mode	46
	Band Edge
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz
ANT	5+7

Pol.	Horizontal	Fundamental
Peak		
Avg		

Horizontal – Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5921.60	52.40	88.20	-35.80	41.55	35.38	8.79	33.32	123	53	PEAK

Fundamental – Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6025.00	89.05	------	------	77.93	35.53	8.91	33.32	123	53	PEAK

Horizontal – Avg

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5883.24	43.01	68.20	-25.19	32.18	35.31	8.84	33.32	123	53	AVERAGE

Fundamental – Avg

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6025.00	80.21	------	------	69.05	35.53	8.96	33.33	123	53	AVERAGE

Mode	46	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	5+7	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5906.48	53.78	88.20	-34.42	42.94	35.35	8.81	33.32	183	309	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6025.00	92.69	------	------	81.51	35.54	8.98	33.34	183	309	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5907.32	44.94	68.20	-23.26	34.10	35.35	8.81	33.32	183	309	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6025.00	83.57	------	------	72.44	35.53	8.93	33.33	183	309	AVERAGE

Mode	46
	Harmonic
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz
ANT	5+7

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	12050.00	45.59	74.00	-28.41	51.90	39.22	11.71	57.24	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	12050.00	44.48	74.00	-29.52	50.79	39.22	11.71	57.24	--	--	Peak

Mode	47	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	12370.00	45.93	74.00	-28.07	52.26	39.35	11.78	57.46	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	12370.00	46.90	74.00	-27.10	53.23	39.35	11.78	57.46	--	--	Peak

Mode	48	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 45.88 74.00 -28.12 52.28 39.44 11.84 57.68 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 46.18 74.00 -27.82 52.58 39.44 11.84 57.68 -- -- Peak

Mode	49	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13330.00 45.74 74.00 -28.26 52.32 39.50 12.18 58.26 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13330.00 46.77 74.00 -27.23 53.35 39.50 12.18 58.26 -- -- Peak

Mode	50
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz
ANT	5+7

Pol.	Horizontal	Fundamental
Peak		
Avg		

Horizontal / Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7138.75	53.25	88.20	-34.95	42.06	36.19	8.66	33.66	200	266	PEAK
2	7278.75	51.20	74.00	-22.80	40.01	36.07	8.83	33.71	200	266	PEAK

Fundamental / Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	92.16	------	------	80.70	36.27	8.80	33.61	200	266	PEAK

Horizontal / Avg

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7128.75	44.66	68.20	-23.54	33.43	36.20	8.68	33.65	200	266	AVERAGE
2	7268.75	41.65	54.00	-12.35	30.48	36.08	8.80	33.71	200	266	AVERAGE

Fundamental / Avg

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	81.95	------	------	70.47	36.28	8.81	33.61	200	266	AVERAGE

Mode	50	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	5+7	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7126.88	54.47	88.20	-33.73	43.24	36.20	8.68	33.65	250	254	PEAK
2	7269.38	52.17	74.00	-21.83	41.00	36.08	8.80	33.71	250	254	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	93.86	------	------	82.34	36.28	8.84	33.60	250	254	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7131.25	45.59	68.20	-22.61	34.38	36.19	8.67	33.65	250	254	AVERAGE
2	7275.00	41.69	54.00	-12.31	30.50	36.08	8.82	33.71	250	254	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	83.85	------	------	72.32	36.29	8.84	33.60	250	254	AVERAGE

Mode	50	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13970.00	47.40	88.20	-40.80	53.95	39.69	12.72	58.96	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13970.00	49.07	88.20	-39.13	55.62	39.69	12.72	58.96	--	--	Peak

Mode	51	
	Harmonic	
	UNII-7-8_6525-7125_802.11ax HE20_CH185_Full RU_6525MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 47.03 88.20 -41.17 53.62 39.60 12.53 58.72 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 47.31 88.20 -40.89 53.90 39.60 12.53 58.72 -- -- Peak

Mode	52	
	Harmonic	
	UNII-7-8_6525-7125_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13680.00	47.35	88.20	-40.85	53.95	39.57	12.47	58.64	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13680.00	47.67	88.20	-40.53	54.27	39.57	12.47	58.64	--	--	Peak

Mode	53	
	Harmonic	
	UNII-7-8_6525-7125_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13730.00	47.88	88.20	-40.32	54.48	39.59	12.51	58.70	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13730.00	47.55	88.20	-40.65	54.15	39.59	12.51	58.70	--	--	Peak

Mode	54	
	Harmonic	
	UNII-7-8_6525-7125_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 47.77 88.20 -40.43 54.37 39.56 12.45 58.61 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 47.73 88.20 -40.47 54.33 39.56 12.45 58.61 -- -- Peak

Mode	55	
	Harmonic	
	UNII-6-7_6425-6875_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 45.36 88.20 -42.84 51.87 39.50 11.94 57.95 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 46.53 88.20 -41.67 53.04 39.50 11.94 57.95 -- 0 Peak

Mode	56	
	Harmonic	
	UNII-6-7_6425-6875_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13090.00	46.89	88.20	-41.31	53.41	39.50	11.98	58.00	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13090.00	46.02	88.20	-42.18	52.54	39.50	11.98	58.00	--	--	Peak

Mode	57	
	Harmonic	
	UNII-6-7_6425-6875_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 46.17 88.20 -42.03 52.67 39.50 11.91 57.91 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 45.60 88.20 -42.60 52.10 39.50 11.91 57.91 -- -- Peak

Mode	58	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Single RU_5955MHz	
ANT	5+7	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5883.89	50.49	88.20	-37.71	39.66	35.31	8.84	33.32	100	138	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5955.00	83.85	------	------	72.98	35.42	8.76	33.31	100	138	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5919.12	40.47	68.20	-27.73	29.62	35.37	8.80	33.32	100	138	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5955.00	76.47	------	------	65.60	35.42	8.76	33.31	100	138	AVERAGE

Mode	58	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Single RU_5955MHz	
ANT	5+7	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5922.50	50.11	88.20	-38.09	39.26	35.38	8.79	33.32	249	267	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5955.00	92.01	------	------	81.14	35.42	8.76	33.31	249	267	PEAK

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5913.79	40.47	68.20	-27.73	29.63	35.36	8.80	33.32	249	267	AVERAGE

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	5955.00	85.22	------	------	74.35	35.42	8.76	33.31	249	267	AVERAGE

Mode	59
	Band Edge
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Single RU_7095MHz
ANT	5+7

Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7216.38	50.88	88.20	-37.32	39.81	36.13	8.63	33.69	177	0	PEAK
2	7261.77	51.02	74.00	-22.98	39.87	36.09	8.77	33.71	177	0	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7095.00	81.35	------	------	70.06	36.22	8.71	33.64	177	0	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7179.92	41.09	68.20	-27.11	30.00	36.15	8.61	33.67	177	0	AVERAGE
2	7265.85	41.02	54.00	-12.98	29.85	36.09	8.79	33.71	177	0	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7095.00	73.94	------	------	62.65	36.22	8.71	33.64	177	0	AVERAGE

Mode	59	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Single RU_7095MHz	
ANT	5+7	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7214.60	50.35	88.20	-37.85	39.29	36.13	8.62	33.69	200	138	PEAK
2	7268.40	49.74	74.00	-24.26	38.58	36.08	8.79	33.71	200	138	PEAK



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7095.00	79.13	------	------	67.84	36.22	8.71	33.64	200	138	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7164.62	40.95	68.20	-27.25	29.82	36.17	8.63	33.67	200	138	AVERAGE
2	7270.19	41.09	54.00	-12.91	29.92	36.08	8.80	33.71	200	138	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7095.00	71.56	------	------	60.27	36.22	8.71	33.64	200	138	AVERAGE

Mode	60
	LF
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz
ANT	5+7

Pol.	Horizontal	Vertical

QP/ Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	113.42	19.88	43.50	-23.62	18.75	--	1.13	0.00	--	--	Peak
2	142.52	21.81	43.50	-21.69	20.56	--	1.25	0.00	--	--	Peak
3	287.05	23.91	46.00	-22.09	22.15	--	1.76	0.00	--	--	Peak
4	349.13	25.91	46.00	-20.09	23.97	--	1.94	0.00	--	--	Peak
5	695.42	26.71	46.00	-19.29	23.91	--	2.80	0.00	--	--	Peak
6	948.59	31.41	46.00	-14.59	28.15	--	3.26	0.00	--	--	Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	33.88	23.98	40.00	-16.02	23.41	--	0.57	0.00	--	--	Peak
2	141.55	23.03	43.50	-20.47	21.78	--	1.25	0.00	--	--	Peak
3	198.78	20.84	43.50	-22.66	19.36	--	1.48	0.00	--	--	Peak
4	448.07	22.62	46.00	-23.38	20.39	--	2.23	0.00	--	--	Peak
5	783.69	29.09	46.00	-16.91	26.09	--	3.00	0.00	--	--	Peak
6	948.59	30.69	46.00	-15.31	27.43	--	3.26	0.00	--	--	Peak

Mode	61	
	Band Edge	
	BLE 2M_CH00_TX + U-NII-8_802.11ax HE160_CH207_Full RU_TX + LTE B41 Link	
ANT	3	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2357.67	48.97	74.00	-25.03	45.46	32.34	4.76	33.59	393	184	Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	99.60	------	------	95.99	32.36	4.81	33.56	393	184	Peak

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2323.02	41.06	54.00	-12.94	37.61	32.33	4.73	33.61	393	184	Average



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	96.29	------	------	92.68	32.36	4.81	33.56	393	184	Average

Mode	61	
	Band Edge	
	BLE 2M_CH00_TX + U-NII-8_802.11ax HE160_CH207_Full RU_TX + LTE B41 Link	
ANT	3	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2355.89	48.83	74.00	-25.17	45.32	32.34	4.76	33.59	304	235	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	99.39	------	------	95.78	32.36	4.81	33.56	304	235	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2333.10	41.20	54.00	-12.80	37.73	32.33	4.74	33.60	304	235	Average

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	2402.00	96.13	------	------	92.52	32.36	4.81	33.56	304	235	Average

Mode	61	
	Band Edge	
	BLE 2M_CH00_TX + U-NII-8_802.11ax HE160_CH207_Full RU_TX + LTE B41 Link	
ANT	5+7	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7149.31	50.63	88.20	-37.57	39.25	36.18	8.65	33.45	105	134	Peak
2	7313.07	50.89	74.00	-23.11	39.51	36.05	8.94	33.61	105	134	Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	87.54	------	------	75.72	36.28	8.84	33.30	105	134	Peak

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7232.36	44.05	68.20	-24.15	32.80	36.11	8.68	33.54	105	134	Peak
2	7268.16	40.86	54.00	-13.14	29.56	36.08	8.79	33.57	105	134	Average



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	78.87	------	------	67.05	36.28	8.84	33.30	105	134	Average

Mode	61
	Band Edge
	BLE 2M_CH00_TX + U-NII-8_802.11ax HE160_CH207_Full RU_TX + LTE B41 Link
ANT	5+7

Pol.	Vertical	Fundamental
Peak		
Avg		

Peak — Vertical

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7212.94	55.03	88.20	-33.17	43.80	36.13	8.62	33.52	313	354	Peak
2	7252.10	50.29	74.00	-23.71	39.00	36.10	8.74	33.55	313	354	Peak

Peak — Fundamental

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	86.93	------	------	75.11	36.28	8.84	33.30	313	354	Peak

Avg — Vertical

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	7212.36	50.43	68.20	-17.77	39.20	36.13	8.62	33.52	313	354	Peak
2	7251.89	42.50	54.00	-11.50	31.21	36.10	8.74	33.55	313	354	Average

Avg — Fundamental

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	6985.00	77.68	------	------	65.86	36.28	8.84	33.30	313	354	Average

Mode	61	
	Harmonic	
	BLE 2M_CH00_TX + U-NII-8_802.11ax HE160_CH207_Full RU_TX + LTE B41 Link	
ANT	5+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4804.00 44.00 74.00 -30.00 34.46 34.42 7.74 32.62 -- -- Peak 2 13970.00 47.66 88.20 -40.54 28.93 39.69 12.72 33.68 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 4804.00 43.20 74.00 -30.80 33.66 34.42 7.74 32.62 -- -- Peak 2 13970.00 48.00 88.20 -40.20 29.27 39.69 12.72 33.68 -- -- Peak

Note: For co-location mode, the three highest signals are BLE + WIFI-6E + LTE fundamental signals.

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.29	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz

802.11a



802.11ax HE20



802.11ax HE40



802.11ax HE80



802.11ax HE160