11BE20MIMO_Ant7_5935_106Tone_RU53



11BE20MIMO_Ant5_5935_26Tone_RU0



11BE20MIMO_Ant5_5935_52Tone_RU37



Date: 19.MAR.2024 02:09:28

11BE20MIMO_Ant5_5935_106Tone_RU53



Date: 19.MAR.2024 02:11:15

11BE20MIMO_Ant7_5955_26Tone_RU0



Date: 6.MAR.2024 07:20:15

11BE20MIMO_Ant7_5955_52Tone_RU37



Date: 6.MAR.2024 07:23:33

11BE20MIMO_Ant7_5955_106Tone_RU53



Date: 6.MAR.2024 07:25:31

11BE20MIMO_Ant5_5955_26Tone_RU0



Date: 6.MAR.2024 07:20:33

11BE20MIMO_Ant5_5955_52Tone_RU37



Date: 6.MAR.2024 07:23:50

11BE20MIMO_Ant5_5955_106Tone_RU53



Date: 6.MAR.2024 07:25:49

11BE20MIMO_Ant7_6435_26Tone_RU0



Date: 6.MAR.2024 07:34:44

11BE20MIMO_Ant7_6435_52Tone_RU37



Date: 6.MAR.2024 07:36:43

11BE20MIMO_Ant7_6435_106Tone_RU53



Date: 6.MAR.2024 07:38:41

11BE20MIMO_Ant5_6435_26Tone_RU0



Date: 6.MAR.2024 07:35:02

11BE20MIMO_Ant5_6435_52Tone_RU37



Date: 6.MAR.2024 07:37:01

11BE20MIMO_Ant5_6435_106Tone_RU53



Date: 6.MAR.2024 07:38:59

11BE20MIMO_Ant7_6535_26Tone_RU0



Date: 6.MAR.2024 07:40:40

11BE20MIMO_Ant7_6535_52Tone_RU37



Date: 6.MAR.2024 07:42:39

11BE20MIMO_Ant7_6535_106Tone_RU53



Date: 6.MAR.2024 07:44:38

11BE20MIMO_Ant5_6535_26Tone_RU0



Date: 6.MAR.2024 07:40:58

11BE20MIMO_Ant5_6535_52Tone_RU37



Date: 6.MAR.2024 07:42:57

11BE20MIMO_Ant5_6535_106Tone_RU53



Date: 6.MAR.2024 07:44:56

11BE20MIMO_Ant7_7095_26Tone_RU8



Date: 6.MAR.2024 07:46:38

11BE20MIMO_Ant7_7095_52Tone_RU40



Date: 6.MAR.2024 07:48:37

11BE20MIMO_Ant7_7095_106Tone_RU54



Date: 6.MAR.2024 07:51:16

11BE20MIMO_Ant5_7095_26Tone_RU8



Date: 6.MAR.2024 07:46:55

11BE20MIMO_Ant5_7095_52Tone_RU40



Date: 6.MAR.2024 07:48:55

11BE20MIMO_Ant5_7095_106Tone_RU54



Date: 6.MAR.2024 07:51:34

11BE20MIMO_Ant7_7115_26Tone_RU8



Date: 19.MAR.2024 02:12:11

11BE20MIMO_Ant7_7115_52Tone_RU40



Date: 19.MAR.2024 02:12:47

11BE20MIMO_Ant7_7115_106Tone_RU54



Date: 19.MAR.2024 02:13:23

11BE20MIMO_Ant5_7115_26Tone_RU8



Date: 19.MAR.2024 02:12:27

11BE20MIMO_Ant5_7115_52Tone_RU40



11BE20MIMO_Ant5_7115_106Tone_RU54



<802.11be Multi-RU & Puncture mode>

Maximum conducted output power

Test Result

Test Mode	Ant.	CH.	MRU Size	MRU Index	Set Power	CH. Power [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20 MIMO	Ant7	5935	52+26_OFDMA	1	-12	-13.10	-13.08	≤27.90	-3.90	-16.98	≤24.00	PASS
			106+26_OFDMA	1	-9.5	-10.30	-10.29	≤27.90	-3.90	-14.19	≤24.00	PASS
	Ant5	5935	52+26_OFDMA	1	-12	-10.79	-10.77	≤27.70	-3.70	-14.47	≤24.00	PASS
			106+26_OFDMA	1	-9.5	-8.10	-8.08	≤27.70	-3.70	-11.78	≤24.00	PASS
	total	5935	52+26_OFDMA	1	---	---	-8.76	≤27.70	-3.70	-12.46	≤24.00	PASS
			106+26_OFDMA	1	---	---	-6.04	≤27.70	-3.70	-9.74	≤24.00	PASS
	Ant7	5955	52+26_OFDMA	1	3	2.36	2.38	≤27.90	-3.90	-1.52	≤24.00	PASS
			106+26_OFDMA	1	5	4.60	4.61	≤27.90	-3.90	0.71	≤24.00	PASS
	Ant5	5955	52+26_OFDMA	1	3	2.63	2.65	≤27.70	-3.70	-1.05	≤24.00	PASS
			106+26_OFDMA	1	5	4.91	4.93	≤27.70	-3.70	1.23	≤24.00	PASS
	total	5955	52+26_OFDMA	1	---	---	5.53	≤27.70	-3.70	1.83	≤24.00	PASS
			106+26_OFDMA	1	---	---	7.78	≤27.70	-3.70	4.08	≤24.00	PASS
	Ant7	6435	52+26_OFDMA	1	4.5	3.72	3.74	≤28.70	-4.70	-0.96	≤24.00	PASS
			106+26_OFDMA	1	6.5	6.07	6.08	≤28.70	-4.70	1.38	≤24.00	PASS
	Ant5	6435	52+26_OFDMA	1	4.5	4.29	4.31	≤29.50	-5.50	-1.19	≤24.00	PASS
			106+26_OFDMA	1	6.5	7.01	7.03	≤29.50	-5.50	1.53	≤24.00	PASS
	total	6435	52+26_OFDMA	1	---	---	7.04	≤28.70	-4.70	2.34	≤24.00	PASS
			106+26_OFDMA	1	---	---	9.59	≤28.70	-4.70	4.89	≤24.00	PASS
	Ant7	6535	52+26_OFDMA	1	5	4.73	4.75	≤29.10	-5.10	-0.35	≤24.00	PASS
			106+26_OFDMA	1	7	6.80	6.81	≤29.10	-5.10	1.71	≤24.00	PASS
	Ant5	6535	52+26_OFDMA	1	5	4.47	4.49	≤30.60	-6.60	-2.11	≤24.00	PASS
			106+26_OFDMA	1	7	6.93	6.95	≤30.60	-6.60	0.35	≤24.00	PASS
	total	6535	52+26_OFDMA	1	---	---	7.63	≤29.10	-5.10	2.53	≤24.00	PASS
			106+26_OFDMA	1	---	---	9.89	≤29.10	-5.10	4.79	≤24.00	PASS
	Ant7	7095	52+26_OFDMA	3	6.5	6.23	6.25	≤30.21	-6.21	0.04	≤24.00	PASS
			106+26_OFDMA	2	8.5	8.39	8.41	≤30.21	-6.21	2.20	≤24.00	PASS
	Ant5	7095	52+26_OFDMA	3	6.5	6.14	6.16	≤29.30	-5.30	0.86	≤24.00	PASS
			106+26_OFDMA	2	8.5	8.49	8.51	≤29.30	-5.30	3.21	≤24.00	PASS
	total	7095	52+26_OFDMA	3	---	---	9.22	≤29.30	-5.30	3.92	≤24.00	PASS
			106+26_OFDMA	2	---	---	11.47	≤29.30	-5.30	6.17	≤24.00	PASS
	Ant7	7115	52+26_OFDMA	3	-7.5	-8.94	-8.92	≤30.21	-6.21	-15.13	≤24.00	PASS
			106+26_OFDMA	2	-5.5	-6.59	-6.57	≤30.21	-6.21	-12.78	≤24.00	PASS
	Ant5	7115	52+26_OFDMA	3	-7.5	-6.29	-6.27	≤29.30	-5.30	-11.57	≤24.00	PASS
			106+26_OFDMA	2	-5.5	-4.06	-4.04	≤29.30	-5.30	-9.34	≤24.00	PASS
	total	7115	52+26_OFDMA	3	---	---	-4.39	≤29.30	-5.30	-9.69	≤24.00	PASS
			106+26_OFDMA	2	---	---	-2.11	≤29.30	-5.30	-7.41	≤24.00	PASS
11BE80 MIMO	Ant7	5985	Large RU 484+242	4	8.5	10.35	10.39	≤27.90	-3.90	6.49	≤24.00	PASS
			Puncturing 20M	4	9	9.67	9.69	≤27.90	-3.90	5.79	≤24.00	PASS
	Ant5	5985	Large RU 484+242	4	8.5	10.21	10.29	≤27.70	-3.70	6.59	≤24.00	PASS
			Puncturing 20M	4	9	9.62	9.64	≤27.70	-3.70	5.94	≤24.00	PASS
	total	5985	Large RU 484+242	4	---	---	13.35	≤27.70	-3.70	9.65	≤24.00	PASS
			Puncturing 20M	4	---	---	12.68	≤27.70	-3.70	8.98	≤24.00	PASS
	Ant7	7025	Large RU 484+242	1	7.5	9.21	9.29	≤30.21	-6.21	3.08	≤24.00	PASS
			Puncturing 20M	1	8.5	9.18	9.20	≤30.21	-6.21	2.99	≤24.00	PASS
	Ant5	7025	Large RU 484+242	1	7.5	9.60	9.68	≤29.30	-5.30	4.38	≤24.00	PASS
			Puncturing 20M	1	8.5	9.38	9.39	≤29.30	-5.30	4.09	≤24.00	PASS
	total	7025	Large RU	1	---	---	12.50	≤29.30	-5.30	7.20	≤24.00	PASS

			484+242									
			Puncturing 20M	1	---	---	12.31	≤29.30	-5.30	7.01	≤24.00	PASS

11BE160 MIMO	Ant7	6025	Large RU 996+484	4	7.5	9.41	9.46	≤27.90	-3.90	5.56	≤24.00	PASS
			Puncturing 40M	4	8	9.05	9.07	≤27.90	-3.90	5.17	≤24.00	PASS
			Puncturing 20M	8	9	9.94	9.96	≤27.90	-3.90	6.06	≤24.00	PASS
	Ant5	6025	Large RU 996+484	4	7.5	9.51	9.60	≤27.70	-3.70	5.90	≤24.00	PASS
			Puncturing 40M	4	8	9.23	9.24	≤27.70	-3.70	5.54	≤24.00	PASS
			Puncturing 20M	8	9	10.07	10.09	≤27.70	-3.70	6.39	≤24.00	PASS
	total	6025	Large RU 996+484	4	---	---	12.54	≤27.70	-3.70	8.84	≤24.00	PASS
			Puncturing 40M	4	---	---	12.17	≤27.70	-3.70	8.47	≤24.00	PASS
			Puncturing 20M	8	---	---	13.04	≤27.70	-3.70	9.34	≤24.00	PASS
	Ant7	6985	Large RU 996+484	1	7.5	9.41	9.50	≤30.21	-6.21	3.29	≤24.00	PASS
			Puncturing 40M	1	8	8.94	8.96	≤30.21	-6.21	2.75	≤24.00	PASS
			Puncturing 20M	1	8.5	9.34	9.36	≤30.21	-6.21	3.15	≤24.00	PASS
	Ant5	6985	Large RU 996+484	1	7.5	9.42	9.51	≤29.30	-5.30	4.21	≤24.00	PASS
			Puncturing 40M	1	8	9.05	9.06	≤29.30	-5.30	3.76	≤24.00	PASS
			Puncturing 20M	1	8.5	9.57	9.59	≤29.30	-5.30	4.29	≤24.00	PASS
	total	6985	Large RU 996+484	1	---	---	12.52	≤29.30	-5.30	7.22	≤24.00	PASS
			Puncturing 40M	1	---	---	12.02	≤29.30	-5.30	6.72	≤24.00	PASS
			Puncturing 20M	1	---	---	12.49	≤29.30	-5.30	7.19	≤24.00	PASS
11BE320 MIMO	Ant7	6105	Large RU 2*996+484	6	6.5	9.17	9.24	≤27.90	-3.90	5.34	≤24.00	PASS
			Large RU 3*996	4	8	9.67	9.76	≤27.90	-3.90	5.86	≤24.00	PASS
			Large RU 3*996+484	8	9	10.18	10.38	≤27.90	-3.90	6.48	≤24.00	PASS
			Puncturing 80+40M	6	7.5	8.41	8.42	≤27.90	-3.90	4.52	≤24.00	PASS
			Puncturing 80M	4	8.5	9.22	9.24	≤27.90	-3.90	5.34	≤24.00	PASS
			Puncturing 40M	8	9	9.76	9.77	≤27.90	-3.90	5.87	≤24.00	PASS
	Ant5	6105	Large RU 2*996+484	6	6.5	9.64	9.79	≤27.70	-3.70	6.09	≤24.00	PASS
			Large RU 3*996	4	8	9.87	10.04	≤27.70	-3.70	6.34	≤24.00	PASS
			Large RU 3*996+484	8	9	10.29	10.49	≤27.70	-3.70	6.79	≤24.00	PASS
			Puncturing 80+40M	6	7.5	8.64	8.66	≤27.70	-3.70	4.96	≤24.00	PASS
			Puncturing 80M	4	8.5	9.46	9.48	≤27.70	-3.70	5.78	≤24.00	PASS
			Puncturing 40M	8	9	10.01	10.03	≤27.70	-3.70	6.33	≤24.00	PASS
	total	6105	Large RU 2*996+484	6	---	---	12.53	≤27.70	-3.70	8.83	≤24.00	PASS
			Large RU 3*996	4	---	---	12.91	≤27.70	-3.70	9.21	≤24.00	PASS
			Large RU 3*996+484	8	---	---	13.45	≤27.70	-3.70	9.75	≤24.00	PASS
			Puncturing 80+40M	6	---	---	11.55	≤27.70	-3.70	7.85	≤24.00	PASS
			Puncturing 80M	4	---	---	12.37	≤27.70	-3.70	8.67	≤24.00	PASS
			Puncturing 40M	8	---	---	12.91	≤27.70	-3.70	9.21	≤24.00	PASS
	Ant7	6905	Large RU 2*996+484	7	7	9.56	9.71	≤29.10	-5.10	4.61	≤24.00	PASS
			Large RU 3*996	1	8.5	10.24	10.50	≤29.10	-5.10	5.40	≤24.00	PASS
			Large RU 3*996+484	1	9.5	10.67	10.96	≤29.10	-5.10	5.86	≤24.00	PASS
			Puncturing 80+40M	7	8.5	9.40	9.42	≤29.10	-5.10	4.32	≤24.00	PASS
			Puncturing 80M	1	9.5	10.31	10.33	≤29.10	-5.10	5.23	≤24.00	PASS
			Puncturing 40M	1	10	10.85	10.87	≤29.10	-5.10	5.77	≤24.00	PASS

	Ant5	6905	Large RU 2*996+484	7	7.0	9.55	9.70	≤29.30	-5.30	4.40	≤24.00	PASS
			Large RU 3*996	1	8.5	10.26	10.52	≤29.30	-5.30	5.22	≤24.00	PASS
			Large RU 3*996+484	1	9.5	10.58	10.87	≤29.30	-5.30	5.57	≤24.00	PASS
			Puncturing 80+40M	7	8.5	9.36	9.38	≤29.30	-5.30	4.08	≤24.00	PASS
			Puncturing 80M	1	9.5	10.20	10.22	≤29.30	-5.30	4.92	≤24.00	PASS
			Puncturing 40M	1	10	10.82	10.84	≤29.30	-5.30	5.54	≤24.00	PASS
	total	6905	Large RU 2*996+484	7	---	---	12.72	≤29.10	-5.10	7.62	≤24.00	PASS
			Large RU 3*996	1	---	---	13.52	≤29.10	-5.10	8.42	≤24.00	PASS
			Large RU 3*996+484	1	---	---	13.93	≤29.10	-5.10	8.83	≤24.00	PASS
			Puncturing 80+40M	7	---	---	12.41	≤29.10	-5.10	7.31	≤24.00	PASS
			Puncturing 80M	1	---	---	13.29	≤29.10	-5.10	8.19	≤24.00	PASS
			Puncturing 40M	1	---	---	13.87	≤29.10	-5.10	8.77	≤24.00	PASS

Note: the duty cycle factor have been compensated in the final results.

Maximum power spectral density

Test Result

Test Mode	Ant	Channel	MRU Size	MRU Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20 MIMO	Ant7	5935	52+26_OFDMA	1	-19.03	≤2.90	-3.90	-22.93	≤-1.00	PASS
			106+26_OFDMA	1	-18.81	≤2.90	-3.90	-22.71	≤-1.00	PASS
	Ant5	5935	52+26_OFDMA	1	-17.55	≤2.70	-3.70	-21.25	≤-1.00	PASS
			106+26_OFDMA	1	-17.20	≤2.70	-3.70	-20.90	≤-1.00	PASS
	total	5935	52+26_OFDMA	1	-15.22	≤-0.21	-0.79	-16.01	≤-1.00	PASS
			106+26_OFDMA	1	-14.92	≤-0.21	-0.79	-15.71	≤-1.00	PASS
	Ant7	5955	52+26_OFDMA	1	-4.54	≤2.90	-3.90	-8.44	≤-1.00	PASS
			106+26_OFDMA	1	-4.72	≤2.90	-3.90	-8.62	≤-1.00	PASS
	Ant5	5955	52+26_OFDMA	1	-4.84	≤2.70	-3.70	-8.54	≤-1.00	PASS
			106+26_OFDMA	1	-4.95	≤2.70	-3.70	-8.65	≤-1.00	PASS
	total	5955	52+26_OFDMA	1	-1.68	≤-0.21	-0.79	-2.47	≤-1.00	PASS
			106+26_OFDMA	1	-1.82	≤-0.21	-0.79	-2.61	≤-1.00	PASS
	Ant7	6435	52+26_OFDMA	1	-3.38	≤3.70	-4.70	-8.08	≤-1.00	PASS
			106+26_OFDMA	1	-3.50	≤3.70	-4.70	-8.20	≤-1.00	PASS
	Ant5	6435	52+26_OFDMA	1	-3.35	≤4.50	-5.50	-8.85	≤-1.00	PASS
			106+26_OFDMA	1	-3.08	≤4.50	-5.50	-8.58	≤-1.00	PASS
	total	6435	52+26_OFDMA	1	-0.35	≤1.08	-2.08	-2.43	≤-1.00	PASS
			106+26_OFDMA	1	-0.27	≤1.08	-2.08	-2.35	≤-1.00	PASS
	Ant7	6535	52+26_OFDMA	1	-2.21	≤4.10	-5.10	-7.31	≤-1.00	PASS
			106+26_OFDMA	1	-2.45	≤4.10	-5.10	-7.55	≤-1.00	PASS
	Ant5	6535	52+26_OFDMA	1	-3.05	≤5.60	-6.60	-9.65	≤-1.00	PASS
			106+26_OFDMA	1	-2.99	≤5.60	-6.60	-9.59	≤-1.00	PASS
	total	6535	52+26_OFDMA	1	0.40	≤1.81	-2.81	-2.41	≤-1.00	PASS
			106+26_OFDMA	1	0.30	≤1.81	-2.81	-2.51	≤-1.00	PASS
	Ant7	7095	52+26_OFDMA	3	-2.19	≤5.21	-6.21	-8.40	≤-1.00	PASS
			106+26_OFDMA	2	-2.49	≤5.21	-6.21	-8.70	≤-1.00	PASS
	Ant5	7095	52+26_OFDMA	3	-2.72	≤4.30	-5.30	-8.02	≤-1.00	PASS
			106+26_OFDMA	2	-2.80	≤4.30	-5.30	-8.10	≤-1.00	PASS
	total	7095	52+26_OFDMA	3	0.56	≤1.73	-2.73	-2.17	≤-1.00	PASS
			106+26_OFDMA	2	0.37	≤1.73	-2.73	-2.36	≤-1.00	PASS
	Ant7	7115	52+26_OFDMA	3	-16.72	≤5.21	-6.21	-22.93	≤-1.00	PASS
			106+26_OFDMA	2	-16.90	≤5.21	-6.21	-23.11	≤-1.00	PASS
	Ant5	7115	52+26_OFDMA	3	-14.69	≤4.30	-5.30	-19.99	≤-1.00	PASS
			106+26_OFDMA	2	-14.87	≤4.30	-5.30	-20.17	≤-1.00	PASS
	total	7115	52+26_OFDMA	3	-12.58	≤1.73	-2.73	-15.31	≤-1.00	PASS
			106+26_OFDMA	2	-12.76	≤1.73	-2.73	-15.49	≤-1.00	PASS
11BE80 MIMO	Ant7	5985	Large RU 484+242	4	-4.33	≤2.90	-3.90	-8.23	≤-1.00	PASS
			Puncturing 20M	4	-4.46	≤2.90	-3.90	-8.36	≤-1.00	PASS
	Ant5	5985	Large RU 484+242	4	-4.91	≤2.70	-3.70	-8.61	≤-1.00	PASS
			Puncturing 20M	4	-5.21	≤2.70	-3.70	-8.91	≤-1.00	PASS

	total	5985	Large RU 484+242	4	-1.60	≤-0.21	-0.79	-2.39	≤-1.00	PASS
			Puncturing 20M	4	-1.81	≤-0.21	-0.79	-2.60	≤-1.00	PASS
	Ant7	7025	Large RU 484+242	1	-3.37	≤5.21	-6.21	-9.58	≤-1.00	PASS
			Puncturing 20M	1	-2.93	≤5.21	-6.21	-9.14	≤-1.00	PASS
	Ant5	7025	Large RU 484+242	1	-3.53	≤4.30	-5.30	-8.83	≤-1.00	PASS
			Puncturing 20M	1	-3.42	≤4.30	-5.30	-8.72	≤-1.00	PASS
	total	7025	Large RU 484+242	1	-0.44	≤1.73	-2.73	-3.17	≤-1.00	PASS
			Puncturing 20M	1	-0.16	≤1.73	-2.73	-2.89	≤-1.00	PASS
11BE160MIMO	Ant7	6025	Large RU 996+484	4	-6.17	≤2.90	-3.90	-10.07	≤-1.00	PASS
			Puncturing 40M	4	-6.04	≤2.90	-3.90	-9.94	≤-1.00	PASS
			Puncturing 20M	8	-5.57	≤2.90	-3.90	-9.47	≤-1.00	PASS
	Ant5	6025	Large RU 996+484	4	-6.26	≤2.70	-3.70	-9.96	≤-1.00	PASS
			Puncturing 40M	4	-6.32	≤2.70	-3.70	-10.02	≤-1.00	PASS
			Puncturing 20M	8	-5.85	≤2.70	-3.70	-9.55	≤-1.00	PASS
	total	6025	Large RU 996+484	4	-3.20	≤-0.21	-0.79	-3.99	≤-1.00	PASS
			Puncturing 40M	4	-3.17	≤-0.21	-0.79	-3.96	≤-1.00	PASS
			Puncturing 20M	8	-2.70	≤-0.21	-0.79	-3.49	≤-1.00	PASS
	Ant7	6985	Large RU 996+484	1	-6.25	≤5.21	-6.21	-12.46	≤-1.00	PASS
			Puncturing 40M	1	-6.26	≤5.21	-6.21	-12.47	≤-1.00	PASS
			Puncturing 20M	1	-6.33	≤5.21	-6.21	-12.54	≤-1.00	PASS
	Ant5	6985	Large RU 996+484	1	-6.47	≤4.30	-5.30	-11.77	≤-1.00	PASS
			Puncturing 40M	1	-6.58	≤4.30	-5.30	-11.88	≤-1.00	PASS
			Puncturing 20M	1	-6.70	≤4.30	-5.30	-12.00	≤-1.00	PASS
	total	6985	Large RU 996+484	1	-3.35	≤1.73	-2.73	-6.08	≤-1.00	PASS
			Puncturing 40M	1	-3.41	≤1.73	-2.73	-6.14	≤-1.00	PASS
			Puncturing 20M	1	-3.50	≤1.73	-2.73	-6.23	≤-1.00	PASS
11BE320MIMO	Ant7	6105	Large RU 2*996+484	6	-8.46	≤2.90	-3.90	-12.36	≤-1.00	PASS
			Large RU 3*996	4	-8.59	≤2.90	-3.90	-12.49	≤-1.00	PASS
			Large RU 3*996+484	8	-8.57	≤2.90	-3.90	-12.47	≤-1.00	PASS
			Puncturing 80+40M	6	-8.56	≤2.90	-3.90	-12.46	≤-1.00	PASS
			Puncturing 80M	4	-8.53	≤2.90	-3.90	-12.43	≤-1.00	PASS
			Puncturing 40M	8	-8.53	≤2.90	-3.90	-12.43	≤-1.00	PASS
	Ant5	6105	Large RU 2*996+484	6	-8.45	≤2.70	-3.70	-12.15	≤-1.00	PASS
			Large RU 3*996	4	-8.68	≤2.70	-3.70	-12.38	≤-1.00	PASS
			Large RU 3*996+484	8	-8.65	≤2.70	-3.70	-12.35	≤-1.00	PASS

			Puncturing 80+40M	6	-8.84	≤2.70	-3.70	-12.54	≤-1.00	PASS
			Puncturing 80M	4	-8.82	≤2.70	-3.70	-12.52	≤-1.00	PASS
			Puncturing 40M	8	-8.81	≤2.70	-3.70	-12.51	≤-1.00	PASS
	total	6105	Large RU 2*996+484	6	-5.44	≤-0.21	-0.79	-6.23	≤-1.00	PASS
			Large RU 3*996	4	-5.62	≤-0.21	-0.79	-6.41	≤-1.00	PASS
			Large RU 3*996+484	8	-5.60	≤-0.21	-0.79	-6.39	≤-1.00	PASS
			Puncturing 80+40M	6	-5.69	≤-0.21	-0.79	-6.48	≤-1.00	PASS
			Puncturing 80M	4	-5.66	≤-0.21	-0.79	-6.45	≤-1.00	PASS
			Puncturing 40M	8	-5.66	≤-0.21	-0.79	-6.45	≤-1.00	PASS
	Ant7	6905	Large RU 2*996+484	7	-11.76	≤4.10	-5.10	-16.86	≤-1.00	PASS
			Large RU 3*996	1	-12.36	≤4.10	-5.10	-17.46	≤-1.00	PASS
			Large RU 3*996+484	1	-12.29	≤4.10	-5.10	-17.39	≤-1.00	PASS
			Puncturing 80+40M	7	-11.65	≤4.10	-5.10	-16.75	≤-1.00	PASS
			Puncturing 80M	1	-11.87	≤4.10	-5.10	-16.97	≤-1.00	PASS
			Puncturing 40M	1	-11.91	≤4.10	-5.10	-17.01	≤-1.00	PASS
	Ant5	6905	Large RU 2*996+484	7	-11.92	≤4.30	-5.30	-17.22	≤-1.00	PASS
			Large RU 3*996	1	-12.18	≤4.30	-5.30	-17.48	≤-1.00	PASS
			Large RU 3*996+484	1	-12.24	≤4.30	-5.30	-17.54	≤-1.00	PASS
			Puncturing 80+40M	7	-11.91	≤4.30	-5.30	-17.21	≤-1.00	PASS
			Puncturing 80M	1	-12.09	≤4.30	-5.30	-17.39	≤-1.00	PASS
			Puncturing 40M	1	-12.04	≤4.30	-5.30	-17.34	≤-1.00	PASS
	total	6905	Large RU 2*996+484	7	-8.83	≤1.19	-2.19	-11.02	≤-1.00	PASS
			Large RU 3*996	1	-9.26	≤1.19	-2.19	-11.45	≤-1.00	PASS
			Large RU 3*996+484	1	-9.25	≤1.19	-2.19	-11.44	≤-1.00	PASS
			Puncturing 80+40M	7	-8.77	≤1.19	-2.19	-10.96	≤-1.00	PASS
			Puncturing 80M	1	-8.97	≤1.19	-2.19	-11.16	≤-1.00	PASS
			Puncturing 40M	1	-8.96	≤1.19	-2.19	-11.15	≤-1.00	PASS

Test Graphs

11BE20MIMO_Ant7_5935_52+26_OFDMA_1



Date: 19.MAR.2024 16:19:27

11BE20MIMO_Ant7_5935_106+26_OFDMA_1



Date: 19.MAR.2024 16:14:28

11BE20MIMO_Ant5_5935_52+26_OFDMA_1



Date: 19.MAR.2024 16:19:45

11BE20MIMO_Ant5_5935_106+26_OFDMA_1



Date: 19.MAR.2024 16:14:46

11BE20MIMO_Ant7_5955_52+26_OFDMA_1



Date: 7.MAR.2024 07:07:28

11BE20MIMO_Ant7_5955_106+26_OFDMA_1



Date: 7.MAR.2024 07:08:08

11BE20MIMO_Ant5_5955_52+26_OFDMA_1



Date: 7.MAR.2024 07:07:46

11BE20MIMO_Ant5_5955_106+26_OFDMA_1



Date: 7.MAR.2024 07:08:26

11BE20MIMO_Ant7_6435_52+26_OFDMA_1



Date: 7.MAR.2024 07:10:07

11BE20MIMO_Ant7_6435_106+26_OFDMA_1



Date: 7.MAR.2024 07:10:46

11BE20MIMO_Ant5_6435_52+26_OFDMA_1



Date: 7.MAR.2024 07:10:25

11BE20MIMO_Ant5_6435_106+26_OFDMA_1



Date: 7.MAR.2024 07:11:04

11BE20MIMO_Ant7_6535_52+26_OFDMA_1



Date: 7.MAR.2024 07:11:25

11BE20MIMO_Ant7_6535_106+26_OFDMA_1



Date: 7.MAR.2024 07:12:05

11BE20MIMO_Ant5_6535_52+26_OFDMA_1



Date: 7.MAR.2024 07:11:43

11BE20MIMO_Ant5_6535_106+26_OFDMA_1



Date: 7.MAR.2024 07:12:23

11BE20MIMO_Ant7_7095_52+26_OFDMA_3



Date: 7.MAR.2024 07:12:45

11BE20MIMO_Ant7_7095_106+26_OFDMA_2



Date: 7.MAR.2024 07:13:24

11BE20MIMO_Ant5_7095_52+26_OFDMA_3



Date: 7.MAR.2024 07:13:02

11BE20MIMO_Ant5_7095_106+26_OFDMA_2



Date: 7.MAR.2024 07:13:42

11BE20MIMO_Ant7_7115_52+26_OFDMA_3



Date: 19.MAR.2024 16:31:01

11BE20MIMO_Ant7_7115_106+26_OFDMA_2



Date: 19.MAR.2024 16:32:13

11BE20MIMO_Ant5_7115_52+26_OFDMA_3



Date: 19.MAR.2024 16:31:19

11BE20MIMO_Ant5_7115_106+26_OFDMA_2



Date: 19.MAR.2024 16:32:30

11BE80MIMO_Ant7_5985_Large RU 484+242_4



Date: 17.MAR.2024 12:43:28

11BE80MIMO_Ant7_5985_Puncturing 20M_4



Date: 19.MAR.2024 12:29:03

11BE80MIMO_Ant5_5985_Large RU 484+242_4



Date: 17.MAR.2024 12:43:45

11BE80MIMO_Ant5_5985_Puncturing 20M_4



Date: 19.MAR.2024 12:29:20

11BE80MIMO_Ant7_7025_Large RU 484+242_1

Date: 17.MAR.2024 12:45:08

11BE80MIMO_Ant7_7025_Puncturing 20M_1

Date: 19.MAR.2024 12:33:14

11BE80MIMO_Ant5_7025_Large RU 484+242_1



Date: 17.MAR.2024 12:45:26

11BE80MIMO_Ant5_7025_Puncturing 20M_1



Date: 19.MAR.2024 12:33:32

11BE160MIMO_Ant7_6025_Large RU 996+484_4



Date: 17.MAR.2024 12:39:27

11BE160MIMO_Ant7_6025_Puncturing 40M_4



Date: 19.MAR.2024 12:55:18

11BE160MIMO_Ant7_6025_Puncturing 20M_8



Date: 19.MAR.2024 12:56:16

11BE160MIMO_Ant5_6025_Large RU 996+484_4



Date: 17.MAR.2024 12:39:45

11BE160MIMO_Ant5_6025_Puncturing 40M_4



Date: 19.MAR.2024 12:55:36

11BE160MIMO_Ant5_6025_Puncturing 20M_8



Date: 19.MAR.2024 12:56:33

11BE160MIMO_Ant7_6985_Large RU 996+484_1



Date: 17.MAR.2024 12:40:22

11BE160MIMO_Ant7_6985_Puncturing 40M_1



Date: 19.MAR.2024 12:57:19

11BE160MIMO_Ant7_6985_Puncturing 20M_1



Date: 19.MAR.2024 12:59:15

11BE160MIMO_Ant5_6985_Large RU 996+484_1



Date: 17.MAR.2024 12:40:40

11BE160MIMO_Ant5_6985_Puncturing 40M_1



Date: 19.MAR.2024 12:57:37

11BE160MIMO_Ant5_6985_Puncturing 20M_1



Date: 19.MAR.2024 12:59:33

11BE320MIMO_Ant7_6105_Large RU 2*996+484_6



Date: 17.MAR.2024 12:47:37

11BE320MIMO_Ant7_6105_Large RU 3*996_4



Date: 17.MAR.2024 12:51:00

11BE320MIMO_Ant7_6105_Large RU 3*996+484_8



Date: 17.MAR.2024 12:52:26

11BE320MIMO_Ant7_6105_Puncturing 80+40M_6



Date: 19.MAR.2024 14:15:55

11BE320MIMO_Ant7_6105_Puncturing 80M_4



Date: 19.MAR.2024 14:17:25

11BE320MIMO_Ant7_6105_Puncturing 40M_8



Date: 19.MAR.2024 14:21:09

11BE320MIMO_Ant5_6105_Large RU 2*996+484_6



Date: 17.MAR.2024 12:47:55

11BE320MIMO_Ant5_6105_Large RU 3*996_4



Date: 17.MAR.2024 12:51:17

11BE320MIMO_Ant5_6105_Large RU 3*996+484_8



Date: 17.MAR.2024 12:52:43

11BE320MIMO_Ant5_6105_Puncturing 80+40M_6



Date: 19.MAR.2024 14:16:13

11BE320MIMO_Ant5_6105_Puncturing 80M_4



Date: 19.MAR.2024 14:18:05

11BE320MIMO_Ant5_6105_Puncturing 40M_8



Date: 19.MAR.2024 14:21:26

11BE320MIMO_Ant7_6905_Large RU 2*996+484_7

Date: 17.MAR.2024 12:56:36

11BE320MIMO_Ant7_6905_Large RU 3*996_1



Date: 17.MAR.2024 12:57:50

11BE320MIMO_Ant7_6905_Large RU 3*996+484_1



Date: 17.MAR.2024 12:59:54

11BE320MIMO_Ant7_6905_Puncturing 80+40M_7



Date: 19.MAR.2024 14:42:56

11BE320MIMO_Ant7_6905_Puncturing 80M_1

Date: 19.MAR.2024 14:44:45

11BE320MIMO_Ant7_6905_Puncturing 40M_1



Date: 19.MAR.2024 14:47:22

11BE320MIMO_Ant5_6905_Large RU 2*996+484_7



Date: 17.MAR.2024 12:56:55

11BE320MIMO_Ant5_6905_Large RU 3*996_1



Date: 17.MAR.2024 12:58:32

11BE320MIMO_Ant5_6905_Large RU 3*996+484_1



Date: 17.MAR.2024 13:01:08

11BE320MIMO_Ant5_6905_Puncturing 80+40M_7



Date: 19.MAR.2024 14:43:36

11BE320MIMO_Ant5_6905_Puncturing 80M_1



Date: 19.MAR.2024 14:45:27

11BE320MIMO_Ant5_6905_Puncturing 40M_1



Date: 19.MAR.2024 14:48:06

In-Band Emissions

Test Result

TestMode	Ant	Channel	MRU Size	MRU Index	Result	Limit	Verdict
11BE20 MIMO	Ant7	5935	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	5935	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	5955	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	6435	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant5	6535	52+26_OFDMA	1	See test graph	See test graph	PASS
			106+26_OFDMA	1	See test graph	See test graph	PASS
	Ant7	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant5	7095	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant7	7115	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
	Ant5	7115	52+26_OFDMA	3	See test graph	See test graph	PASS
			106+26_OFDMA	2	See test graph	See test graph	PASS
11BE80 MIMO	Ant7	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant5	5985	Large RU 484+242	4	See test graph	See test graph	PASS
			Puncturing 20M	4	See test graph	See test graph	PASS
	Ant7	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant5	7025	Large RU 484+242	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE160 MIMO	Ant7	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS
	Ant5	6025	Large RU 996+484	4	See test graph	See test graph	PASS
			Puncturing 40M	4	See test graph	See test graph	PASS
			Puncturing 20M	8	See test graph	See test graph	PASS

	Ant7	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
	Ant5	6985	Large RU 996+484	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
			Puncturing 20M	1	See test graph	See test graph	PASS
11BE320 MIMO	Ant7	6105	Large RU 2*996+484	6	See test graph	See test graph	PASS
			Large RU 3*996	4	See test graph	See test graph	PASS
			Large RU 3*996+484	8	See test graph	See test graph	PASS
			Puncturing 80+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant5	6105	Large RU 2*996+484	6	See test graph	See test graph	PASS
			Large RU 3*996	4	See test graph	See test graph	PASS
			Large RU 3*996+484	8	See test graph	See test graph	PASS
			Puncturing 80+40M	6	See test graph	See test graph	PASS
			Puncturing 80M	4	See test graph	See test graph	PASS
			Puncturing 40M	8	See test graph	See test graph	PASS
	Ant7	6905	Large RU 2*996+484	7	See test graph	See test graph	PASS
			Large RU 3*996	1	See test graph	See test graph	PASS
			Large RU 3*996+484	1	See test graph	See test graph	PASS
			Puncturing 80+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS
	Ant5	6905	Large RU 2*996+484	7	See test graph	See test graph	PASS
			Large RU 3*996	1	See test graph	See test graph	PASS
			Large RU 3*996+484	1	See test graph	See test graph	PASS
			Puncturing 80+40M	7	See test graph	See test graph	PASS
			Puncturing 80M	1	See test graph	See test graph	PASS
			Puncturing 40M	1	See test graph	See test graph	PASS

Test Graphs

11BE20MIMO_Ant7_5935_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.200 MHz	300.000 kHz	5.90077 GHz	-64.06 dBm	-57.25 dB	-17.25 dB
-34.200 MHz	-22.800 MHz	300.000 kHz	5.90090 GHz	-64.53 dBm	-57.73 dB	-17.83 dB
-22.800 MHz	-12.400 MHz	300.000 kHz	5.92257 GHz	-53.01 dBm	-46.20 dB	-26.17 dB
-12.400 MHz	-11.400 MHz	300.000 kHz	5.92267 GHz	-51.64 dBm	-44.84 dB	-26.14 dB
11.400 MHz	12.400 MHz	300.000 kHz	5.94736 GHz	-62.47 dBm	-55.67 dB	-36.37 dB
12.400 MHz	22.800 MHz	300.000 kHz	5.95760 GHz	-64.44 dBm	-57.63 dB	-29.79 dB
22.800 MHz	34.200 MHz	300.000 kHz	5.96882 GHz	-64.98 dBm	-58.17 dB	-18.57 dB
34.200 MHz	50.000 MHz	300.000 kHz	5.97187 GHz	-64.69 dBm	-57.89 dB	-17.89 dB

Date: 17.MAR.2024 17:12:03

11BE20MIMO_Ant7_5935_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.200 MHz	300.000 kHz	5.89940 GHz	-64.87 dBm	-55.72 dB	-15.72 dB
-34.200 MHz	-22.800 MHz	300.000 kHz	5.90092 GHz	-64.93 dBm	-55.78 dB	-15.91 dB
-22.800 MHz	-12.400 MHz	300.000 kHz	5.92251 GHz	-48.49 dBm	-39.34 dB	-19.27 dB
-12.400 MHz	-11.400 MHz	300.000 kHz	5.92261 GHz	-49.03 dBm	-39.88 dB	-19.98 dB
11.400 MHz	12.400 MHz	300.000 kHz	5.94736 GHz	-61.58 dBm	-52.43 dB	-33.33 dB
12.400 MHz	22.800 MHz	300.000 kHz	5.95748 GHz	-65.48 dBm	-56.33 dB	-28.58 dB
22.800 MHz	34.200 MHz	300.000 kHz	5.96915 GHz	-65.89 dBm	-56.74 dB	-16.78 dB
34.200 MHz	50.000 MHz	300.000 kHz	5.97139 GHz	-65.55 dBm	-56.40 dB	-16.40 dB

Date: 17.MAR.2024 17:14:19

11BE20MIMO_Ant5_5935_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.850 MHz	300.000 kHz	5.89055 GHz	-64.39 dBm	-57.35 dB	-17.35 dB
-35.850 MHz	-23.900 MHz	300.000 kHz	5.89942 GHz	-64.57 dBm	-57.53 dB	-17.80 dB
-23.900 MHz	-12.950 MHz	300.000 kHz	5.91144 GHz	-64.07 dBm	-57.02 dB	-29.27 dB
-12.950 MHz	-11.950 MHz	300.000 kHz	5.92211 GHz	-55.50 dBm	-48.46 dB	-29.76 dB
11.950 MHz	12.950 MHz	300.000 kHz	5.94794 GHz	-63.48 dBm	-56.43 dB	-36.53 dB
12.950 MHz	23.900 MHz	300.000 kHz	5.95883 GHz	-65.26 dBm	-58.22 dB	-30.27 dB
23.900 MHz	35.850 MHz	300.000 kHz	5.97043 GHz	-65.23 dBm	-58.18 dB	-18.61 dB
35.850 MHz	50.000 MHz	300.000 kHz	5.97344 GHz	-65.16 dBm	-58.11 dB	-18.11 dB

11BE20MIMO_Ant5_5935_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.850 MHz	300.000 kHz	5.89789 GHz	-64.83 dBm	-55.48 dB	-15.48 dB
-35.850 MHz	-23.900 MHz	300.000 kHz	5.89915 GHz	-65.53 dBm	-56.19 dB	-16.19 dB
-23.900 MHz	-12.950 MHz	300.000 kHz	5.92202 GHz	-52.69 dBm	-43.35 dB	-23.32 dB
-12.950 MHz	-11.950 MHz	300.000 kHz	5.92211 GHz	-51.72 dBm	-42.38 dB	-23.68 dB
11.950 MHz	12.950 MHz	300.000 kHz	5.94794 GHz	-63.11 dBm	-53.76 dB	-34.06 dB
12.950 MHz	23.900 MHz	300.000 kHz	5.95861 GHz	-65.66 dBm	-56.32 dB	-28.53 dB
23.900 MHz	35.850 MHz	300.000 kHz	5.97082 GHz	-66.28 dBm	-56.94 dB	-16.96 dB
35.850 MHz	50.000 MHz	300.000 kHz	5.97975 GHz	-65.70 dBm	-56.35 dB	-16.35 dB

Date: 17.MAR.2024 17:14:44

11BE20MIMO_Ant7_5955_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.700 MHz	300.000 kHz	5.91758 GHz	-64.06 dBm	-57.51 dB	-17.51 dB
-35.700 MHz	-23.800 MHz	300.000 kHz	5.91936 GHz	-64.33 dBm	-57.78 dB	-17.83 dB
-23.800 MHz	-12.900 MHz	300.000 kHz	5.94210 GHz	-55.50 dBm	-48.95 dB	-28.95 dB
-12.900 MHz	-11.900 MHz	300.000 kHz	5.94224 GHz	-54.19 dBm	-47.65 dB	-30.55 dB
11.900 MHz	12.900 MHz	300.000 kHz	5.96790 GHz	-64.11 dBm	-57.56 dB	-37.66 dB
12.900 MHz	23.800 MHz	300.000 kHz	5.97865 GHz	-64.79 dBm	-58.25 dB	-30.36 dB
23.800 MHz	35.700 MHz	300.000 kHz	5.99061 GHz	-64.90 dBm	-58.36 dB	-18.45 dB
35.700 MHz	50.000 MHz	300.000 kHz	5.99553 GHz	-64.66 dBm	-58.11 dB	-18.11 dB

Date: 17.MAR.2024 17:08:37

11BE20MIMO_Ant7_5955_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.700 MHz	300.000 kHz	5.91171 GHz	-64.84 dBm	-56.07 dB	-16.07 dB
-35.700 MHz	-23.800 MHz	300.000 kHz	5.91932 GHz	-65.60 dBm	-56.83 dB	-16.84 dB
-23.800 MHz	-12.900 MHz	300.000 kHz	5.94191 GHz	-52.83 dBm	-44.06 dB	-23.92 dB
-12.900 MHz	-11.900 MHz	300.000 kHz	5.94217 GHz	-50.84 dBm	-42.07 dB	-23.37 dB
11.900 MHz	12.900 MHz	300.000 kHz	5.96782 GHz	-61.66 dBm	-52.89 dB	-34.59 dB
12.900 MHz	23.800 MHz	300.000 kHz	5.97874 GHz	-65.52 dBm	-56.75 dB	-28.79 dB
23.800 MHz	35.700 MHz	300.000 kHz	5.99069 GHz	-65.48 dBm	-56.72 dB	-16.73 dB
35.700 MHz	50.000 MHz	300.000 kHz	5.99090 GHz	-65.52 dBm	-56.75 dB	-16.75 dB

11BE20MIMO_Ant5_5955_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-36.000 MHz	300.000 kHz	5.91512 GHz	-64.71 dBm	-57.88 dB	-17.88 dB
-36.000 MHz	-24.000 MHz	300.000 kHz	5.91907 GHz	-65.32 dBm	-58.49 dB	-18.55 dB
-24.000 MHz	-13.000 MHz	300.000 kHz	5.94198 GHz	-57.23 dBm	-50.39 dB	-30.38 dB
-13.000 MHz	-12.000 MHz	300.000 kHz	5.94203 GHz	-56.80 dBm	-49.97 dB	-30.67 dB
12.000 MHz	13.000 MHz	300.000 kHz	5.96798 GHz	-64.47 dBm	-57.64 dB	-37.94 dB
13.000 MHz	24.000 MHz	300.000 kHz	5.97894 GHz	-65.38 dBm	-58.55 dB	-30.59 dB
24.000 MHz	36.000 MHz	300.000 kHz	5.99092 GHz	-65.64 dBm	-58.80 dB	-18.89 dB
36.000 MHz	50.000 MHz	300.000 kHz	5.99261 GHz	-65.34 dBm	-58.51 dB	-18.51 dB

Date: 17.MAR.2024 17:09:01

11BE20MIMO_Ant5_5955_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-36.000 MHz	300.000 kHz	5.90712 GHz	-65.06 dBm	-55.89 dB	-15.89 dB
-36.000 MHz	-24.000 MHz	300.000 kHz	5.91926 GHz	-65.63 dBm	-56.45 dB	-16.70 dB
-24.000 MHz	-13.000 MHz	300.000 kHz	5.94194 GHz	-53.12 dBm	-43.94 dB	-23.90 dB
-13.000 MHz	-12.000 MHz	300.000 kHz	5.94202 GHz	-53.28 dBm	-44.10 dB	-24.40 dB
12.000 MHz	13.000 MHz	300.000 kHz	5.96800 GHz	-64.87 dBm	-55.69 dB	-35.79 dB
13.000 MHz	24.000 MHz	300.000 kHz	5.97867 GHz	-65.97 dBm	-56.79 dB	-29.03 dB
24.000 MHz	36.000 MHz	300.000 kHz	5.99094 GHz	-66.13 dBm	-56.96 dB	-17.02 dB
36.000 MHz	50.000 MHz	300.000 kHz	5.99353 GHz	-65.99 dBm	-56.81 dB	-16.81 dB

Date: 17.MAR.2024 17:10:14

11BE20MIMO_Ant7_6435_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.800 MHz	300.000 kHz	6.39858 GHz	-64.93 dBm	-58.56 dB	-18.56 dB
-34.800 MHz	-23.200 MHz	300.000 kHz	6.40068 GHz	-65.04 dBm	-58.67 dB	-19.16 dB
-23.200 MHz	-12.600 MHz	300.000 kHz	6.42239 GHz	-53.65 dBm	-47.29 dB	-27.28 dB
-12.600 MHz	-11.600 MHz	300.000 kHz	6.42246 GHz	-53.38 dBm	-47.01 dB	-28.31 dB
11.600 MHz	12.600 MHz	300.000 kHz	6.44760 GHz	-62.88 dBm	-56.52 dB	-36.62 dB
12.600 MHz	23.200 MHz	300.000 kHz	6.45819 GHz	-65.16 dBm	-58.80 dB	-30.81 dB
23.200 MHz	34.800 MHz	300.000 kHz	6.46955 GHz	-65.33 dBm	-58.96 dB	-19.22 dB
34.800 MHz	50.000 MHz	300.000 kHz	6.48093 GHz	-65.13 dBm	-58.76 dB	-18.76 dB

Date: 17.MAR.2024 17:15:54

11BE20MIMO_Ant7_6435_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.800 MHz	300.000 kHz	6.38715 GHz	-65.67 dBm	-57.17 dB	-17.17 dB
-34.800 MHz	-23.200 MHz	300.000 kHz	6.40043 GHz	-66.07 dBm	-57.57 dB	-17.81 dB
-23.200 MHz	-12.600 MHz	300.000 kHz	6.42240 GHz	-48.98 dBm	-40.49 dB	-20.48 dB
-12.600 MHz	-11.600 MHz	300.000 kHz	6.42243 GHz	-49.14 dBm	-40.64 dB	-21.14 dB
11.600 MHz	12.600 MHz	300.000 kHz	6.44751 GHz	-59.41 dBm	-50.92 dB	-32.82 dB
12.600 MHz	23.200 MHz	300.000 kHz	6.45814 GHz	-65.41 dBm	-56.91 dB	-28.96 dB
23.200 MHz	34.800 MHz	300.000 kHz	6.46974 GHz	-65.93 dBm	-57.43 dB	-17.50 dB
34.800 MHz	50.000 MHz	300.000 kHz	6.48419 GHz	-65.50 dBm	-57.01 dB	-17.01 dB

Date: 17.MAR.2024 17:17:32

11BE20MIMO_Ant5_6435_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.100 MHz	300.000 kHz	6.38573 GHz	-65.35 dBm	-58.12 dB	-18.12 dB
-35.100 MHz	-23.400 MHz	300.000 kHz	6.40002 GHz	-65.88 dBm	-58.65 dB	-18.77 dB
-23.400 MHz	-12.700 MHz	300.000 kHz	6.42227 GHz	-55.79 dBm	-48.57 dB	-28.54 dB
-12.700 MHz	-11.700 MHz	300.000 kHz	6.42234 GHz	-55.78 dBm	-48.55 dB	-29.25 dB
11.700 MHz	12.700 MHz	300.000 kHz	6.44768 GHz	-64.41 dBm	-57.18 dB	-37.68 dB
12.700 MHz	23.400 MHz	300.000 kHz	6.45836 GHz	-65.29 dBm	-58.06 dB	-30.09 dB
23.400 MHz	35.100 MHz	300.000 kHz	6.47006 GHz	-65.83 dBm	-58.60 dB	-18.64 dB
35.100 MHz	50.000 MHz	300.000 kHz	6.47208 GHz	-65.12 dBm	-57.89 dB	-17.89 dB

Date: 17.MAR.2024 17:16:18

11BE20MIMO_Ant5_6435_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.100 MHz	300.000 kHz	6.38998 GHz	-66.07 dBm	-56.77 dB	-16.77 dB
-35.100 MHz	-23.400 MHz	300.000 kHz	6.40008 GHz	-66.34 dBm	-57.05 dB	-17.23 dB
-23.400 MHz	-12.700 MHz	300.000 kHz	6.42225 GHz	-50.15 dBm	-40.86 dB	-20.81 dB
-12.700 MHz	-11.700 MHz	300.000 kHz	6.42237 GHz	-49.06 dBm	-39.76 dB	-21.06 dB
11.700 MHz	12.700 MHz	300.000 kHz	6.44763 GHz	-61.82 dBm	-52.52 dB	-34.02 dB
12.700 MHz	23.400 MHz	300.000 kHz	6.45812 GHz	-65.78 dBm	-56.49 dB	-28.70 dB
23.400 MHz	35.100 MHz	300.000 kHz	6.46990 GHz	-65.86 dBm	-56.56 dB	-16.76 dB
35.100 MHz	50.000 MHz	300.000 kHz	6.47353 GHz	-65.79 dBm	-56.49 dB	-16.49 dB

Date: 17.MAR.2024 17:17:56

11BE20MIMO_Ant7_6535_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.400 MHz	300.000 kHz	6.49807 GHz	-64.78 dBm	-59.04 dB	-19.04 dB
-35.400 MHz	-23.600 MHz	300.000 kHz	6.49974 GHz	-65.19 dBm	-59.45 dB	-19.60 dB
-23.600 MHz	-12.800 MHz	300.000 kHz	6.52219 GHz	-54.12 dBm	-48.38 dB	-28.37 dB
-12.800 MHz	-11.800 MHz	300.000 kHz	6.52221 GHz	-53.73 dBm	-47.99 dB	-28.09 dB
11.800 MHz	12.800 MHz	300.000 kHz	6.54776 GHz	-60.37 dBm	-54.63 dB	-35.53 dB
12.800 MHz	23.600 MHz	300.000 kHz	6.55858 GHz	-65.64 dBm	-59.90 dB	-31.92 dB
23.600 MHz	35.400 MHz	300.000 kHz	6.57038 GHz	-65.77 dBm	-60.04 dB	-20.06 dB
35.400 MHz	50.000 MHz	300.000 kHz	6.57540 GHz	-65.57 dBm	-59.83 dB	-19.83 dB

Date: 17.MAR.2024 17:19:55

11BE20MIMO_Ant7_6535_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.400 MHz	300.000 kHz	6.49386 GHz	-65.27 dBm	-57.02 dB	-17.02 dB
-35.400 MHz	-23.600 MHz	300.000 kHz	6.49962 GHz	-65.80 dBm	-57.55 dB	-17.58 dB
-23.600 MHz	-12.800 MHz	300.000 kHz	6.52219 GHz	-50.85 dBm	-42.60 dB	-22.59 dB
-12.800 MHz	-11.800 MHz	300.000 kHz	6.52223 GHz	-50.74 dBm	-42.49 dB	-22.99 dB
11.800 MHz	12.800 MHz	300.000 kHz	6.54774 GHz	-62.49 dBm	-54.24 dB	-35.54 dB
12.800 MHz	23.600 MHz	300.000 kHz	6.55840 GHz	-66.01 dBm	-57.77 dB	-29.91 dB
23.600 MHz	35.400 MHz	300.000 kHz	6.57031 GHz	-66.16 dBm	-57.92 dB	-18.01 dB
35.400 MHz	50.000 MHz	300.000 kHz	6.57095 GHz	-65.97 dBm	-57.72 dB	-17.72 dB

Date: 17.MAR.2024 17:22:11

11BE20MIMO_Ant5_6535_52+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.400 MHz	300.000 kHz	6.49230 GHz	-65.31 dBm	-58.02 dB	-18.02 dB
-35.400 MHz	-23.600 MHz	300.000 kHz	6.49968 GHz	-65.65 dBm	-58.36 dB	-18.43 dB
-23.600 MHz	-12.800 MHz	300.000 kHz	6.52217 GHz	-56.81 dBm	-49.52 dB	-29.49 dB
-12.800 MHz	-11.800 MHz	300.000 kHz	6.52222 GHz	-56.22 dBm	-48.93 dB	-29.23 dB
11.800 MHz	12.800 MHz	300.000 kHz	6.54779 GHz	-64.95 dBm	-57.66 dB	-37.76 dB
12.800 MHz	23.600 MHz	300.000 kHz	6.55840 GHz	-65.56 dBm	-58.27 dB	-30.42 dB
23.600 MHz	35.400 MHz	300.000 kHz	6.57029 GHz	-65.65 dBm	-58.36 dB	-18.47 dB
35.400 MHz	50.000 MHz	300.000 kHz	6.58084 GHz	-65.37 dBm	-58.08 dB	-18.08 dB

Date: 17.MAR.2024 17:20:19

11BE20MIMO_Ant5_6535_106+26_OFDMA_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.400 MHz	300.000 kHz	6.49174 GHz	-65.77 dBm	-56.25 dB	-16.25 dB
-35.400 MHz	-23.600 MHz	300.000 kHz	6.49961 GHz	-66.10 dBm	-56.58 dB	-16.59 dB
-23.600 MHz	-12.800 MHz	300.000 kHz	6.52211 GHz	-51.88 dBm	-42.36 dB	-22.29 dB
-12.800 MHz	-11.800 MHz	300.000 kHz	6.52224 GHz	-51.09 dBm	-41.57 dB	-22.47 dB
11.800 MHz	12.800 MHz	300.000 kHz	6.54779 GHz	-65.35 dBm	-55.83 dB	-35.93 dB
12.800 MHz	23.600 MHz	300.000 kHz	6.55857 GHz	-66.29 dBm	-56.77 dB	-28.80 dB
23.600 MHz	35.400 MHz	300.000 kHz	6.57010 GHz	-66.01 dBm	-56.50 dB	-16.81 dB
35.400 MHz	50.000 MHz	300.000 kHz	6.58297 GHz	-66.07 dBm	-56.56 dB	-16.56 dB

Date: 17.MAR.2024 17:22:35

11BE20MIMO_Ant7_7095_52+26_OFDMA_3



Spectrum Emission Mask Standard: None

Peak Power -7.47 dBm RBW 300.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-32.850 MHz	300.000 kHz	7.06210 GHz	-67.41 dBm	-59.95 dB	-19.95 dB
-32.850 MHz	-21.900 MHz	300.000 kHz	7.06218 GHz	-67.73 dBm	-60.26 dB	-20.29 dB
-21.900 MHz	-11.950 MHz	300.000 kHz	7.08286 GHz	-58.75 dBm	-51.28 dB	-31.12 dB
-11.950 MHz	-10.950 MHz	300.000 kHz	7.08319 GHz	-60.21 dBm	-52.75 dB	-35.65 dB
10.950 MHz	11.950 MHz	300.000 kHz	7.10694 GHz	-52.66 dBm	-45.19 dB	-25.29 dB
11.950 MHz	21.900 MHz	300.000 kHz	7.10697 GHz	-52.50 dBm	-45.03 dB	-25.02 dB
21.900 MHz	32.850 MHz	300.000 kHz	7.12765 GHz	-68.06 dBm	-60.59 dB	-20.82 dB
32.850 MHz	50.000 MHz	300.000 kHz	7.13387 GHz	-68.02 dBm	-60.56 dB	-20.56 dB

Date: 17.MAR.2024 17:25:20

11BE20MIMO_Ant7_7095_106+26_OFDMA_2



Spectrum Emission Mask Standard: None

Peak Power -9.83 dBm RBW 300.000 kHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-32.850 MHz	300.000 kHz	7.05789 GHz	-68.09 dBm	-58.26 dB	-18.26 dB
-32.850 MHz	-21.900 MHz	300.000 kHz	7.06215 GHz	-68.32 dBm	-58.49 dB	-18.49 dB
-21.900 MHz	-11.950 MHz	300.000 kHz	7.08257 GHz	-58.92 dBm	-49.09 dB	-28.70 dB
-11.950 MHz	-10.950 MHz	300.000 kHz	7.08317 GHz	-58.00 dBm	-48.17 dB	-30.47 dB
10.950 MHz	11.950 MHz	300.000 kHz	7.10694 GHz	-47.70 dBm	-37.87 dB	-18.17 dB
11.950 MHz	21.900 MHz	300.000 kHz	7.10705 GHz	-46.98 dBm	-37.15 dB	-17.08 dB
21.900 MHz	32.850 MHz	300.000 kHz	7.12774 GHz	-68.86 dBm	-59.03 dB	-19.16 dB
32.850 MHz	50.000 MHz	300.000 kHz	7.13617 GHz	-68.53 dBm	-58.70 dB	-18.70 dB

Date: 17.MAR.2024 17:26:57

11BE20MIMO_Ant5_7095_52+26_OFDMA_3



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.650 MHz	300.000 kHz	7.05884 GHz	-68.01 dBm	-59.83 dB	-19.83 dB
-34.650 MHz	-23.100 MHz	300.000 kHz	7.06039 GHz	-68.34 dBm	-60.15 dB	-20.19 dB
-23.100 MHz	-12.550 MHz	300.000 kHz	7.07191 GHz	-68.09 dBm	-59.91 dB	-31.91 dB
-12.550 MHz	-11.550 MHz	300.000 kHz	7.08255 GHz	-64.47 dBm	-56.29 dB	-38.19 dB
11.550 MHz	12.550 MHz	300.000 kHz	7.10754 GHz	-56.67 dBm	-48.49 dB	-28.79 dB
12.550 MHz	23.100 MHz	300.000 kHz	7.10769 GHz	-56.67 dBm	-48.48 dB	-28.38 dB
23.100 MHz	34.650 MHz	300.000 kHz	7.12957 GHz	-68.71 dBm	-60.53 dB	-20.60 dB
34.650 MHz	50.000 MHz	300.000 kHz	7.13002 GHz	-68.33 dBm	-60.14 dB	-20.14 dB

11BE20MIMO_Ant5_7095_106+26_OFDMA_2



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.650 MHz	300.000 kHz	7.05989 GHz	-67.94 dBm	-57.40 dB	-17.40 dB
-34.650 MHz	-23.100 MHz	300.000 kHz	7.06043 GHz	-68.29 dBm	-57.75 dB	-17.83 dB
-23.100 MHz	-12.550 MHz	300.000 kHz	7.07214 GHz	-68.02 dBm	-57.49 dB	-29.67 dB
-12.550 MHz	-11.550 MHz	300.000 kHz	7.08247 GHz	-61.68 dBm	-51.15 dB	-31.45 dB
11.550 MHz	12.550 MHz	300.000 kHz	7.10754 GHz	-51.75 dBm	-41.21 dB	-21.51 dB
12.550 MHz	23.100 MHz	300.000 kHz	7.10760 GHz	-51.85 dBm	-41.31 dB	-21.28 dB
23.100 MHz	34.650 MHz	300.000 kHz	7.12962 GHz	-68.43 dBm	-57.89 dB	-17.92 dB
34.650 MHz	50.000 MHz	300.000 kHz	7.13243 GHz	-68.44 dBm	-57.91 dB	-17.91 dB

11BE20MIMO_Ant7_7115_52+26_OFDMA_3



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.100 MHz	300.000 kHz	7.07540 GHz	-67.87 dBm	-59.88 dB	-19.89 dB
-35.100 MHz	-23.400 MHz	300.000 kHz	7.07991 GHz	-68.05 dBm	-60.07 dB	-20.07 dB
-23.400 MHz	-12.700 MHz	300.000 kHz	7.09169 GHz	-68.15 dBm	-60.16 dB	-32.23 dB
-12.700 MHz	-11.700 MHz	300.000 kHz	7.10232 GHz	-64.23 dBm	-56.25 dB	-36.55 dB
11.700 MHz	12.700 MHz	300.000 kHz	7.12764 GHz	-56.16 dBm	-48.17 dB	-29.47 dB
12.700 MHz	23.400 MHz	300.000 kHz	7.12779 GHz	-57.81 dBm	-49.83 dB	-29.76 dB
23.400 MHz	35.100 MHz	300.000 kHz	7.15005 GHz	-68.34 dBm	-60.36 dB	-20.42 dB
35.100 MHz	50.000 MHz	300.000 kHz	7.15179 GHz	-67.94 dBm	-59.96 dB	-19.96 dB

Date: 17.MAR.2024 17:28:32

11BE20MIMO_Ant7_7115_106+26_OFDMA_2



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-35.100 MHz	300.000 kHz	7.07605 GHz	-68.50 dBm	-58.35 dB	-18.35 dB
-35.100 MHz	-23.400 MHz	300.000 kHz	7.08002 GHz	-68.60 dBm	-58.44 dB	-18.56 dB
-23.400 MHz	-12.700 MHz	300.000 kHz	7.09165 GHz	-68.67 dBm	-58.52 dB	-30.55 dB
-12.700 MHz	-11.700 MHz	300.000 kHz	7.10241 GHz	-61.61 dBm	-51.46 dB	-33.56 dB
11.700 MHz	12.700 MHz	300.000 kHz	7.12769 GHz	-52.49 dBm	-42.34 dB	-22.64 dB
12.700 MHz	23.400 MHz	300.000 kHz	7.12772 GHz	-51.93 dBm	-41.78 dB	-21.77 dB
23.400 MHz	35.100 MHz	300.000 kHz	7.15006 GHz	-68.83 dBm	-58.67 dB	-18.72 dB
35.100 MHz	50.000 MHz	300.000 kHz	7.15344 GHz	-68.66 dBm	-58.51 dB	-18.51 dB

Date: 17.MAR.2024 17:30:01

11BE20MIMO_Ant5_7115_52+26_OFDMA_3



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.650 MHz	300.000 kHz	7.06748 GHz	-68.02 dBm	-59.56 dB	-19.56 dB
-34.650 MHz	-23.100 MHz	300.000 kHz	7.08073 GHz	-68.38 dBm	-59.91 dB	-20.30 dB
-23.100 MHz	-12.550 MHz	300.000 kHz	7.09204 GHz	-68.70 dBm	-60.24 dB	-32.34 dB
-12.550 MHz	-11.550 MHz	300.000 kHz	7.10250 GHz	-61.05 dBm	-52.59 dB	-33.69 dB
11.550 MHz	12.550 MHz	300.000 kHz	7.12755 GHz	-57.13 dBm	-48.67 dB	-28.77 dB
12.550 MHz	23.100 MHz	300.000 kHz	7.12773 GHz	-57.27 dBm	-48.81 dB	-28.68 dB
23.100 MHz	34.650 MHz	300.000 kHz	7.14957 GHz	-68.93 dBm	-60.47 dB	-20.56 dB
34.650 MHz	50.000 MHz	300.000 kHz	7.15401 GHz	-68.60 dBm	-60.14 dB	-20.14 dB

11BE20MIMO_Ant5_7115_106+26_OFDMA_2



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-34.650 MHz	300.000 kHz	7.06582 GHz	-68.27 dBm	-57.62 dB	-17.62 dB
-34.650 MHz	-23.100 MHz	300.000 kHz	7.08036 GHz	-68.70 dBm	-58.06 dB	-18.07 dB
-23.100 MHz	-12.550 MHz	300.000 kHz	7.09198 GHz	-68.22 dBm	-57.57 dB	-29.63 dB
-12.550 MHz	-11.550 MHz	300.000 kHz	7.10245 GHz	-63.09 dBm	-52.44 dB	-32.54 dB
11.550 MHz	12.550 MHz	300.000 kHz	7.12753 GHz	-51.97 dBm	-41.33 dB	-21.63 dB
12.550 MHz	23.100 MHz	300.000 kHz	7.12770 GHz	-51.94 dBm	-41.30 dB	-21.19 dB
23.100 MHz	34.650 MHz	300.000 kHz	7.14963 GHz	-68.92 dBm	-58.28 dB	-18.30 dB
34.650 MHz	50.000 MHz	300.000 kHz	7.15590 GHz	-68.60 dBm	-57.96 dB	-17.96 dB

11BE80MIMO_Ant7_5985_Large RU 484+242_4



Spectrum Emission Mask Standard: None

Peak Power -3.67 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-129.600 MHz	1.000 MHz	5.85502 GHz	-58.19 dBm	-54.52 dB	-14.52 dB
-129.600 MHz	-86.400 MHz	1.000 MHz	5.85542 GHz	-58.52 dBm	-54.85 dB	-14.86 dB
-86.400 MHz	-44.200 MHz	1.000 MHz	5.94062 GHz	-37.44 dBm	-33.78 dB	-13.74 dB
-44.200 MHz	-43.200 MHz	1.000 MHz	5.94086 GHz	-37.12 dBm	-33.45 dB	-14.65 dB
43.200 MHz	44.200 MHz	1.000 MHz	6.02918 GHz	-44.31 dBm	-40.65 dB	-21.05 dB
44.200 MHz	86.400 MHz	1.000 MHz	6.02942 GHz	-43.81 dBm	-40.15 dB	-20.10 dB
86.400 MHz	129.600 MHz	1.000 MHz	6.11394 GHz	-59.88 dBm	-56.21 dB	-16.40 dB
129.600 MHz	200.000 MHz	1.000 MHz	6.11582 GHz	-59.73 dBm	-56.06 dB	-16.06 dB

Date: 19.MAR.2024 10:44:55

11BE80MIMO_Ant7_5985_Puncturing 20M_4



Spectrum Emission Mask Standard: None

Peak Power -3.85 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-129.600 MHz	1.000 MHz	5.85538 GHz	-58.34 dBm	-54.49 dB	-14.49 dB
-129.600 MHz	-86.400 MHz	1.000 MHz	5.85554 GHz	-58.47 dBm	-54.62 dB	-14.66 dB
-86.400 MHz	-44.200 MHz	1.000 MHz	5.94062 GHz	-37.68 dBm	-33.83 dB	-13.80 dB
-44.200 MHz	-43.200 MHz	1.000 MHz	5.94082 GHz	-37.90 dBm	-34.04 dB	-14.44 dB
43.200 MHz	44.200 MHz	1.000 MHz	6.02918 GHz	-45.30 dBm	-41.45 dB	-21.85 dB
44.200 MHz	86.400 MHz	1.000 MHz	6.02950 GHz	-44.65 dBm	-40.80 dB	-20.74 dB
86.400 MHz	129.600 MHz	1.000 MHz	6.11414 GHz	-59.85 dBm	-56.00 dB	-16.12 dB
129.600 MHz	200.000 MHz	1.000 MHz	6.11742 GHz	-59.62 dBm	-55.76 dB	-15.76 dB

Date: 19.MAR.2024 14:37:18

11BE80MIMO_Ant5_5985_Large RU 484+242_4



Spectrum Emission Mask Standard: None

Peak Power -4.52 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-131.400 MHz	1.000 MHz	5.84466 GHz	-58.89 dBm	-54.37 dB	-14.37 dB
-131.400 MHz	-87.600 MHz	1.000 MHz	5.85474 GHz	-59.30 dBm	-54.79 dB	-15.10 dB
-87.600 MHz	-44.800 MHz	1.000 MHz	5.93966 GHz	-39.70 dBm	-35.18 dB	-15.08 dB
-44.800 MHz	-43.800 MHz	1.000 MHz	5.94022 GHz	-40.05 dBm	-35.54 dB	-15.94 dB
43.800 MHz	44.800 MHz	1.000 MHz	6.02978 GHz	-46.43 dBm	-41.92 dB	-22.32 dB
44.800 MHz	87.600 MHz	1.000 MHz	6.02994 GHz	-45.70 dBm	-41.18 dB	-21.15 dB
87.600 MHz	131.400 MHz	1.000 MHz	6.11578 GHz	-59.92 dBm	-55.40 dB	-15.57 dB
131.400 MHz	200.000 MHz	1.000 MHz	6.12026 GHz	-59.83 dBm	-55.32 dB	-15.32 dB

Date: 19.MAR.2024 10:45:19

11BE80MIMO_Ant5_5985_Puncturing 20M_4



Spectrum Emission Mask Standard: None

Peak Power -4.62 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-131.400 MHz	1.000 MHz	5.84522 GHz	-58.93 dBm	-54.30 dB	-14.30 dB
-131.400 MHz	-87.600 MHz	1.000 MHz	5.85374 GHz	-59.24 dBm	-54.62 dB	-14.66 dB
-87.600 MHz	-44.800 MHz	1.000 MHz	5.94010 GHz	-39.62 dBm	-35.00 dB	-14.98 dB
-44.800 MHz	-43.800 MHz	1.000 MHz	5.94022 GHz	-39.64 dBm	-35.02 dB	-15.42 dB
43.800 MHz	44.800 MHz	1.000 MHz	6.02978 GHz	-47.17 dBm	-42.54 dB	-22.94 dB
44.800 MHz	87.600 MHz	1.000 MHz	6.02982 GHz	-46.48 dBm	-41.86 dB	-21.85 dB
87.600 MHz	131.400 MHz	1.000 MHz	6.11622 GHz	-59.92 dBm	-55.29 dB	-15.34 dB
131.400 MHz	200.000 MHz	1.000 MHz	6.13330 GHz	-59.75 dBm	-55.13 dB	-15.13 dB

Date: 19.MAR.2024 14:37:43

11BE80MIMO_Ant7_7025_Large RU 484+242_1



Spectrum Emission Mask Standard: None

Peak Power -3.04 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-132.600 MHz	1.000 MHz	6.89142 GHz	-54.83 dBm	-51.79 dB	-11.79 dB
-132.600 MHz	-88.400 MHz	1.000 MHz	6.89246 GHz	-54.96 dBm	-51.92 dB	-11.93 dB
-88.400 MHz	-45.200 MHz	1.000 MHz	6.97726 GHz	-34.75 dBm	-31.71 dB	-11.24 dB
-45.200 MHz	-44.200 MHz	1.000 MHz	6.97982 GHz	-35.19 dBm	-32.15 dB	-12.55 dB
44.200 MHz	45.200 MHz	1.000 MHz	7.07018 GHz	-30.01 dBm	-26.96 dB	-7.36 dB
45.200 MHz	88.400 MHz	1.000 MHz	7.08198 GHz	-31.98 dBm	-28.94 dB	-6.76 dB
88.400 MHz	132.600 MHz	1.000 MHz	7.11478 GHz	-43.74 dBm	-40.70 dB	-12.32 dB
132.600 MHz	200.000 MHz	1.000 MHz	7.15778 GHz	-56.07 dBm	-53.03 dB	-13.03 dB

Date: 19.MAR.2024 10:49:36

11BE80MIMO_Ant7_7025_Puncturing 20M_1



Spectrum Emission Mask Standard: None

Peak Power -2.51 dBm RBW 1.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-132.600 MHz	1.000 MHz	6.89106 GHz	-54.10 dBm	-51.59 dB	-11.59 dB
-132.600 MHz	-88.400 MHz	1.000 MHz	6.89286 GHz	-53.93 dBm	-51.42 dB	-11.55 dB
-88.400 MHz	-45.200 MHz	1.000 MHz	6.97930 GHz	-34.09 dBm	-31.58 dB	-11.48 dB
-45.200 MHz	-44.200 MHz	1.000 MHz	6.97982 GHz	-34.51 dBm	-32.00 dB	-12.40 dB
44.200 MHz	45.200 MHz	1.000 MHz	7.07018 GHz	-30.15 dBm	-27.64 dB	-8.04 dB
45.200 MHz	88.400 MHz	1.000 MHz	7.07066 GHz	-29.50 dBm	-26.99 dB	-6.91 dB
88.400 MHz	132.600 MHz	1.000 MHz	7.11358 GHz	-42.75 dBm	-40.24 dB	-12.19 dB
132.600 MHz	200.000 MHz	1.000 MHz	7.15814 GHz	-55.59 dBm	-53.08 dB	-13.08 dB

Date: 19.MAR.2024 14:38:29

11BE80MIMO_Ant5_7025_Large RU 484+242_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-134.400 MHz	1.000 MHz	6.89026 GHz	-57.73 dBm	-54.54 dB	-14.54 dB
-134.400 MHz	-89.600 MHz	1.000 MHz	6.89066 GHz	-57.72 dBm	-54.54 dB	-14.56 dB
-89.600 MHz	-45.800 MHz	1.000 MHz	6.97714 GHz	-40.80 dBm	-37.62 dB	-17.25 dB
-45.800 MHz	-44.800 MHz	1.000 MHz	6.97922 GHz	-40.64 dBm	-37.46 dB	-17.86 dB
44.800 MHz	45.800 MHz	1.000 MHz	7.07078 GHz	-39.12 dBm	-35.94 dB	-16.34 dB
45.800 MHz	89.600 MHz	1.000 MHz	7.07122 GHz	-38.59 dBm	-35.41 dB	-15.34 dB
89.600 MHz	134.400 MHz	1.000 MHz	7.15890 GHz	-60.03 dBm	-56.85 dB	-16.98 dB
134.400 MHz	200.000 MHz	1.000 MHz	7.16066 GHz	-60.46 dBm	-57.28 dB	-17.28 dB

Date: 19.MAR.2024 10:50:00

11BE80MIMO_Ant5_7025_Puncturing 20M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-200.000 MHz	-134.400 MHz	1.000 MHz	6.88950 GHz	-57.54 dBm	-54.34 dB	-14.34 dB
-134.400 MHz	-89.600 MHz	1.000 MHz	6.89074 GHz	-57.48 dBm	-54.28 dB	-14.32 dB
-89.600 MHz	-45.800 MHz	1.000 MHz	6.96182 GHz	-43.74 dBm	-40.54 dB	-17.37 dB
-45.800 MHz	-44.800 MHz	1.000 MHz	6.97922 GHz	-41.08 dBm	-37.89 dB	-18.29 dB
44.800 MHz	45.800 MHz	1.000 MHz	7.07078 GHz	-39.62 dBm	-36.42 dB	-16.82 dB
45.800 MHz	89.600 MHz	1.000 MHz	7.07166 GHz	-39.25 dBm	-36.05 dB	-15.90 dB
89.600 MHz	134.400 MHz	1.000 MHz	7.15894 GHz	-60.34 dBm	-57.15 dB	-17.27 dB
134.400 MHz	200.000 MHz	1.000 MHz	7.15942 GHz	-60.40 dBm	-57.21 dB	-17.21 dB

Date: 19.MAR.2024 14:38:53

11BE160MIMO_Ant7_6025_Large RU 996+484_4



Spectrum Emission Mask Standard: None

Peak Power -2.23 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-264.000 MHz	2.000 MHz	5.76032 GHz	-54.59 dBm	-52.36 dB	-12.36 dB
-264.000 MHz	-176.000 MHz	2.000 MHz	5.76192 GHz	-54.66 dBm	-52.43 dB	-12.55 dB
-176.000 MHz	-89.000 MHz	2.000 MHz	5.87177 GHz	-43.63 dBm	-41.40 dB	-15.49 dB
-89.000 MHz	-88.000 MHz	2.000 MHz	5.93604 GHz	-38.75 dBm	-36.52 dB	-17.35 dB
88.000 MHz	89.000 MHz	2.000 MHz	6.11396 GHz	-38.97 dBm	-36.74 dB	-17.57 dB
89.000 MHz	176.000 MHz	2.000 MHz	6.11548 GHz	-39.64 dBm	-37.41 dB	-17.27 dB
176.000 MHz	264.000 MHz	2.000 MHz	6.28864 GHz	-55.93 dBm	-53.70 dB	-13.75 dB
264.000 MHz	400.000 MHz	2.000 MHz	6.30304 GHz	-55.84 dBm	-53.61 dB	-13.61 dB

Date: 19.MAR.2024 12:11:54

11BE160MIMO_Ant7_6025_Puncturing 40M_4



Spectrum Emission Mask Standard: None

Peak Power -2.20 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-264.000 MHz	2.000 MHz	5.76008 GHz	-54.53 dBm	-52.33 dB	-12.33 dB
-264.000 MHz	-176.000 MHz	2.000 MHz	5.76224 GHz	-54.52 dBm	-52.33 dB	-12.50 dB
-176.000 MHz	-89.000 MHz	2.000 MHz	5.87417 GHz	-44.03 dBm	-41.83 dB	-16.15 dB
-89.000 MHz	-88.000 MHz	2.000 MHz	5.93604 GHz	-38.43 dBm	-36.23 dB	-17.06 dB
88.000 MHz	89.000 MHz	2.000 MHz	6.11396 GHz	-40.82 dBm	-38.62 dB	-19.45 dB
89.000 MHz	176.000 MHz	2.000 MHz	6.12300 GHz	-40.61 dBm	-38.41 dB	-17.59 dB
176.000 MHz	264.000 MHz	2.000 MHz	6.28872 GHz	-55.89 dBm	-53.69 dB	-13.73 dB
264.000 MHz	400.000 MHz	2.000 MHz	6.29152 GHz	-55.81 dBm	-53.61 dB	-13.61 dB

Date: 19.MAR.2024 14:49:08

11BE160MIMO_Ant7_6025_Puncturing 20M_8



Spectrum Emission Mask Standard: None

Peak Power -2.77 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-264.000 MHz	2.000 MHz	5.75984 GHz	-53.64 dBm	-50.86 dB	-10.86 dB
-264.000 MHz	-176.000 MHz	2.000 MHz	5.76112 GHz	-53.86 dBm	-51.09 dB	-11.11 dB
-176.000 MHz	-89.000 MHz	2.000 MHz	5.86841 GHz	-43.46 dBm	-40.69 dB	-14.48 dB
-89.000 MHz	-88.000 MHz	2.000 MHz	5.93604 GHz	-38.79 dBm	-36.02 dB	-16.85 dB
88.000 MHz	89.000 MHz	2.000 MHz	6.11396 GHz	-39.04 dBm	-36.27 dB	-17.10 dB
89.000 MHz	176.000 MHz	2.000 MHz	6.16254 GHz	-41.85 dBm	-39.08 dB	-14.62 dB
176.000 MHz	264.000 MHz	2.000 MHz	6.28848 GHz	-55.53 dBm	-52.76 dB	-12.83 dB
264.000 MHz	400.000 MHz	2.000 MHz	6.29656 GHz	-55.58 dBm	-52.81 dB	-12.81 dB

Date: 19.MAR.2024 14:51:40

11BE160MIMO_Ant5_6025_Large RU 996+484_4



Spectrum Emission Mask Standard: None

Peak Power -2.51 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-260.400 MHz	2.000 MHz	5.76000 GHz	-55.53 dBm	-53.02 dB	-13.02 dB
-260.400 MHz	-173.600 MHz	2.000 MHz	5.76544 GHz	-55.85 dBm	-53.34 dB	-13.46 dB
-173.600 MHz	-87.800 MHz	2.000 MHz	5.93700 GHz	-38.59 dBm	-36.08 dB	-16.06 dB
-87.800 MHz	-86.800 MHz	2.000 MHz	5.93724 GHz	-39.04 dBm	-36.53 dB	-17.37 dB
86.800 MHz	87.800 MHz	2.000 MHz	6.11276 GHz	-41.46 dBm	-38.95 dB	-19.78 dB
87.800 MHz	173.600 MHz	2.000 MHz	6.11388 GHz	-41.85 dBm	-39.34 dB	-19.24 dB
173.600 MHz	260.400 MHz	2.000 MHz	6.28536 GHz	-57.27 dBm	-54.76 dB	-14.77 dB
260.400 MHz	400.000 MHz	2.000 MHz	6.28872 GHz	-57.05 dBm	-54.54 dB	-14.54 dB

Date: 19.MAR.2024 12:12:18

11BE160MIMO_Ant5_6025_Puncturing 40M_4



Spectrum Emission Mask Standard: None

Peak Power -2.43 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-260.400 MHz	2.000 MHz	5.76016 GHz	-55.23 dBm	-52.80 dB	-12.80 dB
-260.400 MHz	-173.600 MHz	2.000 MHz	5.76512 GHz	-55.77 dBm	-53.34 dB	-13.41 dB
-173.600 MHz	-87.800 MHz	2.000 MHz	5.93684 GHz	-38.66 dBm	-36.23 dB	-16.19 dB
-87.800 MHz	-86.800 MHz	2.000 MHz	5.93724 GHz	-39.18 dBm	-36.75 dB	-17.58 dB
86.800 MHz	87.800 MHz	2.000 MHz	6.11276 GHz	-42.77 dBm	-40.34 dB	-21.17 dB
87.800 MHz	173.600 MHz	2.000 MHz	6.12084 GHz	-42.87 dBm	-40.44 dB	-19.69 dB
173.600 MHz	260.400 MHz	2.000 MHz	6.28536 GHz	-57.25 dBm	-54.82 dB	-14.82 dB
260.400 MHz	400.000 MHz	2.000 MHz	6.28856 GHz	-56.93 dBm	-54.50 dB	-14.50 dB

Date: 19.MAR.2024 14:49:32

11BE160MIMO_Ant5_6025_Puncturing 20M_8



Spectrum Emission Mask Standard: None

Peak Power -3.10 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-260.400 MHz	2.000 MHz	5.76000 GHz	-55.02 dBm	-51.92 dB	-11.92 dB
-260.400 MHz	-173.600 MHz	2.000 MHz	5.76480 GHz	-55.46 dBm	-52.36 dB	-12.39 dB
-173.600 MHz	-87.800 MHz	2.000 MHz	5.90691 GHz	-41.44 dBm	-38.34 dB	-15.52 dB
-87.800 MHz	-86.800 MHz	2.000 MHz	5.93724 GHz	-39.87 dBm	-36.77 dB	-17.60 dB
86.800 MHz	87.800 MHz	2.000 MHz	6.11276 GHz	-41.24 dBm	-38.15 dB	-18.98 dB
87.800 MHz	173.600 MHz	2.000 MHz	6.12268 GHz	-41.55 dBm	-38.45 dB	-17.53 dB
173.600 MHz	260.400 MHz	2.000 MHz	6.28528 GHz	-57.09 dBm	-54.00 dB	-14.01 dB
260.400 MHz	400.000 MHz	2.000 MHz	6.28792 GHz	-56.81 dBm	-53.71 dB	-13.71 dB

Date: 19.MAR.2024 14:52:04

11BE160MIMO_Ant7_6985_Large RU 996+484_1



Spectrum Emission Mask Standard: None

Peak Power -2.77 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-262.800 MHz	2.000 MHz	6.71704 GHz	-53.64 dBm	-50.88 dB	-10.88 dB
-262.800 MHz	-175.200 MHz	2.000 MHz	6.72240 GHz	-53.98 dBm	-51.22 dB	-11.25 dB
-175.200 MHz	-88.600 MHz	2.000 MHz	6.88884 GHz	-39.76 dBm	-37.00 dB	-16.30 dB
-88.600 MHz	-87.600 MHz	2.000 MHz	6.89644 GHz	-40.24 dBm	-37.47 dB	-18.31 dB
87.600 MHz	88.600 MHz	2.000 MHz	7.07356 GHz	-35.41 dBm	-32.64 dB	-13.48 dB
88.600 MHz	175.200 MHz	2.000 MHz	7.10357 GHz	-37.41 dBm	-34.64 dB	-11.87 dB
175.200 MHz	262.800 MHz	2.000 MHz	7.16048 GHz	-46.49 dBm	-43.73 dB	-15.69 dB
262.800 MHz	400.000 MHz	2.000 MHz	7.24856 GHz	-58.42 dBm	-55.65 dB	-15.65 dB

Date: 19.MAR.2024 12:13:02

11BE160MIMO_Ant7_6985_Puncturing 40M_1



Spectrum Emission Mask Standard: None

Peak Power -2.87 dBm RBW 2.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-262.800 MHz	2.000 MHz	6.72056 GHz	-53.58 dBm	-50.71 dB	-10.71 dB
-262.800 MHz	-175.200 MHz	2.000 MHz	6.72224 GHz	-53.71 dBm	-50.84 dB	-10.85 dB
-175.200 MHz	-88.600 MHz	2.000 MHz	6.81544 GHz	-47.13 dBm	-44.26 dB	-16.78 dB
-88.600 MHz	-87.600 MHz	2.000 MHz	6.89644 GHz	-40.19 dBm	-37.32 dB	-18.15 dB
87.600 MHz	88.600 MHz	2.000 MHz	7.07356 GHz	-36.41 dBm	-33.54 dB	-14.37 dB
88.600 MHz	175.200 MHz	2.000 MHz	7.10646 GHz	-38.41 dBm	-35.54 dB	-12.50 dB
175.200 MHz	262.800 MHz	2.000 MHz	7.24752 GHz	-58.41 dBm	-55.54 dB	-15.58 dB
262.800 MHz	400.000 MHz	2.000 MHz	7.24848 GHz	-58.52 dBm	-55.65 dB	-15.65 dB

Date: 19.MAR.2024 14:53:52

11BE160MIMO_Ant7_6985_Puncturing 20M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-262.800 MHz	2.000 MHz	6.72120 GHz	-51.77 dBm	-48.39 dB	-8.39 dB
-262.800 MHz	-175.200 MHz	2.000 MHz	6.72232 GHz	-51.81 dBm	-48.43 dB	-8.45 dB
-175.200 MHz	-88.600 MHz	2.000 MHz	6.81264 GHz	-44.16 dBm	-40.78 dB	-13.04 dB
-88.600 MHz	-87.600 MHz	2.000 MHz	6.89644 GHz	-38.65 dBm	-35.27 dB	-16.11 dB
87.600 MHz	88.600 MHz	2.000 MHz	7.07356 GHz	-35.83 dBm	-32.45 dB	-13.28 dB
88.600 MHz	175.200 MHz	2.000 MHz	7.14191 GHz	-40.14 dBm	-36.76 dB	-10.45 dB
175.200 MHz	262.800 MHz	2.000 MHz	7.16208 GHz	-43.61 dBm	-40.23 dB	-11.97 dB
262.800 MHz	400.000 MHz	2.000 MHz	7.24904 GHz	-57.59 dBm	-54.22 dB	-14.22 dB

Date: 19.MAR.2024 14:55:25

11BE160MIMO_Ant5_6985_Large RU 996+484_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-256.800 MHz	2.000 MHz	6.71248 GHz	-56.18 dBm	-53.05 dB	-13.05 dB
-256.800 MHz	-171.200 MHz	2.000 MHz	6.72848 GHz	-56.09 dBm	-52.96 dB	-13.00 dB
-171.200 MHz	-86.600 MHz	2.000 MHz	6.88988 GHz	-40.90 dBm	-37.77 dB	-16.96 dB
-86.600 MHz	-85.600 MHz	2.000 MHz	6.89844 GHz	-40.65 dBm	-37.52 dB	-18.35 dB
85.600 MHz	86.600 MHz	2.000 MHz	7.07156 GHz	-42.08 dBm	-38.94 dB	-19.78 dB
86.600 MHz	171.200 MHz	2.000 MHz	7.07172 GHz	-41.95 dBm	-38.82 dB	-18.81 dB
171.200 MHz	256.800 MHz	2.000 MHz	7.24112 GHz	-59.84 dBm	-56.71 dB	-16.80 dB
256.800 MHz	400.000 MHz	2.000 MHz	7.24224 GHz	-59.79 dBm	-56.66 dB	-16.66 dB

Date: 19.MAR.2024 12:13:26

11BE160MIMO_Ant5_6985_Puncturing 40M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-256.800 MHz	2.000 MHz	6.72816 GHz	-56.21 dBm	-53.13 dB	-13.13 dB
-256.800 MHz	-171.200 MHz	2.000 MHz	6.72936 GHz	-56.06 dBm	-52.99 dB	-13.15 dB
-171.200 MHz	-86.600 MHz	2.000 MHz	6.88956 GHz	-41.09 dBm	-38.02 dB	-17.18 dB
-86.600 MHz	-85.600 MHz	2.000 MHz	6.89844 GHz	-40.56 dBm	-37.49 dB	-18.32 dB
85.600 MHz	86.600 MHz	2.000 MHz	7.07156 GHz	-43.17 dBm	-40.09 dB	-20.93 dB
86.600 MHz	171.200 MHz	2.000 MHz	7.07172 GHz	-42.17 dBm	-39.09 dB	-19.08 dB
171.200 MHz	256.800 MHz	2.000 MHz	7.24144 GHz	-59.89 dBm	-56.82 dB	-16.87 dB
256.800 MHz	400.000 MHz	2.000 MHz	7.24784 GHz	-59.83 dBm	-56.76 dB	-16.76 dB

Date: 19.MAR.2024 14:54:17

11BE160MIMO_Ant5_6985_Puncturing 20M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-256.800 MHz	2.000 MHz	6.72616 GHz	-55.00 dBm	-51.28 dB	-11.28 dB
-256.800 MHz	-171.200 MHz	2.000 MHz	6.72888 GHz	-54.70 dBm	-50.98 dB	-11.08 dB
-171.200 MHz	-86.600 MHz	2.000 MHz	6.84834 GHz	-42.04 dBm	-38.32 dB	-13.59 dB
-86.600 MHz	-85.600 MHz	2.000 MHz	6.89844 GHz	-39.42 dBm	-35.70 dB	-16.54 dB
85.600 MHz	86.600 MHz	2.000 MHz	7.07156 GHz	-42.77 dBm	-39.05 dB	-19.88 dB
86.600 MHz	171.200 MHz	2.000 MHz	7.14127 GHz	-49.04 dBm	-45.32 dB	-18.73 dB
171.200 MHz	256.800 MHz	2.000 MHz	7.24064 GHz	-59.43 dBm	-55.71 dB	-15.87 dB
256.800 MHz	400.000 MHz	2.000 MHz	7.24264 GHz	-59.59 dBm	-55.87 dB	-15.87 dB

Date: 19.MAR.2024 14:55:50

11BE320MIMO_Ant7_6105_Large RU 2*996+484_6



Spectrum Emission Mask Standard: None

Peak Power -0.98 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-52.34 dBm	-51.36 dB	-11.36 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.62420 GHz	-49.88 dBm	-48.90 dB	-10.88 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.84849 GHz	-39.10 dBm	-38.12 dB	-14.05 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-36.85 dBm	-35.87 dB	-15.87 dB
169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-40.89 dBm	-39.91 dB	-19.91 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.27640 GHz	-41.09 dBm	-40.11 dB	-20.07 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.58260 GHz	-52.17 dBm	-51.19 dB	-13.39 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61460 GHz	-54.48 dBm	-53.50 dB	-13.50 dB

Date: 19.MAR.2024 12:14:23

11BE320MIMO_Ant7_6105_Large RU 3*996_4



Spectrum Emission Mask Standard: None

Peak Power -1.27 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-51.41 dBm	-50.14 dB	-10.14 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.62580 GHz	-48.78 dBm	-47.51 dB	-9.61 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.79872 GHz	-39.79 dBm	-38.51 dB	-12.08 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-35.07 dBm	-33.80 dB	-13.80 dB
169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-35.83 dBm	-34.56 dB	-14.56 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.31173 GHz	-37.36 dBm	-36.09 dB	-14.38 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61300 GHz	-54.33 dBm	-53.06 dB	-13.11 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61620 GHz	-54.34 dBm	-53.07 dB	-13.07 dB

Date: 19.MAR.2024 12:15:41

11BE320MIMO_Ant7_6105_Large RU 3*996+484_8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-47.88 dBm	-46.44 dB	-6.44 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.63060 GHz	-45.13 dBm	-43.69 dB	-6.12 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.79551 GHz	-36.47 dBm	-35.03 dB	-8.44 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-35.45 dBm	-34.01 dB	-14.01 dB
169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-33.19 dBm	-31.75 dB	-11.75 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.37917 GHz	-36.96 dBm	-35.52 dB	-10.61 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61300 GHz	-52.48 dBm	-51.04 dB	-11.10 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61620 GHz	-52.51 dBm	-51.07 dB	-11.07 dB

Date: 19.MAR.2024 12:16:48

11BE320MIMO_Ant7_6105_Puncturing 80+40M_6



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-52.20 dBm	-51.39 dB	-11.39 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.59700 GHz	-52.27 dBm	-51.46 dB	-11.52 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.87258 GHz	-37.92 dBm	-37.11 dB	-14.18 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-36.67 dBm	-35.85 dB	-15.85 dB
169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-40.41 dBm	-39.60 dB	-19.60 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.27640 GHz	-40.63 dBm	-39.82 dB	-19.78 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61140 GHz	-54.44 dBm	-53.63 dB	-13.80 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61460 GHz	-54.50 dBm	-53.69 dB	-13.69 dB

Date: 19.MAR.2024 14:59:34

11BE320MIMO_Ant7_6105_Puncturing 80M_4



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-51.72 dBm	-49.99 dB	-9.99 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.59700 GHz	-51.69 dBm	-49.96 dB	-10.02 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.79711 GHz	-40.97 dBm	-39.24 dB	-12.73 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-36.98 dBm	-35.25 dB	-15.25 dB
169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-37.59 dBm	-35.85 dB	-15.85 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.27640 GHz	-37.65 dBm	-35.92 dB	-15.88 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61300 GHz	-54.35 dBm	-52.62 dB	-12.68 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61620 GHz	-54.38 dBm	-52.65 dB	-12.65 dB

Date: 19.MAR.2024 15:01:16

11BE320MIMO_Ant7_6105_Puncturing 40M_8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	5.59540 GHz	-50.54 dBm	-48.33 dB	-8.33 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	5.59700 GHz	-50.43 dBm	-48.21 dB	-8.27 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	5.79872 GHz	-39.51 dBm	-37.29 dB	-10.86 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	5.93490 GHz	-37.10 dBm	-34.88 dB	-14.88 dB
169.600 MHz	170.600 MHz	5.000 MHz	6.27510 GHz	-36.16 dBm	-33.95 dB	-13.95 dB
170.600 MHz	339.200 MHz	5.000 MHz	6.34063 GHz	-38.69 dBm	-36.47 dB	-13.39 dB
339.200 MHz	508.800 MHz	5.000 MHz	6.61300 GHz	-54.03 dBm	-51.81 dB	-11.87 dB
508.800 MHz	800.000 MHz	5.000 MHz	6.61940 GHz	-54.07 dBm	-51.86 dB	-11.86 dB

Date: 19.MAR.2024 15:02:31

11BE320MIMO_Ant5_6105_Large RU 2*996+484_6



Spectrum Emission Mask Standard: None

Peak Power -1.27 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.60020 GHz	-52.39 dBm	-51.12 dB	-11.12 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62580 GHz	-44.04 dBm	-42.78 dB	-4.55 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.85009 GHz	-41.21 dBm	-39.95 dB	-15.83 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-37.65 dBm	-36.38 dB	-16.38 dB
168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-44.04 dBm	-42.77 dB	-22.77 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.27480 GHz	-44.09 dBm	-42.83 dB	-22.79 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.58420 GHz	-46.45 dBm	-45.18 dB	-6.95 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.61300 GHz	-54.17 dBm	-52.90 dB	-12.90 dB

Date: 19.MAR.2024 12:14:47

11BE320MIMO_Ant5_6105_Large RU 3*996_4



Spectrum Emission Mask Standard: None

Peak Power -1.61 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.59540 GHz	-50.22 dBm	-48.61 dB	-8.61 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62580 GHz	-43.62 dBm	-42.01 dB	-3.78 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.78907 GHz	-42.23 dBm	-40.62 dB	-13.58 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-36.32 dBm	-34.71 dB	-14.71 dB
168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-39.46 dBm	-37.85 dB	-17.85 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.31013 GHz	-40.97 dBm	-39.36 dB	-17.62 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.58420 GHz	-46.95 dBm	-45.34 dB	-7.11 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.60980 GHz	-52.99 dBm	-51.38 dB	-11.38 dB

Date: 19.MAR.2024 12:16:05

11BE320MIMO_Ant5_6105_Large RU 3*996+484_8



Spectrum Emission Mask Standard: None

Peak Power -1.71 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.60020 GHz	-49.21 dBm	-47.49 dB	-7.49 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62740 GHz	-44.55 dBm	-42.84 dB	-4.72 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.79068 GHz	-39.22 dBm	-37.51 dB	-10.55 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-36.23 dBm	-34.52 dB	-14.52 dB
168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-37.30 dBm	-35.59 dB	-15.59 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.37918 GHz	-40.42 dBm	-38.71 dB	-13.67 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.58740 GHz	-47.86 dBm	-46.15 dB	-7.69 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.61140 GHz	-52.19 dBm	-50.48 dB	-10.48 dB

Date: 19.MAR.2024 12:17:12

11BE320MIMO_Ant5_6105_Puncturing 80+40M_6



Spectrum Emission Mask Standard: None

Peak Power -1.21 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.60020 GHz	-50.37 dBm	-49.15 dB	-9.16 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62900 GHz	-48.00 dBm	-46.78 dB	-8.78 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.87097 GHz	-39.78 dBm	-38.57 dB	-15.45 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-37.38 dBm	-36.16 dB	-16.16 dB
168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-43.38 dBm	-42.17 dB	-22.17 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.43859 GHz	-50.10 dBm	-48.88 dB	-21.00 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.60820 GHz	-53.02 dBm	-51.80 dB	-11.86 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.60980 GHz	-53.10 dBm	-51.89 dB	-11.89 dB

Date: 19.MAR.2024 14:59:58

11BE320MIMO_Ant5_6105_Puncturing 80M_4



Spectrum Emission Mask Standard: None

Peak Power -2.11 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.59700 GHz	-50.25 dBm	-48.14 dB	-8.14 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62740 GHz	-47.91 dBm	-45.80 dB	-7.69 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.79228 GHz	-42.97 dBm	-40.86 dB	-13.98 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-37.51 dBm	-35.40 dB	-15.40 dB
168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-40.55 dBm	-38.43 dB	-18.43 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.30692 GHz	-42.24 dBm	-40.12 dB	-18.55 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.60820 GHz	-52.99 dBm	-50.88 dB	-10.93 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.60980 GHz	-53.00 dBm	-50.88 dB	-10.88 dB

Date: 19.MAR.2024 15:01:41

11BE320MIMO_Ant5_6105_Puncturing 40M_8



Spectrum Emission Mask Standard: None

Peak Power -2.55 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-504.000 MHz	5.000 MHz	5.60020 GHz	-49.93 dBm	-47.38 dB	-7.38 dB
-504.000 MHz	-336.000 MHz	5.000 MHz	5.62740 GHz	-48.02 dBm	-45.47 dB	-7.35 dB
-336.000 MHz	-169.000 MHz	5.000 MHz	5.79389 GHz	-41.69 dBm	-39.14 dB	-12.33 dB
-169.000 MHz	-168.000 MHz	5.000 MHz	5.93650 GHz	-37.92 dBm	-35.37 dB	-15.37 dB
168.000 MHz	169.000 MHz	5.000 MHz	6.27350 GHz	-39.41 dBm	-36.86 dB	-16.86 dB
169.000 MHz	336.000 MHz	5.000 MHz	6.38239 GHz	-43.49 dBm	-40.94 dB	-15.75 dB
336.000 MHz	504.000 MHz	5.000 MHz	6.58100 GHz	-50.78 dBm	-48.23 dB	-10.23 dB
504.000 MHz	800.000 MHz	5.000 MHz	6.61140 GHz	-52.81 dBm	-50.26 dB	-10.26 dB

Date: 19.MAR.2024 15:02:56

11BE320MIMO_Ant7_6905_Large RU 2*996+484_7



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	6.39060 GHz	-49.80 dBm	-45.25 dB	-5.25 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	6.42420 GHz	-47.37 dBm	-42.82 dB	-4.80 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	6.56660 GHz	-46.92 dBm	-42.37 dB	-14.41 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	6.73490 GHz	-43.91 dBm	-39.36 dB	-19.36 dB
169.600 MHz	170.600 MHz	5.000 MHz	7.07510 GHz	-48.36 dBm	-43.81 dB	-23.81 dB
170.600 MHz	339.200 MHz	5.000 MHz	7.21128 GHz	-52.01 dBm	-47.45 dB	-21.02 dB
339.200 MHz	508.800 MHz	5.000 MHz	7.41300 GHz	-58.24 dBm	-53.69 dB	-13.75 dB
508.800 MHz	800.000 MHz	5.000 MHz	7.41460 GHz	-58.30 dBm	-53.75 dB	-13.75 dB

Date: 19.MAR.2024 12:19:44

11BE320MIMO_Ant7_6905_Large RU 3*996_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	6.39540 GHz	-49.76 dBm	-44.95 dB	-4.95 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	6.39700 GHz	-49.78 dBm	-44.97 dB	-5.02 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	6.56660 GHz	-46.25 dBm	-41.44 dB	-13.47 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	6.73490 GHz	-40.49 dBm	-35.67 dB	-15.67 dB
169.600 MHz	170.600 MHz	5.000 MHz	7.07510 GHz	-46.42 dBm	-41.61 dB	-21.61 dB
170.600 MHz	339.200 MHz	5.000 MHz	7.20968 GHz	-49.85 dBm	-45.03 dB	-18.67 dB
339.200 MHz	508.800 MHz	5.000 MHz	7.41300 GHz	-58.25 dBm	-53.44 dB	-13.50 dB
508.800 MHz	800.000 MHz	5.000 MHz	7.41780 GHz	-58.28 dBm	-53.47 dB	-13.47 dB

Date: 19.MAR.2024 12:22:23

11BE320MIMO_Ant7_6905_Large RU 3*996+484_1



Spectrum Emission Mask Standard: None

Peak Power -6.04 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	6.39540 GHz	-49.38 dBm	-43.34 dB	-3.34 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	6.42260 GHz	-47.23 dBm	-41.19 dB	-3.06 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	6.62923 GHz	-40.78 dBm	-34.74 dB	-9.75 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	6.73490 GHz	-39.83 dBm	-33.79 dB	-13.79 dB
169.600 MHz	170.600 MHz	5.000 MHz	7.07510 GHz	-48.20 dBm	-42.16 dB	-22.16 dB
170.600 MHz	339.200 MHz	5.000 MHz	7.19844 GHz	-48.70 dBm	-42.66 dB	-16.83 dB
339.200 MHz	508.800 MHz	5.000 MHz	7.41300 GHz	-58.23 dBm	-52.19 dB	-12.25 dB
508.800 MHz	800.000 MHz	5.000 MHz	7.41460 GHz	-58.19 dBm	-52.15 dB	-12.15 dB

Date: 19.MAR.2024 12:23:44

11BE320MIMO_Ant7_6905_Puncturing 80+40M_7



Spectrum Emission Mask Standard: None

Peak Power -4.84 dBm RBW 5.000 MHz

Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	6.38900 GHz	-49.96 dBm	-45.12 dB	-5.12 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	6.39700 GHz	-49.99 dBm	-45.15 dB	-5.21 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	6.56660 GHz	-47.12 dBm	-42.28 dB	-14.32 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	6.73490 GHz	-44.55 dBm	-39.71 dB	-19.71 dB
169.600 MHz	170.600 MHz	5.000 MHz	7.07510 GHz	-49.21 dBm	-44.37 dB	-24.37 dB
170.600 MHz	339.200 MHz	5.000 MHz	7.21289 GHz	-52.47 dBm	-47.63 dB	-21.12 dB
339.200 MHz	508.800 MHz	5.000 MHz	7.41300 GHz	-58.31 dBm	-53.48 dB	-13.53 dB
508.800 MHz	800.000 MHz	5.000 MHz	7.41460 GHz	-58.33 dBm	-53.50 dB	-13.50 dB

Date: 19.MAR.2024 15:05:24

11BE320MIMO_Ant7_6905_Puncturing 80M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	6.39540 GHz	-49.85 dBm	-44.89 dB	-4.89 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	6.39700 GHz	-49.92 dBm	-44.97 dB	-5.02 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	6.56660 GHz	-46.45 dBm	-41.50 dB	-13.54 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	6.73490 GHz	-40.55 dBm	-35.60 dB	-15.60 dB
169.600 MHz	170.600 MHz	5.000 MHz	7.07510 GHz	-47.39 dBm	-42.44 dB	-22.44 dB
170.600 MHz	339.200 MHz	5.000 MHz	7.21610 GHz	-50.71 dBm	-45.76 dB	-19.09 dB
339.200 MHz	508.800 MHz	5.000 MHz	7.41300 GHz	-58.32 dBm	-53.37 dB	-13.43 dB
508.800 MHz	800.000 MHz	5.000 MHz	7.41940 GHz	-58.31 dBm	-53.35 dB	-13.35 dB

Date: 19.MAR.2024 15:09:22

11BE320MIMO_Ant7_6905_Puncturing 40M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-508.800 MHz	5.000 MHz	6.39060 GHz	-49.16 dBm	-44.12 dB	-4.12 dB
-508.800 MHz	-339.200 MHz	5.000 MHz	6.39700 GHz	-49.22 dBm	-44.18 dB	-4.24 dB
-339.200 MHz	-170.600 MHz	5.000 MHz	6.60353 GHz	-41.11 dBm	-36.07 dB	-9.86 dB
-170.600 MHz	-169.600 MHz	5.000 MHz	6.73490 GHz	-38.67 dBm	-33.63 dB	-13.63 dB
169.600 MHz	170.600 MHz	5.000 MHz	7.07510 GHz	-45.59 dBm	-40.55 dB	-20.55 dB
170.600 MHz	339.200 MHz	5.000 MHz	7.18880 GHz	-46.55 dBm	-41.51 dB	-16.14 dB
339.200 MHz	508.800 MHz	5.000 MHz	7.41300 GHz	-58.26 dBm	-53.22 dB	-13.28 dB
508.800 MHz	800.000 MHz	5.000 MHz	7.41460 GHz	-58.21 dBm	-53.17 dB	-13.17 dB

Date: 19.MAR.2024 15:13:38

11BE320MIMO_Ant5_6905_Large RU 2*996+484_7



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.39138 GHz	-53.57 dBm	-48.40 dB	-8.40 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.39940 GHz	-53.65 dBm	-48.49 dB	-8.55 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.56821 GHz	-51.60 dBm	-46.43 dB	-18.47 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-46.18 dBm	-41.01 dB	-21.01 dB
168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.37 dBm	-45.21 dB	-25.21 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24179 GHz	-56.55 dBm	-51.38 dB	-23.42 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.31 dBm	-54.14 dB	-14.20 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.54857 GHz	-59.20 dBm	-54.03 dB	-14.03 dB

Date: 19.MAR.2024 12:21:20

11BE320MIMO_Ant5_6905_Large RU 3*996_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.39459 GHz	-53.59 dBm	-48.41 dB	-8.41 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.42513 GHz	-51.18 dBm	-46.00 dB	-7.88 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.70535 GHz	-42.90 dBm	-37.73 dB	-16.30 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-41.73 dBm	-36.55 dB	-16.55 dB
168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-49.65 dBm	-44.47 dB	-24.47 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24179 GHz	-56.05 dBm	-50.87 dB	-22.91 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.22 dBm	-54.05 dB	-14.10 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.54857 GHz	-59.18 dBm	-54.00 dB	-14.00 dB

Date: 19.MAR.2024 12:22:51

11BE320MIMO_Ant5_6905_Large RU 3*996+484_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.38817 GHz	-53.48 dBm	-47.02 dB	-7.02 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.42834 GHz	-49.94 dBm	-43.48 dB	-5.59 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.63597 GHz	-43.88 dBm	-37.41 dB	-12.68 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-41.73 dBm	-35.27 dB	-15.27 dB
168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.59 dBm	-44.13 dB	-24.13 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24179 GHz	-55.87 dBm	-49.41 dB	-21.45 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.29 dBm	-52.83 dB	-12.88 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.45873 GHz	-59.18 dBm	-52.71 dB	-12.71 dB

Date: 19.MAR.2024 12:24:08

11BE320MIMO_Ant5_6905_Puncturing 80+40M_7



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.38817 GHz	-53.57 dBm	-48.28 dB	-8.28 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.39940 GHz	-53.64 dBm	-48.35 dB	-8.40 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.56821 GHz	-51.59 dBm	-46.30 dB	-18.33 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-46.75 dBm	-41.46 dB	-21.46 dB
168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.72 dBm	-45.43 dB	-25.43 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24179 GHz	-56.55 dBm	-51.25 dB	-23.29 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.24 dBm	-53.95 dB	-14.00 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.54857 GHz	-59.20 dBm	-53.91 dB	-13.91 dB

Date: 19.MAR.2024 15:07:18

11BE320MIMO_Ant5_6905_Puncturing 80M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.38817 GHz	-53.62 dBm	-48.17 dB	-8.17 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.39940 GHz	-53.67 dBm	-48.22 dB	-8.28 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.70374 GHz	-43.62 dBm	-38.17 dB	-16.67 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-42.27 dBm	-36.82 dB	-16.82 dB
168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.41 dBm	-44.96 dB	-24.96 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24018 GHz	-56.03 dBm	-50.58 dB	-22.70 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.26 dBm	-53.81 dB	-13.86 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.45712 GHz	-59.23 dBm	-53.78 dB	-13.78 dB

Date: 19.MAR.2024 15:11:52

11BE320MIMO_Ant5_6905_Puncturing 40M_1



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-800.000 MHz	-506.400 MHz	5.000 MHz	6.39138 GHz	-53.42 dBm	-48.03 dB	-8.03 dB
-506.400 MHz	-337.600 MHz	5.000 MHz	6.39940 GHz	-53.47 dBm	-48.08 dB	-8.13 dB
-337.600 MHz	-169.800 MHz	5.000 MHz	6.64404 GHz	-42.65 dBm	-37.26 dB	-12.91 dB
-169.800 MHz	-168.800 MHz	5.000 MHz	6.73570 GHz	-39.89 dBm	-34.49 dB	-14.49 dB
168.800 MHz	169.800 MHz	5.000 MHz	7.07430 GHz	-50.02 dBm	-44.62 dB	-24.62 dB
169.800 MHz	337.600 MHz	5.000 MHz	7.24179 GHz	-55.22 dBm	-49.82 dB	-21.86 dB
337.600 MHz	506.400 MHz	5.000 MHz	7.41060 GHz	-59.23 dBm	-53.84 dB	-13.90 dB
506.400 MHz	800.000 MHz	5.000 MHz	7.45873 GHz	-59.19 dBm	-53.79 dB	-13.79 dB

Date: 19.MAR.2024 15:14:08

Appendix B. AC Conducted Emission Test Results

Test Engineer:	FangMing Liang	**Temperature:**	22~24℃
		Relative Humidity:	44~50%
Test Voltage:	120Vac / 60Hz	**Phase:**	Line
Remark:	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_L LINE

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.15	37.92	-18.08	56.00	17.40	10.39	10.13	Average
2	*	0.15	52.32	-13.68	66.00	31.80	10.39	10.13	QP
3		0.20	37.51	-16.25	53.76	16.90	10.46	10.15	Average
4		0.20	49.01	-14.75	63.76	28.40	10.46	10.15	QP
5		0.22	37.62	-15.39	53.01	17.10	10.37	10.15	Average
6		0.22	47.02	-15.99	63.01	26.50	10.37	10.15	QP
7		0.26	29.57	-21.94	51.51	9.31	10.11	10.15	Average
8		0.26	40.47	-21.04	61.51	20.21	10.11	10.15	QP
9		1.00	26.41	-19.59	46.00	6.00	10.25	10.16	Average
10		1.00	35.91	-20.09	56.00	15.50	10.25	10.16	QP
11		21.83	33.39	-16.61	50.00	12.60	10.15	10.64	Average
12		21.83	38.49	-21.51	60.00	17.70	10.15	10.64	QP

Test Engineer:	FangMing Liang	**Temperature:**	22~24℃
		Relative Humidity:	44~50%
Test Voltage:	120Vac / 60Hz	**Phase:**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
Condition: FCC 15E_QP AC LISN 100063_N NEUTRAL

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.15	35.38	-20.58	55.96	15.10	10.15	10.13	Average
2		0.15	47.58	-18.38	65.96	27.30	10.15	10.13	QP
3		0.20	35.94	-17.82	53.76	15.50	10.29	10.15	Average
4		0.20	44.74	-19.02	63.76	24.30	10.29	10.15	QP
5		0.22	33.86	-18.84	52.70	13.50	10.21	10.15	Average
6		0.22	42.86	-19.84	62.70	22.50	10.21	10.15	QP
7	*	0.61	29.12	-16.88	46.00	8.80	10.16	10.16	Average
8		0.61	37.22	-18.78	56.00	16.90	10.16	10.16	QP
9		0.98	23.81	-22.19	46.00	3.40	10.25	10.16	Average
10		0.98	34.11	-21.89	56.00	13.70	10.25	10.16	QP
11		22.06	28.17	-21.83	50.00	7.40	10.12	10.65	Average
12		22.06	33.37	-26.63	60.00	12.60	10.12	10.65	QP

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer:	ZhangXu	Relative Humidity:	50%
		Temperature:	20℃~22℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Ant	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	5+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	5+7	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	5+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	5+7	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	5+7	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	5+7	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	5+7	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	5+7	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	5+7	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	5+7	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	5+7	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	5+7	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5925-6425	5+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	5+7	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	5+7	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	5+7	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 17	U-NII-6	6.425-6.525	5+7	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 18	U-NII-6	6.425-6.525	5+7	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 19	U-NII-7	6.525-6.875	5+7	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	U-NII-7	6.525-6.875	5+7	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	U-NII-7	6.525-6.875	5+7	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 22	U-NII-8	6.875-7.125	5+7	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	5+7	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	6.875-7.125	5+7	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	5+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5.925-6.425	5+7	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5.925-6.425	5+7	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	5+7	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	5+7	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 30	U-NII-7	6.525-6.875	5+7	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	5+7	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	U-NII-7	6.525-6.875	5+7	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 33	U-NII-8	6.875-7.125	5+7	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6.875-7.125	5+7	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6.875-7.125	5+7	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 36	U-NII-5	5.925-6.425	5+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5.925-6.425	5+7	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5.925-6.425	5+7	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 39	U-NII-6	6.425-6.525	5+7	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	5+7	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	5+7	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	5+7	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 43	U-NII-8	6.875-7.125	5+7	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6.875-7.125	5+7	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 45	U-NII-5	5.925-6.425	5+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5.925-6.425	5+7	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5.925-6.425	5+7	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	U-NII-7	6.525-6.875	5+7	802.11ax HE160	143	6665	MCS0	Full RU	-

Mode 49	U-NII-8	6.875-7.125	5+7	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 50	U-NII-7-8	6.525-7.125	5+7	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	U-NII-7-8	6.525-7.125	5+7	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	U-NII-7-8	6.525-7.125	5+7	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	U-NII-7-8	6.525-7.125	5+7	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 54	U-NII-6-7	6.425-6.875	5+7	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 55	U-NII-6-7	6.425-6.875	5+7	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 56	U-NII-6-7	6.425-6.875	5+7	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 57	U-NII-5	5.925-6.425	5+7	802.11ax HE20	1	5955	MCS0	Partial RU	52/37
Mode 58	U-NII-8	6.875-7.125	5+7	802.11ax HE20	229	7095	MCS0	Partial RU	26/8
Mode 59	U-NII-5	5.925-6.425	5+7	802.11be EHT20	1	5955	MCS0	-	-
Mode 60	U-NII-5	5.925-6.425	5+7	802.11be EHT20	45	6175	MCS0	-	-
Mode 61	U-NII-5	5.925-6.425	5+7	802.11be EHT20	93	6415	MCS0	-	-
Mode 62	U-NII-5	5.925-6.425	5+7	802.11be EHT20	97	6435	MCS0	-	-
Mode 63	U-NII-6	6.425-6.525	5+7	802.11be EHT20	105	6475	MCS0	-	-
Mode 64	U-NII-6	6.425-6.525	5+7	802.11be EHT20	113	6515	MCS0	-	-
Mode 65	U-NII-7	6.525-6.875	5+7	802.11be EHT20	117	6535	MCS0	Full RU	-
Mode 66	U-NII-7	6.525-6.875	5+7	802.11be EHT20	149	6695	MCS0	Full RU	-
Mode 67	U-NII-7	6.525-6.875	5+7	802.11be EHT20	181	6855	MCS0	Full RU	-
Mode 68	U-NII-8	6.875-7.125	5+7	802.11be EHT20	189	6895	MCS0	Full RU	-
Mode 69	U-NII-8	6.875-7.125	5+7	802.11be EHT20	209	6995	MCS0	Full RU	-
Mode 70	U-NII-8	6.875-7.125	5+7	802.11be EHT20	229	7095	MCS0	Full RU	-
Mode 71	U-NII-5	5.925-6.425	5+7	802.11be EHT40	3	5965	MCS0	Full RU	-
Mode 72	U-NII-5	5.925-6.425	5+7	802.11be EHT40	43	6165	MCS0	Full RU	-
Mode 73	U-NII-5	5.925-6.425	5+7	802.11be EHT40	91	6405	MCS0	Full RU	-
Mode 74	U-NII-6	6.425-6.525	5+7	802.11be EHT40	99	6445	MCS0	Full RU	-
Mode 75	U-NII-6	6.425-6.525	5+7	802.11be EHT40	107	6485	MCS0	Full RU	-
Mode 76	U-NII-7	6.525-6.875	5+7	802.11be EHT40	123	6565	MCS0	Full RU	-
Mode 77	U-NII-7	6.525-6.875	5+7	802.11be EHT40	147	6685	MCS0	Full RU	-
Mode 78	U-NII-7	6.525-6.875	5+7	802.11be EHT40	179	6845	MCS0	Full RU	-
Mode 79	U-NII-8	6.875-7.125	5+7	802.11be EHT40	195	6925	MCS0	Full RU	-
Mode 80	U-NII-8	6.875-7.125	5+7	802.11be EHT40	203	6965	MCS0	Full RU	-
Mode 81	U-NII-8	6.875-7.125	5+7	802.11be EHT40	227	7085	MCS0	Full RU	-
Mode 82	U-NII-5	5.925-6.425	5+7	802.11be EHT80	7	5985	MCS0	Full RU	-
Mode 83	U-NII-5	5.925-6.425	5+7	802.11be EHT80	39	6145	MCS0	Full RU	-
Mode 84	U-NII-5	5.925-6.425	5+7	802.11be EHT80	87	6385	MCS0	Full RU	-
Mode 85	U-NII-6	6.425-6.525	5+7	802.11be EHT80	103	6465	MCS0	Full RU	-
Mode 86	U-NII-7	6.525-6.875	5+7	802.11be EHT80	135	6625	MCS0	Full RU	-
Mode 87	U-NII-7	6.525-6.875	5+7	802.11be EHT80	151	6705	MCS0	Full RU	-
Mode 88	U-NII-7	6.525-6.875	5+7	802.11be EHT80	167	6785	MCS0	Full RU	-
Mode 89	U-NII-8	6.875-7.125	5+7	802.11be EHT80	199	6945	MCS0	Full RU	-
Mode 90	U-NII-8	6.875-7.125	5+7	802.11be EHT80	215	7025	MCS0	Full RU	-
Mode 91	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Full RU	-
Mode 92	U-NII-5	5.925-6.425	5+7	802.11be EHT160	47	6185	MCS0	Full RU	-
Mode 93	U-NII-5	5.925-6.425	5+7	802.11be EHT160	79	6345	MCS0	Full RU	-
Mode 94	U-NII-7	6.525-6.875	5+7	802.11be EHT160	143	6665	MCS0	Full RU	-
Mode 95	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Full RU	-
Mode 96	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Full RU	-
Mode 97	U-NII-5	5.925-6.425	5+7	802.11be EHT320	63	6265	MCS0	Full RU	-
Mode 98	U-NII-7-8	6.525-7.125	5+7	802.11a	185	6525	MCS0	Full RU	-
Mode 99	U-NII-7-8	6.525-7.125	5+7	802.11be EHT20	185	6525	MCS0	Full RU	-
Mode 100	U-NII-7-8	6.525-7.125	5+7	802.11be EHT40	187	6885	MCS0	Full RU	-
Mode 101	U-NII-7-8	6.525-7.125	5+7	802.11be EHT80	183	6865	MCS0	Full RU	-
Mode 102	U-NII-7-8	6.525-7.125	5+7	802.11be	175	6825	MCS0	Full RU	-

				EHT160					
Mode 103	U-NII-7-8	6.525-7.125	5+7	802.11be EHT320	159	6745	MCS0	Full RU	-
Mode 104	U-NII-5	5.925-6.425	5+7	802.11be EHT320	191	6905	MCS0	Full RU	-
Mode 105	U-NII-6-7	6.425-6.875	5+7	802.11be EHT40	115	6525	MCS0	Full RU	-
Mode 106	U-NII-6-7	6.425-6.875	5+7	802.11be EHT80	119	6545	MCS0	Full RU	-
Mode 107	U-NII-6-7	6.425-6.875	5+7	802.11be EHT160	111	6505	MCS0	Full RU	-
Mode 108	U-NII-5-6	5.925-6.425	5+7	802.11be EHT320	95	6425	MCS0	Full RU	-
Mode 109	U-NII-6-7	6.425-6.875	5+7	802.11be EHT320	127	6585	MCS0	Full RU	-
Mode 110	U-NII-5	5.925-6.425	5+7	802.11be EHT20	1	5955	MCS0	Single RU	26/0
Mode 111	U-NII-8	6.875-7.125	5+7	802.11be EHT20	229	7095	MCS0	Single RU	26/8
Mode 112	U-NII-5	5.925-6.425	5+7	802.11be EHT20	1	5955	MCS0	Small RU	52+26-38+1
Mode 113	U-NII-8	6.875-7.125	5+7	802.11be EHT20	229	7095	MCS0	Small RU	52+26-39+7-
Mode 114	U-NII-5	5.925-6.425	5+7	802.11be EHT80	7	5985	MCS0	Large RU 484+242	❹
Mode 115	U-NII-8	6.875-7.125	5+7	802.11be EHT80	215	7025	MCS0	Large RU 484+242	❶
Mode 116	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Large RU 996+484	❹
Mode 117	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Large RU 996+484	❶
Mode 118	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484	⑥
Mode 119	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484	⑦
Mode 120	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Large RU 996*3	❹
Mode 121	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Large RU 996*3	❶
Mode 122	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484	⑧
Mode 123	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484	❶
Mode 124	U-NII-5	5.925-6.425	5+7	802.11be EHT80	7	5985	MCS0	Puncturing 20M	❹
Mode 125	U-NII-8	6.875-7.125	5+7	802.11be EHT80	215	7025	MCS0	Puncturing 20M	❶
Mode 126	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Puncturing 40M	❹
Mode 127	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Puncturing 40M	❶
Mode 128	U-NII-5	5.925-6.425	5+7	802.11be EHT160	15	6025	MCS0	Puncturing 20M	⑧
Mode 129	U-NII-8	6.875-7.125	5+7	802.11be EHT160	207	6985	MCS0	Puncturing 20M	❶
Mode 130	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Puncturing 80M+40M	⑥
Mode 131	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M	⑦
Mode 132	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Puncturing 80M	❹
Mode 133	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Puncturing 80M	❶
Mode 134	U-NII-5	5.925-6.425	5+7	802.11be EHT320	31	6105	MCS0	Puncturing 40M	⑧
Mode 135	U-NII-8	6.525-7.125	5+7	802.11be EHT320	191	6905	MCS0	Puncturing 40M	❶
Mode 136	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Full RU	LF
Mode 139	U-NII-5	5.925-6.425	5+7	802.11a	2	5935	6Mbps	-	-
Mode 140	U-NII-5	5.925-6.425	5+7	802.11ax HE20	2	5935	MCS0	Full RU	-

Mode 141	U-NII-5	5.925-6.425	5+7	802.11ax HE20	2	5935	MCS0	Partial RU	52/37
Mode 142	U-NII-5	5.925-6.425	5+7	802.11be EHT20	2	5935	MCS0	Full RU	-
Mode 143	U-NII-5	5.925-6.425	5+7	802.11be EHT20	2	5935	MCS0	Single RU	52/37
Mode 144	U-NII-5	5.925-6.425	5+7	802.11be EHT20	2	5935	MCS0	Small RU	106+26
Mode 145	U-NII-8	6.875-7.125	5+7	802.11a	233	7115	6Mbps	-	-
Mode 146	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 147	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Partial RU	52/40
Mode 148	U-NII-8	6.875-7.125	5+7	802.11be EHT20	233	7115	MCS0	Full RU	-
Mode 149	U-NII-8	6.875-7.125	5+7	802.11be EHT20	233	7115	MCS0	Single RU	52/40
Mode 150	U-NII-8	6.875-7.125	5+7	802.11be EHT20	233	7115	MCS0	Small RU	106+26 _54+4
Mode 153	U-NII-8	6.875-7.125	5+7	802.11ax HE20	233	7115	MCS0	Full RU	-

Simultaneous transmission

Mode	Band	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 154	Co-location	4	LTE B48 Link	-	-	-	-	
		5+7	802.11ax HE20	233	7115	MCS0	Full RU	-
		5+7	802.11ax HE20	01	2412	MCS0	Full RU	
Mode 155	Co-location	4	LTE B48 Link	-	-	-	-	
		5+7	802.11ax HE20	233	7115	MCS0	Full RU	-
		5+7	Bluetooth-LE_GSFK	39	2480	2Mbps	-	

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	49.80	74.00	-24.20	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.88	74.00	-27.12	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	48.09	88.20	-40.11	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	48.13	88.20	-40.07	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	48.06	88.20	-40.14	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	46.65	88.20	-41.55	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.97	88.20	-41.23	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.77	74.00	-26.23	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	47.60	88.20	-40.60	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	48.60	88.20	-39.60	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	47.25	88.20	-40.95	V	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	48.32	88.20	-39.88	V	Peak	Pass	Harmonic
13	802.11ax HE20	1	5922.50	43.03	68.20	-25.17	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	11910.00	47.92	74.00	-26.08	H	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	48.20	74.00	-25.80	H	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	47.16	88.20	-41.04	H	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	46.79	88.20	-41.41	V	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	47.88	88.20	-40.32	H	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	113	13030.00	46.95	88.20	-41.25	V	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	49.18	88.20	-39.02	H	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	46.64	74.00	-27.36	H	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.78	88.20	-40.42	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	189	13790.00	48.38	88.20	-39.82	H	Peak	Pass	Harmonic
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	48.54	88.20	-39.66	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7257.89	43.26	54.00	-10.74	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	229	14190.00	48.45	88.20	-39.75	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5923.24	46.74	68.20	-21.46	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	48.92	74.00	-25.08	H	Peak	Pass	Harmonic

26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	45.76	74.00	-28.24	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	48.92	88.20	-39.28	V	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	47.68	88.20	-40.52	V	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	47.70	88.20	-40.50	V	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.42	88.20	-40.78	H	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	46.61	74.00	-27.39	V	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	47.06	88.20	-41.14	V	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	47.57	88.20	-40.63	H	Peak	Pass	Harmonic
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	48.06	88.20	-40.14	V	Peak	Pass	Harmonic
35	802.11ax HE40	227	7252.75	43.10	54.00	-10.90	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	227	14170.00	48.16	88.20	-40.04	H	Peak	Pass	Harmonic
36	802.11ax HE80	7	5918.76	45.68	68.20	-22.52	V	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	17955.00	49.93	74.00	-24.07	V	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	47.37	74.00	-26.63	V	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	46.22	88.20	-41.98	V	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	46.19	88.20	-42.01	H	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	47.47	74.00	-26.53	V	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	47.11	88.20	-41.09	V	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	47.51	88.20	-40.69	V	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	48.15	88.20	-40.05	V	Peak	Pass	Harmonic
44	802.11ax HE80	215	7254.78	43.26	54.00	-10.74	V	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	48.08	88.20	-40.12	V	Peak	Pass	Harmonic
45	802.11ax HE160	15	5912.92	50.28	68.20	-17.92	V	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12049.20	47.40	74.00	-26.60	H	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	48.85	74.00	-25.15	H	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	48.35	74.00	-25.65	V	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	47.72	74.00	-26.28	H	Peak	Pass	Harmonic
49	802.11ax HE160	207	7251.42	44.07	54.00	-9.93	V	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	50.01	88.20	-38.19	V	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750.00	49.58	88.20	-38.62	H	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	49.70	88.20	-38.50	V	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	49.26	88.20	-38.94	V	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge

53	802.11ax HE160	175	13650.00	49.78	88.20	-38.42	V	Peak	Pass	Harmonic
54	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	115	13050.00	48.75	88.20	-39.45	H	Peak	Pass	Harmonic
55	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	119	13090.00	49.12	88.20	-39.08	V	Peak	Pass	Harmonic
56	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE160	111	13010.00	48.66	88.20	-39.54	V	Peak	Pass	Harmonic
57	802.11ax HE20	1	5903.82	44.01	68.20	-24.19	H	AVERAGE	Pass	Band Edge
57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	229	7261.45	43.27	54.00	-10.73	V	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	1	5924.84	44.43	68.20	-23.77	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	1	17865.00	49.19	74.00	-24.81	V	Peak	Pass	Harmonic
60	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
60	802.11be EHT20	45	12350.00	48.22	74.00	-25.78	H	Peak	Pass	Harmonic
61	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
61	802.11be EHT20	93	12830.00	48.81	88.20	-39.39	V	Peak	Pass	Harmonic
62	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
62	802.11be EHT20	97	12870.00	48.57	88.20	-39.63	H	Peak	Pass	Harmonic
63	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
63	802.11be EHT20	105	12950.00	48.94	88.20	-39.26	V	Peak	Pass	Harmonic
64	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
64	802.11be EHT20	113	13030.00	47.25	88.20	-40.95	H	Peak	Pass	Harmonic
65	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
65	802.11be EHT20	117	13070.00	48.55	88.20	-39.65	H	Peak	Pass	Harmonic
66	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
66	802.11be EHT20	149	13390.00	47.14	74.00	-26.86	H	Peak	Pass	Harmonic
67	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
67	802.11be EHT20	181	13710.00	49.17	88.20	-39.03	V	Peak	Pass	Harmonic
68	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
68	802.11be EHT20	189	13788.00	50.28	88.20	-37.92	H	Peak	Pass	Harmonic
69	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
69	802.11be EHT20	209	13990.00	49.72	88.20	-38.48	V	Peak	Pass	Harmonic
70	802.11be EHT20	229	7261.00	43.15	54.00	-10.85	V	AVERAGE	Pass	Band Edge
70	802.11be EHT20	229	14190.00	49.38	88.20	-38.82	H	Peak	Pass	Harmonic
71	802.11be EHT40	3	5917.16	44.84	68.20	-23.36	H	AVERAGE	Pass	Band Edge
71	802.11be EHT40	3	11930.00	48.81	74.00	-25.19	H	Peak	Pass	Harmonic
72	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
72	802.11be EHT40	43	12330.00	47.52	74.00	-26.48	V	Peak	Pass	Harmonic
73	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
73	802.11be EHT40	91	12810.00	47.59	88.20	-40.61	H	Peak	Pass	Harmonic
74	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
74	802.11be EHT40	99	12890.00	48.68	88.20	-39.52	H	Peak	Pass	Harmonic
75	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
75	802.11be EHT40	107	12970.00	48.21	88.20	-39.99	V	Peak	Pass	Harmonic
76	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
76	802.11be EHT40	123	13130.00	48.99	88.20	-39.21	V	Peak	Pass	Harmonic
77	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
77	802.11be EHT40	147	13370.00	46.59	74.00	-27.41	V	Peak	Pass	Harmonic
78	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
78	802.11be EHT40	179	13690.00	49.43	88.20	-38.77	H	Peak	Pass	Harmonic
79	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
79	802.11be EHT40	195	13850.00	49.64	88.20	-38.56	H	Peak	Pass	Harmonic
80	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
80	802.11be EHT40	203	13930.00	49.87	88.20	-38.33	V	Peak	Pass	Harmonic

81	802.11be EHT40	227	7255.13	43.01	54.00	-10.99	H	AVERAGE	Pass	Band Edge
81	802.11be EHT40	227	14170.00	49.44	88.20	-38.76	H	Peak	Pass	Harmonic
82	802.11be EHT80	7	5911.40	47.15	68.20	-21.05	V	AVERAGE	Pass	Band Edge
82	802.11be EHT80	7	11970.00	49.63	74.00	-24.37	H	Peak	Pass	Harmonic
83	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
83	802.11be EHT80	39	12290.00	48.30	74.00	-25.70	V	Peak	Pass	Harmonic
84	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
84	802.11be EHT80	87	12770.00	47.59	88.20	-40.61	V	Peak	Pass	Harmonic
85	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
85	802.11be EHT80	103	12930.00	49.67	88.20	-38.53	H	Peak	Pass	Harmonic
86	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
86	802.11be EHT80	135	13250.00	48.46	74.00	-25.54	V	Peak	Pass	Harmonic
87	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
87	802.11be EHT80	151	13410.00	48.12	88.20	-40.08	H	Peak	Pass	Harmonic
88	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
88	802.11be EHT80	167	13570.00	48.74	88.20	-39.46	V	Peak	Pass	Harmonic
89	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
89	802.11be EHT80	199	13890.00	49.19	88.20	-39.01	V	Peak	Pass	Harmonic
90	802.11be EHT80	215	7257.70	43.20	54.00	-10.80	V	AVERAGE	Pass	Band Edge
90	802.11be EHT80	215	14050.00	49.20	88.20	-39.00	V	Peak	Pass	Harmonic
91	802.11be EHT160	15	5887.44	47.28	68.20	-20.92	V	AVERAGE	Pass	Band Edge
91	802.11be EHT160	15	12050.00	48.37	74.00	-25.63	V	Peak	Pass	Harmonic
92	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
92	802.11be EHT160	47	12370.00	48.44	74.00	-25.56	V	Peak	Pass	Harmonic
93	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
93	802.11be EHT160	79	12690.00	47.92	74.00	-26.08	H	Peak	Pass	Harmonic
94	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
94	802.11be EHT160	143	13330.00	48.35	74.00	-25.65	H	Peak	Pass	Harmonic
95	802.11be EHT160	207	7255.14	43.67	54.00	-10.33	V	AVERAGE	Pass	Band Edge
95	802.11be EHT160	207	13970.00	49.55	88.20	-38.65	H	Peak	Pass	Harmonic
96	802.11be EHT320	31	5833.52	50.33	68.20	-17.87	H	AVERAGE	Pass	Band Edge
96	802.11be EHT320	31	12210.00	48.27	74.00	-25.73	V	Peak	Pass	Harmonic
97	802.11be EHT320	63	-	-	-	-	-	-	-	Band Edge
97	802.11be EHT320	63	12530.00	47.47	74.00	-26.53	H	Peak	Pass	Harmonic
98	802.11a	185	-	-	-	-	-	-	-	Band Edge
98	802.11a	185	13744.80	50.88	88.20	-37.32	H	Peak	Pass	Harmonic
99	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
99	802.11be EHT20	185	13750.00	49.66	88.20	-38.54	H	Peak	Pass	Harmonic
100	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
100	802.11be EHT40	187	13770.00	50.00	88.20	-38.20	H	Peak	Pass	Harmonic
101	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
101	802.11be EHT80	183	13730.00	50.86	88.20	-37.34	V	Peak	Pass	Harmonic
102	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
102	802.11be EHT160	175	13650.00	50.64	88.20	-37.56	H	Peak	Pass	Harmonic
103	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
103	802.11be EHT320	159	13490.00	48.53	88.20	-39.67	H	Peak	Pass	Harmonic
104	802.11be EHT320	191	7252.60	50.83	54.00	-3.17	V	AVERAGE	Pass	Band Edge
104	802.11be EHT320	191	13810.00	49.94	88.20	-38.26	V	Peak	Pass	Harmonic
105	802.11be EHT40	115		-	-	-	-	-	-	Band Edge
105	802.11be EHT40	115	13050.00	49.88	88.20	-38.32	V	Peak	Pass	Harmonic
106	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
106	802.11be EHT80	119	13090.00	49.31	88.20	-38.89	V	Peak	Pass	Harmonic
107	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
107	802.11be EHT160	111	13010.00	48.50	88.20	-39.70	H	Peak	Pass	Harmonic
108	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge