



108	802.11be EHT320	95	12850.00	48.04	88.20	-40.16	V	Peak	Pass	Harmonic
109	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
109	802.11be EHT320	127	13170.00	48.44	88.20	-39.76	V	Peak	Pass	Harmonic
110	802.11be EHT20	1	5916.56	43.91	68.20	-24.29	H	AVERAGE	Pass	Band Edge
110	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
111	802.11be EHT20	229	7261.45	43.19	54.00	-10.81	H	AVERAGE	Pass	Band Edge
111	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
112	802.11be EHT20	1	5904.52	43.83	68.20	-24.37	H	AVERAGE	Pass	Band Edge
112	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
113	802.11be EHT20	229	7261.89	43.21	54.00	-10.79	H	AVERAGE	Pass	Band Edge
113	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
114	802.11be EHT80	7	5906.44	43.98	68.20	-24.22	V	AVERAGE	Pass	Band Edge
114	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
115	802.11be EHT80	215	7250.72	43.42	54.00	-10.58	V	AVERAGE	Pass	Band Edge
115	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
116	802.11be EHT160	15	5871.76	46.12	68.20	-22.08	V	AVERAGE	Pass	Band Edge
116	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
117	802.11be EHT160	207	7264.38	43.82	54.00	-10.18	V	AVERAGE	Pass	Band Edge
117	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
118	802.11be EHT320	31	5835.84	47.86	68.20	-20.34	V	AVERAGE	Pass	Band Edge
118	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
119	802.11be EHT320	191	7260.46	43.22	54.00	-10.78	H	AVERAGE	Pass	Band Edge
119	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
120	802.11be EHT320	31	5894.74	50.04	68.20	-18.16	H	AVERAGE	Pass	Band Edge
120	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
121	802.11be EHT320	191	7273.77	43.32	54.00	-10.68	V	AVERAGE	Pass	Band Edge
121	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
122	802.11be EHT320	31	5791.47	50.65	68.20	-17.55	V	AVERAGE	Pass	Band Edge
122	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
123	802.11be EHT320	191	7253.20	43.45	54.00	-10.55	V	AVERAGE	Pass	Band Edge
123	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
124	802.11be EHT80	7	5910.92	44.35	68.20	-23.85	V	AVERAGE	Pass	Band Edge
124	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
125	802.11be EHT80	215	7267.88	43.38	54.00	-10.62	H	AVERAGE	Pass	Band Edge
125	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
126	802.11be EHT160	15	5917.12	45.27	68.20	-22.93	V	AVERAGE	Pass	Band Edge
126	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
127	802.11be EHT160	207	7253.13	43.70	54.00	-10.30	H	AVERAGE	Pass	Band Edge
127	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
128	802.11be EHT160	15	5910.96	47.58	68.20	-20.62	V	AVERAGE	Pass	Band Edge
128	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
129	802.11be EHT160	207	7255.00	43.35	54.00	-10.65	H	AVERAGE	Pass	Band Edge
129	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
130	802.11be EHT320	31	5852.67	47.04	68.20	-21.16	V	AVERAGE	Pass	Band Edge
130	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
131	802.11be EHT320	191	7252.60	43.35	54.00	-10.65	H	AVERAGE	Pass	Band Edge
131	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
132	802.11be EHT320	31	5796.82	46.58	68.20	-21.62	H	AVERAGE	Pass	Band Edge
132	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
133	802.11be EHT320	191	7256.83	43.30	54.00	-10.70	V	AVERAGE	Pass	Band Edge
133	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
134	802.11be EHT320	31	5792.23	50.60	68.20	-17.60	H	AVERAGE	Pass	Band Edge
134	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
135	802.11be EHT320	191	7250.18	45.93	54.00	-8.07	V	AVERAGE	Pass	Band Edge
135	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic



136	802.11ax HE20	233	53.28	31.87	40.00	-8.13	V	PEAK	-	LF
139	802.11a	2	5924.97	64.93	68.20	-3.27	V	AVERAGE	Pass	Band Edge
139	802.11a	2	17805.00	48.32	74.00	-25.68	V	Peak	Pass	Harmonic
140	802.11ax HE20	2	5924.97	64.56	68.20	-3.64	V	AVERAGE	Pass	Band Edge
140	802.11ax HE20	2	17805.00	48.99	74.00	-25.01	H	Peak	Pass	Harmonic
141	802.11ax HE20	2	5924.97	61.94	68.20	-6.26	V	AVERAGE	Pass	Band Edge
141	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
142	802.11be EHT20	2	5924.97	64.79	68.20	-3.41	V	AVERAGE	Pass	Band Edge
142	802.11be EHT20	2	17805.00	48.37	74.00	-25.63	V	Peak	Pass	Harmonic
143	802.11be EHT20	2	5924.97	61.78	68.20	-6.42	V	AVERAGE	Pass	Band Edge
143	802.11be EHT20	2	-	-	-	-	-	-	-	Harmonic
144	802.11be EHT20	2	5924.97	63.88	68.20	-4.32	V	AVERAGE	Pass	Band Edge
144	802.11be EHT20	2	-	-	-	-	-	-	-	Harmonic
145	802.11a	233	7125.28	64.62	68.20	-3.58	V	AVERAGE	Pass	Band Edge
145	802.11a	233	14230.00	49.06	88.20	-39.14	H	Peak	Pass	Harmonic
146	802.11ax HE20	233	7125.28	65.15	68.20	-3.05	V	AVERAGE	Pass	Band Edge
146	802.11ax HE20	233	14230.00	49.36	88.20	-38.84	H	Peak	Pass	Harmonic
147	802.11ax HE20	233	7125.28	63.40	68.20	-4.80	V	AVERAGE	Pass	Band Edge
147	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
148	802.11be EHT20	233	7125.28	65.10	68.20	-3.10	V	AVERAGE	Pass	Band Edge
148	802.11be EHT20	233	14230.00	49.31	88.20	-38.89	V	Peak	Pass	Harmonic
149	802.11be EHT20	233	7125.28	60.29	68.20	-7.91	V	AVERAGE	Pass	Band Edge
149	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
150	802.11be EHT20	233	7125.28	63.71	68.20	-4.49	V	AVERAGE	Pass	Band Edge
150	802.11be EHT20	233	-	-	-	-	-	-	-	Harmonic
153	802.11ax HE20	233	7125.28	63.53	68.20	-4.67	H	AVERAGE	Pass	Band Edge
153	802.11ax HE20	233	14230.00	49.74	88.20	-38.46	H	Peak	Pass	Harmonic



Simultaneous transmission

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
154	Co-location		2389.95	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
			14230.00	49.00	88.20	-39.20	V	Peak	Pass	Harmonic
155	Co-location		2483.52	50.88	54.00	-3.12	V	AVERAGE	Pass	Band Edge
			14230.00	47.54	88.20	-40.66	V	Peak	Pass	Harmonic



Mode	1																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																													
ANT	5+7																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>60.10</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>56.68</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	49.17	74.00	-24.83	60.10	39.36	13.18	63.47	---	---	Peak	2	17865.00	49.80	74.00	-24.20	56.68	42.55	16.20	65.63	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>59.62</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>55.56</td><td>42.55</td><td>16.20</td><td>65.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	48.69	74.00	-25.31	59.62	39.36	13.18	63.47	---	---	Peak	2	17865.00	48.68	74.00	-25.32	55.56	42.55	16.20	65.63	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11910.00	49.17	74.00	-24.83	60.10	39.36	13.18	63.47	---	---	Peak																																																																																																			
2	17865.00	49.80	74.00	-24.20	56.68	42.55	16.20	65.63	---	---	Peak																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	11910.00	48.69	74.00	-25.31	59.62	39.36	13.18	63.47	---	---	Peak																																																																																																			
2	17865.00	48.68	74.00	-25.32	55.56	42.55	16.20	65.63	---	---	Peak																																																																																																			





Mode	2																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>56.97</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.33	74.00	-27.67	56.97	39.58	13.35	63.57	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>57.52</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.88	74.00	-27.12	57.52	39.58	13.35	63.57	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	46.33	74.00	-27.67	56.97	39.58	13.35	63.57	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12350.00	46.88	74.00	-27.12	57.52	39.58	13.35	63.57	---	---	Peak																																																																																		





Mode	3																																																																																							
	Harmonic																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>57.11</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	46.72	88.20	-41.48	57.11	39.82	13.50	63.71	---	--- Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>48.09</td><td>88.20</td><td>-40.11</td><td>58.48</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	48.09	88.20	-40.11	58.48	39.82	13.50	63.71	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12830.00	46.72	88.20	-41.48	57.11	39.82	13.50	63.71	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12830.00	48.09	88.20	-40.11	58.48	39.82	13.50	63.71	---	--- Peak																																																																															





Mode	4																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH97_6435MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.13</td><td>88.20</td><td>-40.07</td><td>58.49</td><td>39.84</td><td>13.52</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	48.13	88.20	-40.07	58.49	39.84	13.52	63.72	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>57.90</td><td>39.84</td><td>13.52</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.54	88.20	-40.66	57.90	39.84	13.52	63.72	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12870.00	48.13	88.20	-40.07	58.49	39.84	13.52	63.72	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12870.00	47.54	88.20	-40.66	57.90	39.84	13.52	63.72	---	---	Peak																																																																																			





Mode	5																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.68</td><td>88.20</td><td>-40.52</td><td>58.01</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.68	88.20	-40.52	58.01	39.88	13.54	63.75	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.06</td><td>88.20</td><td>-40.14</td><td>58.39</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.06	88.20	-40.14	58.39	39.88	13.54	63.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	47.68	88.20	-40.52	58.01	39.88	13.54	63.75	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	48.06	88.20	-40.14	58.39	39.88	13.54	63.75	---	---	Peak																																																																																		







Mode	6																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.48</td><td>88.20</td><td>-41.72</td><td>56.75</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.48	88.20	-41.72	56.75	39.92	13.57	63.76	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>46.65</td><td>88.20</td><td>-41.55</td><td>56.92</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.65	88.20	-41.55	56.92	39.92	13.57	63.76	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	46.48	88.20	-41.72	56.75	39.92	13.57	63.76	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13030.00	46.65	88.20	-41.55	56.92	39.92	13.57	63.76	---	---	Peak																																																																																		



Mode	7																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>46.47</td><td>88.20</td><td>-41.73</td><td>56.72</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.47	88.20	-41.73	56.72	39.94	13.58	63.77	---	--- Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>46.97</td><td>88.20</td><td>-41.23</td><td>57.22</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.97	88.20	-41.23	57.22	39.94	13.58	63.77	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13070.00	46.47	88.20	-41.73	56.72	39.94	13.58	63.77	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13070.00	46.97	88.20	-41.23	57.22	39.94	13.58	63.77	---	--- Peak																																																																															





Mode	8																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>57.81</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.77	74.00	-26.23	57.81	40.10	13.68	63.82	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>57.22</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.18	74.00	-26.82	57.22	40.10	13.68	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	47.77	74.00	-26.23	57.81	40.10	13.68	63.82	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	47.18	74.00	-26.82	57.22	40.10	13.68	63.82	---	---	Peak																																																																																		

Mode	9																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																			
ANT	5+7																																																																			
Pol.	Horizontal										Vertical																																																									
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1 13710.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>57.43</td><td>40.26</td><td>13.78</td><td>63.87</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13710.00	47.60	88.20	-40.60	57.43	40.26	13.78	63.87	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1 13710.00</td><td>47.45</td><td>88.20</td><td>-40.75</td><td>57.28</td><td>40.26</td><td>13.78</td><td>63.87</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 13710.00	47.45	88.20	-40.75	57.28	40.26	13.78	63.87
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
1 13710.00	47.60	88.20	-40.60	57.43	40.26	13.78	63.87																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																													
1 13710.00	47.45	88.20	-40.75	57.28	40.26	13.78	63.87																																																													
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>57.43</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td></tr></table>											MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.60	88.20	-40.60	57.43	40.26	13.78	63.87	---	---	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.45</td><td>88.20</td><td>-40.75</td><td>57.28</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td></tr></table>											MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.45	88.20	-40.75	57.28	40.26	13.78	63.87	---	---					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13710.00	47.60	88.20	-40.60	57.43	40.26	13.78	63.87	---	---																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13710.00	47.45	88.20	-40.75	57.28	40.26	13.78	63.87	---	---																																																										





Mode	10																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.11</td><td>88.20</td><td>-40.09</td><td>57.88</td><td>40.30</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.11	88.20	-40.09	57.88	40.30	13.81	63.88	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>48.60</td><td>88.20</td><td>-39.60</td><td>58.37</td><td>40.30</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	48.60	88.20	-39.60	58.37	40.30	13.81	63.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13790.00	48.11	88.20	-40.09	57.88	40.30	13.81	63.88	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13790.00	48.60	88.20	-39.60	58.37	40.30	13.81	63.88	---	---	Peak																																																																																		



Mode	11																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.40</td><td>88.20</td><td>-41.80</td><td>56.04</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.40	88.20	-41.80	56.04	40.40	13.87	63.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>56.89</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	47.25	88.20	-40.95	56.89	40.40	13.87	63.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	46.40	88.20	-41.80	56.04	40.40	13.87	63.91	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	47.25	88.20	-40.95	56.89	40.40	13.87	63.91	---	---	Peak																																																																																		



Mode	12																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>56.78</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	47.23	88.20	-40.97	56.78	40.38	13.96	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.32</td><td>88.20</td><td>-39.88</td><td>57.87</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.32	88.20	-39.88	57.87	40.38	13.96	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	47.23	88.20	-40.97	56.78	40.38	13.96	63.89	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	48.32	88.20	-39.88	57.87	40.38	13.96	63.89	---	---	Peak																																																																																		





Mode	13																																																																																										
	Band Edge																																																																																										
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-01 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.25</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>38.36</td><td>36.49</td><td>10.43</td><td>32.42</td><td>400</td><td>125</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5919.25	52.86	88.20	-35.34	38.36	36.49	10.43	32.42	400	125	PEAK	Level (dBuV/m) Date: 2024-03-01 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.74</td><td>-----</td><td>-----</td><td>85.17</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>125</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	99.74	-----	-----	85.17	36.53	10.49	32.45	400	125	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5919.25	52.86	88.20	-35.34	38.36	36.49	10.43	32.42	400	125	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5955.00	99.74	-----	-----	85.17	36.53	10.49	32.45	400	125	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-03-01 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>42.84</td><td>68.20</td><td>-25.36</td><td>28.33</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>125</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.45	42.84	68.20	-25.36	28.33	36.49	10.44	32.42	400	125	AVERAGE	Level (dBuV/m) Date: 2024-03-01 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.10</td><td>-----</td><td>-----</td><td>76.53</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>125</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5955.00	91.10	-----	-----	76.53	36.53	10.49	32.45	400	125	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.45	42.84	68.20	-25.36	28.33	36.49	10.44	32.42	400	125	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5955.00	91.10	-----	-----	76.53	36.53	10.49	32.45	400	125	AVERAGE																																																																																





Mode	13									
	Band Edge									
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz									
ANT	5+7									
Pol.	Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2024-03-01									





Mode	13																																																																																															
	Harmonic																																																																																															
	U-NII-5_5925-6425_802.11ax HE20_CH1_5955MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>58.85</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	47.92	74.00	-26.08	58.85	39.36	13.18	63.47	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>57.09</td><td>39.36</td><td>13.18</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11910.00	46.16	74.00	-27.84	57.09	39.36	13.18	63.47	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11910.00	47.92	74.00	-26.08	58.85	39.36	13.18	63.47	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	11910.00	46.16	74.00	-27.84	57.09	39.36	13.18	63.47	---	---	Peak																																																																																					





Mode	14																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6175MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12350.00</td><td>48.20</td><td>74.00</td><td>-25.80</td><td>58.84</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12350.00	48.20	74.00	-25.80	58.84	39.58	13.35	63.57	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12350.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>57.08</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12350.00	46.44	74.00	-27.56	57.08	39.58	13.35	63.57	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12350.00	48.20	74.00	-25.80	58.84	39.58	13.35	63.57	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 12350.00	46.44	74.00	-27.56	57.08	39.58	13.35	63.57	---	---	Peak																																																																																															





Mode	15																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.16</td><td>88.20</td><td>-41.04</td><td>57.55</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.16	88.20	-41.04	57.55	39.82	13.50	63.71	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.44</td><td>88.20</td><td>-41.76</td><td>56.83</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	46.44	88.20	-41.76	56.83	39.82	13.50	63.71	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12830.00	47.16	88.20	-41.04	57.55	39.82	13.50	63.71	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12830.00	46.44	88.20	-41.76	56.83	39.82	13.50	63.71	---	---	Peak																																																																																		





Mode	16																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_6435MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal								Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)								Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>56.75</td><td>39.84</td><td>13.52</td><td>63.72</td><td>---</td><td>--- Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.39	88.20	-41.81	56.75	39.84	13.52	63.72	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>57.15</td><td>39.84</td><td>13.52</td><td>63.72</td><td>---</td><td>--- Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.79	88.20	-41.41	57.15	39.84	13.52	63.72	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 12870.00	46.39	88.20	-41.81	56.75	39.84	13.52	63.72	---	--- Peak																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 12870.00	46.79	88.20	-41.41	57.15	39.84	13.52	63.72	---	--- Peak																																																																																				





Mode	17																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_6475MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>47.88</td><td>88.20</td><td>-40.32</td><td>58.21</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	47.88	88.20	-40.32	58.21	39.88	13.54	63.75	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12950.00</td><td>47.80</td><td>88.20</td><td>-40.40</td><td>58.13</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12950.00	47.80	88.20	-40.40	58.13	39.88	13.54	63.75	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12950.00	47.88	88.20	-40.32	58.21	39.88	13.54	63.75	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	12950.00	47.80	88.20	-40.40	58.13	39.88	13.54	63.75	---	---	Peak																																																																																			





Mode	18																																																																																																								
	Harmonic																																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_6515MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>57.17</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	46.90	88.20	-41.30	57.17	39.92	13.57	63.76	---	---	Peak		Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13030.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>57.22</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13030.00	46.95	88.20	-41.25	57.22	39.92	13.57	63.76	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13030.00	46.90	88.20	-41.30	57.17	39.92	13.57	63.76	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 13030.00	46.95	88.20	-41.25	57.22	39.92	13.57	63.76	---	---	Peak																																																																																															





Mode	19																																																																																						
	Harmonic																																																																																						
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																						
ANT	5+7																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>59.43</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	49.18	88.20	-39.02	59.43	39.94	13.58	63.77	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>48.75</td><td>88.20</td><td>-39.45</td><td>59.00</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	48.75	88.20	-39.45	59.00	39.94	13.58	63.77	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13070.00	49.18	88.20	-39.02	59.43	39.94	13.58	63.77	---	--- Peak																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13070.00	48.75	88.20	-39.45	59.00	39.94	13.58	63.77	---	--- Peak																																																																														





Mode	20																																																																															
	Harmonic																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-03-10 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>56.68</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>--- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	46.64	74.00	-27.36	56.68	40.10	13.68	63.82	---	--- Peak	Level (dBuV/m) Date: 2024-03-10 <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>55.91</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>--- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	45.87	74.00	-28.13	55.91	40.10	13.68	63.82	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13390.00	46.64	74.00	-27.36	56.68	40.10	13.68	63.82	---	--- Peak																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13390.00	45.87	74.00	-28.13	55.91	40.10	13.68	63.82	---	--- Peak																																																																							





Mode	21																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-03-10  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.78</td><td>88.20</td><td>-40.42</td><td>57.61</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	47.78	88.20	-40.42	57.61	40.26	13.78	63.87	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>45.99</td><td>88.20</td><td>-42.21</td><td>55.82</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	45.99	88.20	-42.21	55.82	40.26	13.78	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13710.00	47.78	88.20	-40.42	57.61	40.26	13.78	63.87	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13710.00	45.99	88.20	-42.21	55.82	40.26	13.78	63.87	---	---	Peak																																																																																			



Mode	22																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>48.38</td><td>88.20</td><td>-39.82</td><td>58.15</td><td>40.30</td><td>13.81</td><td>63.88</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	48.38	88.20	-39.82	58.15	40.30	13.81	63.88	---	--- Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>48.08</td><td>88.20</td><td>-40.12</td><td>57.85</td><td>40.30</td><td>13.81</td><td>63.88</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	48.08	88.20	-40.12	57.85	40.30	13.81	63.88	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13790.00	48.38	88.20	-39.82	58.15	40.30	13.81	63.88	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13790.00	48.08	88.20	-40.12	57.85	40.30	13.81	63.88	---	--- Peak																																																																															



Mode	23																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>48.54</td><td>88.20</td><td>-39.66</td><td>58.18</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	48.54	88.20	-39.66	58.18	40.40	13.87	63.91	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>56.42</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	46.78	88.20	-41.42	56.42	40.40	13.87	63.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	48.54	88.20	-39.66	58.18	40.40	13.87	63.91	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	46.78	88.20	-41.42	56.42	40.40	13.87	63.91	---	---	Peak																																																																																		





Mode	24																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.17</td><td>63.12</td><td>88.20</td><td>-25.08</td><td>49.55</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>293 PEAK</td></tr><tr><td>2</td><td>7254.33</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>39.24</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>293 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.17	63.12	88.20	-25.08	49.55	36.95	10.20	33.58	100	293 PEAK	2	7254.33	52.67	74.00	-21.33	39.24	36.90	10.18	33.65	100	293 PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>107.19</td><td>-----</td><td>-----</td><td>93.59</td><td>36.96</td><td>10.20</td><td>33.56</td><td>100</td><td>293 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	107.19	-----	-----	93.59	36.96	10.20	33.56	100	293 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7126.17	63.12	88.20	-25.08	49.55	36.95	10.20	33.58	100	293 PEAK																																																																																													
2	7254.33	52.67	74.00	-21.33	39.24	36.90	10.18	33.65	100	293 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	107.19	-----	-----	93.59	36.96	10.20	33.56	100	293 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.72</td><td>52.95</td><td>68.20</td><td>-15.25</td><td>39.38</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>293 AVERAGE</td></tr><tr><td>2</td><td>7251.66</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>29.82</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>293 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.72	52.95	68.20	-15.25	39.38	36.95	10.20	33.58	100	293 AVERAGE	2	7251.66	43.25	54.00	-10.75	29.82	36.90	10.18	33.65	100	293 AVERAGE	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>98.78</td><td>-----</td><td>-----</td><td>85.17</td><td>36.96</td><td>10.20</td><td>33.55</td><td>100</td><td>293 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	98.78	-----	-----	85.17	36.96	10.20	33.55	100	293 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.72	52.95	68.20	-15.25	39.38	36.95	10.20	33.58	100	293 AVERAGE																																																																																													
2	7251.66	43.25	54.00	-10.75	29.82	36.90	10.18	33.65	100	293 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	98.78	-----	-----	85.17	36.96	10.20	33.55	100	293 AVERAGE																																																																																													







Mode	24																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.95</td><td>61.95</td><td>88.20</td><td>-26.25</td><td>48.39</td><td>36.95</td><td>10.19</td><td>33.58</td><td>300</td><td>250 PEAK</td></tr><tr><td>2</td><td>7284.59</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>39.31</td><td>36.89</td><td>10.18</td><td>33.67</td><td>300</td><td>250 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.95	61.95	88.20	-26.25	48.39	36.95	10.19	33.58	300	250 PEAK	2	7284.59	52.71	74.00	-21.29	39.31	36.89	10.18	33.67	300	250 PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>105.94</td><td>-----</td><td>-----</td><td>92.33</td><td>36.96</td><td>10.20</td><td>33.55</td><td>300</td><td>250 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	105.94	-----	-----	92.33	36.96	10.20	33.55	300	250 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7127.95	61.95	88.20	-26.25	48.39	36.95	10.19	33.58	300	250 PEAK																																																																																													
2	7284.59	52.71	74.00	-21.29	39.31	36.89	10.18	33.67	300	250 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	105.94	-----	-----	92.33	36.96	10.20	33.55	300	250 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.72</td><td>52.25</td><td>68.20</td><td>-15.95</td><td>38.68</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>250 AVERAGE</td></tr><tr><td>2</td><td>7257.89</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>29.83</td><td>36.90</td><td>10.18</td><td>33.65</td><td>300</td><td>250 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.72	52.25	68.20	-15.95	38.68	36.95	10.20	33.58	300	250 AVERAGE	2	7257.89	43.26	54.00	-10.74	29.83	36.90	10.18	33.65	300	250 AVERAGE	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>97.78</td><td>-----</td><td>-----</td><td>84.17</td><td>36.96</td><td>10.20</td><td>33.55</td><td>300</td><td>250 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	97.78	-----	-----	84.17	36.96	10.20	33.55	300	250 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.72	52.25	68.20	-15.95	38.68	36.95	10.20	33.58	300	250 AVERAGE																																																																																													
2	7257.89	43.26	54.00	-10.74	29.83	36.90	10.18	33.65	300	250 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	97.78	-----	-----	84.17	36.96	10.20	33.55	300	250 AVERAGE																																																																																													



Mode	24																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>48.45</td><td>88.20</td><td>-39.75</td><td>58.00</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	48.45	88.20	-39.75	58.00	40.38	13.96	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>47.54</td><td>88.20</td><td>-40.66</td><td>57.09</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	47.54	88.20	-40.66	57.09	40.38	13.96	63.89	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	14190.00	48.45	88.20	-39.75	58.00	40.38	13.96	63.89	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	14190.00	47.54	88.20	-40.66	57.09	40.38	13.96	63.89	---	---	Peak																																																																																			



Mode	25																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak	Level (dBuV/m) Date: 2024-03-07  PEAK_BE(U-NII)_GE					Level (dBuV/m) Date: 2024-03-07  PEAK_BE(U-NII)_GE																																																																																							
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.64</td><td>56.11</td><td>88.20</td><td>-32.09</td><td>41.62</td><td>36.48</td><td>10.42</td><td>32.41</td><td>100</td><td>297</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5913.64	56.11	88.20	-32.09	41.62	36.48	10.42	32.41	100	297	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.07</td><td>-----</td><td>-----</td><td>90.46</td><td>36.55</td><td>10.53</td><td>32.47</td><td>100</td><td>297</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.07	-----	-----	90.46	36.55	10.53	32.47	100	297
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5913.64	56.11	88.20	-32.09	41.62	36.48	10.42	32.41	100	297	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5965.00	105.07	-----	-----	90.46	36.55	10.53	32.47	100	297	PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-07  AVG_BE(U-NII)_GE					Level (dBuV/m) Date: 2024-03-07  AVG_BE(U-NII)_GE																																																																																							
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.24</td><td>46.74</td><td>68.20</td><td>-21.46</td><td>32.23</td><td>36.49</td><td>10.44</td><td>32.42</td><td>100</td><td>297</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5923.24	46.74	68.20	-21.46	32.23	36.49	10.44	32.42	100	297	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.66</td><td>-----</td><td>-----</td><td>82.00</td><td>36.58</td><td>10.56</td><td>32.48</td><td>100</td><td>297</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.66	-----	-----	82.00	36.58	10.56	32.48	100	297
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5923.24	46.74	68.20	-21.46	32.23	36.49	10.44	32.42	100	297	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5965.00	96.66	-----	-----	82.00	36.58	10.56	32.48	100	297	AVERAGE																																																																																		



Mode	25																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.92</td><td>55.52</td><td>88.20</td><td>-32.68</td><td>41.03</td><td>36.48</td><td>10.42</td><td>32.41</td><td>302</td><td>250 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.92	55.52	88.20	-32.68	41.03	36.48	10.42	32.41	302	250 PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>103.60</td><td>-----</td><td>-----</td><td>89.01</td><td>36.54</td><td>10.51</td><td>32.46</td><td>302</td><td>250 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.60	-----	-----	89.01	36.54	10.51	32.46	302	250 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5914.92	55.52	88.20	-32.68	41.03	36.48	10.42	32.41	302	250 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5965.00	103.60	-----	-----	89.01	36.54	10.51	32.46	302	250 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.96</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>31.63</td><td>36.48</td><td>10.42</td><td>32.41</td><td>302</td><td>250 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.96	46.12	68.20	-22.08	31.63	36.48	10.42	32.41	302	250 AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>95.18</td><td>-----</td><td>-----</td><td>80.54</td><td>36.57</td><td>10.55</td><td>32.48</td><td>302</td><td>250 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	95.18	-----	-----	80.54	36.57	10.55	32.48	302	250 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5913.96	46.12	68.20	-22.08	31.63	36.48	10.42	32.41	302	250 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5965.00	95.18	-----	-----	80.54	36.57	10.55	32.48	302	250 AVERAGE																																																																																		





Mode	25																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																							
ANT	5+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>56.63</td><td>39.37</td><td>13.19</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>55.77</td><td>42.58</td><td>16.22</td><td>65.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	45.72	74.00	-28.28	56.63	39.37	13.19	63.47	---	---	Peak	2	17895.00	48.92	74.00	-25.08	55.77	42.58	16.22	65.65	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>56.78</td><td>39.37</td><td>13.19</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>55.61</td><td>42.58</td><td>16.22</td><td>65.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	45.87	74.00	-28.13	56.78	39.37	13.19	63.47	---	---	Peak	2	17895.00	48.76	74.00	-25.24	55.61	42.58	16.22	65.65	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11930.00	45.72	74.00	-28.28	56.63	39.37	13.19	63.47	---	---	Peak																																																																																																													
2	17895.00	48.92	74.00	-25.08	55.77	42.58	16.22	65.65	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11930.00	45.87	74.00	-28.13	56.78	39.37	13.19	63.47	---	---	Peak																																																																																																													
2	17895.00	48.76	74.00	-25.24	55.61	42.58	16.22	65.65	---	---	Peak																																																																																																													





Mode	26																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full RU_6165MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>55.06</td><td>39.57</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	44.41	74.00	-29.59	55.06	39.57	13.35	63.57	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12330.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>56.41</td><td>39.57</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12330.00	45.76	74.00	-28.24	56.41	39.57	13.35	63.57	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12330.00	44.41	74.00	-29.59	55.06	39.57	13.35	63.57	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12330.00	45.76	74.00	-28.24	56.41	39.57	13.35	63.57	---	---	Peak																																																																																		



Mode	27																																																																																						
	Harmonic																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																																						
ANT	5+7																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12805.20</td><td>48.22</td><td>88.20</td><td>-39.98</td><td>58.62</td><td>39.80</td><td>13.50</td><td>63.70</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12805.20	48.22	88.20	-39.98	58.62	39.80	13.50	63.70	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>48.92</td><td>88.20</td><td>-39.28</td><td>59.31</td><td>39.81</td><td>13.50</td><td>63.70</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	48.92	88.20	-39.28	59.31	39.81	13.50	63.70	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 12805.20	48.22	88.20	-39.98	58.62	39.80	13.50	63.70	---	--- Peak																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 12810.00	48.92	88.20	-39.28	59.31	39.81	13.50	63.70	---	--- Peak																																																																														



Mode	28																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>46.06</td><td>88.20</td><td>-42.14</td><td>56.42</td><td>39.85</td><td>13.52</td><td>63.73</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	46.06	88.20	-42.14	56.42	39.85	13.52	63.73	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>47.68</td><td>88.20</td><td>-40.52</td><td>58.04</td><td>39.85</td><td>13.52</td><td>63.73</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	47.68	88.20	-40.52	58.04	39.85	13.52	63.73	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12890.00	46.06	88.20	-42.14	56.42	39.85	13.52	63.73	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12890.00	47.68	88.20	-40.52	58.04	39.85	13.52	63.73	---	---	Peak																																																																																		





Mode	29																																																																																							
	Harmonic																																																																																							
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>57.24</td><td>39.89</td><td>13.55</td><td>63.75</td><td>---</td><td>--- Peak</td></tr></table> Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>58.01</td><td>39.89</td><td>13.55</td><td>63.75</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	46.93	88.20	-41.27	57.24	39.89	13.55	63.75	---	--- Peak			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	47.70	88.20	-40.50	58.01	39.89	13.55	63.75	---	--- Peak					
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12970.00	46.93	88.20	-41.27	57.24	39.89	13.55	63.75	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12970.00	47.70	88.20	-40.50	58.01	39.89	13.55	63.75	---	--- Peak																																																																															





Mode	30																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.42</td><td>88.20</td><td>-40.78</td><td>57.63</td><td>39.97</td><td>13.60</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.42	88.20	-40.78	57.63	39.97	13.60	63.78	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>46.71</td><td>88.20</td><td>-41.49</td><td>56.92</td><td>39.97</td><td>13.60</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	46.71	88.20	-41.49	56.92	39.97	13.60	63.78	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	47.42	88.20	-40.78	57.63	39.97	13.60	63.78	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	46.71	88.20	-41.49	56.92	39.97	13.60	63.78	---	---	Peak																																																																																		





Mode	31																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>55.92</td><td>40.09</td><td>13.67</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	45.86	74.00	-28.14	55.92	40.09	13.67	63.82	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>56.67</td><td>40.09</td><td>13.67</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	46.61	74.00	-27.39	56.67	40.09	13.67	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	45.86	74.00	-28.14	55.92	40.09	13.67	63.82	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13370.00	46.61	74.00	-27.39	56.67	40.09	13.67	63.82	---	---	Peak																																																																																		





Mode	32																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>46.78</td><td>88.20</td><td>-41.42</td><td>56.61</td><td>40.25</td><td>13.78</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	46.78	88.20	-41.42	56.61	40.25	13.78	63.86	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>47.06</td><td>88.20</td><td>-41.14</td><td>56.89</td><td>40.25</td><td>13.78</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	47.06	88.20	-41.14	56.89	40.25	13.78	63.86	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13690.00	46.78	88.20	-41.42	56.61	40.25	13.78	63.86	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13690.00	47.06	88.20	-41.14	56.89	40.25	13.78	63.86	---	---	Peak																																																																																	



Mode	33																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_8E) AVG(U-NII_8E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.57</td><td>88.20</td><td>-40.63</td><td>57.30</td><td>40.33</td><td>13.83</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.57	88.20	-40.63	57.30	40.33	13.83	63.89	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_8E) AVG(U-NII_8E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>47.39</td><td>88.20</td><td>-40.81</td><td>57.12</td><td>40.33</td><td>13.83</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.39	88.20	-40.81	57.12	40.33	13.83	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13850.00	47.57	88.20	-40.63	57.30	40.33	13.83	63.89	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13850.00	47.39	88.20	-40.81	57.12	40.33	13.83	63.89	---	---	Peak																																																																																		



Mode	34																																																																																															
	Harmonic																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full RU_6965MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13930.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>56.86</td><td>40.37</td><td>13.85</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13930.00	47.18	88.20	-41.02	56.86	40.37	13.85	63.90	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13930.00</td><td>48.06</td><td>88.20</td><td>-40.14</td><td>57.74</td><td>40.37</td><td>13.85</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13930.00	48.06	88.20	-40.14	57.74	40.37	13.85	63.90	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13930.00	47.18	88.20	-41.02	56.86	40.37	13.85	63.90	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13930.00	48.06	88.20	-40.14	57.74	40.37	13.85	63.90	---	---	Peak																																																																																					





Mode	35																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.03</td><td>59.73</td><td>88.20</td><td>-28.47</td><td>46.17</td><td>36.95</td><td>10.19</td><td>33.58</td><td>382</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>7283.49</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>39.70</td><td>36.89</td><td>10.18</td><td>33.67</td><td>382</td><td>345</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7134.03	59.73	88.20	-28.47	46.17	36.95	10.19	33.58	382	345	PEAK	2	7283.49	53.10	74.00	-20.90	39.70	36.89	10.18	33.67	382	345	PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>96.30</td><td>-----</td><td>-----</td><td>82.70</td><td>36.96</td><td>10.20</td><td>33.56</td><td>382</td><td>345</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	96.30	-----	-----	82.70	36.96	10.20	33.56	382	345	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7134.03	59.73	88.20	-28.47	46.17	36.95	10.19	33.58	382	345	PEAK																																																																																												
2	7283.49	53.10	74.00	-20.90	39.70	36.89	10.18	33.67	382	345	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7085.00	96.30	-----	-----	82.70	36.96	10.20	33.56	382	345	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.97</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>36.57</td><td>36.95</td><td>10.19</td><td>33.58</td><td>382</td><td>345</td><td>AVERAGE</td></tr><tr><td>2</td><td>7252.75</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>29.67</td><td>36.90</td><td>10.18</td><td>33.65</td><td>382</td><td>345</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7132.97	50.13	68.20	-18.07	36.57	36.95	10.19	33.58	382	345	AVERAGE	2	7252.75	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	382	345	AVERAGE	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>87.80</td><td>-----</td><td>-----</td><td>74.19</td><td>36.96</td><td>10.20</td><td>33.55</td><td>382</td><td>345</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	87.80	-----	-----	74.19	36.96	10.20	33.55	382	345	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7132.97	50.13	68.20	-18.07	36.57	36.95	10.19	33.58	382	345	AVERAGE																																																																																												
2	7252.75	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	382	345	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7085.00	87.80	-----	-----	74.19	36.96	10.20	33.55	382	345	AVERAGE																																																																																												



Mode	35																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7085 7138. 7191. 7244. 7297. 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.29</td><td>64.32</td><td>88.20</td><td>-23.88</td><td>50.76</td><td>36.95</td><td>10.19</td><td>33.58</td><td>304 250 PEAK</td></tr><tr><td>2</td><td>7296.21</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>39.32</td><td>36.88</td><td>10.18</td><td>33.68</td><td>304 250 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7134.29	64.32	88.20	-23.88	50.76	36.95	10.19	33.58	304 250 PEAK	2	7296.21	52.70	74.00	-21.30	39.32	36.88	10.18	33.68	304 250 PEAK	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7085 7138. 7191. 7244. 7297. 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>101.95</td><td>-----</td><td>-----</td><td>88.35</td><td>36.96</td><td>10.20</td><td>33.56</td><td>304 250 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	101.95	-----	-----	88.35	36.96	10.20	33.56	304 250 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7134.29	64.32	88.20	-23.88	50.76	36.95	10.19	33.58	304 250 PEAK																																																																																											
2	7296.21	52.70	74.00	-21.30	39.32	36.88	10.18	33.68	304 250 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7085.00	101.95	-----	-----	88.35	36.96	10.20	33.56	304 250 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7085 7138. 7191. 7244. 7297. 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7135.62</td><td>52.96</td><td>68.20</td><td>-15.24</td><td>39.40</td><td>36.95</td><td>10.19</td><td>33.58</td><td>304 250 AVERAGE</td></tr><tr><td>2</td><td>7250.63</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>29.60</td><td>36.90</td><td>10.18</td><td>33.65</td><td>304 250 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7135.62	52.96	68.20	-15.24	39.40	36.95	10.19	33.58	304 250 AVERAGE	2	7250.63	43.03	54.00	-10.97	29.60	36.90	10.18	33.65	304 250 AVERAGE	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 7085 7138. 7191. 7244. 7297. 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>92.46</td><td>-----</td><td>-----</td><td>78.86</td><td>36.96</td><td>10.20</td><td>33.56</td><td>304 250 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	92.46	-----	-----	78.86	36.96	10.20	33.56	304 250 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7135.62	52.96	68.20	-15.24	39.40	36.95	10.19	33.58	304 250 AVERAGE																																																																																											
2	7250.63	43.03	54.00	-10.97	29.60	36.90	10.18	33.65	304 250 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7085.00	92.46	-----	-----	78.86	36.96	10.20	33.56	304 250 AVERAGE																																																																																											



Mode	35																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_8E) AVG(U-NII_8E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_8E) AVG(U-NII_8E)																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14170.00</td><td>48.16</td><td>88.20</td><td>-40.04</td><td>57.72</td><td>40.38</td><td>13.95</td><td>63.89</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14170.00	48.16	88.20	-40.04	57.72	40.38	13.95	63.89	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14170.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>55.78</td><td>40.38</td><td>13.95</td><td>63.89</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14170.00	46.22	88.20	-41.98	55.78	40.38	13.95	63.89	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 14170.00	48.16	88.20	-40.04	57.72	40.38	13.95	63.89	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 14170.00	46.22	88.20	-41.98	55.78	40.38	13.95	63.89	---	--- Peak																																																																															





		36																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																							
ANT		5+7																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE					Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.72</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>39.85</td><td>36.48</td><td>10.41</td><td>32.41</td><td>200 329 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5911.72	54.33	88.20	-33.87	39.85	36.48	10.41	32.41	200 329 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.58</td><td>-----</td><td>-----</td><td>81.95</td><td>36.56</td><td>10.54</td><td>32.47</td><td>200 329 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.58	-----	-----	81.95	36.56	10.54	32.47
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5911.72	54.33	88.20	-33.87	39.85	36.48	10.41	32.41	200 329 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	96.58	-----	-----	81.95	36.56	10.54	32.47	200 329 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE					Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.44</td><td>45.59</td><td>68.20</td><td>-22.61</td><td>31.10</td><td>36.48</td><td>10.42</td><td>32.41</td><td>200 329 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5914.44	45.59	68.20	-22.61	31.10	36.48	10.42	32.41	200 329 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>87.44</td><td>-----</td><td>-----</td><td>72.85</td><td>36.54</td><td>10.50</td><td>32.45</td><td>200 329 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.44	-----	-----	72.85	36.54	10.50	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5914.44	45.59	68.20	-22.61	31.10	36.48	10.42	32.41	200 329 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	87.44	-----	-----	72.85	36.54	10.50	32.45	200 329 AVERAGE																																																																																





Mode	36																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5985 5987 5989 5991 5993 6025 PEAK_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.44</td><td>55.24</td><td>88.20</td><td>-32.96</td><td>40.78</td><td>36.47</td><td>10.40</td><td>32.41</td><td>100</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5906.44	55.24	88.20	-32.96	40.78	36.47	10.40	32.41	100	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 PEAK_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.74</td><td>-----</td><td>-----</td><td>85.10</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.74	-----	-----	85.10	36.57	10.55	32.48	100
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5906.44	55.24	88.20	-32.96	40.78	36.47	10.40	32.41	100																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	99.74	-----	-----	85.10	36.57	10.55	32.48	100																																																																									
Avg	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5865 5897 5929 5961 5993 6025 AVG_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.76</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>31.18</td><td>36.49</td><td>10.43</td><td>32.42</td><td>100</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.76	45.68	68.20	-22.52	31.18	36.49	10.43	32.42	100	Level (dBuV/m) Date: 2024-03-07 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240 3480 4720 5960 7200 AVG_BE(U)NI_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>89.84</td><td>-----</td><td>-----</td><td>75.18</td><td>36.58</td><td>10.56</td><td>32.48</td><td>100</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	89.84	-----	-----	75.18	36.58	10.56	32.48	100
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5918.76	45.68	68.20	-22.52	31.18	36.49	10.43	32.42	100																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	89.84	-----	-----	75.18	36.58	10.56	32.48	100																																																																									



Mode	36																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																	
ANT	5+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>57.70</td><td>39.39</td><td>13.22</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>49.43</td><td>74.00</td><td>-24.57</td><td>56.20</td><td>42.65</td><td>16.26</td><td>65.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	46.84	74.00	-27.16	57.70	39.39	13.22	63.47	---	---	Peak	2	17955.00	49.43	74.00	-24.57	56.20	42.65	16.26	65.68	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11970.00	46.84	74.00	-27.16	57.70	39.39	13.22	63.47	---	---	Peak																																																							
2	17955.00	49.43	74.00	-24.57	56.20	42.65	16.26	65.68	---	---	Peak																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>57.39</td><td>39.39</td><td>13.22</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>49.93</td><td>74.00</td><td>-24.07</td><td>56.70</td><td>42.65</td><td>16.26</td><td>65.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	46.53	74.00	-27.47	57.39	39.39	13.22	63.47	---	---	Peak	2	17955.00	49.93	74.00	-24.07	56.70	42.65	16.26	65.68	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11970.00	46.53	74.00	-27.47	57.39	39.39	13.22	63.47	---	---	Peak																																																							
2	17955.00	49.93	74.00	-24.07	56.70	42.65	16.26	65.68	---	---	Peak																																																							





Mode	37																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full RU_6145MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>57.20</td><td>39.55</td><td>13.33</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	46.53	74.00	-27.47	57.20	39.55	13.33	63.55	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>47.37</td><td>74.00</td><td>-26.63</td><td>58.04</td><td>39.55</td><td>13.33</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	47.37	74.00	-26.63	58.04	39.55	13.33	63.55	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	12290.00	46.53	74.00	-27.47	57.20	39.55	13.33	63.55	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	12290.00	47.37	74.00	-26.63	58.04	39.55	13.33	63.55	---	---	Peak																																																																																	





Mode	38																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>45.72</td><td>88.20</td><td>-42.48</td><td>56.15</td><td>39.78</td><td>13.48</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	45.72	88.20	-42.48	56.15	39.78	13.48	63.69	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>56.65</td><td>39.78</td><td>13.48</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	46.22	88.20	-41.98	56.65	39.78	13.48	63.69	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	45.72	88.20	-42.48	56.15	39.78	13.48	63.69	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12770.00	46.22	88.20	-41.98	56.65	39.78	13.48	63.69	---	---	Peak																																																																																		





Mode	39																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>46.19</td><td>88.20</td><td>-42.01</td><td>56.52</td><td>39.87</td><td>13.54</td><td>63.74</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	46.19	88.20	-42.01	56.52	39.87	13.54	63.74	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>46.17</td><td>88.20</td><td>-42.03</td><td>56.50</td><td>39.87</td><td>13.54</td><td>63.74</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	46.17	88.20	-42.03	56.50	39.87	13.54	63.74	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12930.00	46.19	88.20	-42.01	56.52	39.87	13.54	63.74	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12930.00	46.17	88.20	-42.03	56.50	39.87	13.54	63.74	---	---	Peak																																																																																		





Mode	40																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>57.18</td><td>40.03</td><td>13.64</td><td>63.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.05	74.00	-26.95	57.18	40.03	13.64	63.80	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>57.60</td><td>40.03</td><td>13.64</td><td>63.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	47.47	74.00	-26.53	57.60	40.03	13.64	63.80	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	47.05	74.00	-26.95	57.18	40.03	13.64	63.80	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	47.47	74.00	-26.53	57.60	40.03	13.64	63.80	---	---	Peak																																																																																		





Mode	41																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>46.18</td><td>88.20</td><td>-42.02</td><td>56.20</td><td>40.11</td><td>13.69</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13410.00	46.18	88.20	-42.02	56.20	40.11	13.69	63.82	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>57.13</td><td>40.11</td><td>13.69</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13410.00	47.11	88.20	-41.09	57.13	40.11	13.69	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13410.00	46.18	88.20	-42.02	56.20	40.11	13.69	63.82	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13410.00	47.11	88.20	-41.09	57.13	40.11	13.69	63.82	---	---	Peak																																																																																					



Mode	42																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13570.00</td><td>46.58</td><td>88.20</td><td>-41.62</td><td>56.50</td><td>40.19</td><td>13.74</td><td>63.85</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	46.58	88.20	-41.62	56.50	40.19	13.74	63.85	---	--- Peak	Level (dBuV/m) Date: 2024-03-10  <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13570.00</td><td>47.51</td><td>88.20</td><td>-40.69</td><td>57.43</td><td>40.19</td><td>13.74</td><td>63.85</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	47.51	88.20	-40.69	57.43	40.19	13.74	63.85	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13570.00	46.58	88.20	-41.62	56.50	40.19	13.74	63.85	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13570.00	47.51	88.20	-40.69	57.43	40.19	13.74	63.85	---	--- Peak																																																																															



Mode	43																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>46.84</td><td>88.20</td><td>-41.36</td><td>56.54</td><td>40.35</td><td>13.84</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	46.84	88.20	-41.36	56.54	40.35	13.84	63.89	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>48.15</td><td>88.20</td><td>-40.05</td><td>57.85</td><td>40.35</td><td>13.84</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	48.15	88.20	-40.05	57.85	40.35	13.84	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13890.00	46.84	88.20	-41.36	56.54	40.35	13.84	63.89	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13890.00	48.15	88.20	-40.05	57.85	40.35	13.84	63.89	---	---	Peak																																																																																			





Mode	44																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.63</td><td>59.34</td><td>88.20</td><td>-28.86</td><td>45.78</td><td>36.95</td><td>10.19</td><td>33.58</td><td>300</td><td>250 PEAK</td></tr><tr><td>2</td><td>7252.50</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>39.89</td><td>36.90</td><td>10.18</td><td>33.65</td><td>300</td><td>250 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.63	59.34	88.20	-28.86	45.78	36.95	10.19	33.58	300	250 PEAK	2	7252.50	53.32	74.00	-20.68	39.89	36.90	10.18	33.65	300	250 PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>93.05</td><td>-----</td><td>-----</td><td>79.39</td><td>36.98</td><td>10.21</td><td>33.53</td><td>300</td><td>250 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.05	-----	-----	79.39	36.98	10.21	33.53	300	250 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7130.63	59.34	88.20	-28.86	45.78	36.95	10.19	33.58	300	250 PEAK																																																																																					
2	7252.50	53.32	74.00	-20.68	39.89	36.90	10.18	33.65	300	250 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	93.05	-----	-----	79.39	36.98	10.21	33.53	300	250 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.40</td><td>48.63</td><td>68.20</td><td>-19.57</td><td>35.06</td><td>36.95</td><td>10.20</td><td>33.58</td><td>300</td><td>250 AVERAGE</td></tr><tr><td>2</td><td>7254.13</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>29.66</td><td>36.90</td><td>10.18</td><td>33.65</td><td>300</td><td>250 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.40	48.63	68.20	-19.57	35.06	36.95	10.20	33.58	300	250 AVERAGE	2	7254.13	43.09	54.00	-10.91	29.66	36.90	10.18	33.65	300	250 AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>85.03</td><td>-----</td><td>-----</td><td>71.37</td><td>36.98</td><td>10.21</td><td>33.53</td><td>300</td><td>250 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	85.03	-----	-----	71.37	36.98	10.21	33.53	300	250 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7126.40	48.63	68.20	-19.57	35.06	36.95	10.20	33.58	300	250 AVERAGE																																																																																					
2	7254.13	43.09	54.00	-10.91	29.66	36.90	10.18	33.65	300	250 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7025.00	85.03	-----	-----	71.37	36.98	10.21	33.53	300	250 AVERAGE																																																																																					



Mode	44																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.58</td><td>63.84</td><td>88.20</td><td>-24.36</td><td>50.28</td><td>36.95</td><td>10.19</td><td>33.58</td><td>304</td><td>252 PEAK</td></tr><tr><td>2</td><td>7299.63</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>39.44</td><td>36.88</td><td>10.18</td><td>33.68</td><td>304</td><td>252 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7132.58	63.84	88.20	-24.36	50.28	36.95	10.19	33.58	304	252 PEAK	2	7299.63	52.82	74.00	-21.18	39.44	36.88	10.18	33.68	304	252 PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>98.61</td><td>-----</td><td>-----</td><td>84.95</td><td>36.98</td><td>10.21</td><td>33.53</td><td>304</td><td>252 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.61	-----	-----	84.95	36.98	10.21	33.53	304	252 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7132.58	63.84	88.20	-24.36	50.28	36.95	10.19	33.58	304	252 PEAK																																																																																													
2	7299.63	52.82	74.00	-21.18	39.44	36.88	10.18	33.68	304	252 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	98.61	-----	-----	84.95	36.98	10.21	33.53	304	252 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.73</td><td>53.51</td><td>68.20</td><td>-14.69</td><td>39.94</td><td>36.95</td><td>10.20</td><td>33.58</td><td>304</td><td>252 AVERAGE</td></tr><tr><td>2</td><td>7254.78</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>29.83</td><td>36.90</td><td>10.18</td><td>33.65</td><td>304</td><td>252 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.73	53.51	68.20	-14.69	39.94	36.95	10.20	33.58	304	252 AVERAGE	2	7254.78	43.26	54.00	-10.74	29.83	36.90	10.18	33.65	304	252 AVERAGE	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>89.29</td><td>-----</td><td>-----</td><td>75.62</td><td>36.98</td><td>10.21</td><td>33.52</td><td>304</td><td>252 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	89.29	-----	-----	75.62	36.98	10.21	33.52	304	252 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7126.73	53.51	68.20	-14.69	39.94	36.95	10.20	33.58	304	252 AVERAGE																																																																																													
2	7254.78	43.26	54.00	-10.74	29.83	36.90	10.18	33.65	304	252 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	89.29	-----	-----	75.62	36.98	10.21	33.52	304	252 AVERAGE																																																																																													



Mode	44																																																																																						
	Harmonic																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																						
ANT	5+7																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14050.00</td><td>46.95</td><td>88.20</td><td>-41.25</td><td>56.55</td><td>40.40</td><td>13.90</td><td>63.90</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14050.00	46.95	88.20	-41.25	56.55	40.40	13.90	63.90	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14050.00</td><td>48.08</td><td>88.20</td><td>-40.12</td><td>57.68</td><td>40.40</td><td>13.90</td><td>63.90</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14050.00	48.08	88.20	-40.12	57.68	40.40	13.90	63.90	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 14050.00	46.95	88.20	-41.25	56.55	40.40	13.90	63.90	---	--- Peak																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 14050.00	48.08	88.20	-40.12	57.68	40.40	13.90	63.90	---	--- Peak																																																																														





Mode	45																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.12</td><td>59.34</td><td>88.20</td><td>-28.86</td><td>44.86</td><td>36.48</td><td>10.42</td><td>32.42</td><td>100</td><td>336 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.12	59.34	88.20	-28.86	44.86	36.48	10.42	32.42	100	336 PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.65</td><td>-----</td><td>-----</td><td>80.02</td><td>36.56</td><td>10.54</td><td>32.47</td><td>100</td><td>336 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.65	-----	-----	80.02	36.56	10.54	32.47	100	336 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5917.12	59.34	88.20	-28.86	44.86	36.48	10.42	32.42	100	336 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	94.65	-----	-----	80.02	36.56	10.54	32.47	100	336 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.96</td><td>48.42</td><td>68.20</td><td>-19.78</td><td>33.93</td><td>36.49</td><td>10.42</td><td>32.42</td><td>100</td><td>336 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.96	48.42	68.20	-19.78	33.93	36.49	10.42	32.42	100	336 AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>86.12</td><td>-----</td><td>-----</td><td>71.44</td><td>36.61</td><td>10.59</td><td>32.52</td><td>100</td><td>336 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	86.12	-----	-----	71.44	36.61	10.59	32.52	100	336 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5917.96	48.42	68.20	-19.78	33.93	36.49	10.42	32.42	100	336 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	86.12	-----	-----	71.44	36.61	10.59	32.52	100	336 AVERAGE																																																																																		





Mode	45																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.56</td><td>60.81</td><td>88.20</td><td>-27.39</td><td>46.33</td><td>36.48</td><td>10.42</td><td>32.42</td><td>222</td><td>42 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5916.56	60.81	88.20	-27.39	46.33	36.48	10.42	32.42	222	42 PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>98.49</td><td>-----</td><td>-----</td><td>83.81</td><td>36.60</td><td>10.59</td><td>32.51</td><td>222</td><td>42 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.49	-----	-----	83.81	36.60	10.59	32.51	222	42 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5916.56	60.81	88.20	-27.39	46.33	36.48	10.42	32.42	222	42 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	98.49	-----	-----	83.81	36.60	10.59	32.51	222	42 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5912.92</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>35.80</td><td>36.48</td><td>10.41</td><td>32.41</td><td>222</td><td>42 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.92	50.28	68.20	-17.92	35.80	36.48	10.41	32.41	222	42 AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.17</td><td>-----</td><td>-----</td><td>73.58</td><td>36.54</td><td>10.50</td><td>32.45</td><td>222</td><td>42 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.17	-----	-----	73.58	36.54	10.50	32.45	222	42 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5912.92	50.28	68.20	-17.92	35.80	36.48	10.41	32.41	222	42 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	88.17	-----	-----	73.58	36.54	10.50	32.45	222	42 AVERAGE																																																																																		





Mode	45																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12049.20</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>58.20</td><td>39.42</td><td>13.26</td><td>63.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12049.20	47.40	74.00	-26.60	58.20	39.42	13.26	63.48	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>57.39</td><td>39.43</td><td>13.26</td><td>63.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	46.60	74.00	-27.40	57.39	39.43	13.26	63.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12049.20	47.40	74.00	-26.60	58.20	39.42	13.26	63.48	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12050.00	46.60	74.00	-27.40	57.39	39.43	13.26	63.48	---	---	Peak																																																																																		





Mode	46																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>48.85</td><td>74.00</td><td>-25.15</td><td>59.48</td><td>39.59</td><td>13.36</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	48.85	74.00	-25.15	59.48	39.59	13.36	63.58	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>48.84</td><td>74.00</td><td>-25.16</td><td>59.47</td><td>39.59</td><td>13.36</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	48.84	74.00	-25.16	59.47	39.59	13.36	63.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12370.00	48.85	74.00	-25.15	59.48	39.59	13.36	63.58	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12370.00	48.84	74.00	-25.16	59.47	39.59	13.36	63.58	---	---	Peak																																																																																		



Mode	47																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>58.29</td><td>39.75</td><td>13.46</td><td>63.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.83	74.00	-26.17	58.29	39.75	13.46	63.67	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>58.81</td><td>39.75</td><td>13.46</td><td>63.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	48.35	74.00	-25.65	58.81	39.75	13.46	63.67	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12690.00	47.83	74.00	-26.17	58.29	39.75	13.46	63.67	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12690.00	48.35	74.00	-25.65	58.81	39.75	13.46	63.67	---	---	Peak																																																																																		



Mode	48																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>57.80</td><td>40.07</td><td>13.66</td><td>63.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.72	74.00	-26.28	57.80	40.07	13.66	63.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13330.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>57.69</td><td>40.07</td><td>13.66</td><td>63.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.61	74.00	-26.39	57.69	40.07	13.66	63.81	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13330.00	47.72	74.00	-26.28	57.80	40.07	13.66	63.81	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13330.00	47.61	74.00	-26.39	57.69	40.07	13.66	63.81	---	---	Peak																																																																																		



Mode	49																																																																																										
	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7194.23</td><td>54.20</td><td>88.20</td><td>-34.00</td><td>40.72</td><td>36.92</td><td>10.18</td><td>33.62</td></tr><tr><td>2</td><td>7250.49</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>40.16</td><td>36.90</td><td>10.18</td><td>33.65</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7194.23	54.20	88.20	-34.00	40.72	36.92	10.18	33.62	2	7250.49	53.59	74.00	-20.41	40.16	36.90	10.18	33.65	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6985.00</td><td>88.82</td><td>-----</td><td>-----</td><td>75.10</td><td>37.00</td><td>10.22</td><td>33.50</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	88.82	-----	-----	75.10	37.00	10.22	33.50
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	7194.23	54.20	88.20	-34.00	40.72	36.92	10.18	33.62																																																																																			
2	7250.49	53.59	74.00	-20.41	40.16	36.90	10.18	33.65																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	6985.00	88.82	-----	-----	75.10	37.00	10.22	33.50																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7184.00</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>31.06</td><td>36.93</td><td>10.18</td><td>33.61</td></tr><tr><td>2</td><td>7258.40</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>30.44</td><td>36.90</td><td>10.18</td><td>33.66</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7184.00	44.56	68.20	-23.64	31.06	36.93	10.18	33.61	2	7258.40	43.86	54.00	-10.14	30.44	36.90	10.18	33.66	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6985.00</td><td>80.02</td><td>-----</td><td>-----</td><td>66.30</td><td>36.99</td><td>10.22</td><td>33.49</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	80.02	-----	-----	66.30	36.99	10.22	33.49
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	7184.00	44.56	68.20	-23.64	31.06	36.93	10.18	33.61																																																																																			
2	7258.40	43.86	54.00	-10.14	30.44	36.90	10.18	33.66																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	6985.00	80.02	-----	-----	66.30	36.99	10.22	33.49																																																																																			



Mode	49																																																																																										
	Band Edge																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7232.82</td><td>54.81</td><td>88.20</td><td>-33.39</td><td>41.36</td><td>36.91</td><td>10.18</td><td>33.64</td></tr><tr><td>2</td><td>7252.35</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>40.20</td><td>36.90</td><td>10.18</td><td>33.65</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7232.82	54.81	88.20	-33.39	41.36	36.91	10.18	33.64	2	7252.35	53.63	74.00	-20.37	40.20	36.90	10.18	33.65	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6985.00</td><td>95.71</td><td>-----</td><td>-----</td><td>81.99</td><td>36.99</td><td>10.22</td><td>33.49</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	95.71	-----	-----	81.99	36.99	10.22	33.49
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	7232.82	54.81	88.20	-33.39	41.36	36.91	10.18	33.64																																																																																			
2	7252.35	53.63	74.00	-20.37	40.20	36.90	10.18	33.65																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	6985.00	95.71	-----	-----	81.99	36.99	10.22	33.49																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7137.50</td><td>45.91</td><td>68.20</td><td>-22.29</td><td>32.36</td><td>36.94</td><td>10.19</td><td>33.58</td></tr><tr><td>2</td><td>7251.42</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>30.64</td><td>36.90</td><td>10.18</td><td>33.65</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7137.50	45.91	68.20	-22.29	32.36	36.94	10.19	33.58	2	7251.42	44.07	54.00	-9.93	30.64	36.90	10.18	33.65	Level (dBuV/m) Date: 2024-03-07 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>6985.00</td><td>85.00</td><td>-----</td><td>-----</td><td>71.26</td><td>36.98</td><td>10.23</td><td>33.47</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	6985.00	85.00	-----	-----	71.26	36.98	10.23	33.47
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	7137.50	45.91	68.20	-22.29	32.36	36.94	10.19	33.58																																																																																			
2	7251.42	44.07	54.00	-9.93	30.64	36.90	10.18	33.65																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
1	6985.00	85.00	-----	-----	71.26	36.98	10.23	33.47																																																																																			





Mode	49																																																																																								
	Harmonic																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13970.00</td><td>49.00</td><td>88.20</td><td>-39.20</td><td>58.66</td><td>40.39</td><td>13.86</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13970.00	49.00	88.20	-39.20	58.66	40.39	13.86	63.91	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13970.00</td><td>50.01</td><td>88.20</td><td>-38.19</td><td>59.67</td><td>40.39</td><td>13.86</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	13970.00	50.01	88.20	-38.19	59.67	40.39	13.86	63.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	13970.00	49.00	88.20	-39.20	58.66	40.39	13.86	63.91	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1	13970.00	50.01	88.20	-38.19	59.67	40.39	13.86	63.91	---	---	Peak																																																																														





Mode	50																																																																																													
	Harmonic																																																																																													
	U-NII-7-8_6.525-7.125_802.11ax HE20_CH185_Full RU_6525MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.58</td><td>88.20</td><td>-38.62</td><td>59.38</td><td>40.28</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>58.98</td><td>40.28</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table> </td>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	49.58	88.20	-38.62	59.38	40.28	13.79	63.87	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>49.18</td><td>88.20</td><td>-39.02</td><td>58.98</td><td>40.28</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	49.18	88.20	-39.02	58.98	40.28	13.79	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13750.00	49.58	88.20	-38.62	59.38	40.28	13.79	63.87	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13750.00	49.18	88.20	-39.02	58.98	40.28	13.79	63.87	---	---	Peak																																																																																			





Mode	51																																																																																						
	Harmonic																																																																																						
	U-NII-7-8_6.525-7.125_802.11ax HE40_CH187_Full RU_6885MHz																																																																																						
ANT	5+7																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-10 					Level (dBuV/m) Date: 2024-03-10 																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13770.00</td><td>48.60</td><td>88.20</td><td>-39.60</td><td>58.40</td><td>40.28</td><td>13.80</td><td>63.88</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13770.00	48.60	88.20	-39.60	58.40	40.28	13.80	63.88	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13770.00</td><td>49.70</td><td>88.20</td><td>-38.50</td><td>59.50</td><td>40.28</td><td>13.80</td><td>63.88</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13770.00	49.70	88.20	-38.50	59.50	40.28	13.80	63.88	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13770.00	48.60	88.20	-39.60	58.40	40.28	13.80	63.88	---	--- Peak																																																																														
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 13770.00	49.70	88.20	-38.50	59.50	40.28	13.80	63.88	---	--- Peak																																																																														





Mode	52																																																																																														
	Harmonic																																																																																														
	U-NII-7-8_6.525-7.125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>58.95</td><td>40.27</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	49.14	88.20	-39.06	58.95	40.27	13.79	63.87	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>49.26</td><td>88.20</td><td>-38.94</td><td>59.07</td><td>40.27</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	49.26	88.20	-38.94	59.07	40.27	13.79	63.87	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13730.00	49.14	88.20	-39.06	58.95	40.27	13.79	63.87	---	---	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13730.00	49.26	88.20	-38.94	59.07	40.27	13.79	63.87	---	---	Peak																																																																																				





Mode	53																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-7.125_802.11ax HE160_CH175_Full RU_6825MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal					Vertical																																																																																										
Peak Avg																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>49.31</td><td>88.20</td><td>-38.89</td><td>59.18</td><td>40.23</td><td>13.76</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	49.31	88.20	-38.89	59.18	40.23	13.76	63.86	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>49.78</td><td>88.20</td><td>-38.42</td><td>59.65</td><td>40.23</td><td>13.76</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	49.78	88.20	-38.42	59.65	40.23	13.76	63.86	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13650.00	49.31	88.20	-38.89	59.18	40.23	13.76	63.86	---	---	Peak																																																																																					
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13650.00	49.78	88.20	-38.42	59.65	40.23	13.76	63.86	---	---	Peak																																																																																					





Mode	54																																																																																												
	Harmonic																																																																																												
	U-NII-6-7_6.425-6.875_802.11ax HE40_CH115_Full RU_6525MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>48.75</td><td>88.20</td><td>-39.45</td><td>59.02</td><td>39.93</td><td>13.57</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	48.75	88.20	-39.45	59.02	39.93	13.57	63.77	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>48.14</td><td>88.20</td><td>-40.06</td><td>58.41</td><td>39.93</td><td>13.57</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	48.14	88.20	-40.06	58.41	39.93	13.57	63.77	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	48.75	88.20	-39.45	59.02	39.93	13.57	63.77	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	48.14	88.20	-40.06	58.41	39.93	13.57	63.77	---	---	Peak																																																																																		



Mode	55																																																																																															
	Harmonic																																																																																															
	U-NII-6-7_6.425-6.875_802.11ax HE80_CH119_Full RU_6545MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13090.00</td><td>48.84</td><td>88.20</td><td>-39.36</td><td>59.08</td><td>39.94</td><td>13.59</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13090.00	48.84	88.20	-39.36	59.08	39.94	13.59	63.77	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13090.00</td><td>49.12</td><td>88.20</td><td>-39.08</td><td>59.36</td><td>39.94</td><td>13.59</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13090.00	49.12	88.20	-39.08	59.36	39.94	13.59	63.77	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13090.00	48.84	88.20	-39.36	59.08	39.94	13.59	63.77	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13090.00	49.12	88.20	-39.08	59.36	39.94	13.59	63.77	---	---	Peak																																																																																					



Mode	56																																																																																							
	Harmonic																																																																																							
	U-NII-6-7_6.425-6.875_802.11ax HE160_CH111_Full RU_6505MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13010.00</td><td>48.19</td><td>88.20</td><td>-40.01</td><td>58.48</td><td>39.91</td><td>13.56</td><td>63.76</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13010.00	48.19	88.20	-40.01	58.48	39.91	13.56	63.76	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13010.00</td><td>48.66</td><td>88.20</td><td>-39.54</td><td>58.95</td><td>39.91</td><td>13.56</td><td>63.76</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13010.00	48.66	88.20	-39.54	58.95	39.91	13.56	63.76	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13010.00	48.19	88.20	-40.01	58.48	39.91	13.56	63.76	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13010.00	48.66	88.20	-39.54	58.95	39.91	13.56	63.76	---	--- Peak																																																																															







Mode	57																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>53.70</td><td>88.20</td><td>-34.50</td><td>39.36</td><td>36.40</td><td>10.29</td><td>32.35</td><td>100 237 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5854.68	53.70	88.20	-34.50	39.36	36.40	10.29	32.35	100 237 PEAK	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>83.47</td><td>-----</td><td>-----</td><td>68.90</td><td>36.53</td><td>10.49</td><td>32.45</td><td>100 237 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.47	-----	-----	68.90	36.53	10.49	32.45	100 237 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.68	53.70	88.20	-34.50	39.36	36.40	10.29	32.35	100 237 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	83.47	-----	-----	68.90	36.53	10.49	32.45	100 237 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5903.82</td><td>44.01</td><td>68.20</td><td>-24.19</td><td>29.55</td><td>36.47</td><td>10.39</td><td>32.40</td><td>100 237 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5903.82	44.01	68.20	-24.19	29.55	36.47	10.39	32.40	100 237 AVERAGE	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>75.75</td><td>-----</td><td>-----</td><td>61.18</td><td>36.53</td><td>10.49</td><td>32.45</td><td>100 237 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	75.75	-----	-----	61.18	36.53	10.49	32.45	100 237 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5903.82	44.01	68.20	-24.19	29.55	36.47	10.39	32.40	100 237 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	75.75	-----	-----	61.18	36.53	10.49	32.45	100 237 AVERAGE																																																																									







Mode	57																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5915.44</td><td>53.99</td><td>88.20</td><td>-34.21</td><td>39.51</td><td>36.48</td><td>10.42</td><td>32.42</td><td>173</td><td>0 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5915.44	53.99	88.20	-34.21	39.51	36.48	10.42	32.42	173	0 PEAK	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>88.99</td><td>-----</td><td>-----</td><td>74.42</td><td>36.53</td><td>10.49</td><td>32.45</td><td>173</td><td>0 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	88.99	-----	-----	74.42	36.53	10.49	32.45	173	0 PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5915.44	53.99	88.20	-34.21	39.51	36.48	10.42	32.42	173	0 PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5955.00	88.99	-----	-----	74.42	36.53	10.49	32.45	173	0 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5906.48</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>29.49</td><td>36.47</td><td>10.40</td><td>32.41</td><td>173</td><td>0 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5906.48	43.95	68.20	-24.25	29.49	36.47	10.40	32.41	173	0 AVERAGE	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>81.84</td><td>-----</td><td>-----</td><td>67.27</td><td>36.53</td><td>10.49</td><td>32.45</td><td>173</td><td>0 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	81.84	-----	-----	67.27	36.53	10.49	32.45	173	0 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5906.48	43.95	68.20	-24.25	29.49	36.47	10.40	32.41	173	0 AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	5955.00	81.84	-----	-----	67.27	36.53	10.49	32.45	173	0 AVERAGE																																																																		







Mode	58																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-22  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.22</td><td>52.38</td><td>88.20</td><td>-35.82</td><td>38.86</td><td>36.93</td><td>10.19</td><td>33.60</td><td>300</td><td>96 PEAK</td></tr><tr><td>2</td><td>7282.81</td><td>52.83</td><td>74.00</td><td>-21.17</td><td>39.43</td><td>36.89</td><td>10.18</td><td>33.67</td><td>300</td><td>96 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7166.22	52.38	88.20	-35.82	38.86	36.93	10.19	33.60	300	96 PEAK	2	7282.81	52.83	74.00	-21.17	39.43	36.89	10.18	33.67	300	96 PEAK	Level (dBuV/m) Date: 2024-03-22  PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.41</td><td>-----</td><td>-----</td><td>68.81</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300</td><td>96 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.41	-----	-----	68.81	36.96	10.20	33.56	300	96 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7166.22	52.38	88.20	-35.82	38.86	36.93	10.19	33.60	300	96 PEAK																																																																																													
2	7282.81	52.83	74.00	-21.17	39.43	36.89	10.18	33.67	300	96 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	82.41	-----	-----	68.81	36.96	10.20	33.56	300	96 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-22  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7241.42</td><td>43.36</td><td>68.20</td><td>-24.84</td><td>29.92</td><td>36.90</td><td>10.18</td><td>33.64</td><td>300</td><td>96 AVERAGE</td></tr><tr><td>2</td><td>7254.77</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>29.84</td><td>36.90</td><td>10.18</td><td>33.65</td><td>300</td><td>96 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7241.42	43.36	68.20	-24.84	29.92	36.90	10.18	33.64	300	96 AVERAGE	2	7254.77	43.27	54.00	-10.73	29.84	36.90	10.18	33.65	300	96 AVERAGE	Level (dBuV/m) Date: 2024-03-22  AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>75.05</td><td>-----</td><td>-----</td><td>61.45</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300</td><td>96 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	75.05	-----	-----	61.45	36.96	10.20	33.56	300	96 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7241.42	43.36	68.20	-24.84	29.92	36.90	10.18	33.64	300	96 AVERAGE																																																																																													
2	7254.77	43.27	54.00	-10.73	29.84	36.90	10.18	33.65	300	96 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	75.05	-----	-----	61.45	36.96	10.20	33.56	300	96 AVERAGE																																																																																													



Mode	58																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-03-22 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7185.80</td><td>53.23</td><td>88.20</td><td>-34.97</td><td>39.73</td><td>36.93</td><td>10.18</td><td>33.61</td><td>200 177 PEAK</td></tr><tr><td>2</td><td>7278.36</td><td>53.12</td><td>74.00</td><td>-20.88</td><td>39.72</td><td>36.89</td><td>10.18</td><td>33.67</td><td>200 177 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7185.80	53.23	88.20	-34.97	39.73	36.93	10.18	33.61	200 177 PEAK	2	7278.36	53.12	74.00	-20.88	39.72	36.89	10.18	33.67	200 177 PEAK	 Level (dBuV/m) Date: 2024-03-22 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>92.35</td><td>-----</td><td>-----</td><td>78.75</td><td>36.96</td><td>10.20</td><td>33.56</td><td>200 177 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	92.35	-----	-----	78.75	36.96	10.20	33.56	200 177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7185.80	53.23	88.20	-34.97	39.73	36.93	10.18	33.61	200 177 PEAK																																																																																											
2	7278.36	53.12	74.00	-20.88	39.72	36.89	10.18	33.67	200 177 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	92.35	-----	-----	78.75	36.96	10.20	33.56	200 177 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-03-22 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.08</td><td>43.26</td><td>68.20</td><td>-24.94</td><td>29.81</td><td>36.91</td><td>10.18</td><td>33.64</td><td>200 177 AVERAGE</td></tr><tr><td>2</td><td>7261.45</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>29.85</td><td>36.90</td><td>10.18</td><td>33.66</td><td>200 177 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7236.08	43.26	68.20	-24.94	29.81	36.91	10.18	33.64	200 177 AVERAGE	2	7261.45	43.27	54.00	-10.73	29.85	36.90	10.18	33.66	200 177 AVERAGE	 Level (dBuV/m) Date: 2024-03-22 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.71</td><td>-----</td><td>-----</td><td>72.11</td><td>36.96</td><td>10.20</td><td>33.56</td><td>200 177 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.71	-----	-----	72.11	36.96	10.20	33.56	200 177 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7236.08	43.26	68.20	-24.94	29.81	36.91	10.18	33.64	200 177 AVERAGE																																																																																											
2	7261.45	43.27	54.00	-10.73	29.85	36.90	10.18	33.66	200 177 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	85.71	-----	-----	72.11	36.96	10.20	33.56	200 177 AVERAGE																																																																																											





Mode	59																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-03-07 					Level (dBuV/m) Date: 2024-03-07 																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.62</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>39.47</td><td>36.48</td><td>10.41</td><td>32.41</td><td>200 59 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5912.62	53.95	88.20	-34.25	39.47	36.48	10.41	32.41	200 59 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.09</td><td>-----</td><td>-----</td><td>88.52</td><td>36.53</td><td>10.49</td><td>32.45</td><td>200 59 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.09	-----	-----	88.52	36.53	10.49	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5912.62	53.95	88.20	-34.25	39.47	36.48	10.41	32.41	200 59 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	103.09	-----	-----	88.52	36.53	10.49	32.45	200 59 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-03-07 					Level (dBuV/m) Date: 2024-03-07 																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.84</td><td>44.43</td><td>68.20</td><td>-23.77</td><td>29.92</td><td>36.49</td><td>10.44</td><td>32.42</td><td>200 59 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	44.43	68.20	-23.77	29.92	36.49	10.44	32.42	200 59 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.06</td><td>-----</td><td>-----</td><td>80.49</td><td>36.53</td><td>10.49</td><td>32.45</td><td>200 59 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.06	-----	-----	80.49	36.53	10.49	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.84	44.43	68.20	-23.77	29.92	36.49	10.44	32.42	200 59 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	95.06	-----	-----	80.49	36.53	10.49	32.45	200 59 AVERAGE																																																																																





Mode	59																																																																																													
	Band Edge																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5881.55</td><td>54.24</td><td>88.20</td><td>-33.96</td><td>39.84</td><td>36.43</td><td>10.35</td><td>32.38</td><td>400</td><td>44</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5881.55	54.24	88.20	-33.96	39.84	36.43	10.35	32.38	400	44	PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.73</td><td>-----</td><td>-----</td><td>87.12</td><td>36.55</td><td>10.53</td><td>32.47</td><td>400</td><td>44</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.73	-----	-----	87.12	36.55	10.53	32.47	400	44	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5881.55	54.24	88.20	-33.96	39.84	36.43	10.35	32.38	400	44	PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5955.00	101.73	-----	-----	87.12	36.55	10.53	32.47	400	44	PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.20</td><td>43.96</td><td>68.20</td><td>-24.24</td><td>29.46</td><td>36.49</td><td>10.43</td><td>32.42</td><td>400</td><td>44</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.20	43.96	68.20	-24.24	29.46	36.49	10.43	32.42	400	44	AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.79</td><td>-----</td><td>-----</td><td>77.18</td><td>36.55</td><td>10.53</td><td>32.47</td><td>400</td><td>44</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.79	-----	-----	77.18	36.55	10.53	32.47	400	44	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5921.20	43.96	68.20	-24.24	29.46	36.49	10.43	32.42	400	44	AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5955.00	91.79	-----	-----	77.18	36.55	10.53	32.47	400	44	AVERAGE																																																																																			





Mode	59																																																									
	Harmonic																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																									
ANT	5+7																																																									
Pol.	Horizontal																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_5E) AVG(U-NII_5E)																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>59.56</td><td>39.36</td><td>13.18</td><td>63.47</td><td>--- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>55.68</td><td>42.55</td><td>16.20</td><td>65.63</td><td>--- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11910.00	48.63	74.00	-25.37	59.56	39.36	13.18	63.47	--- Peak	2	17865.00	48.80	74.00	-25.20	55.68	42.55	16.20	65.63	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	11910.00	48.63	74.00	-25.37	59.56	39.36	13.18	63.47	--- Peak																																																	
2	17865.00	48.80	74.00	-25.20	55.68	42.55	16.20	65.63	--- Peak																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_5E) AVG(U-NII_5E)																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11910.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>58.82</td><td>39.36</td><td>13.18</td><td>63.47</td><td>--- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>49.19</td><td>74.00</td><td>-24.81</td><td>56.07</td><td>42.55</td><td>16.20</td><td>65.63</td><td>--- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11910.00	47.89	74.00	-26.11	58.82	39.36	13.18	63.47	--- Peak	2	17865.00	49.19	74.00	-24.81	56.07	42.55	16.20	65.63	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	11910.00	47.89	74.00	-26.11	58.82	39.36	13.18	63.47	--- Peak																																																	
2	17865.00	49.19	74.00	-24.81	56.07	42.55	16.20	65.63	--- Peak																																																	





Mode	60																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																																																									
ANT	5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12350.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>58.86</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12350.00	48.22	74.00	-25.78	58.86	39.58	13.35	63.57	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12350.00</td><td>48.08</td><td>74.00</td><td>-25.92</td><td>58.72</td><td>39.58</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12350.00	48.08	74.00	-25.92	58.72	39.58	13.35	63.57	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12350.00	48.22	74.00	-25.78	58.86	39.58	13.35	63.57	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12350.00	48.08	74.00	-25.92	58.72	39.58	13.35	63.57	---	---	Peak																																																																																																





Mode	61																																																																																							
	Harmonic																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>48.41</td><td>88.20</td><td>-39.79</td><td>58.80</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	48.41	88.20	-39.79	58.80	39.82	13.50	63.71	---	--- Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>59.20</td><td>39.82</td><td>13.50</td><td>63.71</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	48.81	88.20	-39.39	59.20	39.82	13.50	63.71	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12830.00	48.41	88.20	-39.79	58.80	39.82	13.50	63.71	---	--- Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12830.00	48.81	88.20	-39.39	59.20	39.82	13.50	63.71	---	--- Peak																																																																															





Mode	62																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH97_6435MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-10 						Level (dBuV/m) Date: 2024-03-10 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>58.93</td><td>39.84</td><td>13.52</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	48.57	88.20	-39.63	58.93	39.84	13.52	63.72	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>58.54</td><td>39.84</td><td>13.52</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	48.18	88.20	-40.02	58.54	39.84	13.52	63.72	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12870.00	48.57	88.20	-39.63	58.93	39.84	13.52	63.72	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12870.00	48.18	88.20	-40.02	58.54	39.84	13.52	63.72	---	---	Peak																																																																																					





Mode	63																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>59.01</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.68	88.20	-39.52	59.01	39.88	13.54	63.75	---	---	Peak	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.94</td><td>88.20</td><td>-39.26</td><td>59.27</td><td>39.88</td><td>13.54</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	48.94	88.20	-39.26	59.27	39.88	13.54	63.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	48.68	88.20	-39.52	59.01	39.88	13.54	63.75	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	48.94	88.20	-39.26	59.27	39.88	13.54	63.75	---	---	Peak																																																																																		



Mode	64																																																																																								
	Harmonic																																																																																								
	U-NII-6_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>57.52</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	47.25	88.20	-40.95	57.52	39.92	13.57	63.76	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>46.93</td><td>88.20</td><td>-41.27</td><td>57.20</td><td>39.92</td><td>13.57</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	46.93	88.20	-41.27	57.20	39.92	13.57	63.76	---	---
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13030.00	47.25	88.20	-40.95	57.52	39.92	13.57	63.76	---	---	Peak																																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1 13030.00	46.93	88.20	-41.27	57.20	39.92	13.57	63.76	---	---	Peak																																																																															





Mode	65																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT20_CH117_Full RU_6535MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-10  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>48.55</td><td>88.20</td><td>-39.65</td><td>58.80</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	48.55	88.20	-39.65	58.80	39.94	13.58	63.77	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>57.86</td><td>39.94</td><td>13.58</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	47.61	88.20	-40.59	57.86	39.94	13.58	63.77	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13070.00	48.55	88.20	-39.65	58.80	39.94	13.58	63.77	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13070.00	47.61	88.20	-40.59	57.86	39.94	13.58	63.77	---	---	Peak																																																																																		





Mode	66																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT20_CH149_Full RU_6695MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>57.18</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.14	74.00	-26.86	57.18	40.10	13.68	63.82	---	---	Peak	Level (dBuV/m) Date: 2024-03-10 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>56.65</td><td>40.10</td><td>13.68</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	46.61	74.00	-27.39	56.65	40.10	13.68	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	47.14	74.00	-26.86	57.18	40.10	13.68	63.82	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13390.00	46.61	74.00	-27.39	56.65	40.10	13.68	63.82	---	---	Peak																																																																																		





Mode	67																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT20_CH181_Full RU_6855MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.12</td><td>88.20</td><td>-39.08</td><td>58.95</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.12	88.20	-39.08	58.95	40.26	13.78	63.87	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>49.17</td><td>88.20</td><td>-39.03</td><td>59.00</td><td>40.26</td><td>13.78</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	49.17	88.20	-39.03	59.00	40.26	13.78	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13710.00	49.12	88.20	-39.08	58.95	40.26	13.78	63.87	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13710.00	49.17	88.20	-39.03	59.00	40.26	13.78	63.87	---	---	Peak																																																																																			



Mode	68																																																																																											
	Harmonic																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full RU_6895MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13788.00</td><td>50.28</td><td>88.20</td><td>-37.92</td><td>60.06</td><td>40.29</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13788.00	50.28	88.20	-37.92	60.06	40.29	13.81	63.88	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13788.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>58.82</td><td>40.29</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13788.00	49.04	88.20	-39.16	58.82	40.29	13.81	63.88	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13788.00	50.28	88.20	-37.92	60.06	40.29	13.81	63.88	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	13788.00	49.04	88.20	-39.16	58.82	40.29	13.81	63.88	---	---	Peak																																																																																	







Mode	69																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full RU_6995MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>49.41</td><td>88.20</td><td>-38.79</td><td>59.05</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	49.41	88.20	-38.79	59.05	40.40	13.87	63.91	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>49.72</td><td>88.20</td><td>-38.48</td><td>59.36</td><td>40.40</td><td>13.87</td><td>63.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	49.72	88.20	-38.48	59.36	40.40	13.87	63.91	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	49.41	88.20	-38.79	59.05	40.40	13.87	63.91	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13990.00	49.72	88.20	-38.48	59.36	40.40	13.87	63.91	---	---	Peak																																																																																		





		70																																																																																																	
Mode		Band Edge																																																																																																	
		U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																	
ANT		5+7																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz)					Level (dBuV/m) Date: 2024-03-07 Frequency (MHz)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7127.50</td><td>57.31</td><td>88.20</td><td>-30.89</td><td>43.74</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400</td><td>20 PEAK</td></tr><tr><td>2 7323.30</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>40.02</td><td>36.87</td><td>10.18</td><td>33.69</td><td>400</td><td>20 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7127.50	57.31	88.20	-30.89	43.74	36.95	10.20	33.58	400	20 PEAK	2 7323.30	53.38	74.00	-20.62	40.02	36.87	10.18	33.69	400	20 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>100.13</td><td>-----</td><td>-----</td><td>86.52</td><td>36.96</td><td>10.20</td><td>33.55</td><td>400</td><td>20 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	100.13	-----	-----	86.52	36.96	10.20	33.55	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7127.50	57.31	88.20	-30.89	43.74	36.95	10.20	33.58	400	20 PEAK																																																																																										
2 7323.30	53.38	74.00	-20.62	40.02	36.87	10.18	33.69	400	20 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7095.00	100.13	-----	-----	86.52	36.96	10.20	33.55	400	20 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz)					Level (dBuV/m) Date: 2024-03-07 Frequency (MHz)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.72</td><td>48.79</td><td>68.20</td><td>-19.41</td><td>35.22</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400</td><td>20 AVERAGE</td></tr><tr><td>2 7263.23</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>29.60</td><td>36.89</td><td>10.18</td><td>33.66</td><td>400</td><td>20 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.72	48.79	68.20	-19.41	35.22	36.95	10.20	33.58	400	20 AVERAGE	2 7263.23	43.01	54.00	-10.99	29.60	36.89	10.18	33.66	400	20 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>92.53</td><td>-----</td><td>-----</td><td>78.92</td><td>36.96</td><td>10.20</td><td>33.55</td><td>400</td><td>20 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	92.53	-----	-----	78.92	36.96	10.20	33.55	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.72	48.79	68.20	-19.41	35.22	36.95	10.20	33.58	400	20 AVERAGE																																																																																										
2 7263.23	43.01	54.00	-10.99	29.60	36.89	10.18	33.66	400	20 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7095.00	92.53	-----	-----	78.92	36.96	10.20	33.55	400	20 AVERAGE																																																																																										



Mode	70																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-03-07 					Level (dBuV/m) Date: 2024-03-07 																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.06</td><td>59.20</td><td>88.20</td><td>-29.00</td><td>45.63</td><td>36.95</td><td>10.20</td><td>33.58</td><td>274</td><td>279 PEAK</td></tr><tr><td>2</td><td>7341.99</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>39.37</td><td>36.86</td><td>10.18</td><td>33.71</td><td>274</td><td>279 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.06	59.20	88.20	-29.00	45.63	36.95	10.20	33.58	274	279 PEAK	2	7341.99	52.70	74.00	-21.30	39.37	36.86	10.18	33.71	274	279 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>103.39</td><td>-----</td><td>-----</td><td>89.78</td><td>36.96</td><td>10.20</td><td>33.55</td><td>274</td><td>279 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	103.39	-----	-----	89.78	36.96	10.20	33.55	274
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7127.06	59.20	88.20	-29.00	45.63	36.95	10.20	33.58	274	279 PEAK																																																																																												
2	7341.99	52.70	74.00	-21.30	39.37	36.86	10.18	33.71	274	279 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	103.39	-----	-----	89.78	36.96	10.20	33.55	274	279 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-03-07 					Level (dBuV/m) Date: 2024-03-07 																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.72</td><td>49.44</td><td>68.20</td><td>-18.76</td><td>35.87</td><td>36.95</td><td>10.20</td><td>33.58</td><td>274</td><td>279 AVERAGE</td></tr><tr><td>2</td><td>7261.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>29.73</td><td>36.90</td><td>10.18</td><td>33.66</td><td>274</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.72	49.44	68.20	-18.76	35.87	36.95	10.20	33.58	274	279 AVERAGE	2	7261.00	43.15	54.00	-10.85	29.73	36.90	10.18	33.66	274	279 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>94.41</td><td>-----</td><td>-----</td><td>80.80</td><td>36.96</td><td>10.20</td><td>33.55</td><td>274</td><td>279 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	94.41	-----	-----	80.80	36.96	10.20	33.55	274
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.72	49.44	68.20	-18.76	35.87	36.95	10.20	33.58	274	279 AVERAGE																																																																																												
2	7261.00	43.15	54.00	-10.85	29.73	36.90	10.18	33.66	274	279 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7095.00	94.41	-----	-----	80.80	36.96	10.20	33.55	274	279 AVERAGE																																																																																												



Mode	70																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Full RU_7095MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_8E) AVG(U-NII_8E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_8E) AVG(U-NII_8E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>49.38</td><td>88.20</td><td>-38.82</td><td>58.93</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	49.38	88.20	-38.82	58.93	40.38	13.96	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14190.00</td><td>48.87</td><td>88.20</td><td>-39.33</td><td>58.42</td><td>40.38</td><td>13.96</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14190.00	48.87	88.20	-39.33	58.42	40.38	13.96	63.89	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	49.38	88.20	-38.82	58.93	40.38	13.96	63.89	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14190.00	48.87	88.20	-39.33	58.42	40.38	13.96	63.89	---	---	Peak																																																																																		



Mode	71																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.84</td><td>55.22</td><td>88.20</td><td>-32.98</td><td>40.74</td><td>36.48</td><td>10.42</td><td>32.42</td><td>100 328 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5916.84	55.22	88.20	-32.98	40.74	36.48	10.42	32.42	100 328 PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>101.99</td><td>-----</td><td>-----</td><td>87.40</td><td>36.54</td><td>10.51</td><td>32.46</td><td>100 328 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	101.99	-----	-----	87.40	36.54	10.51	32.46	100 328 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5916.84	55.22	88.20	-32.98	40.74	36.48	10.42	32.42	100 328 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	101.99	-----	-----	87.40	36.54	10.51	32.46	100 328 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.16</td><td>44.84</td><td>68.20</td><td>-23.36</td><td>30.36</td><td>36.48</td><td>10.42</td><td>32.42</td><td>100 328 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.16	44.84	68.20	-23.36	30.36	36.48	10.42	32.42	100 328 AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>92.13</td><td>-----</td><td>-----</td><td>77.49</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100 328 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.13	-----	-----	77.49	36.57	10.55	32.48	100 328 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5917.16	44.84	68.20	-23.36	30.36	36.48	10.42	32.42	100 328 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	92.13	-----	-----	77.49	36.57	10.55	32.48	100 328 AVERAGE																																																																									





Mode	71																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Vertical					Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.96</td><td>54.16</td><td>88.20</td><td>-34.04</td><td>39.69</td><td>36.47</td><td>10.41</td><td>32.41</td><td>400</td><td>310</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5909.96	54.16	88.20	-34.04	39.69	36.47	10.41	32.41	400	310	PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>98.72</td><td>-----</td><td>-----</td><td>84.06</td><td>36.58</td><td>10.56</td><td>32.48</td><td>400</td><td>310</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.72	-----	-----	84.06	36.58	10.56	32.48	400	310	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5909.96	54.16	88.20	-34.04	39.69	36.47	10.41	32.41	400	310	PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5965.00	98.72	-----	-----	84.06	36.58	10.56	32.48	400	310	PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.96</td><td>44.63</td><td>68.20</td><td>-23.57</td><td>30.17</td><td>36.47</td><td>10.40</td><td>32.41</td><td>400</td><td>310</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5905.96	44.63	68.20	-23.57	30.17	36.47	10.40	32.41	400	310	AVERAGE	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>90.79</td><td>-----</td><td>-----</td><td>76.13</td><td>36.58</td><td>10.56</td><td>32.48</td><td>400</td><td>310</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.79	-----	-----	76.13	36.58	10.56	32.48	400	310	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5905.96	44.63	68.20	-23.57	30.17	36.47	10.40	32.41	400	310	AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5965.00	90.79	-----	-----	76.13	36.58	10.56	32.48	400	310	AVERAGE																																																																											





Mode	71																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																																							
ANT	5+7																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>59.72</td><td>39.37</td><td>13.19</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>54.28</td><td>42.58</td><td>16.22</td><td>65.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	48.81	74.00	-25.19	59.72	39.37	13.19	63.47	---	---	Peak	2	17895.00	47.43	74.00	-26.57	54.28	42.58	16.22	65.65	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11930.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>58.43</td><td>39.37</td><td>13.19</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>54.99</td><td>42.58</td><td>16.22</td><td>65.65</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11930.00	47.52	74.00	-26.48	58.43	39.37	13.19	63.47	---	---	Peak	2	17895.00	48.14	74.00	-25.86	54.99	42.58	16.22	65.65	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11930.00	48.81	74.00	-25.19	59.72	39.37	13.19	63.47	---	---	Peak																																																																																																													
2	17895.00	47.43	74.00	-26.57	54.28	42.58	16.22	65.65	---	---	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11930.00	47.52	74.00	-26.48	58.43	39.37	13.19	63.47	---	---	Peak																																																																																																													
2	17895.00	48.14	74.00	-25.86	54.99	42.58	16.22	65.65	---	---	Peak																																																																																																													





Mode	72																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_Full RU_6165MHz																																																																																																									
ANT	5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12330.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>57.68</td><td>39.57</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12330.00	47.03	74.00	-26.97	57.68	39.57	13.35	63.57	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12330.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>58.17</td><td>39.57</td><td>13.35</td><td>63.57</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12330.00	47.52	74.00	-26.48	58.17	39.57	13.35	63.57	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12330.00	47.03	74.00	-26.97	57.68	39.57	13.35	63.57	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12330.00	47.52	74.00	-26.48	58.17	39.57	13.35	63.57	---	---	Peak																																																																																																



Mode	73																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_Full RU_6405MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>57.98</td><td>39.81</td><td>13.50</td><td>63.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	47.59	88.20	-40.61	57.98	39.81	13.50	63.70	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.84</td><td>88.20</td><td>-41.36</td><td>57.23</td><td>39.81</td><td>13.50</td><td>63.70</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	46.84	88.20	-41.36	57.23	39.81	13.50	63.70	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12810.00	47.59	88.20	-40.61	57.98	39.81	13.50	63.70	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12810.00	46.84	88.20	-41.36	57.23	39.81	13.50	63.70	---	---	Peak																																																																																		





Mode	74																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11be EHT40_CH99_Full RU_6445MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>48.68</td><td>88.20</td><td>-39.52</td><td>59.04</td><td>39.85</td><td>13.52</td><td>63.73</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	48.68	88.20	-39.52	59.04	39.85	13.52	63.73	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>48.57</td><td>88.20</td><td>-39.63</td><td>58.93</td><td>39.85</td><td>13.52</td><td>63.73</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	48.57	88.20	-39.63	58.93	39.85	13.52	63.73	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12890.00	48.68	88.20	-39.52	59.04	39.85	13.52	63.73	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12890.00	48.57	88.20	-39.63	58.93	39.85	13.52	63.73	---	---	Peak																																																																																		





Mode	75																																																																																							
	Harmonic																																																																																							
	U-NII-6_6.425-6.525_802.11be EHT40_CH107_Full RU_6485MHz																																																																																							
ANT	5+7																																																																																							
Pol.	Horizontal						Vertical																																																																																	
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.79</td><td>88.20</td><td>-40.41</td><td>58.10</td><td>39.89</td><td>13.55</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>48.21</td><td>88.20</td><td>-39.99</td><td>58.52</td><td>39.89</td><td>13.55</td><td>63.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.79	88.20	-40.41	58.10	39.89	13.55	63.75	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	48.21	88.20	-39.99	58.52	39.89	13.55	63.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	12970.00	47.79	88.20	-40.41	58.10	39.89	13.55	63.75	---	---	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	12970.00	48.21	88.20	-39.99	58.52	39.89	13.55	63.75	---	---	Peak																																																																													





Mode	76																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT40_CH123_Full RU_6565MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>48.72</td><td>88.20</td><td>-39.48</td><td>58.93</td><td>39.97</td><td>13.60</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	48.72	88.20	-39.48	58.93	39.97	13.60	63.78	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>48.99</td><td>88.20</td><td>-39.21</td><td>59.20</td><td>39.97</td><td>13.60</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	48.99	88.20	-39.21	59.20	39.97	13.60	63.78	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	48.72	88.20	-39.48	58.93	39.97	13.60	63.78	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13130.00	48.99	88.20	-39.21	59.20	39.97	13.60	63.78	---	---	Peak																																																																																		





Mode	77																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT40_CH147_Full RU_6685MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>56.31</td><td>40.09</td><td>13.67</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	46.25	74.00	-27.75	56.31	40.09	13.67	63.82	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13370.00</td><td>46.59</td><td>74.00</td><td>-27.41</td><td>56.65</td><td>40.09</td><td>13.67</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13370.00	46.59	74.00	-27.41	56.65	40.09	13.67	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	46.25	74.00	-27.75	56.31	40.09	13.67	63.82	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13370.00	46.59	74.00	-27.41	56.65	40.09	13.67	63.82	---	---	Peak																																																																																					





Mode	78																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11be EHT40_CH179_Full RU_6845MHz																																																																																																								
ANT	5+7																																																																																																								
Pol.	Horizontal					Vertical																																																																																																			
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13690.00</td><td>49.43</td><td>88.20</td><td>-38.77</td><td>59.26</td><td>40.25</td><td>13.78</td><td>63.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13690.00	49.43	88.20	-38.77	59.26	40.25	13.78	63.86							---	---							deg	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13690.00</td><td>49.39</td><td>88.20</td><td>-38.81</td><td>59.22</td><td>40.25</td><td>13.78</td><td>63.86</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13690.00	49.39	88.20	-38.81	59.22	40.25	13.78	63.86							---	---							deg
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1 13690.00	49.43	88.20	-38.77	59.26	40.25	13.78	63.86																																																																																																		
						---	---																																																																																																		
						deg	Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1 13690.00	49.39	88.20	-38.81	59.22	40.25	13.78	63.86																																																																																																		
						---	---																																																																																																		
						deg	Peak																																																																																																		



Mode	79																																																																																														
	Harmonic																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT40_CH195_Full RU_6925MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13850.00</td><td>49.64</td><td>88.20</td><td>-38.56</td><td>59.37</td><td>40.33</td><td>13.83</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13850.00	49.64	88.20	-38.56	59.37	40.33	13.83	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13850.00</td><td>49.54</td><td>88.20</td><td>-38.66</td><td>59.27</td><td>40.33</td><td>13.83</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13850.00	49.54	88.20	-38.66	59.27	40.33	13.83	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13850.00	49.64	88.20	-38.56	59.37	40.33	13.83	63.89	---	---	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	13850.00	49.54	88.20	-38.66	59.27	40.33	13.83	63.89	---	---	Peak																																																																																				



Mode	80																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT40_CH203_Full RU_6965MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>48.70</td><td>88.20</td><td>-39.50</td><td>58.38</td><td>40.37</td><td>13.85</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	48.70	88.20	-39.50	58.38	40.37	13.85	63.90	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13930.00</td><td>49.87</td><td>88.20</td><td>-38.33</td><td>59.55</td><td>40.37</td><td>13.85</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13930.00	49.87	88.20	-38.33	59.55	40.37	13.85	63.90	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13930.00	48.70	88.20	-39.50	58.38	40.37	13.85	63.90	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13930.00	49.87	88.20	-38.33	59.55	40.37	13.85	63.90	---	---	Peak																																																																																		





Mode	81																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.23</td><td>60.46</td><td>88.20</td><td>-27.74</td><td>46.90</td><td>36.95</td><td>10.19</td><td>33.58</td><td>381</td><td>24 PEAK</td></tr><tr><td>2</td><td>7320.59</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>38.97</td><td>36.87</td><td>10.18</td><td>33.69</td><td>381</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.23	60.46	88.20	-27.74	46.90	36.95	10.19	33.58	381	24 PEAK	2	7320.59	52.33	74.00	-21.67	38.97	36.87	10.18	33.69	381	24 PEAK	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>94.40</td><td>-----</td><td>-----</td><td>80.80</td><td>36.96</td><td>10.20</td><td>33.56</td><td>381</td><td>24 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	94.40	-----	-----	80.80	36.96	10.20	33.56	381	24 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7133.23	60.46	88.20	-27.74	46.90	36.95	10.19	33.58	381	24 PEAK																																																																																					
2	7320.59	52.33	74.00	-21.67	38.97	36.87	10.18	33.69	381	24 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7085.00	94.40	-----	-----	80.80	36.96	10.20	33.56	381	24 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7134.56</td><td>50.23</td><td>68.20</td><td>-17.97</td><td>36.67</td><td>36.95</td><td>10.19</td><td>33.58</td><td>381</td><td>24 AVERAGE</td></tr><tr><td>2</td><td>7255.13</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>29.58</td><td>36.90</td><td>10.18</td><td>33.65</td><td>381</td><td>24 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7134.56	50.23	68.20	-17.97	36.67	36.95	10.19	33.58	381	24 AVERAGE	2	7255.13	43.01	54.00	-10.99	29.58	36.90	10.18	33.65	381	24 AVERAGE	Level (dBuV/m) Date: 2024-03-07 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>86.08</td><td>-----</td><td>-----</td><td>72.48</td><td>36.96</td><td>10.20</td><td>33.56</td><td>381</td><td>24 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	86.08	-----	-----	72.48	36.96	10.20	33.56	381	24 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7134.56	50.23	68.20	-17.97	36.67	36.95	10.19	33.58	381	24 AVERAGE																																																																																					
2	7255.13	43.01	54.00	-10.99	29.58	36.90	10.18	33.65	381	24 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7085.00	86.08	-----	-----	72.48	36.96	10.20	33.56	381	24 AVERAGE																																																																																					



Mode	81																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7138.53</td><td>62.07</td><td>88.20</td><td>-26.13</td><td>48.52</td><td>36.94</td><td>10.19</td><td>33.58</td><td>100</td><td>324 PEAK</td></tr><tr><td>2</td><td>7260.43</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>39.13</td><td>36.90</td><td>10.18</td><td>33.66</td><td>100</td><td>324 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7138.53	62.07	88.20	-26.13	48.52	36.94	10.19	33.58	100	324 PEAK	2	7260.43	52.55	74.00	-21.45	39.13	36.90	10.18	33.66	100	324 PEAK	Level (dBuV/m) Date: 2024-03-07 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>98.54</td><td>-----</td><td>-----</td><td>84.94</td><td>36.96</td><td>10.20</td><td>33.56</td><td>100</td><td>324 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	98.54	-----	-----	84.94	36.96	10.20	33.56	100	324 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7138.53	62.07	88.20	-26.13	48.52	36.94	10.19	33.58	100	324 PEAK																																																																																					
2	7260.43	52.55	74.00	-21.45	39.13	36.90	10.18	33.66	100	324 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7085.00	98.54	-----	-----	84.94	36.96	10.20	33.56	100	324 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-03-07 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.44</td><td>51.17</td><td>68.20</td><td>-17.03</td><td>37.61</td><td>36.95</td><td>10.19</td><td>33.58</td><td>100</td><td>324 AVERAGE</td></tr><tr><td>2</td><td>7251.95</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>29.58</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>324 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7132.44	51.17	68.20	-17.03	37.61	36.95	10.19	33.58	100	324 AVERAGE	2	7251.95	43.01	54.00	-10.99	29.58	36.90	10.18	33.65	100	324 AVERAGE	Level (dBuV/m) Date: 2024-03-07 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>90.69</td><td>-----</td><td>-----</td><td>77.09</td><td>36.96</td><td>10.20</td><td>33.56</td><td>100</td><td>324 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	90.69	-----	-----	77.09	36.96	10.20	33.56	100	324 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7132.44	51.17	68.20	-17.03	37.61	36.95	10.19	33.58	100	324 AVERAGE																																																																																					
2	7251.95	43.01	54.00	-10.99	29.58	36.90	10.18	33.65	100	324 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7085.00	90.69	-----	-----	77.09	36.96	10.20	33.56	100	324 AVERAGE																																																																																					



Mode	81																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																													
ANT	5+7																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14170.00</td><td>49.44</td><td>88.20</td><td>-38.76</td><td>59.00</td><td>40.38</td><td>13.95</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14170.00	49.44	88.20	-38.76	59.00	40.38	13.95	63.89	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14170.00</td><td>49.25</td><td>88.20</td><td>-38.95</td><td>58.81</td><td>40.38</td><td>13.95</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14170.00	49.25	88.20	-38.95	58.81	40.38	13.95	63.89	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 14170.00	49.44	88.20	-38.76	59.00	40.38	13.95	63.89	---	---	Peak																																																																																				
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 14170.00	49.25	88.20	-38.95	58.81	40.38	13.95	63.89	---	---	Peak																																																																																				



Mode	82																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.92</td><td>56.33</td><td>88.20</td><td>-31.87</td><td>41.84</td><td>36.48</td><td>10.42</td><td>32.41</td><td>101 333 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5914.92	56.33	88.20	-31.87	41.84	36.48	10.42	32.41	101 333 PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>98.36</td><td>-----</td><td>-----</td><td>83.70</td><td>36.58</td><td>10.56</td><td>32.48</td><td>101 333 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	98.36	-----	-----	83.70	36.58	10.56	32.48	101 333 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5914.92	56.33	88.20	-31.87	41.84	36.48	10.42	32.41	101 333 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	98.36	-----	-----	83.70	36.58	10.56	32.48	101 333 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.92</td><td>46.72</td><td>68.20</td><td>-21.48</td><td>32.22</td><td>36.49</td><td>10.43</td><td>32.42</td><td>101 333 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.92	46.72	68.20	-21.48	32.22	36.49	10.43	32.42	101 333 AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>89.33</td><td>-----</td><td>-----</td><td>74.69</td><td>36.57</td><td>10.55</td><td>32.48</td><td>101 333 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	89.33	-----	-----	74.69	36.57	10.55	32.48	101 333 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5918.92	46.72	68.20	-21.48	32.22	36.49	10.43	32.42	101 333 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5985.00	89.33	-----	-----	74.69	36.57	10.55	32.48	101 333 AVERAGE																																																																									





Mode	82																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Date: 2024-03-07 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.16</td><td>56.05</td><td>88.20</td><td>-32.15</td><td>41.57</td><td>36.48</td><td>10.41</td><td>32.41</td><td>248</td><td>58 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.16	56.05	88.20	-32.15	41.57	36.48	10.41	32.41	248	58 PEAK	Date: 2024-03-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.91</td><td>-----</td><td>-----</td><td>86.28</td><td>36.56</td><td>10.54</td><td>32.47</td><td>248</td><td>58 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.91	-----	-----	86.28	36.56	10.54	32.47	248	58 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5913.16	56.05	88.20	-32.15	41.57	36.48	10.41	32.41	248	58 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	100.91	-----	-----	86.28	36.56	10.54	32.47	248	58 PEAK																																																																																		
Avg	Date: 2024-03-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.40</td><td>47.15</td><td>68.20</td><td>-21.05</td><td>32.67</td><td>36.48</td><td>10.41</td><td>32.41</td><td>248</td><td>58 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5911.40	47.15	68.20	-21.05	32.67	36.48	10.41	32.41	248	58 AVERAGE	Date: 2024-03-08 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>90.72</td><td>-----</td><td>-----</td><td>76.09</td><td>36.56</td><td>10.54</td><td>32.47</td><td>248</td><td>58 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	90.72	-----	-----	76.09	36.56	10.54	32.47	248	58 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5911.40	47.15	68.20	-21.05	32.67	36.48	10.41	32.41	248	58 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5985.00	90.72	-----	-----	76.09	36.56	10.54	32.47	248	58 AVERAGE																																																																																		





Mode	82																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																	
ANT	5+7																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>60.49</td><td>39.39</td><td>13.22</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>54.44</td><td>42.65</td><td>16.26</td><td>65.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	49.63	74.00	-24.37	60.49	39.39	13.22	63.47	---	---	Peak	2	17955.00	47.67	74.00	-26.33	54.44	42.65	16.26	65.68	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11970.00	49.63	74.00	-24.37	60.49	39.39	13.22	63.47	---	---	Peak																																																							
2	17955.00	47.67	74.00	-26.33	54.44	42.65	16.26	65.68	---	---	Peak																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>58.96</td><td>39.39</td><td>13.22</td><td>63.47</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>47.62</td><td>74.00</td><td>-26.38</td><td>54.39</td><td>42.65</td><td>16.26</td><td>65.68</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	48.10	74.00	-25.90	58.96	39.39	13.22	63.47	---	---	Peak	2	17955.00	47.62	74.00	-26.38	54.39	42.65	16.26	65.68	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11970.00	48.10	74.00	-25.90	58.96	39.39	13.22	63.47	---	---	Peak																																																							
2	17955.00	47.62	74.00	-26.38	54.39	42.65	16.26	65.68	---	---	Peak																																																							





Mode	83																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full RU_6145MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>48.22</td><td>74.00</td><td>-25.78</td><td>58.89</td><td>39.55</td><td>13.33</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	48.22	74.00	-25.78	58.89	39.55	13.33	63.55	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>58.97</td><td>39.55</td><td>13.33</td><td>63.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	48.30	74.00	-25.70	58.97	39.55	13.33	63.55	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12290.00	48.22	74.00	-25.78	58.89	39.55	13.33	63.55	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12290.00	48.30	74.00	-25.70	58.97	39.55	13.33	63.55	---	---	Peak																																																																																		





Mode	84																																																																																				
	Harmonic																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full RU_6385MHz																																																																																				
ANT	5+7																																																																																				
Pol.	Horizontal					Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-03-11  Frequency (MHz)					Level (dBuV/m) Date: 2024-03-11  Frequency (MHz)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>46.90</td><td>88.20</td><td>-41.30</td><td>57.33</td><td>39.78</td><td>13.48</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	46.90	88.20	-41.30	57.33	39.78	13.48	63.69	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12770.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>58.02</td><td>39.78</td><td>13.48</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12770.00	47.59	88.20	-40.61	58.02	39.78	13.48	63.69	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 12770.00	46.90	88.20	-41.30	57.33	39.78	13.48	63.69	---	---	Peak																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1 12770.00	47.59	88.20	-40.61	58.02	39.78	13.48	63.69	---	---	Peak																																																																											





Mode	85																																																																																												
	Harmonic																																																																																												
	U-NII-6_6.425-6.525_802.11be EHT80_CH103_Full RU_6465MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>49.67</td><td>88.20</td><td>-38.53</td><td>60.00</td><td>39.87</td><td>13.54</td><td>63.74</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	49.67	88.20	-38.53	60.00	39.87	13.54	63.74	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>48.31</td><td>88.20</td><td>-39.89</td><td>58.64</td><td>39.87</td><td>13.54</td><td>63.74</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	48.31	88.20	-39.89	58.64	39.87	13.54	63.74	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12930.00	49.67	88.20	-38.53	60.00	39.87	13.54	63.74	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12930.00	48.31	88.20	-39.89	58.64	39.87	13.54	63.74	---	---	Peak																																																																																		





Mode	86																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT80_CH135_Full RU_6625MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>58.42</td><td>40.03</td><td>13.64</td><td>63.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	48.29	74.00	-25.71	58.42	40.03	13.64	63.80	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>58.59</td><td>40.03</td><td>13.64</td><td>63.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13250.00	48.46	74.00	-25.54	58.59	40.03	13.64	63.80	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	48.29	74.00	-25.71	58.42	40.03	13.64	63.80	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13250.00	48.46	74.00	-25.54	58.59	40.03	13.64	63.80	---	---	Peak																																																																																		





Mode	87																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT80_CH151_Full RU_6705MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>48.12</td><td>88.20</td><td>-40.08</td><td>58.14</td><td>40.11</td><td>13.69</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.12	88.20	-40.08	58.14	40.11	13.69	63.82	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>47.61</td><td>88.20</td><td>-40.59</td><td>57.63</td><td>40.11</td><td>13.69</td><td>63.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.61	88.20	-40.59	57.63	40.11	13.69	63.82	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	48.12	88.20	-40.08	58.14	40.11	13.69	63.82	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	47.61	88.20	-40.59	57.63	40.11	13.69	63.82	---	---	Peak																																																																																		



Mode	88																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11be EHT80_CH167_Full RU_6785MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>48.17</td><td>88.20</td><td>-40.03</td><td>58.09</td><td>40.19</td><td>13.74</td><td>63.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	48.17	88.20	-40.03	58.09	40.19	13.74	63.85	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>48.74</td><td>88.20</td><td>-39.46</td><td>58.66</td><td>40.19</td><td>13.74</td><td>63.85</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	48.74	88.20	-39.46	58.66	40.19	13.74	63.85	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13570.00	48.17	88.20	-40.03	58.09	40.19	13.74	63.85	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13570.00	48.74	88.20	-39.46	58.66	40.19	13.74	63.85	---	---	Peak																																																																																		



Mode	89																																																																																					
	Harmonic																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full RU_6945MHz																																																																																					
ANT	5+7																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13890.00</td><td>48.54</td><td>88.20</td><td>-39.66</td><td>58.24</td><td>40.35</td><td>13.84</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13890.00	48.54	88.20	-39.66	58.24	40.35	13.84	63.89	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13890.00</td><td>49.19</td><td>88.20</td><td>-39.01</td><td>58.89</td><td>40.35</td><td>13.84</td><td>63.89</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13890.00	49.19	88.20	-39.01	58.89	40.35	13.84	63.89	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13890.00	48.54	88.20	-39.66	58.24	40.35	13.84	63.89	---	---	Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13890.00	49.19	88.20	-39.01	58.89	40.35	13.84	63.89	---	---	Peak																																																																												



Mode	90																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7131.60</td><td>58.08</td><td>88.20</td><td>-30.12</td><td>44.52</td><td>36.95</td><td>10.19</td><td>33.58</td><td>400 34 PEAK</td></tr><tr><td>2 7289.23</td><td>52.35</td><td>74.00</td><td>-21.65</td><td>38.96</td><td>36.88</td><td>10.18</td><td>33.67</td><td>400 34 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7131.60	58.08	88.20	-30.12	44.52	36.95	10.19	33.58	400 34 PEAK	2 7289.23	52.35	74.00	-21.65	38.96	36.88	10.18	33.67	400 34 PEAK	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>94.16</td><td>-----</td><td>-----</td><td>80.44</td><td>37.00</td><td>10.22</td><td>33.50</td><td>400 34 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	94.16	-----	-----	80.44	37.00	10.22	33.50	400 34 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7131.60	58.08	88.20	-30.12	44.52	36.95	10.19	33.58	400 34 PEAK																																																																											
2 7289.23	52.35	74.00	-21.65	38.96	36.88	10.18	33.67	400 34 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	94.16	-----	-----	80.44	37.00	10.22	33.50	400 34 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.10</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>34.94</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400 34 AVERAGE</td></tr><tr><td>2 7252.50</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>29.67</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400 34 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7125.10	48.51	68.20	-19.69	34.94	36.95	10.20	33.58	400 34 AVERAGE	2 7252.50	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	400 34 AVERAGE	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>85.15</td><td>-----</td><td>-----</td><td>71.43</td><td>37.00</td><td>10.22</td><td>33.50</td><td>400 34 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	85.15	-----	-----	71.43	37.00	10.22	33.50	400 34 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7125.10	48.51	68.20	-19.69	34.94	36.95	10.20	33.58	400 34 AVERAGE																																																																											
2 7252.50	43.10	54.00	-10.90	29.67	36.90	10.18	33.65	400 34 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	85.15	-----	-----	71.43	37.00	10.22	33.50	400 34 AVERAGE																																																																											



Mode	90																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz)					Level (dBuV/m) Date: 2024-03-08 Frequency (MHz)																																																																																																
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.68</td><td>64.43</td><td>88.20</td><td>-23.77</td><td>50.87</td><td>36.95</td><td>10.19</td><td>33.58</td><td>183</td><td>308 PEAK</td></tr><tr><td>2</td><td>7324.65</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>38.78</td><td>36.87</td><td>10.18</td><td>33.69</td><td>183</td><td>308 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7128.68	64.43	88.20	-23.77	50.87	36.95	10.19	33.58	183	308 PEAK	2	7324.65	52.14	74.00	-21.86	38.78	36.87	10.18	33.69	183	308 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>98.75</td><td>-----</td><td>-----</td><td>85.09</td><td>36.98</td><td>10.21</td><td>33.53</td><td>183</td><td>308 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.75	-----	-----	85.09	36.98	10.21	33.53	183
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7128.68	64.43	88.20	-23.77	50.87	36.95	10.19	33.58	183	308 PEAK																																																																																												
2	7324.65	52.14	74.00	-21.86	38.78	36.87	10.18	33.69	183	308 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7025.00	98.75	-----	-----	85.09	36.98	10.21	33.53	183	308 PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz)					Level (dBuV/m) Date: 2024-03-08 Frequency (MHz)																																																																																																
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7128.35</td><td>52.05</td><td>68.20</td><td>-16.15</td><td>38.49</td><td>36.95</td><td>10.19</td><td>33.58</td><td>183</td><td>308 AVERAGE</td></tr><tr><td>2</td><td>7257.70</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>29.77</td><td>36.90</td><td>10.18</td><td>33.65</td><td>183</td><td>308 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7128.35	52.05	68.20	-16.15	38.49	36.95	10.19	33.58	183	308 AVERAGE	2	7257.70	43.20	54.00	-10.80	29.77	36.90	10.18	33.65	183	308 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>89.32</td><td>-----</td><td>-----</td><td>75.66</td><td>36.98</td><td>10.21</td><td>33.53</td><td>183</td><td>308 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	89.32	-----	-----	75.66	36.98	10.21	33.53	183
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7128.35	52.05	68.20	-16.15	38.49	36.95	10.19	33.58	183	308 AVERAGE																																																																																												
2	7257.70	43.20	54.00	-10.80	29.77	36.90	10.18	33.65	183	308 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7025.00	89.32	-----	-----	75.66	36.98	10.21	33.53	183	308 AVERAGE																																																																																												