



Mode	90																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_8E) AVG(U-NII_8E)						Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_8E) AVG(U-NII_8E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>49.12</td><td>88.20</td><td>-39.08</td><td>58.72</td><td>40.40</td><td>13.90</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	49.12	88.20	-39.08	58.72	40.40	13.90	63.90	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>49.20</td><td>88.20</td><td>-39.00</td><td>58.80</td><td>40.40</td><td>13.90</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	49.20	88.20	-39.00	58.80	40.40	13.90	63.90	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14050.00	49.12	88.20	-39.08	58.72	40.40	13.90	63.90	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14050.00	49.20	88.20	-39.00	58.80	40.40	13.90	63.90	---	---	Peak																																																																																		





Mode	91																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5905.08</td><td>57.22</td><td>88.20</td><td>-30.98</td><td>42.76</td><td>36.47</td><td>10.40</td><td>32.41</td><td>200</td><td>61 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5905.08	57.22	88.20	-30.98	42.76	36.47	10.40	32.41	200	61 PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>90.84</td><td>-----</td><td>-----</td><td>76.21</td><td>36.64</td><td>10.62</td><td>32.63</td><td>200</td><td>61 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	90.84	-----	-----	76.21	36.64	10.62	32.63	200	61 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5905.08	57.22	88.20	-30.98	42.76	36.47	10.40	32.41	200	61 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	90.84	-----	-----	76.21	36.64	10.62	32.63	200	61 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5887.44</td><td>46.42</td><td>68.20</td><td>-21.78</td><td>32.01</td><td>36.44</td><td>10.36</td><td>32.39</td><td>200</td><td>61 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5887.44	46.42	68.20	-21.78	32.01	36.44	10.36	32.39	200	61 AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>81.81</td><td>-----</td><td>-----</td><td>67.22</td><td>36.54</td><td>10.50</td><td>32.45</td><td>200</td><td>61 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	81.81	-----	-----	67.22	36.54	10.50	32.45	200	61 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5887.44	46.42	68.20	-21.78	32.01	36.44	10.36	32.39	200	61 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	81.81	-----	-----	67.22	36.54	10.50	32.45	200	61 AVERAGE																																																																																		





Mode	91																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>57.13</td><td>88.20</td><td>-31.07</td><td>42.62</td><td>36.49</td><td>10.44</td><td>32.42</td><td>259 60 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	57.13	88.20	-31.07	42.62	36.49	10.44	32.42	259 60 PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>93.66</td><td>-----</td><td>-----</td><td>78.98</td><td>36.60</td><td>10.58</td><td>32.50</td><td>259 60 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	93.66	-----	-----	78.98	36.60	10.58	32.50	259 60 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5924.96	57.13	88.20	-31.07	42.62	36.49	10.44	32.42	259 60 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	93.66	-----	-----	78.98	36.60	10.58	32.50	259 60 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5887.44</td><td>47.28</td><td>68.20</td><td>-20.92</td><td>32.87</td><td>36.44</td><td>10.36</td><td>32.39</td><td>259 60 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5887.44	47.28	68.20	-20.92	32.87	36.44	10.36	32.39	259 60 AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>85.20</td><td>-----</td><td>-----</td><td>70.53</td><td>36.61</td><td>10.59</td><td>32.53</td><td>259 60 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.20	-----	-----	70.53	36.61	10.59	32.53	259 60 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5887.44	47.28	68.20	-20.92	32.87	36.44	10.36	32.39	259 60 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	85.20	-----	-----	70.53	36.61	10.59	32.53	259 60 AVERAGE																																																																									





Mode	91																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>58.74</td><td>39.43</td><td>13.26</td><td>63.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	47.95	74.00	-26.05	58.74	39.43	13.26	63.48	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>59.16</td><td>39.43</td><td>13.26</td><td>63.48</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	48.37	74.00	-25.63	59.16	39.43	13.26	63.48	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12050.00	47.95	74.00	-26.05	58.74	39.43	13.26	63.48	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12050.00	48.37	74.00	-25.63	59.16	39.43	13.26	63.48	---	---	Peak																																																																																		





Mode	92																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT160_CH47_Full RU_6185MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>58.10</td><td>39.59</td><td>13.36</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	47.47	74.00	-26.53	58.10	39.59	13.36	63.58	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>59.07</td><td>39.59</td><td>13.36</td><td>63.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	48.44	74.00	-25.56	59.07	39.59	13.36	63.58	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12370.00	47.47	74.00	-26.53	58.10	39.59	13.36	63.58	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12370.00	48.44	74.00	-25.56	59.07	39.59	13.36	63.58	---	---	Peak																																																																																					







Mode	93																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT160_CH79_Full RU_6345MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>58.38</td><td>39.75</td><td>13.46</td><td>63.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.92	74.00	-26.08	58.38	39.75	13.46	63.67	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>57.36</td><td>39.75</td><td>13.46</td><td>63.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	46.90	74.00	-27.10	57.36	39.75	13.46	63.67	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12690.00	47.92	74.00	-26.08	58.38	39.75	13.46	63.67	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12690.00	46.90	74.00	-27.10	57.36	39.75	13.46	63.67	---	---	Peak																																																																																		



Mode	94																																																																																															
	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11be EHT160_CH143_Full RU_6665MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>58.43</td><td>40.07</td><td>13.66</td><td>63.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	48.35	74.00	-25.65	58.43	40.07	13.66	63.81	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>47.88</td><td>74.00</td><td>-26.12</td><td>57.96</td><td>40.07</td><td>13.66</td><td>63.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	47.88	74.00	-26.12	57.96	40.07	13.66	63.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13330.00	48.35	74.00	-25.65	58.43	40.07	13.66	63.81	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13330.00	47.88	74.00	-26.12	57.96	40.07	13.66	63.81	---	---	Peak																																																																																					





Mode	95																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-03-08  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7158.89</td><td>54.03</td><td>88.20</td><td>-34.17</td><td>40.50</td><td>36.94</td><td>10.19</td><td>33.60</td><td>363 34 PEAK</td></tr><tr><td>2</td><td>7271.42</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>38.85</td><td>36.89</td><td>10.18</td><td>33.66</td><td>363 34 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7158.89	54.03	88.20	-34.17	40.50	36.94	10.19	33.60	363 34 PEAK	2	7271.42	52.26	74.00	-21.74	38.85	36.89	10.18	33.66	363 34 PEAK	Level (dBuV/m) Date: 2024-03-08  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>88.67</td><td>-----</td><td>-----</td><td>74.93</td><td>36.98</td><td>10.23</td><td>33.47</td><td>363 34 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	88.67	-----	-----	74.93	36.98	10.23	33.47	363 34 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7158.89	54.03	88.20	-34.17	40.50	36.94	10.19	33.60	363 34 PEAK																																																																																											
2	7271.42	52.26	74.00	-21.74	38.85	36.89	10.18	33.66	363 34 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	88.67	-----	-----	74.93	36.98	10.23	33.47	363 34 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-03-08  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7142.61</td><td>44.88</td><td>68.20</td><td>-23.32</td><td>31.34</td><td>36.94</td><td>10.19</td><td>33.59</td><td>363 34 AVERAGE</td></tr><tr><td>2</td><td>7278.39</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>29.84</td><td>36.89</td><td>10.18</td><td>33.67</td><td>363 34 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7142.61	44.88	68.20	-23.32	31.34	36.94	10.19	33.59	363 34 AVERAGE	2	7278.39	43.24	54.00	-10.76	29.84	36.89	10.18	33.67	363 34 AVERAGE	Level (dBuV/m) Date: 2024-03-08  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>80.22</td><td>-----</td><td>-----</td><td>66.56</td><td>36.98</td><td>10.21</td><td>33.53</td><td>363 34 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.22	-----	-----	66.56	36.98	10.21	33.53	363 34 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7142.61	44.88	68.20	-23.32	31.34	36.94	10.19	33.59	363 34 AVERAGE																																																																																											
2	7278.39	43.24	54.00	-10.76	29.84	36.89	10.18	33.67	363 34 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	80.22	-----	-----	66.56	36.98	10.21	33.53	363 34 AVERAGE																																																																																											



Mode	95																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Vertical					Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(UNII)_GE <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7142.15</td><td>58.89</td><td>88.20</td><td>-29.31</td><td>45.35</td><td>36.94</td><td>10.19</td><td>33.59</td><td>396</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>7260.72</td><td>52.72</td><td>74.00</td><td>-21.28</td><td>39.30</td><td>36.90</td><td>10.18</td><td>33.66</td><td>396</td><td>265</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7142.15	58.89	88.20	-29.31	45.35	36.94	10.19	33.59	396	265	PEAK	2	7260.72	52.72	74.00	-21.28	39.30	36.90	10.18	33.66	396	265	PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(UNII)_GE <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>94.29</td><td>-----</td><td>-----</td><td>80.57</td><td>37.00</td><td>10.22</td><td>33.50</td><td>396</td><td>265</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	94.29	-----	-----	80.57	37.00	10.22	33.50	396	265	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7142.15	58.89	88.20	-29.31	45.35	36.94	10.19	33.59	396	265	PEAK																																																																																											
2	7260.72	52.72	74.00	-21.28	39.30	36.90	10.18	33.66	396	265	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	94.29	-----	-----	80.57	37.00	10.22	33.50	396	265	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(UNII)_GE <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7143.54</td><td>48.17</td><td>68.20</td><td>-20.03</td><td>34.63</td><td>36.94</td><td>10.19</td><td>33.59</td><td>396</td><td>265</td><td>AVERAGE</td></tr><tr><td>2</td><td>7255.14</td><td>43.67</td><td>54.00</td><td>-10.33</td><td>30.24</td><td>36.90</td><td>10.18</td><td>33.65</td><td>396</td><td>265</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7143.54	48.17	68.20	-20.03	34.63	36.94	10.19	33.59	396	265	AVERAGE	2	7255.14	43.67	54.00	-10.33	30.24	36.90	10.18	33.65	396	265	AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(UNII)_GE <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>83.99</td><td>-----</td><td>-----</td><td>70.27</td><td>37.00</td><td>10.22</td><td>33.50</td><td>396</td><td>265</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.99	-----	-----	70.27	37.00	10.22	33.50	396	265	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7143.54	48.17	68.20	-20.03	34.63	36.94	10.19	33.59	396	265	AVERAGE																																																																																											
2	7255.14	43.67	54.00	-10.33	30.24	36.90	10.18	33.65	396	265	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	83.99	-----	-----	70.27	37.00	10.22	33.50	396	265	AVERAGE																																																																																											



Mode	95																																																																											
	Harmonic																																																																											
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																											
ANT	5+7																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13970.00</td><td>49.55</td><td>88.20</td><td>-38.65</td><td>59.21</td><td>40.39</td><td>13.86</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13970.00	49.55	88.20	-38.65	59.21	40.39	13.86	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>13970.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>58.70</td><td>40.39</td><td>13.86</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13970.00	49.04	88.20	-39.16	58.70	40.39	13.86
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13970.00	49.55	88.20	-38.65	59.21	40.39	13.86																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																					
1	13970.00	49.04	88.20	-39.16	58.70	40.39	13.86																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>49.55</td><td>88.20</td><td>-38.65</td><td>59.21</td><td>40.39</td><td>13.86</td><td>63.91</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	49.55	88.20	-38.65	59.21	40.39	13.86	63.91	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13970.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>58.70</td><td>40.39</td><td>13.86</td><td>63.91</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13970.00	49.04	88.20	-39.16	58.70	40.39	13.86	63.91	---	Peak					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																			
1	13970.00	49.55	88.20	-38.65	59.21	40.39	13.86	63.91	---	Peak																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																			
1	13970.00	49.04	88.20	-39.16	58.70	40.39	13.86	63.91	---	Peak																																																																		





Mode	96																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.52</td><td>59.83</td><td>88.20</td><td>-28.37</td><td>45.54</td><td>36.37</td><td>10.25</td><td>32.33</td><td>200 332 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5833.52	59.83	88.20	-28.37	45.54	36.37	10.25	32.33	200 332 PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.35</td><td>-----</td><td>-----</td><td>78.76</td><td>36.54</td><td>10.51</td><td>32.46</td><td>200 332 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	93.35	-----	-----	78.76	36.54	10.51	32.46	200 332 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5833.52	59.83	88.20	-28.37	45.54	36.37	10.25	32.33	200 332 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	93.35	-----	-----	78.76	36.54	10.51	32.46	200 332 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.52</td><td>50.33</td><td>68.20</td><td>-17.87</td><td>36.04</td><td>36.37</td><td>10.25</td><td>32.33</td><td>200 332 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5833.52	50.33	68.20	-17.87	36.04	36.37	10.25	32.33	200 332 AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>84.55</td><td>-----</td><td>-----</td><td>69.96</td><td>36.54</td><td>10.50</td><td>32.45</td><td>200 332 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.55	-----	-----	69.96	36.54	10.50	32.45	200 332 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5833.52	50.33	68.20	-17.87	36.04	36.37	10.25	32.33	200 332 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	84.55	-----	-----	69.96	36.54	10.50	32.45	200 332 AVERAGE																																																																																	





Mode	96																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5834.33</td><td>57.40</td><td>88.20</td><td>-30.80</td><td>43.11</td><td>36.37</td><td>10.25</td><td>32.33</td><td>400</td><td>257 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg	1	5834.33	57.40	88.20	-30.80	43.11	36.37	10.25	32.33	400	257 PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>93.90</td><td>-----</td><td>-----</td><td>79.28</td><td>36.64</td><td>10.63</td><td>32.65</td><td>400</td><td>257 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg	1	6105.00	93.90	-----	-----	79.28	36.64	10.63	32.65	400	257 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg																																																																																			
1	5834.33	57.40	88.20	-30.80	43.11	36.37	10.25	32.33	400	257 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg																																																																																			
1	6105.00	93.90	-----	-----	79.28	36.64	10.63	32.65	400	257 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.52</td><td>48.82</td><td>68.20</td><td>-19.38</td><td>34.53</td><td>36.37</td><td>10.25</td><td>32.33</td><td>400</td><td>257 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg	1	5833.52	48.82	68.20	-19.38	34.53	36.37	10.25	32.33	400	257 AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(UNII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.90</td><td>-----</td><td>-----</td><td>69.22</td><td>36.59</td><td>10.58</td><td>32.49</td><td>400</td><td>257 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg	1	6105.00	83.90	-----	-----	69.22	36.59	10.58	32.49	400	257 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg																																																																																			
1	5833.52	48.82	68.20	-19.38	34.53	36.37	10.25	32.33	400	257 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m		dB	dB/m	dB	cm	deg																																																																																			
1	6105.00	83.90	-----	-----	69.22	36.59	10.58	32.49	400	257 AVERAGE																																																																																		



Mode	96																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal					Vertical																																																																																							
Peak Avg																																																																																													
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12210.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>58.38</td><td>39.51</td><td>13.31</td><td>63.53</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12210.00	47.67	74.00	-26.33	58.38	39.51	13.31	63.53	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12210.00</td><td>48.27</td><td>74.00</td><td>-25.73</td><td>58.98</td><td>39.51</td><td>13.31</td><td>63.53</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12210.00	48.27	74.00	-25.73	58.98	39.51	13.31	63.53	---	---
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 12210.00	47.67	74.00	-26.33	58.38	39.51	13.31	63.53	---	---	Peak																																																																																			
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 12210.00	48.27	74.00	-25.73	58.98	39.51	13.31	63.53	---	---	Peak																																																																																			





Mode	97																																																																																														
	Harmonic																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12530.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>58.01</td><td>39.67</td><td>13.41</td><td>63.62</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12530.00	47.47	74.00	-26.53	58.01	39.67	13.41	63.62	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12530.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>57.93</td><td>39.67</td><td>13.41</td><td>63.62</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12530.00	47.39	74.00	-26.61	57.93	39.67	13.41	63.62	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12530.00	47.47	74.00	-26.53	58.01	39.67	13.41	63.62	---	---	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	12530.00	47.39	74.00	-26.61	57.93	39.67	13.41	63.62	---	---	Peak																																																																																				





Mode	98																																																																																												
	Harmonic																																																																																												
	U-NII-7-8_6.525-7.125_802.11a_CH185_Full RU_6525MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13744.80</td><td>50.88</td><td>88.20</td><td>-37.32</td><td>60.69</td><td>40.27</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13744.80	50.88	88.20	-37.32	60.69	40.27	13.79	63.87	---	---	Peak	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13744.80</td><td>49.85</td><td>88.20</td><td>-38.35</td><td>59.66</td><td>40.27</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13744.80	49.85	88.20	-38.35	59.66	40.27	13.79	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13744.80	50.88	88.20	-37.32	60.69	40.27	13.79	63.87	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13744.80	49.85	88.20	-38.35	59.66	40.27	13.79	63.87	---	---	Peak																																																																																		



Mode	99																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-7.125_802.11be EHT20_CH185_Full RU_6525MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>49.66</td><td>88.20</td><td>-38.54</td><td>59.46</td><td>40.28</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	49.66	88.20	-38.54	59.46	40.28	13.79	63.87	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>49.52</td><td>88.20</td><td>-38.68</td><td>59.32</td><td>40.28</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	49.52	88.20	-38.68	59.32	40.28	13.79	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13750.00	49.66	88.20	-38.54	59.46	40.28	13.79	63.87	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13750.00	49.52	88.20	-38.68	59.32	40.28	13.79	63.87	---	---	Peak																																																																																					





Mode	100																																																																																			
	Harmonic																																																																																			
	U-NII-7-8_6.525-7.125_802.11be EHT40_CH187_Full RU_6885MHz																																																																																			
ANT	5+7																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>50.00</td><td>88.20</td><td>-38.20</td><td>59.80</td><td>40.28</td><td>13.80</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13770.00	50.00	88.20	-38.20	59.80	40.28	13.80	63.88	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>49.95</td><td>88.20</td><td>-38.25</td><td>59.75</td><td>40.28</td><td>13.80</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13770.00	49.95	88.20	-38.25	59.75	40.28	13.80	63.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13770.00	50.00	88.20	-38.20	59.80	40.28	13.80	63.88	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	13770.00	49.95	88.20	-38.25	59.75	40.28	13.80	63.88	---	---	Peak																																																																									





Mode	101																																																																																												
	Harmonic																																																																																												
	U-NII-7-8_6.525-7.125_802.11be EHT80_CH183_Full RU_6865MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13730.00</td><td>48.99</td><td>88.20</td><td>-39.21</td><td>58.80</td><td>40.27</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	48.99	88.20	-39.21	58.80	40.27	13.79	63.87	---	---	Peak	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13730.00</td><td>50.86</td><td>88.20</td><td>-37.34</td><td>60.67</td><td>40.27</td><td>13.79</td><td>63.87</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13730.00	50.86	88.20	-37.34	60.67	40.27	13.79	63.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13730.00	48.99	88.20	-39.21	58.80	40.27	13.79	63.87	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13730.00	50.86	88.20	-37.34	60.67	40.27	13.79	63.87	---	---	Peak																																																																																		



Mode	102																																																																											
	Harmonic																																																																											
	U-NII-7-8_6.525-7.125_802.11be EHT160_CH175_Full RU_6825MHz																																																																											
ANT	5+7																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	Date: 2024-03-11  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>50.64</td><td>88.20</td><td>-37.56</td><td>60.51</td><td>40.23</td><td>13.76</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	50.64	88.20	-37.56	60.51	40.23	13.76	63.86	---	---	Peak	Date: 2024-03-11  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13650.00</td><td>49.39</td><td>88.20</td><td>-38.81</td><td>59.26</td><td>40.23</td><td>13.76</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13650.00	49.39	88.20	-38.81	59.26	40.23	13.76	63.86	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13650.00	50.64	88.20	-37.56	60.51	40.23	13.76	63.86	---	---	Peak																																																																		
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13650.00	49.39	88.20	-38.81	59.26	40.23	13.76	63.86	---	---	Peak																																																																		



Mode	103																																																																																															
	Harmonic																																																																																															
	U-NII-7-8_6.525-7.125_802.11be EHT320_CH159_Full RU_6745MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11 						Level (dBuV/m) Date: 2024-03-11 																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13490.00</td><td>48.53</td><td>88.20</td><td>-39.67</td><td>58.50</td><td>40.15</td><td>13.71</td><td>63.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13490.00	48.53	88.20	-39.67	58.50	40.15	13.71	63.83	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13490.00</td><td>48.00</td><td>88.20</td><td>-40.20</td><td>57.97</td><td>40.15</td><td>13.71</td><td>63.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13490.00	48.00	88.20	-40.20	57.97	40.15	13.71	63.83	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13490.00	48.53	88.20	-39.67	58.50	40.15	13.71	63.83	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13490.00	48.00	88.20	-40.20	57.97	40.15	13.71	63.83	---	---	Peak																																																																																					





		104																																																																																																										
Mode		Band Edge																																																																																																										
		U-NII-5_5.925-6.425_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																										
ANT		5+7																																																																																																										
Pol.		Horizontal					Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7221.14</td><td>62.26</td><td>88.20</td><td>-25.94</td><td>48.80</td><td>36.91</td><td>10.18</td><td>33.63</td><td>400</td><td>21</td><td>PEAK</td></tr><tr><td>2</td><td>7255.62</td><td>58.40</td><td>74.00</td><td>-15.60</td><td>44.97</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>21</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7221.14	62.26	88.20	-25.94	48.80	36.91	10.18	33.63	400	21	PEAK	2	7255.62	58.40	74.00	-15.60	44.97	36.90	10.18	33.65	400	21	PEAK	Level (dBuV/m) Date: 2024-03-08 PEAK_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>87.28</td><td>-----</td><td>-----</td><td>73.51</td><td>36.95</td><td>10.25</td><td>33.43</td><td>400</td><td>21</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	87.28	-----	-----	73.51	36.95	10.25	33.43	400	21	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7221.14	62.26	88.20	-25.94	48.80	36.91	10.18	33.63	400	21	PEAK																																																																																																	
2	7255.62	58.40	74.00	-15.60	44.97	36.90	10.18	33.65	400	21	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6905.00	87.28	-----	-----	73.51	36.95	10.25	33.43	400	21	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.35</td><td>51.94</td><td>68.20</td><td>-16.26</td><td>38.48</td><td>36.91</td><td>10.18</td><td>33.63</td><td>400</td><td>21</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.39</td><td>48.39</td><td>54.00</td><td>-5.61</td><td>34.96</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>21</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.35	51.94	68.20	-16.26	38.48	36.91	10.18	33.63	400	21	AVERAGE	2	7251.39	48.39	54.00	-5.61	34.96	36.90	10.18	33.65	400	21	AVERAGE	Level (dBuV/m) Date: 2024-03-08 AVG_BE(U-NII)_GE <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>79.16</td><td>-----</td><td>-----</td><td>65.39</td><td>36.95</td><td>10.25</td><td>33.43</td><td>400</td><td>21</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.16	-----	-----	65.39	36.95	10.25	33.43	400	21	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7222.35	51.94	68.20	-16.26	38.48	36.91	10.18	33.63	400	21	AVERAGE																																																																																																	
2	7251.39	48.39	54.00	-5.61	34.96	36.90	10.18	33.65	400	21	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	6905.00	79.16	-----	-----	65.39	36.95	10.25	33.43	400	21	AVERAGE																																																																																																	





Mode	104																																																																																																									
	Band Edge																																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																									
ANT	5+7																																																																																																									
Pol.	Vertical					Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.90</td><td>63.59</td><td>88.20</td><td>-24.61</td><td>50.13</td><td>36.91</td><td>10.18</td><td>33.63</td><td>400</td><td>272</td><td>PEAK</td></tr><tr><td>2</td><td>7254.41</td><td>59.23</td><td>74.00</td><td>-14.77</td><td>45.80</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>272</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.90	63.59	88.20	-24.61	50.13	36.91	10.18	33.63	400	272	PEAK	2	7254.41	59.23	74.00	-14.77	45.80	36.90	10.18	33.65	400	272	PEAK	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>91.47</td><td>-----</td><td>-----</td><td>77.70</td><td>36.95</td><td>10.25</td><td>33.43</td><td>400</td><td>272</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	91.47	-----	-----	77.70	36.95	10.25	33.43	400	272	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7216.90	63.59	88.20	-24.61	50.13	36.91	10.18	33.63	400	272	PEAK																																																																																															
2	7254.41	59.23	74.00	-14.77	45.80	36.90	10.18	33.65	400	272	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6905.00	91.47	-----	-----	77.70	36.95	10.25	33.43	400	272	PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.35</td><td>53.96</td><td>68.20</td><td>-14.24</td><td>40.50</td><td>36.91</td><td>10.18</td><td>33.63</td><td>400</td><td>272</td><td>AVERAGE</td></tr><tr><td>2</td><td>7252.60</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>37.40</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400</td><td>272</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.35	53.96	68.20	-14.24	40.50	36.91	10.18	33.63	400	272	AVERAGE	2	7252.60	50.83	54.00	-3.17	37.40	36.90	10.18	33.65	400	272	AVERAGE	Level (dBuV/m) Date: 2024-03-08 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>82.68</td><td>-----</td><td>-----</td><td>68.91</td><td>36.95</td><td>10.25</td><td>33.43</td><td>400</td><td>272</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	82.68	-----	-----	68.91	36.95	10.25	33.43	400	272	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7222.35	53.96	68.20	-14.24	40.50	36.91	10.18	33.63	400	272	AVERAGE																																																																																															
2	7252.60	50.83	54.00	-3.17	37.40	36.90	10.18	33.65	400	272	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6905.00	82.68	-----	-----	68.91	36.95	10.25	33.43	400	272	AVERAGE																																																																																															





Mode	104																																																																																												
	Harmonic																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT320_CH191_Full RU_6905MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>49.37</td><td>88.20</td><td>-38.83</td><td>59.13</td><td>40.31</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	49.37	88.20	-38.83	59.13	40.31	13.81	63.88	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13810.00</td><td>49.94</td><td>88.20</td><td>-38.26</td><td>59.70</td><td>40.31</td><td>13.81</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13810.00	49.94	88.20	-38.26	59.70	40.31	13.81	63.88	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13810.00	49.37	88.20	-38.83	59.13	40.31	13.81	63.88	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13810.00	49.94	88.20	-38.26	59.70	40.31	13.81	63.88	---	---	Peak																																																																																		





Mode	105																																																																																															
	Harmonic																																																																																															
	U-NII-6-7_6.425-6.875_802.11be EHT40_CH115_Full RU_6525MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13050.00</td><td>48.52</td><td>88.20</td><td>-39.68</td><td>58.79</td><td>39.93</td><td>13.57</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13050.00	48.52	88.20	-39.68	58.79	39.93	13.57	63.77	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13050.00</td><td>49.88</td><td>88.20</td><td>-38.32</td><td>60.15</td><td>39.93</td><td>13.57</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13050.00	49.88	88.20	-38.32	60.15	39.93	13.57	63.77	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13050.00	48.52	88.20	-39.68	58.79	39.93	13.57	63.77	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13050.00	49.88	88.20	-38.32	60.15	39.93	13.57	63.77	---	---	Peak																																																																																					





Mode	106																																																																																															
	Harmonic																																																																																															
	U-NII-6-7_6.425-6.875_802.11be EHT80_CH119_Full RU_6545MHz																																																																																															
ANT	5+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13090.00</td><td>48.65</td><td>88.20</td><td>-39.55</td><td>58.89</td><td>39.94</td><td>13.59</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13090.00	48.65	88.20	-39.55	58.89	39.94	13.59	63.77	---	---	Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) Avg(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13090.00</td><td>49.31</td><td>88.20</td><td>-38.89</td><td>59.55</td><td>39.94</td><td>13.59</td><td>63.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13090.00	49.31	88.20	-38.89	59.55	39.94	13.59	63.77	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13090.00	48.65	88.20	-39.55	58.89	39.94	13.59	63.77	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	13090.00	49.31	88.20	-38.89	59.55	39.94	13.59	63.77	---	---	Peak																																																																																					





Mode	107																																																																															
	Harmonic																																																																															
	U-NII-6-7_6.425-6.875_802.11be EHT160_CH111_Full RU_6505MHz																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13010.00</td><td>48.50</td><td>88.20</td><td>-39.70</td><td>58.79</td><td>39.91</td><td>13.56</td><td>63.76</td><td>---</td><td>--- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13010.00	48.50	88.20	-39.70	58.79	39.91	13.56	63.76	---	--- Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13010.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>58.73</td><td>39.91</td><td>13.56</td><td>63.76</td><td>---</td><td>--- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13010.00	48.44	88.20	-39.76	58.73	39.91	13.56	63.76	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13010.00	48.50	88.20	-39.70	58.79	39.91	13.56	63.76	---	--- Peak																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13010.00	48.44	88.20	-39.76	58.73	39.91	13.56	63.76	---	--- Peak																																																																							



Mode	108																																																																																												
	Harmonic																																																																																												
	U-NII-5-6_5.925-6.425_802.11be EHT320_CH95_Full RU_6425MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>47.92</td><td>88.20</td><td>-40.28</td><td>58.30</td><td>39.83</td><td>13.51</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	47.92	88.20	-40.28	58.30	39.83	13.51	63.72	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12850.00</td><td>48.04</td><td>88.20</td><td>-40.16</td><td>58.42</td><td>39.83</td><td>13.51</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12850.00	48.04	88.20	-40.16	58.42	39.83	13.51	63.72	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12850.00	47.92	88.20	-40.28	58.30	39.83	13.51	63.72	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12850.00	48.04	88.20	-40.16	58.42	39.83	13.51	63.72	---	---	Peak																																																																																		







Mode	109																																																																															
	Harmonic																																																																															
	U-NII-6-7_6.425-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																																																															
ANT	5+7																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13170.00</td><td>48.26</td><td>88.20</td><td>-39.94</td><td>58.45</td><td>39.99</td><td>13.61</td><td>63.79</td><td>---</td><td>--- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13170.00	48.26	88.20	-39.94	58.45	39.99	13.61	63.79	---	--- Peak	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13170.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>58.63</td><td>39.99</td><td>13.61</td><td>63.79</td><td>---</td><td>--- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13170.00	48.44	88.20	-39.76	58.63	39.99	13.61	63.79	---	--- Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13170.00	48.26	88.20	-39.94	58.45	39.99	13.61	63.79	---	--- Peak																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13170.00	48.44	88.20	-39.76	58.63	39.99	13.61	63.79	---	--- Peak																																																																							



Mode	110																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																												
ANT	5+7																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E						Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5908.86</td><td>53.22</td><td>88.20</td><td>-34.98</td><td>38.75</td><td>36.47</td><td>10.41</td><td>32.41</td><td>400</td><td>320 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5908.86	53.22	88.20	-34.98	38.75	36.47	10.41	32.41	400	320 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.56</td><td>-----</td><td>-----</td><td>72.99</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>320 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.56	-----	-----	72.99	36.53	10.49	32.45	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5908.86	53.22	88.20	-34.98	38.75	36.47	10.41	32.41	400	320 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	87.56	-----	-----	72.99	36.53	10.49	32.45	400	320 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E						Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E																																																																																						
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.56</td><td>43.91</td><td>68.20</td><td>-24.29</td><td>29.43</td><td>36.48</td><td>10.42</td><td>32.42</td><td>400</td><td>320 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5916.56	43.91	68.20	-24.29	29.43	36.48	10.42	32.42	400	320 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>80.48</td><td>-----</td><td>-----</td><td>65.91</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>320 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.48	-----	-----	65.91	36.53	10.49	32.45	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5916.56	43.91	68.20	-24.29	29.43	36.48	10.42	32.42	400	320 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	80.48	-----	-----	65.91	36.53	10.49	32.45	400	320 AVERAGE																																																																																			







Mode	110																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Single RU_5955MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5867.70</td><td>54.12</td><td>88.20</td><td>-34.08</td><td>39.76</td><td>36.41</td><td>10.32</td><td>32.37</td><td>400</td><td>233 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5867.70	54.12	88.20	-34.08	39.76	36.41	10.32	32.37	400	233 PEAK	 Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>85.21</td><td>-----</td><td>-----</td><td>70.64</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>233 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	85.21	-----	-----	70.64	36.53	10.49	32.45	400	233 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5867.70	54.12	88.20	-34.08	39.76	36.41	10.32	32.37	400	233 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	85.21	-----	-----	70.64	36.53	10.49	32.45	400	233 PEAK																																																																																	
Avg	 Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.42</td><td>43.75</td><td>68.20</td><td>-24.45</td><td>29.28</td><td>36.47</td><td>10.41</td><td>32.41</td><td>400</td><td>233 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5909.42	43.75	68.20	-24.45	29.28	36.47	10.41	32.41	400	233 AVERAGE	 Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>77.53</td><td>-----</td><td>-----</td><td>62.96</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>233 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	77.53	-----	-----	62.96	36.53	10.49	32.45	400	233 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5909.42	43.75	68.20	-24.45	29.28	36.47	10.41	32.41	400	233 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5955.00	77.53	-----	-----	62.96	36.53	10.49	32.45	400	233 AVERAGE																																																																																	



Mode	111																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7180.01</td><td>52.99</td><td>88.20</td><td>-35.21</td><td>39.49</td><td>36.93</td><td>10.18</td><td>33.61</td><td>300 254 PEAK</td></tr><tr><td>2 7288.15</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>39.46</td><td>36.88</td><td>10.18</td><td>33.67</td><td>300 254 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7180.01	52.99	88.20	-35.21	39.49	36.93	10.18	33.61	300 254 PEAK	2 7288.15	52.85	74.00	-21.15	39.46	36.88	10.18	33.67	300 254 PEAK	Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>87.78</td><td>-----</td><td>-----</td><td>74.18</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300 254 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	87.78	-----	-----	74.18	36.96	10.20	33.56	300 254 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7180.01	52.99	88.20	-35.21	39.49	36.93	10.18	33.61	300 254 PEAK																																																																											
2 7288.15	52.85	74.00	-21.15	39.46	36.88	10.18	33.67	300 254 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	87.78	-----	-----	74.18	36.96	10.20	33.56	300 254 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7238.31</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>29.96</td><td>36.90</td><td>10.18</td><td>33.64</td><td>300 254 AVERAGE</td></tr><tr><td>2 7261.45</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>29.77</td><td>36.90</td><td>10.18</td><td>33.66</td><td>300 254 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7238.31	43.40	68.20	-24.80	29.96	36.90	10.18	33.64	300 254 AVERAGE	2 7261.45	43.19	54.00	-10.81	29.77	36.90	10.18	33.66	300 254 AVERAGE	Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>81.33</td><td>-----</td><td>-----</td><td>67.73</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300 254 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	81.33	-----	-----	67.73	36.96	10.20	33.56	300 254 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7238.31	43.40	68.20	-24.80	29.96	36.90	10.18	33.64	300 254 AVERAGE																																																																											
2 7261.45	43.19	54.00	-10.81	29.77	36.90	10.18	33.66	300 254 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																												
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7095.00	81.33	-----	-----	67.73	36.96	10.20	33.56	300 254 AVERAGE																																																																											



Mode	111																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Single RU_7095MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7158.65</td><td>54.89</td><td>88.20</td><td>-33.31</td><td>41.36</td><td>36.94</td><td>10.19</td><td>33.60</td><td>238 48 PEAK</td></tr><tr><td>2</td><td>7296.60</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>39.22</td><td>36.88</td><td>10.18</td><td>33.68</td><td>238 48 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7158.65	54.89	88.20	-33.31	41.36	36.94	10.19	33.60	238 48 PEAK	2	7296.60	52.60	74.00	-21.40	39.22	36.88	10.18	33.68	238 48 PEAK	 Level (dBuV/m) Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.46</td><td>-----</td><td>-----</td><td>74.86</td><td>36.96</td><td>10.20</td><td>33.56</td><td>238 48 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.46	-----	-----	74.86	36.96	10.20	33.56	238 48 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7158.65	54.89	88.20	-33.31	41.36	36.94	10.19	33.60	238 48 PEAK																																																																																											
2	7296.60	52.60	74.00	-21.40	39.22	36.88	10.18	33.68	238 48 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	88.46	-----	-----	74.86	36.96	10.20	33.56	238 48 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7162.21</td><td>43.22</td><td>68.20</td><td>-24.98</td><td>29.69</td><td>36.94</td><td>10.19</td><td>33.60</td><td>238 48 AVERAGE</td></tr><tr><td>2</td><td>7252.55</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>29.69</td><td>36.90</td><td>10.18</td><td>33.65</td><td>238 48 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7162.21	43.22	68.20	-24.98	29.69	36.94	10.19	33.60	238 48 AVERAGE	2	7252.55	43.12	54.00	-10.88	29.69	36.90	10.18	33.65	238 48 AVERAGE	 Level (dBuV/m) Date: 2024-03-22 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>81.79</td><td>-----</td><td>-----</td><td>68.19</td><td>36.96</td><td>10.20</td><td>33.56</td><td>238 48 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	81.79	-----	-----	68.19	36.96	10.20	33.56	238 48 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7162.21	43.22	68.20	-24.98	29.69	36.94	10.19	33.60	238 48 AVERAGE																																																																																											
2	7252.55	43.12	54.00	-10.88	29.69	36.90	10.18	33.65	238 48 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	81.79	-----	-----	68.19	36.96	10.20	33.56	238 48 AVERAGE																																																																																											







Mode	112																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU_5955MHz																																																																											
ANT	5+7																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5856.92</td><td>53.42</td><td>88.20</td><td>-34.78</td><td>39.08</td><td>36.40</td><td>10.30</td><td>32.36</td><td>200</td><td>140</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5856.92	53.42	88.20	-34.78	39.08	36.40	10.30	32.36	200	140	PEAK	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>87.84</td><td>-----</td><td>-----</td><td>73.27</td><td>36.53</td><td>10.49</td><td>32.45</td><td>200</td><td>140</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	87.84	-----	-----	73.27	36.53	10.49	32.45	200	140	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5856.92	53.42	88.20	-34.78	39.08	36.40	10.30	32.36	200	140	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	87.84	-----	-----	73.27	36.53	10.49	32.45	200	140	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5904.52</td><td>43.83</td><td>68.20</td><td>-24.37</td><td>29.36</td><td>36.47</td><td>10.40</td><td>32.40</td><td>200</td><td>140</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5904.52	43.83	68.20	-24.37	29.36	36.47	10.40	32.40	200	140	AVERAGE	Level (dBuV/m) Date: 2024-03-22 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>80.58</td><td>-----</td><td>-----</td><td>66.01</td><td>36.53</td><td>10.49</td><td>32.45</td><td>200</td><td>140</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	80.58	-----	-----	66.01	36.53	10.49	32.45	200	140	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5904.52	43.83	68.20	-24.37	29.36	36.47	10.40	32.40	200	140	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	80.58	-----	-----	66.01	36.53	10.49	32.45	200	140	AVERAGE																																																																		







Mode	112																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Small RU_5955MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Date: 2024-03-22					Date: 2024-03-22																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5904.38</td><td>53.77</td><td>88.20</td><td>-34.43</td><td>39.30</td><td>36.47</td><td>10.40</td><td>32.40</td><td>400</td><td>359 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5904.38	53.77	88.20	-34.43	39.30	36.47	10.40	32.40	400	359 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>89.88</td><td>-----</td><td>-----</td><td>75.29</td><td>36.54</td><td>10.50</td><td>32.45</td><td>400</td><td>359 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	89.88	-----	-----	75.29	36.54	10.50	32.45	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5904.38	53.77	88.20	-34.43	39.30	36.47	10.40	32.40	400	359 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	89.88	-----	-----	75.29	36.54	10.50	32.45	400	359 PEAK																																																																																
Avg	Date: 2024-03-22					Date: 2024-03-22																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5887.30</td><td>43.73</td><td>68.20</td><td>-24.47</td><td>29.32</td><td>36.44</td><td>10.36</td><td>32.39</td><td>400</td><td>359 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5887.30	43.73	68.20	-24.47	29.32	36.44	10.36	32.39	400	359 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>82.61</td><td>-----</td><td>-----</td><td>68.04</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>359 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5955.00	82.61	-----	-----	68.04	36.53	10.49	32.45	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5887.30	43.73	68.20	-24.47	29.32	36.44	10.36	32.39	400	359 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5955.00	82.61	-----	-----	68.04	36.53	10.49	32.45	400	359 AVERAGE																																																																																







Mode	113																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																																		
ANT	5+7																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7170.67</td><td>52.97</td><td>88.20</td><td>-35.23</td><td>39.45</td><td>36.93</td><td>10.19</td><td>33.60</td><td>300</td><td>1 PEAK</td></tr><tr><td>2 7276.13</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>39.21</td><td>36.89</td><td>10.18</td><td>33.67</td><td>300</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7170.67	52.97	88.20	-35.23	39.45	36.93	10.19	33.60	300	1 PEAK	2 7276.13	52.61	74.00	-21.39	39.21	36.89	10.18	33.67	300	1 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>91.15</td><td>-----</td><td>-----</td><td>77.55</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300</td><td>1 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	91.15	-----	-----	77.55	36.96	10.20	33.56	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7170.67	52.97	88.20	-35.23	39.45	36.93	10.19	33.60	300	1 PEAK																																																																																										
2 7276.13	52.61	74.00	-21.39	39.21	36.89	10.18	33.67	300	1 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7095.00	91.15	-----	-----	77.55	36.96	10.20	33.56	300	1 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7232.97</td><td>43.24</td><td>68.20</td><td>-24.96</td><td>29.79</td><td>36.91</td><td>10.18</td><td>33.64</td><td>300</td><td>1 AVERAGE</td></tr><tr><td>2 7261.89</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>29.79</td><td>36.90</td><td>10.18</td><td>33.66</td><td>300</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7232.97	43.24	68.20	-24.96	29.79	36.91	10.18	33.64	300	1 AVERAGE	2 7261.89	43.21	54.00	-10.79	29.79	36.90	10.18	33.66	300	1 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7095.00</td><td>83.76</td><td>-----</td><td>-----</td><td>70.16</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7095.00	83.76	-----	-----	70.16	36.96	10.20	33.56	300
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7232.97	43.24	68.20	-24.96	29.79	36.91	10.18	33.64	300	1 AVERAGE																																																																																										
2 7261.89	43.21	54.00	-10.79	29.79	36.90	10.18	33.66	300	1 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7095.00	83.76	-----	-----	70.16	36.96	10.20	33.56	300	1 AVERAGE																																																																																										



Mode	113																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT20_CH229_Small RU _7095MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Date: 2024-03-22  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7188.47</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>39.36</td><td>36.92</td><td>10.18</td><td>33.61</td><td>300</td><td>31 PEAK</td></tr><tr><td>2</td><td>7320.19</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>39.37</td><td>36.87</td><td>10.18</td><td>33.69</td><td>300</td><td>31 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7188.47	52.85	88.20	-35.35	39.36	36.92	10.18	33.61	300	31 PEAK	2	7320.19	52.73	74.00	-21.27	39.37	36.87	10.18	33.69	300	31 PEAK	Date: 2024-03-22  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.78</td><td>-----</td><td>-----</td><td>73.18</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300</td><td>31 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	86.78	-----	-----	73.18	36.96	10.20	33.56	300	31 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7188.47	52.85	88.20	-35.35	39.36	36.92	10.18	33.61	300	31 PEAK																																																																																													
2	7320.19	52.73	74.00	-21.27	39.37	36.87	10.18	33.69	300	31 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	86.78	-----	-----	73.18	36.96	10.20	33.56	300	31 PEAK																																																																																													
Avg	Date: 2024-03-22  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7215.61</td><td>43.20</td><td>68.20</td><td>-25.00</td><td>29.74</td><td>36.91</td><td>10.18</td><td>33.63</td><td>300</td><td>31 AVERAGE</td></tr><tr><td>2</td><td>7265.45</td><td>43.11</td><td>54.00</td><td>-10.89</td><td>29.70</td><td>36.89</td><td>10.18</td><td>33.66</td><td>300</td><td>31 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7215.61	43.20	68.20	-25.00	29.74	36.91	10.18	33.63	300	31 AVERAGE	2	7265.45	43.11	54.00	-10.89	29.70	36.89	10.18	33.66	300	31 AVERAGE	Date: 2024-03-22  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.15</td><td>-----</td><td>-----</td><td>64.55</td><td>36.96</td><td>10.20</td><td>33.56</td><td>300</td><td>31 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	78.15	-----	-----	64.55	36.96	10.20	33.56	300	31 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7215.61	43.20	68.20	-25.00	29.74	36.91	10.18	33.63	300	31 AVERAGE																																																																																													
2	7265.45	43.11	54.00	-10.89	29.70	36.89	10.18	33.66	300	31 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	78.15	-----	-----	64.55	36.96	10.20	33.56	300	31 AVERAGE																																																																																													







Mode	114																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2024-03-22  PEAK_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-03-22  PEAK_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5907.40</td><td>53.48</td><td>88.20</td><td>-34.72</td><td>39.02</td><td>36.47</td><td>10.40</td><td>32.41</td><td>261</td><td>324 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5907.40	53.48	88.20	-34.72	39.02	36.47	10.40	32.41	261	324 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>92.45</td><td>-----</td><td>-----</td><td>77.81</td><td>36.57</td><td>10.55</td><td>32.48</td><td>261</td><td>324 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	92.45	-----	-----	77.81	36.57	10.55	32.48	261
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5907.40	53.48	88.20	-34.72	39.02	36.47	10.40	32.41	261	324 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	92.45	-----	-----	77.81	36.57	10.55	32.48	261	324 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-03-22  AVG_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-03-22  AVG_BE(U-NII)_6E																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5910.92</td><td>43.94</td><td>68.20</td><td>-24.26</td><td>29.46</td><td>36.48</td><td>10.41</td><td>32.41</td><td>261</td><td>324 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5910.92	43.94	68.20	-24.26	29.46	36.48	10.41	32.41	261	324 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>84.02</td><td>-----</td><td>-----</td><td>69.43</td><td>36.54</td><td>10.50</td><td>32.45</td><td>261</td><td>324 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	84.02	-----	-----	69.43	36.54	10.50	32.45	261
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5910.92	43.94	68.20	-24.26	29.46	36.48	10.41	32.41	261	324 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	84.02	-----	-----	69.43	36.54	10.50	32.45	261	324 AVERAGE																																																																																



Mode	114																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Large RU 484+242_5985MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5913.16</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>39.71</td><td>36.48</td><td>10.41</td><td>32.41</td><td>100</td><td>336 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5913.16	54.19	88.20	-34.01	39.71	36.48	10.41	32.41	100	336 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>98.22</td><td>-----</td><td>-----</td><td>83.58</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td><td>336 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	98.22	-----	-----	83.58	36.57	10.55	32.48	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5913.16	54.19	88.20	-34.01	39.71	36.48	10.41	32.41	100	336 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	98.22	-----	-----	83.58	36.57	10.55	32.48	100	336 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5906.44</td><td>43.98</td><td>68.20</td><td>-24.22</td><td>29.52</td><td>36.47</td><td>10.40</td><td>32.41</td><td>100</td><td>336 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5906.44	43.98	68.20	-24.22	29.52	36.47	10.40	32.41	100	336 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>89.12</td><td>-----</td><td>-----</td><td>74.44</td><td>36.60</td><td>10.58</td><td>32.50</td><td>100</td><td>336 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	89.12	-----	-----	74.44	36.60	10.58	32.50	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5906.44	43.98	68.20	-24.22	29.52	36.47	10.40	32.41	100	336 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	89.12	-----	-----	74.44	36.60	10.58	32.50	100	336 AVERAGE																																																																																



		115																																																																																													
Mode		Band Edge																																																																																													
		U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																													
ANT		5+7																																																																																													
Pol.		Horizontal					Fundamental																																																																																								
Peak		 Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.53</td><td>63.09</td><td>88.20</td><td>-25.11</td><td>49.52</td><td>36.95</td><td>10.20</td><td>33.58</td><td>381 36 PEAK</td></tr><tr><td>2</td><td>7267.88</td><td>52.47</td><td>74.00</td><td>-21.53</td><td>39.06</td><td>36.89</td><td>10.18</td><td>33.66</td><td>381 36 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.53	63.09	88.20	-25.11	49.52	36.95	10.20	33.58	381 36 PEAK	2	7267.88	52.47	74.00	-21.53	39.06	36.89	10.18	33.66	381 36 PEAK	 Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>93.61</td><td>-----</td><td>-----</td><td>79.93</td><td>36.99</td><td>10.21</td><td>33.52</td><td>381 36 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	93.61	-----	-----	79.93	36.99	10.21	33.52	381 36 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.53	63.09	88.20	-25.11	49.52	36.95	10.20	33.58	381 36 PEAK																																																																																						
2	7267.88	52.47	74.00	-21.53	39.06	36.89	10.18	33.66	381 36 PEAK																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	93.61	-----	-----	79.93	36.99	10.21	33.52	381 36 PEAK																																																																																						
Avg		 Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.35</td><td>48.51</td><td>68.20</td><td>-19.69</td><td>34.94</td><td>36.95</td><td>10.20</td><td>33.58</td><td>381 36 AVERAGE</td></tr><tr><td>2</td><td>7252.91</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>29.89</td><td>36.90</td><td>10.18</td><td>33.65</td><td>381 36 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.35	48.51	68.20	-19.69	34.94	36.95	10.20	33.58	381 36 AVERAGE	2	7252.91	43.32	54.00	-10.68	29.89	36.90	10.18	33.65	381 36 AVERAGE	 Level (dBuV/m) Date: 2024-03-22 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>84.62</td><td>-----</td><td>-----</td><td>70.94</td><td>36.99</td><td>10.21</td><td>33.52</td><td>381 36 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	84.62	-----	-----	70.94	36.99	10.21	33.52	381 36 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7127.35	48.51	68.20	-19.69	34.94	36.95	10.20	33.58	381 36 AVERAGE																																																																																						
2	7252.91	43.32	54.00	-10.68	29.89	36.90	10.18	33.65	381 36 AVERAGE																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	84.62	-----	-----	70.94	36.99	10.21	33.52	381 36 AVERAGE																																																																																						



Mode	115																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Large RU 484+242_7025MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.92</td><td>63.07</td><td>88.20</td><td>-25.13</td><td>49.51</td><td>36.95</td><td>10.19</td><td>33.58</td><td>100</td><td>4 PEAK</td></tr><tr><td>2</td><td>7291.24</td><td>52.84</td><td>74.00</td><td>-21.16</td><td>39.45</td><td>36.88</td><td>10.18</td><td>33.67</td><td>100</td><td>4 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.92	63.07	88.20	-25.13	49.51	36.95	10.19	33.58	100	4 PEAK	2	7291.24	52.84	74.00	-21.16	39.45	36.88	10.18	33.67	100	4 PEAK	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>94.62</td><td>-----</td><td>-----</td><td>80.92</td><td>36.99</td><td>10.22</td><td>33.51</td><td>100</td><td>4 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	94.62	-----	-----	80.92	36.99	10.22	33.51	100	4 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7133.92	63.07	88.20	-25.13	49.51	36.95	10.19	33.58	100	4 PEAK																																																																																													
2	7291.24	52.84	74.00	-21.16	39.45	36.88	10.18	33.67	100	4 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	94.62	-----	-----	80.92	36.99	10.22	33.51	100	4 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-22 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7131.00</td><td>49.41</td><td>68.20</td><td>-18.79</td><td>35.85</td><td>36.95</td><td>10.19</td><td>33.58</td><td>100</td><td>4 AVERAGE</td></tr><tr><td>2</td><td>7250.72</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>29.99</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>4 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.00	49.41	68.20	-18.79	35.85	36.95	10.19	33.58	100	4 AVERAGE	2	7250.72	43.42	54.00	-10.58	29.99	36.90	10.18	33.65	100	4 AVERAGE	Level (dBuV/m) Date: 2024-03-22 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>85.39</td><td>-----</td><td>-----</td><td>71.69</td><td>36.99</td><td>10.22</td><td>33.51</td><td>100</td><td>4 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	85.39	-----	-----	71.69	36.99	10.22	33.51	100	4 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7131.00	49.41	68.20	-18.79	35.85	36.95	10.19	33.58	100	4 AVERAGE																																																																																													
2	7250.72	43.42	54.00	-10.58	29.99	36.90	10.18	33.65	100	4 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	85.39	-----	-----	71.69	36.99	10.22	33.51	100	4 AVERAGE																																																																																													







Mode	116									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_6025MHz									
ANT	5+7									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-03-22 <									



Mode	116																																																																																		
	Band Edge																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Large RU 996+484_6025MHz																																																																																		
ANT	5+7																																																																																		
Pol.	Vertical						Fundamental																																																																												
Peak	Date: 2024-03-22 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5873.16</td><td>63.03</td><td>88.20</td><td>-25.17</td><td>48.65</td><td>36.42</td><td>10.33</td><td>32.37</td><td>100</td><td>350</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5873.16	63.03	88.20	-25.17	48.65	36.42	10.33	32.37	100	350	PEAK	Date: 2024-03-22 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>94.15</td><td>-----</td><td>-----</td><td>79.56</td><td>36.54</td><td>10.50</td><td>32.45</td><td>100</td><td>350</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	94.15	-----	-----	79.56	36.54	10.50	32.45	100	350	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5873.16	63.03	88.20	-25.17	48.65	36.42	10.33	32.37	100	350	PEAK																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	94.15	-----	-----	79.56	36.54	10.50	32.45	100	350	PEAK																																																																								
Avg	Date: 2024-03-22 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5871.76</td><td>46.12</td><td>68.20</td><td>-22.08</td><td>31.74</td><td>36.42</td><td>10.33</td><td>32.37</td><td>100</td><td>350</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5871.76	46.12	68.20	-22.08	31.74	36.42	10.33	32.37	100	350	AVERAGE	Date: 2024-03-22 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>85.40</td><td>-----</td><td>-----</td><td>70.81</td><td>36.54</td><td>10.50</td><td>32.45</td><td>100</td><td>350</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	85.40	-----	-----	70.81	36.54	10.50	32.45	100	350	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5871.76	46.12	68.20	-22.08	31.74	36.42	10.33	32.37	100	350	AVERAGE																																																																								
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6025.00	85.40	-----	-----	70.81	36.54	10.50	32.45	100	350	AVERAGE																																																																								



Mode	117																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																																		
ANT	5+7																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-03-22  PEAK_BE(U)NI_6E					Level (dBuV/m) Date: 2024-03-22  PEAK_BE(U)NI_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.63</td><td>56.58</td><td>88.20</td><td>-31.62</td><td>43.02</td><td>36.95</td><td>10.19</td><td>33.58</td><td>396 37 PEAK</td></tr><tr><td>2</td><td>7348.13</td><td>52.43</td><td>74.00</td><td>-21.57</td><td>39.10</td><td>36.86</td><td>10.18</td><td>33.71</td><td>396 37 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.63	56.58	88.20	-31.62	43.02	36.95	10.19	33.58	396 37 PEAK	2	7348.13	52.43	74.00	-21.57	39.10	36.86	10.18	33.71	396 37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.06</td><td>-----</td><td>-----</td><td>78.34</td><td>37.00</td><td>10.22</td><td>33.50</td><td>396 37 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.06	-----	-----	78.34	37.00	10.22	33.50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7130.63	56.58	88.20	-31.62	43.02	36.95	10.19	33.58	396 37 PEAK																																																																																										
2	7348.13	52.43	74.00	-21.57	39.10	36.86	10.18	33.71	396 37 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	92.06	-----	-----	78.34	37.00	10.22	33.50	396 37 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2024-03-22  AVG_BE(U)NI_6E					Level (dBuV/m) Date: 2024-03-22  AVG_BE(U)NI_6E																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.38</td><td>45.66</td><td>68.20</td><td>-22.54</td><td>32.10</td><td>36.95</td><td>10.19</td><td>33.58</td><td>396 37 AVERAGE</td></tr><tr><td>2</td><td>7256.88</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>29.89</td><td>36.90</td><td>10.18</td><td>33.65</td><td>396 37 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.38	45.66	68.20	-22.54	32.10	36.95	10.19	33.58	396 37 AVERAGE	2	7256.88	43.32	54.00	-10.68	29.89	36.90	10.18	33.65	396 37 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>83.72</td><td>-----</td><td>-----</td><td>70.00</td><td>37.00</td><td>10.22</td><td>33.50</td><td>396 37 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.72	-----	-----	70.00	37.00	10.22	33.50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7129.38	45.66	68.20	-22.54	32.10	36.95	10.19	33.58	396 37 AVERAGE																																																																																										
2	7256.88	43.32	54.00	-10.68	29.89	36.90	10.18	33.65	396 37 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6985.00	83.72	-----	-----	70.00	37.00	10.22	33.50	396 37 AVERAGE																																																																																										







Mode	117																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Large RU 996+484_6985MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.50</td><td>59.52</td><td>88.20</td><td>-28.68</td><td>45.96</td><td>36.95</td><td>10.19</td><td>33.58</td><td>100</td><td>358 PEAK</td></tr><tr><td>2</td><td>7251.88</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>40.72</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>358 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7132.50	59.52	88.20	-28.68	45.96	36.95	10.19	33.58	100	358 PEAK	2	7251.88	54.15	74.00	-19.85	40.72	36.90	10.18	33.65	100	358 PEAK	Level (dBuV/m) Date: 2024-03-22 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>94.03</td><td>-----</td><td>-----</td><td>80.31</td><td>36.99</td><td>10.22</td><td>33.49</td><td>100</td><td>358 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	94.03	-----	-----	80.31	36.99	10.22	33.49	100	358 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7132.50	59.52	88.20	-28.68	45.96	36.95	10.19	33.58	100	358 PEAK																																																																																					
2	7251.88	54.15	74.00	-19.85	40.72	36.90	10.18	33.65	100	358 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	94.03	-----	-----	80.31	36.99	10.22	33.49	100	358 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-03-22 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.25</td><td>46.17</td><td>68.20</td><td>-22.03</td><td>32.65</td><td>36.93</td><td>10.19</td><td>33.60</td><td>100</td><td>358 AVERAGE</td></tr><tr><td>2</td><td>7264.38</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>30.41</td><td>36.89</td><td>10.18</td><td>33.66</td><td>100</td><td>358 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7166.25	46.17	68.20	-22.03	32.65	36.93	10.19	33.60	100	358 AVERAGE	2	7264.38	43.82	54.00	-10.18	30.41	36.89	10.18	33.66	100	358 AVERAGE	Level (dBuV/m) Date: 2024-03-22 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>84.97</td><td>-----</td><td>-----</td><td>71.23</td><td>36.99</td><td>10.23</td><td>33.48</td><td>100</td><td>358 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	84.97	-----	-----	71.23	36.99	10.23	33.48	100	358 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7166.25	46.17	68.20	-22.03	32.65	36.93	10.19	33.60	100	358 AVERAGE																																																																																					
2	7264.38	43.82	54.00	-10.18	30.41	36.89	10.18	33.66	100	358 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	84.97	-----	-----	71.23	36.99	10.23	33.48	100	358 AVERAGE																																																																																					



Mode	118																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-03-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5625.46</td><td>65.16</td><td>88.20</td><td>-23.04</td><td>51.40</td><td>36.08</td><td>9.81</td><td>32.13</td><td>103 360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	65.16	88.20	-23.04	51.40	36.08	9.81	32.13	103 360 PEAK	Level (dBuV/m) Date: 2024-03-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>90.32</td><td>-----</td><td>-----</td><td>75.68</td><td>36.57</td><td>10.55</td><td>32.48</td><td>103 360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	90.32	-----	-----	75.68	36.57	10.55	32.48	103 360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5625.46	65.16	88.20	-23.04	51.40	36.08	9.81	32.13	103 360 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	90.32	-----	-----	75.68	36.57	10.55	32.48	103 360 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2024-03-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.70</td><td>46.06</td><td>68.20</td><td>-22.14</td><td>32.30</td><td>36.07</td><td>9.81</td><td>32.12</td><td>103 360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5624.70	46.06	68.20	-22.14	32.30	36.07	9.81	32.12	103 360 AVERAGE	Level (dBuV/m) Date: 2024-03-23 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.17</td><td>-----</td><td>-----</td><td>67.58</td><td>36.54</td><td>10.51</td><td>32.46</td><td>103 360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.17	-----	-----	67.58	36.54	10.51	32.46	103 360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5624.70	46.06	68.20	-22.14	32.30	36.07	9.81	32.12	103 360 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	6105.00	82.17	-----	-----	67.58	36.54	10.51	32.46	103 360 AVERAGE																																																																									



Mode	118																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*2+484_6105MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5868.73</td><td>57.67</td><td>88.20</td><td>-30.53</td><td>43.30</td><td>36.42</td><td>10.32</td><td>32.37</td><td>121</td><td>353 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5868.73	57.67	88.20	-30.53	43.30	36.42	10.32	32.37	121	353 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>94.50</td><td>-----</td><td>-----</td><td>79.89</td><td>36.65</td><td>10.63</td><td>32.67</td><td>121</td><td>353 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	94.50	-----	-----	79.89	36.65	10.63	32.67	121	353 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5868.73	57.67	88.20	-30.53	43.30	36.42	10.32	32.37	121	353 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6105.00	94.50	-----	-----	79.89	36.65	10.63	32.67	121	353 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5835.84</td><td>47.86</td><td>68.20</td><td>-20.34</td><td>33.58</td><td>36.37</td><td>10.25</td><td>32.34</td><td>121</td><td>353 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5835.84	47.86	68.20	-20.34	33.58	36.37	10.25	32.34	121	353 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>85.27</td><td>-----</td><td>-----</td><td>70.67</td><td>36.66</td><td>10.64</td><td>32.70</td><td>121</td><td>353 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.27	-----	-----	70.67	36.66	10.64	32.70	121	353 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5835.84	47.86	68.20	-20.34	33.58	36.37	10.25	32.34	121	353 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6105.00	85.27	-----	-----	70.67	36.66	10.64	32.70	121	353 AVERAGE																																																																																	



Mode	119																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																														
ANT	5+7																																																																																														
Pol.	Horizontal	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.25</td><td>53.27</td><td>88.20</td><td>-34.93</td><td>39.80</td><td>36.92</td><td>10.18</td><td>33.63</td><td>317</td><td>0 PEAK</td></tr><tr><td>2</td><td>7279.82</td><td>52.87</td><td>74.00</td><td>-21.13</td><td>39.47</td><td>36.89</td><td>10.18</td><td>33.67</td><td>317</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7219.25	53.27	88.20	-34.93	39.80	36.92	10.18	33.63	317	0 PEAK	2	7279.82	52.87	74.00	-21.13	39.47	36.89	10.18	33.67	317	0 PEAK	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>83.20</td><td>-----</td><td>-----</td><td>69.43</td><td>36.96</td><td>10.24</td><td>33.43</td><td>317</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	83.20	-----	-----	69.43	36.96	10.24	33.43	317	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7219.25	53.27	88.20	-34.93	39.80	36.92	10.18	33.63	317	0 PEAK																																																																																					
2	7279.82	52.87	74.00	-21.13	39.47	36.89	10.18	33.67	317	0 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	83.20	-----	-----	69.43	36.96	10.24	33.43	317	0 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.32</td><td>43.45</td><td>68.20</td><td>-24.75</td><td>29.99</td><td>36.91</td><td>10.18</td><td>33.63</td><td>317</td><td>0 AVERAGE</td></tr><tr><td>2</td><td>7260.46</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>29.80</td><td>36.90</td><td>10.18</td><td>33.66</td><td>317</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7219.32	43.45	68.20	-24.75	29.99	36.91	10.18	33.63	317	0 AVERAGE	2	7260.46	43.22	54.00	-10.78	29.80	36.90	10.18	33.66	317	0 AVERAGE	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>74.28</td><td>-----</td><td>-----</td><td>60.51</td><td>36.96</td><td>10.24</td><td>33.43</td><td>317</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	74.28	-----	-----	60.51	36.96	10.24	33.43	317	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7219.32	43.45	68.20	-24.75	29.99	36.91	10.18	33.63	317	0 AVERAGE																																																																																					
2	7260.46	43.22	54.00	-10.78	29.80	36.90	10.18	33.66	317	0 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6905.00	74.28	-----	-----	60.51	36.96	10.24	33.43	317	0 AVERAGE																																																																																					



Mode	119																																																																																											
	Band Edge																																																																																											
	U-NII-8 6.525-7.125 802.11be EHT320_CH191_Large RU 996*2+484_6905MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-03-23 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6745 6866 6987 7108 7229 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7199.36</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>40.36</td><td>36.92</td><td>10.18</td><td>33.62</td><td>100 356 PEAK</td></tr><tr><td>2</td><td>7265.30</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>38.75</td><td>36.89</td><td>10.18</td><td>33.66</td><td>100 356 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7199.36	53.84	88.20	-34.36	40.36	36.92	10.18	33.62	100 356 PEAK	2	7265.30	52.16	74.00	-21.84	38.75	36.89	10.18	33.66	100 356 PEAK	Level (dBuV/m) Date: 2024-03-23 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>88.51</td><td>-----</td><td>-----</td><td>74.82</td><td>36.99</td><td>10.22</td><td>33.52</td><td>100 356 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	88.51	-----	-----	74.82	36.99	10.22	33.52	100 356 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7199.36	53.84	88.20	-34.36	40.36	36.92	10.18	33.62	100 356 PEAK																																																																																			
2	7265.30	52.16	74.00	-21.84	38.75	36.89	10.18	33.66	100 356 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	88.51	-----	-----	74.82	36.99	10.22	33.52	100 356 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-23 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 6745 6866 6987 7108 7229 7350 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.95</td><td>43.40</td><td>68.20</td><td>-24.80</td><td>29.94</td><td>36.91</td><td>10.18</td><td>33.63</td><td>100 356 AVERAGE</td></tr><tr><td>2</td><td>7258.04</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>29.76</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100 356 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.95	43.40	68.20	-24.80	29.94	36.91	10.18	33.63	100 356 AVERAGE	2	7258.04	43.19	54.00	-10.81	29.76	36.90	10.18	33.65	100 356 AVERAGE	Level (dBuV/m) Date: 2024-03-23 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>79.32</td><td>-----</td><td>-----</td><td>65.58</td><td>36.99</td><td>10.23</td><td>33.48</td><td>100 356 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.32	-----	-----	65.58	36.99	10.23	33.48	100 356 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7222.95	43.40	68.20	-24.80	29.94	36.91	10.18	33.63	100 356 AVERAGE																																																																																			
2	7258.04	43.19	54.00	-10.81	29.76	36.90	10.18	33.65	100 356 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	79.32	-----	-----	65.58	36.99	10.23	33.48	100 356 AVERAGE																																																																																			



Mode	120																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.46</td><td>63.47</td><td>88.20</td><td>-24.73</td><td>49.71</td><td>36.08</td><td>9.81</td><td>32.13</td><td>108</td><td>0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	63.47	88.20	-24.73	49.71	36.08	9.81	32.13	108	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>88.89</td><td>-----</td><td>-----</td><td>74.30</td><td>36.54</td><td>10.50</td><td>32.45</td><td>108</td><td>0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	88.89	-----	-----	74.30	36.54	10.50	32.45	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5625.46	63.47	88.20	-24.73	49.71	36.08	9.81	32.13	108	0 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	88.89	-----	-----	74.30	36.54	10.50	32.45	108	0 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E					Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5894.74</td><td>50.04</td><td>68.20</td><td>-18.16</td><td>35.60</td><td>36.45</td><td>10.38</td><td>32.39</td><td>108</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5894.74	50.04	68.20	-18.16	35.60	36.45	10.38	32.39	108	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>80.19</td><td>-----</td><td>-----</td><td>65.60</td><td>36.54</td><td>10.50</td><td>32.45</td><td>108</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	80.19	-----	-----	65.60	36.54	10.50	32.45	108
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5894.74	50.04	68.20	-18.16	35.60	36.45	10.38	32.39	108	0 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6105.00	80.19	-----	-----	65.60	36.54	10.50	32.45	108	0 AVERAGE																																																																																	



Mode	120																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3_6105MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.69</td><td>64.64</td><td>88.20</td><td>-23.56</td><td>50.88</td><td>36.08</td><td>9.81</td><td>32.13</td><td>100</td><td>6 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.69	64.64	88.20	-23.56	50.88	36.08	9.81	32.13	100	6 PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>92.56</td><td>-----</td><td>-----</td><td>77.97</td><td>36.54</td><td>10.50</td><td>32.45</td><td>100</td><td>6 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.56	-----	-----	77.97	36.54	10.50	32.45	100	6 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5917.69	64.64	88.20	-23.56	50.88	36.08	9.81	32.13	100	6 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	92.56	-----	-----	77.97	36.54	10.50	32.45	100	6 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.69</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>34.26</td><td>36.48</td><td>10.42</td><td>32.42</td><td>100</td><td>6 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5917.69	48.74	68.20	-19.46	34.26	36.48	10.42	32.42	100	6 AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>84.17</td><td>-----</td><td>-----</td><td>69.53</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td><td>6 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	84.17	-----	-----	69.53	36.57	10.55	32.48	100	6 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5917.69	48.74	68.20	-19.46	34.26	36.48	10.42	32.42	100	6 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	84.17	-----	-----	69.53	36.57	10.55	32.48	100	6 AVERAGE																																																																																		







Mode	121																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7170.92</td><td>53.54</td><td>88.20</td><td>-34.66</td><td>40.02</td><td>36.93</td><td>10.19</td><td>33.60</td><td>100</td><td>287 PEAK</td></tr><tr><td>2</td><td>7334.88</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>39.74</td><td>36.87</td><td>10.18</td><td>33.70</td><td>100</td><td>287 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7170.92	53.54	88.20	-34.66	40.02	36.93	10.19	33.60	100	287 PEAK	2	7334.88	53.09	74.00	-20.91	39.74	36.87	10.18	33.70	100	287 PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>72.36</td><td>-----</td><td>-----</td><td>58.62</td><td>36.99</td><td>10.23</td><td>33.48</td><td>100</td><td>287 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	72.36	-----	-----	58.62	36.99	10.23	33.48	100	287 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7170.92	53.54	88.20	-34.66	40.02	36.93	10.19	33.60	100	287 PEAK																																																																																													
2	7334.88	53.09	74.00	-20.91	39.74	36.87	10.18	33.70	100	287 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	72.36	-----	-----	58.62	36.99	10.23	33.48	100	287 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7188.47</td><td>43.30</td><td>68.20</td><td>-24.90</td><td>29.81</td><td>36.92</td><td>10.18</td><td>33.61</td><td>100</td><td>287 AVERAGE</td></tr><tr><td>2</td><td>7273.77</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>29.78</td><td>36.89</td><td>10.18</td><td>33.66</td><td>100</td><td>287 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7188.47	43.30	68.20	-24.90	29.81	36.92	10.18	33.61	100	287 AVERAGE	2	7273.77	43.19	54.00	-10.81	29.78	36.89	10.18	33.66	100	287 AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>63.46</td><td>-----</td><td>-----</td><td>49.69</td><td>36.95</td><td>10.25</td><td>33.43</td><td>100</td><td>287 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	63.46	-----	-----	49.69	36.95	10.25	33.43	100	287 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7188.47	43.30	68.20	-24.90	29.81	36.92	10.18	33.61	100	287 AVERAGE																																																																																													
2	7273.77	43.19	54.00	-10.81	29.78	36.89	10.18	33.66	100	287 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	63.46	-----	-----	49.69	36.95	10.25	33.43	100	287 AVERAGE																																																																																													







Mode	121																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Large RU 996*3_6905MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7215.69</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>40.10</td><td>36.91</td><td>10.18</td><td>33.63</td><td>100 0 PEAK</td></tr><tr><td>2</td><td>7289.50</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>39.54</td><td>36.88</td><td>10.18</td><td>33.67</td><td>100 0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7215.69	53.56	88.20	-34.64	40.10	36.91	10.18	33.63	100 0 PEAK	2	7289.50	52.93	74.00	-21.07	39.54	36.88	10.18	33.67	100 0 PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>89.33</td><td>-----</td><td>-----</td><td>75.56</td><td>36.95</td><td>10.25</td><td>33.43</td><td>100 0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	89.33	-----	-----	75.56	36.95	10.25	33.43	100 0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7215.69	53.56	88.20	-34.64	40.10	36.91	10.18	33.63	100 0 PEAK																																																																																			
2	7289.50	52.93	74.00	-21.07	39.54	36.88	10.18	33.67	100 0 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	89.33	-----	-----	75.56	36.95	10.25	33.43	100 0 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7189.68</td><td>43.65</td><td>68.20</td><td>-24.55</td><td>30.16</td><td>36.92</td><td>10.18</td><td>33.61</td><td>100 0 AVERAGE</td></tr><tr><td>2</td><td>7273.77</td><td>43.32</td><td>54.00</td><td>-10.68</td><td>29.91</td><td>36.89</td><td>10.18</td><td>33.66</td><td>100 0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7189.68	43.65	68.20	-24.55	30.16	36.92	10.18	33.61	100 0 AVERAGE	2	7273.77	43.32	54.00	-10.68	29.91	36.89	10.18	33.66	100 0 AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.42</td><td>-----</td><td>-----</td><td>66.65</td><td>36.95</td><td>10.25</td><td>33.43</td><td>100 0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.42	-----	-----	66.65	36.95	10.25	33.43	100 0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7189.68	43.65	68.20	-24.55	30.16	36.92	10.18	33.61	100 0 AVERAGE																																																																																			
2	7273.77	43.32	54.00	-10.68	29.91	36.89	10.18	33.66	100 0 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	80.42	-----	-----	66.65	36.95	10.25	33.43	100 0 AVERAGE																																																																																			







Mode	122																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5623.17</td><td>61.76</td><td>88.20</td><td>-26.44</td><td>48.01</td><td>36.07</td><td>9.80</td><td>32.12</td><td>116 152 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5623.17	61.76	88.20	-26.44	48.01	36.07	9.80	32.12	116 152 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.40</td><td>-----</td><td>-----</td><td>74.76</td><td>36.57</td><td>10.55</td><td>32.48</td><td>116 152 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	89.40	-----	-----	74.76	36.57	10.55	32.48	116 152 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5623.17	61.76	88.20	-26.44	48.01	36.07	9.80	32.12	116 152 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	89.40	-----	-----	74.76	36.57	10.55	32.48	116 152 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5798.35</td><td>50.31</td><td>68.20</td><td>-17.89</td><td>36.12</td><td>36.32</td><td>10.17</td><td>32.30</td><td>116 152 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5798.35	50.31	68.20	-17.89	36.12	36.32	10.17	32.30	116 152 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>80.31</td><td>-----</td><td>-----</td><td>65.72</td><td>36.54</td><td>10.51</td><td>32.46</td><td>116 152 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	80.31	-----	-----	65.72	36.54	10.51	32.46	116 152 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5798.35	50.31	68.20	-17.89	36.12	36.32	10.17	32.30	116 152 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	80.31	-----	-----	65.72	36.54	10.51	32.46	116 152 AVERAGE																																																																																	



Mode	122																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Large RU 996*3+484_6105MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.46</td><td>62.80</td><td>88.20</td><td>-25.40</td><td>49.04</td><td>36.08</td><td>9.81</td><td>32.13</td><td>400</td><td>252 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5625.46	62.80	88.20	-25.40	49.04	36.08	9.81	32.13	400	252 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>92.57</td><td>-----</td><td>-----</td><td>77.91</td><td>36.61</td><td>10.60</td><td>32.55</td><td>400</td><td>252 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	92.57	-----	-----	77.91	36.61	10.60	32.55	400	252 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5625.46	62.80	88.20	-25.40	49.04	36.08	9.81	32.13	400	252 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	92.57	-----	-----	77.91	36.61	10.60	32.55	400	252 PEAK																																																																																		
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5791.47</td><td>50.65</td><td>68.20</td><td>-17.55</td><td>36.47</td><td>36.31</td><td>10.16</td><td>32.29</td><td>400</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5791.47	50.65	68.20	-17.55	36.47	36.31	10.16	32.29	400	252 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.97</td><td>-----</td><td>-----</td><td>68.38</td><td>36.54</td><td>10.50</td><td>32.45</td><td>400</td><td>252 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.97	-----	-----	68.38	36.54	10.50	32.45	400	252 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5791.47	50.65	68.20	-17.55	36.47	36.31	10.16	32.29	400	252 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	82.97	-----	-----	68.38	36.54	10.50	32.45	400	252 AVERAGE																																																																																		



Mode	123																																																																																																					
	Band Edge																																																																																																					
	U-NII-8 6.525-7.125 802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2024-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7159.43</td><td>53.58</td><td>88.20</td><td>-34.62</td><td>40.05</td><td>36.94</td><td>10.19</td><td>33.60</td><td>200</td><td>328</td><td>PEAK</td></tr><tr><td>2</td><td>7256.83</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>39.98</td><td>36.90</td><td>10.18</td><td>33.65</td><td>200</td><td>328</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7159.43	53.58	88.20	-34.62	40.05	36.94	10.19	33.60	200	328	PEAK	2	7256.83	53.41	74.00	-20.59	39.98	36.90	10.18	33.65	200	328	PEAK	 Level (dBuV/m) Date: 2024-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.32</td><td>-----</td><td>-----</td><td>66.58</td><td>36.98</td><td>10.23</td><td>33.47</td><td>200</td><td>328</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.32	-----	-----	66.58	36.98	10.23	33.47	200	328	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7159.43	53.58	88.20	-34.62	40.05	36.94	10.19	33.60	200	328	PEAK																																																																																											
2	7256.83	53.41	74.00	-20.59	39.98	36.90	10.18	33.65	200	328	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	80.32	-----	-----	66.58	36.98	10.23	33.47	200	328	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7222.35</td><td>43.32</td><td>68.20</td><td>-24.88</td><td>29.86</td><td>36.91</td><td>10.18</td><td>33.63</td><td>200</td><td>328</td><td>AVERAGE</td></tr><tr><td>2</td><td>7250.18</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>29.87</td><td>36.90</td><td>10.18</td><td>33.65</td><td>200</td><td>328</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.35	43.32	68.20	-24.88	29.86	36.91	10.18	33.63	200	328	AVERAGE	2	7250.18	43.30	54.00	-10.70	29.87	36.90	10.18	33.65	200	328	AVERAGE	 Level (dBuV/m) Date: 2024-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>71.22</td><td>-----</td><td>-----</td><td>57.45</td><td>36.95</td><td>10.25</td><td>33.43</td><td>200</td><td>328</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	71.22	-----	-----	57.45	36.95	10.25	33.43	200	328	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7222.35	43.32	68.20	-24.88	29.86	36.91	10.18	33.63	200	328	AVERAGE																																																																																											
2	7250.18	43.30	54.00	-10.70	29.87	36.90	10.18	33.65	200	328	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	71.22	-----	-----	57.45	36.95	10.25	33.43	200	328	AVERAGE																																																																																											



Mode	123																																																			
	Band Edge																																																			
	U-NII-8 6.525-7.125 802.11be EHT320_CH191_Large RU 996*3+484_6905MHz																																																			
ANT	5+7																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2024-03-23 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7145.51</td><td>53.73</td><td>88.20</td><td>-34.47</td><td>40.19</td><td>36.94</td><td>10.19</td><td>33.59</td><td>154</td><td>309 PEAK</td></tr><tr><td>2 7319.75</td><td>52.80</td><td>74.00</td><td>-21.20</td><td>39.44</td><td>36.87</td><td>10.18</td><td>33.69</td><td>154</td><td>309 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7145.51	53.73	88.20	-34.47	40.19	36.94	10.19	33.59	154	309 PEAK	2 7319.75	52.80	74.00	-21.20	39.44	36.87	10.18	33.69	154	309 PEAK	Level (dBuV/m) Date: 2024-03-23 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6905.00</td><td>86.39</td><td>-----</td><td>-----</td><td>72.65</td><td>36.98</td><td>10.23</td><td>33.47</td><td>154</td><td>309 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 6905.00	86.39	-----	-----	72.65	36.98	10.23	33.47	154	309 PEAK
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																										
1 7145.51	53.73	88.20	-34.47	40.19	36.94	10.19	33.59	154	309 PEAK																																											
2 7319.75	52.80	74.00	-21.20	39.44	36.87	10.18	33.69	154	309 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 6905.00	86.39	-----	-----	72.65	36.98	10.23	33.47	154	309 PEAK																																											
Avg	Level (dBuV/m) Date: 2024-03-23 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7181.81</td><td>43.83</td><td>68.20</td><td>-24.37</td><td>30.33</td><td>36.93</td><td>10.18</td><td>33.61</td><td>154</td><td>309 AVERAGE</td></tr><tr><td>2 7253.20</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>30.02</td><td>36.90</td><td>10.18</td><td>33.65</td><td>154</td><td>309 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 7181.81	43.83	68.20	-24.37	30.33	36.93	10.18	33.61	154	309 AVERAGE	2 7253.20	43.45	54.00	-10.55	30.02	36.90	10.18	33.65	154	309 AVERAGE	Level (dBuV/m) Date: 2024-03-23 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6905.00</td><td>76.83</td><td>-----</td><td>-----</td><td>63.06</td><td>36.95</td><td>10.25</td><td>33.43</td><td>154</td><td>309 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 6905.00	76.83	-----	-----	63.06	36.95	10.25	33.43	154	309 AVERAGE
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 7181.81	43.83	68.20	-24.37	30.33	36.93	10.18	33.61	154	309 AVERAGE																																											
2 7253.20	43.45	54.00	-10.55	30.02	36.90	10.18	33.65	154	309 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 6905.00	76.83	-----	-----	63.06	36.95	10.25	33.43	154	309 AVERAGE																																											







Mode	124									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_5985MHz									
ANT	5+7									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-03-23 </									



Mode	124																																																																																								
	Band Edge																																																																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Puncturing 20M_5985MHz																																																																																								
ANT	5+7																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.00</td><td>55.44</td><td>88.20</td><td>-32.76</td><td>40.96</td><td>36.48</td><td>10.41</td><td>32.41</td><td>400 248 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5913.00	55.44	88.20	-32.76	40.96	36.48	10.41	32.41	400 248 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>94.75</td><td>-----</td><td>-----</td><td>80.18</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400 248 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	94.75	-----	-----	80.18	36.53	10.49	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5913.00	55.44	88.20	-32.76	40.96	36.48	10.41	32.41	400 248 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	94.75	-----	-----	80.18	36.53	10.49	32.45	400 248 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5910.92</td><td>44.35</td><td>68.20</td><td>-23.85</td><td>29.87</td><td>36.48</td><td>10.41</td><td>32.41</td><td>400 248 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.92	44.35	68.20	-23.85	29.87	36.48	10.41	32.41	400 248 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>87.01</td><td>-----</td><td>-----</td><td>72.42</td><td>36.54</td><td>10.50</td><td>32.45</td><td>400 248 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.01	-----	-----	72.42	36.54	10.50	32.45
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5910.92	44.35	68.20	-23.85	29.87	36.48	10.41	32.41	400 248 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	87.01	-----	-----	72.42	36.54	10.50	32.45	400 248 AVERAGE																																																																																



Mode	125																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.08</td><td>63.56</td><td>88.20</td><td>-24.64</td><td>50.00</td><td>36.95</td><td>10.19</td><td>33.58</td><td>100</td><td>151 PEAK</td></tr><tr><td>2</td><td>7328.10</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>39.25</td><td>36.87</td><td>10.18</td><td>33.70</td><td>100</td><td>151 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7128.08	63.56	88.20	-24.64	50.00	36.95	10.19	33.58	100	151 PEAK	2	7328.10	52.60	74.00	-21.40	39.25	36.87	10.18	33.70	100	151 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>97.31</td><td>-----</td><td>-----</td><td>83.62</td><td>36.99</td><td>10.22</td><td>33.52</td><td>100</td><td>151 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	97.31	-----	-----	83.62	36.99	10.22	33.52	100	151 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7128.08	63.56	88.20	-24.64	50.00	36.95	10.19	33.58	100	151 PEAK																																																																																													
2	7328.10	52.60	74.00	-21.40	39.25	36.87	10.18	33.70	100	151 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	97.31	-----	-----	83.62	36.99	10.22	33.52	100	151 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.08</td><td>51.73</td><td>68.20</td><td>-16.47</td><td>38.17</td><td>36.95</td><td>10.19</td><td>33.58</td><td>100</td><td>151 AVERAGE</td></tr><tr><td>2</td><td>7267.88</td><td>43.38</td><td>54.00</td><td>-10.62</td><td>29.97</td><td>36.89</td><td>10.18</td><td>33.66</td><td>100</td><td>151 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7128.08	51.73	68.20	-16.47	38.17	36.95	10.19	33.58	100	151 AVERAGE	2	7267.88	43.38	54.00	-10.62	29.97	36.89	10.18	33.66	100	151 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>87.34</td><td>-----</td><td>-----</td><td>73.68</td><td>36.98</td><td>10.21</td><td>33.53</td><td>100</td><td>151 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	87.34	-----	-----	73.68	36.98	10.21	33.53	100	151 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7128.08	51.73	68.20	-16.47	38.17	36.95	10.19	33.58	100	151 AVERAGE																																																																																													
2	7267.88	43.38	54.00	-10.62	29.97	36.89	10.18	33.66	100	151 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7025.00	87.34	-----	-----	73.68	36.98	10.21	33.53	100	151 AVERAGE																																																																																													



Mode	125																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Puncturing 20M_7025MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7132.46</td><td>67.14</td><td>88.20</td><td>-21.06</td><td>53.58</td><td>36.95</td><td>10.19</td><td>33.58</td><td>400 255 PEAK</td></tr><tr><td>2</td><td>7256.20</td><td>53.22</td><td>74.00</td><td>-20.78</td><td>39.79</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400 255 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7132.46	67.14	88.20	-21.06	53.58	36.95	10.19	33.58	400 255 PEAK	2	7256.20	53.22	74.00	-20.78	39.79	36.90	10.18	33.65	400 255 PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>96.62</td><td>-----</td><td>-----</td><td>82.96</td><td>36.98</td><td>10.21</td><td>33.53</td><td>400 255 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	96.62	-----	-----	82.96	36.98	10.21	33.53	400 255 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7132.46	67.14	88.20	-21.06	53.58	36.95	10.19	33.58	400 255 PEAK																																																																																			
2	7256.20	53.22	74.00	-20.78	39.79	36.90	10.18	33.65	400 255 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	96.62	-----	-----	82.96	36.98	10.21	33.53	400 255 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.53</td><td>53.98</td><td>68.20</td><td>-14.22</td><td>40.41</td><td>36.95</td><td>10.20</td><td>33.58</td><td>400 255 AVERAGE</td></tr><tr><td>2</td><td>7252.55</td><td>43.28</td><td>54.00</td><td>-10.72</td><td>29.85</td><td>36.90</td><td>10.18</td><td>33.65</td><td>400 255 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.53	53.98	68.20	-14.22	40.41	36.95	10.20	33.58	400 255 AVERAGE	2	7252.55	43.28	54.00	-10.72	29.85	36.90	10.18	33.65	400 255 AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U)NI, 6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>87.22</td><td>-----</td><td>-----</td><td>73.56</td><td>36.98</td><td>10.21</td><td>33.53</td><td>400 255 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	87.22	-----	-----	73.56	36.98	10.21	33.53	400 255 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.53	53.98	68.20	-14.22	40.41	36.95	10.20	33.58	400 255 AVERAGE																																																																																			
2	7252.55	43.28	54.00	-10.72	29.85	36.90	10.18	33.65	400 255 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	87.22	-----	-----	73.56	36.98	10.21	33.53	400 255 AVERAGE																																																																																			







Mode	126									
	Band Edge									
	U-NII-5 5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_6025MHz									
ANT	5+7									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-03-23 </									



Mode	126																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 40M_6025MHz																																																																																	
ANT	5+7																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Date: 2024-03-23 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5921.04</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>40.96</td><td>36.49</td><td>10.43</td><td>32.42</td><td>400</td><td>272</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5921.04	55.46	88.20	-32.74	40.96	36.49	10.43	32.42	400	272	PEAK	Date: 2024-03-23 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>94.05</td><td>-----</td><td>-----</td><td>79.37</td><td>36.61</td><td>10.59</td><td>32.52</td><td>400</td><td>272</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	94.05	-----	-----	79.37	36.61	10.59	32.52	400	272	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5921.04	55.46	88.20	-32.74	40.96	36.49	10.43	32.42	400	272	PEAK																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	94.05	-----	-----	79.37	36.61	10.59	32.52	400	272	PEAK																																																																							
Avg	Date: 2024-03-23 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5917.12</td><td>45.27</td><td>68.20</td><td>-22.93</td><td>30.79</td><td>36.48</td><td>10.42</td><td>32.42</td><td>400</td><td>272</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5917.12	45.27	68.20	-22.93	30.79	36.48	10.42	32.42	400	272	AVERAGE	Date: 2024-03-23 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>85.35</td><td>-----</td><td>-----</td><td>70.69</td><td>36.62</td><td>10.61</td><td>32.57</td><td>400</td><td>272</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	85.35	-----	-----	70.69	36.62	10.61	32.57	400	272	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5917.12	45.27	68.20	-22.93	30.79	36.48	10.42	32.42	400	272	AVERAGE																																																																							
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	6025.00	85.35	-----	-----	70.69	36.62	10.61	32.57	400	272	AVERAGE																																																																							







Mode	127																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak	Date: 2024-03-23  PEAK_BE(U)NI, 6E					Date: 2024-03-23  PEAK_BE(U)NI, 6E																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.63</td><td>62.11</td><td>88.20</td><td>-26.09</td><td>48.54</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>148 PEAK</td></tr><tr><td>2</td><td>7252.50</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>39.99</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>148 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.63	62.11	88.20	-26.09	48.54	36.95	10.20	33.58	100	148 PEAK	2	7252.50	53.42	74.00	-20.58	39.99	36.90	10.18	33.65	100	148 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>92.70</td><td>-----</td><td>-----</td><td>78.97</td><td>37.00</td><td>10.22</td><td>33.49</td><td>100</td><td>148 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.70	-----	-----	78.97	37.00	10.22	33.49	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7125.63	62.11	88.20	-26.09	48.54	36.95	10.20	33.58	100	148 PEAK																																																																																												
2	7252.50	53.42	74.00	-20.58	39.99	36.90	10.18	33.65	100	148 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	92.70	-----	-----	78.97	37.00	10.22	33.49	100	148 PEAK																																																																																												
Avg	Date: 2024-03-23  AVG_BE(U)NI, 6E					Date: 2024-03-23  AVG_BE(U)NI, 6E																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.50</td><td>49.34</td><td>68.20</td><td>-18.86</td><td>35.77</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>148 AVERAGE</td></tr><tr><td>2</td><td>7253.13</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>30.27</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>148 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.50	49.34	68.20	-18.86	35.77	36.95	10.20	33.58	100	148 AVERAGE	2	7253.13	43.70	54.00	-10.30	30.27	36.90	10.18	33.65	100	148 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.51</td><td>-----</td><td>-----</td><td>68.77</td><td>36.99</td><td>10.23</td><td>33.48</td><td>100</td><td>148 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.51	-----	-----	68.77	36.99	10.23	33.48	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7127.50	49.34	68.20	-18.86	35.77	36.95	10.20	33.58	100	148 AVERAGE																																																																																												
2	7253.13	43.70	54.00	-10.30	30.27	36.90	10.18	33.65	100	148 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	82.51	-----	-----	68.77	36.99	10.23	33.48	100	148 AVERAGE																																																																																												



Mode	127																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 40M_6985MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7153.75</td><td>61.68</td><td>88.20</td><td>-26.52</td><td>48.14</td><td>36.94</td><td>10.19</td><td>33.59</td><td>200 252 PEAK</td></tr><tr><td>2</td><td>7251.25</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>39.84</td><td>36.90</td><td>10.18</td><td>33.65</td><td>200 252 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7153.75	61.68	88.20	-26.52	48.14	36.94	10.19	33.59	200 252 PEAK	2	7251.25	53.27	74.00	-20.73	39.84	36.90	10.18	33.65	200 252 PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>92.87</td><td>-----</td><td>-----</td><td>79.13</td><td>36.99</td><td>10.23</td><td>33.48</td><td>200 252 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	92.87	-----	-----	79.13	36.99	10.23	33.48	200 252 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7153.75	61.68	88.20	-26.52	48.14	36.94	10.19	33.59	200 252 PEAK																																																																																											
2	7251.25	53.27	74.00	-20.73	39.84	36.90	10.18	33.65	200 252 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	92.87	-----	-----	79.13	36.99	10.23	33.48	200 252 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.50</td><td>50.73</td><td>68.20</td><td>-17.47</td><td>37.16</td><td>36.95</td><td>10.20</td><td>33.58</td><td>200 252 AVERAGE</td></tr><tr><td>2</td><td>7253.13</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>30.16</td><td>36.90</td><td>10.18</td><td>33.65</td><td>200 252 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.50	50.73	68.20	-17.47	37.16	36.95	10.20	33.58	200 252 AVERAGE	2	7253.13	43.59	54.00	-10.41	30.16	36.90	10.18	33.65	200 252 AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>83.03</td><td>-----</td><td>-----</td><td>69.31</td><td>37.00</td><td>10.22</td><td>33.50</td><td>200 252 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	83.03	-----	-----	69.31	37.00	10.22	33.50	200 252 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7127.50	50.73	68.20	-17.47	37.16	36.95	10.20	33.58	200 252 AVERAGE																																																																																											
2	7253.13	43.59	54.00	-10.41	30.16	36.90	10.18	33.65	200 252 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	83.03	-----	-----	69.31	37.00	10.22	33.50	200 252 AVERAGE																																																																																											







Mode	128																																																																											
	Band Edge																																																																											
	U-NII-5 5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																											
ANT	5+7																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	 Level (dBuV/m) Date: 2024-03-23 128 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5872.04</td><td>60.25</td><td>88.20</td><td>-27.95</td><td>45.87</td><td>36.42</td><td>10.33</td><td>32.37</td><td>400</td><td>148</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5872.04	60.25	88.20	-27.95	45.87	36.42	10.33	32.37	400	148	PEAK	 Level (dBuV/m) Date: 2024-03-23 128 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6025.00</td><td>94.74</td><td>-----</td><td>-----</td><td>80.06</td><td>36.60</td><td>10.58</td><td>32.50</td><td>400</td><td>148</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 6025.00	94.74	-----	-----	80.06	36.60	10.58	32.50	400	148	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5872.04	60.25	88.20	-27.95	45.87	36.42	10.33	32.37	400	148	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6025.00	94.74	-----	-----	80.06	36.60	10.58	32.50	400	148	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2024-03-23 128 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5868.68</td><td>46.06</td><td>68.20</td><td>-22.14</td><td>31.69</td><td>36.42</td><td>10.32</td><td>32.37</td><td>400</td><td>148</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 5868.68	46.06	68.20	-22.14	31.69	36.42	10.32	32.37	400	148	AVERAGE	 Level (dBuV/m) Date: 2024-03-23 128 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6025.00</td><td>85.04</td><td>-----</td><td>-----</td><td>70.36</td><td>36.60</td><td>10.58</td><td>32.50</td><td>400</td><td>148</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 6025.00	85.04	-----	-----	70.36	36.60	10.58	32.50	400	148	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5868.68	46.06	68.20	-22.14	31.69	36.42	10.32	32.37	400	148	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6025.00	85.04	-----	-----	70.36	36.60	10.58	32.50	400	148	AVERAGE																																																																		







Mode	128																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Puncturing 20M_6025MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5905.36	58.60	88.20	-29.60	44.14	36.47	10.40	32.41	400	257 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>94.02</td><td>-----</td><td>-----</td><td>79.36</td><td>36.61</td><td>10.59</td><td>32.54</td><td>400</td><td>257 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.02	-----	-----	79.36	36.61	10.59	32.54	400	257 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5905.36	58.60	88.20	-29.60	44.14	36.47	10.40	32.41	400	257 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	94.02	-----	-----	79.36	36.61	10.59	32.54	400	257 PEAK																																																																																	
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5910.96</td><td>47.58</td><td>68.20</td><td>-20.62</td><td>33.10</td><td>36.48</td><td>10.41</td><td>32.41</td><td>400</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5910.96	47.58	68.20	-20.62	33.10	36.48	10.41	32.41	400	257 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>85.17</td><td>-----</td><td>-----</td><td>70.51</td><td>36.61</td><td>10.60</td><td>32.55</td><td>400</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6025.00	85.17	-----	-----	70.51	36.61	10.60	32.55	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5910.96	47.58	68.20	-20.62	33.10	36.48	10.41	32.41	400	257 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	6025.00	85.17	-----	-----	70.51	36.61	10.60	32.55	400	257 AVERAGE																																																																																	







Mode	129																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																																						
ANT	5+7																																																																																																						
Pol.	Horizontal					Fundamental																																																																																																	
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7141.88</td><td>64.73</td><td>88.20</td><td>-23.47</td><td>51.19</td><td>36.94</td><td>10.19</td><td>33.59</td><td>100</td><td>152 PEAK</td></tr><tr><td>2</td><td>7250.63</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>40.09</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>152 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7141.88	64.73	88.20	-23.47	51.19	36.94	10.19	33.59	100	152 PEAK	2	7250.63	53.52	74.00	-20.48	40.09	36.90	10.18	33.65	100	152 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>90.53</td><td>-----</td><td>-----</td><td>76.79</td><td>36.99</td><td>10.23</td><td>33.48</td><td>100</td><td>152 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	90.53	-----	-----	76.79	36.99	10.23	33.48	100	152 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7141.88	64.73	88.20	-23.47	51.19	36.94	10.19	33.59	100	152 PEAK																																																																																													
2	7250.63	53.52	74.00	-20.48	40.09	36.90	10.18	33.65	100	152 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	90.53	-----	-----	76.79	36.99	10.23	33.48	100	152 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.88</td><td>52.34</td><td>68.20</td><td>-15.86</td><td>38.77</td><td>36.95</td><td>10.20</td><td>33.58</td><td>100</td><td>152 AVERAGE</td></tr><tr><td>2</td><td>7255.00</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>29.92</td><td>36.90</td><td>10.18</td><td>33.65</td><td>100</td><td>152 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.88	52.34	68.20	-15.86	38.77	36.95	10.20	33.58	100	152 AVERAGE	2	7255.00	43.35	54.00	-10.65	29.92	36.90	10.18	33.65	100	152 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.09</td><td>-----</td><td>-----</td><td>68.35</td><td>36.99</td><td>10.23</td><td>33.48</td><td>100</td><td>152 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.09	-----	-----	68.35	36.99	10.23	33.48	100	152 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7126.88	52.34	68.20	-15.86	38.77	36.95	10.20	33.58	100	152 AVERAGE																																																																																													
2	7255.00	43.35	54.00	-10.65	29.92	36.90	10.18	33.65	100	152 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6985.00	82.09	-----	-----	68.35	36.99	10.23	33.48	100	152 AVERAGE																																																																																													







Mode	129																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Puncturing 20M_6985MHz																																																																																																			
ANT	5+7																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.88</td><td>65.94</td><td>88.20</td><td>-22.26</td><td>52.38</td><td>36.95</td><td>10.19</td><td>33.58</td><td>200 293 PEAK</td></tr><tr><td>2</td><td>7271.25</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>39.05</td><td>36.89</td><td>10.18</td><td>33.66</td><td>200 293 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.88	65.94	88.20	-22.26	52.38	36.95	10.19	33.58	200 293 PEAK	2	7271.25	52.46	74.00	-21.54	39.05	36.89	10.18	33.66	200 293 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>91.11</td><td>-----</td><td>-----</td><td>77.39</td><td>37.00</td><td>10.22</td><td>33.50</td><td>200 293 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	91.11	-----	-----	77.39	37.00	10.22	33.50	200 293 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7131.88	65.94	88.20	-22.26	52.38	36.95	10.19	33.58	200 293 PEAK																																																																																											
2	7271.25	52.46	74.00	-21.54	39.05	36.89	10.18	33.66	200 293 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	91.11	-----	-----	77.39	37.00	10.22	33.50	200 293 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.88</td><td>52.66</td><td>68.20</td><td>-15.54</td><td>39.09</td><td>36.95</td><td>10.20</td><td>33.58</td><td>200 293 AVERAGE</td></tr><tr><td>2</td><td>7253.75</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>29.73</td><td>36.90</td><td>10.18</td><td>33.65</td><td>200 293 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7126.88	52.66	68.20	-15.54	39.09	36.95	10.20	33.58	200 293 AVERAGE	2	7253.75	43.16	54.00	-10.84	29.73	36.90	10.18	33.65	200 293 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.15</td><td>-----</td><td>-----</td><td>68.42</td><td>36.99</td><td>10.23</td><td>33.49</td><td>200 293 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.15	-----	-----	68.42	36.99	10.23	33.49	200 293 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7126.88	52.66	68.20	-15.54	39.09	36.95	10.20	33.58	200 293 AVERAGE																																																																																											
2	7253.75	43.16	54.00	-10.84	29.73	36.90	10.18	33.65	200 293 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	6985.00	82.15	-----	-----	68.42	36.99	10.23	33.49	200 293 AVERAGE																																																																																											







Mode	130																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.23</td><td>63.59</td><td>88.20</td><td>-24.61</td><td>49.83</td><td>36.08</td><td>9.81</td><td>32.13</td><td>100</td><td>341 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5626.23	63.59	88.20	-24.61	49.83	36.08	9.81	32.13	100	341 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>89.68</td><td>-----</td><td>-----</td><td>75.04</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td><td>341 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	89.68	-----	-----	75.04	36.57	10.55	32.48	100	341 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5626.23	63.59	88.20	-24.61	49.83	36.08	9.81	32.13	100	341 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	89.68	-----	-----	75.04	36.57	10.55	32.48	100	341 PEAK																																																																																		
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5851.90</td><td>45.89</td><td>68.20</td><td>-22.31</td><td>31.56</td><td>36.39</td><td>10.29</td><td>32.35</td><td>100</td><td>341 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.90	45.89	68.20	-22.31	31.56	36.39	10.29	32.35	100	341 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>81.07</td><td>-----</td><td>-----</td><td>66.43</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td><td>341 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	81.07	-----	-----	66.43	36.57	10.55	32.48	100	341 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5851.90	45.89	68.20	-22.31	31.56	36.39	10.29	32.35	100	341 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	81.07	-----	-----	66.43	36.57	10.55	32.48	100	341 AVERAGE																																																																																		



Mode	130																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M+40M_6105MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5864.91</td><td>56.45</td><td>88.20</td><td>-31.75</td><td>42.09</td><td>36.41</td><td>10.31</td><td>32.36</td><td>173 261 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5864.91	56.45	88.20	-31.75	42.09	36.41	10.31	32.36	173 261 PEAK	 Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>90.55</td><td>-----</td><td>-----</td><td>75.91</td><td>36.57</td><td>10.55</td><td>32.48</td><td>173 261 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	90.55	-----	-----	75.91	36.57	10.55	32.48	173 261 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5864.91	56.45	88.20	-31.75	42.09	36.41	10.31	32.36	173 261 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	90.55	-----	-----	75.91	36.57	10.55	32.48	173 261 PEAK																																																																																	
Avg	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.67</td><td>47.04</td><td>68.20</td><td>-21.16</td><td>32.71</td><td>36.39</td><td>10.29</td><td>32.35</td><td>173 261 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5852.67	47.04	68.20	-21.16	32.71	36.39	10.29	32.35	173 261 AVERAGE	 Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>82.09</td><td>-----</td><td>-----</td><td>67.45</td><td>36.57</td><td>10.55</td><td>32.48</td><td>173 261 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.09	-----	-----	67.45	36.57	10.55	32.48	173 261 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5852.67	47.04	68.20	-21.16	32.71	36.39	10.29	32.35	173 261 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6105.00	82.09	-----	-----	67.45	36.57	10.55	32.48	173 261 AVERAGE																																																																																	







Mode	131																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7168.50</td><td>53.51</td><td>88.20</td><td>-34.69</td><td>39.99</td><td>36.93</td><td>10.19</td><td>33.60</td><td>200</td><td>357 PEAK</td></tr><tr><td>2</td><td>7274.98</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>39.58</td><td>36.89</td><td>10.18</td><td>33.66</td><td>200</td><td>357 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7168.50	53.51	88.20	-34.69	39.99	36.93	10.19	33.60	200	357 PEAK	2	7274.98	52.99	74.00	-21.01	39.58	36.89	10.18	33.66	200	357 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.80</td><td>-----</td><td>-----</td><td>67.06</td><td>36.98</td><td>10.23</td><td>33.47</td><td>200</td><td>357 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.80	-----	-----	67.06	36.98	10.23	33.47	200
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7168.50	53.51	88.20	-34.69	39.99	36.93	10.19	33.60	200	357 PEAK																																																																																												
2	7274.98	52.99	74.00	-21.01	39.58	36.89	10.18	33.66	200	357 PEAK																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	80.80	-----	-----	67.06	36.98	10.23	33.47	200	357 PEAK																																																																																												
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7161.24</td><td>43.41</td><td>68.20</td><td>-24.79</td><td>29.88</td><td>36.94</td><td>10.19</td><td>33.60</td><td>200</td><td>357 AVERAGE</td></tr><tr><td>2</td><td>7252.60</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>29.92</td><td>36.90</td><td>10.18</td><td>33.65</td><td>200</td><td>357 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7161.24	43.41	68.20	-24.79	29.88	36.94	10.19	33.60	200	357 AVERAGE	2	7252.60	43.35	54.00	-10.65	29.92	36.90	10.18	33.65	200	357 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>70.61</td><td>-----</td><td>-----</td><td>56.95</td><td>36.98</td><td>10.21</td><td>33.53</td><td>200</td><td>357 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	70.61	-----	-----	56.95	36.98	10.21	33.53	200
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7161.24	43.41	68.20	-24.79	29.88	36.94	10.19	33.60	200	357 AVERAGE																																																																																												
2	7252.60	43.35	54.00	-10.65	29.92	36.90	10.18	33.65	200	357 AVERAGE																																																																																												
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6905.00	70.61	-----	-----	56.95	36.98	10.21	33.53	200	357 AVERAGE																																																																																												







Mode	131																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 80M+40M_6905MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7160.64</td><td>52.94</td><td>88.20</td><td>-35.26</td><td>39.41</td><td>36.94</td><td>10.19</td><td>33.60</td><td>178 360 PEAK</td></tr><tr><td>2</td><td>7300.39</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>40.33</td><td>36.88</td><td>10.18</td><td>33.68</td><td>178 360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7160.64	52.94	88.20	-35.26	39.41	36.94	10.19	33.60	178 360 PEAK	2	7300.39	53.71	74.00	-20.29	40.33	36.88	10.18	33.68	178 360 PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>85.05</td><td>-----</td><td>-----</td><td>71.28</td><td>36.95</td><td>10.25</td><td>33.43</td><td>178 360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	85.05	-----	-----	71.28	36.95	10.25	33.43	178 360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7160.64	52.94	88.20	-35.26	39.41	36.94	10.19	33.60	178 360 PEAK																																																																																			
2	7300.39	53.71	74.00	-20.29	40.33	36.88	10.18	33.68	178 360 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	85.05	-----	-----	71.28	36.95	10.25	33.43	178 360 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7223.56</td><td>43.33</td><td>68.20</td><td>-24.87</td><td>29.87</td><td>36.91</td><td>10.18</td><td>33.63</td><td>178 360 AVERAGE</td></tr><tr><td>2</td><td>7293.13</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>29.86</td><td>36.88</td><td>10.18</td><td>33.68</td><td>178 360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7223.56	43.33	68.20	-24.87	29.87	36.91	10.18	33.63	178 360 AVERAGE	2	7293.13	43.24	54.00	-10.76	29.86	36.88	10.18	33.68	178 360 AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>76.55</td><td>-----</td><td>-----</td><td>62.78</td><td>36.95</td><td>10.25</td><td>33.43</td><td>178 360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	76.55	-----	-----	62.78	36.95	10.25	33.43	178 360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7223.56	43.33	68.20	-24.87	29.87	36.91	10.18	33.63	178 360 AVERAGE																																																																																			
2	7293.13	43.24	54.00	-10.76	29.86	36.88	10.18	33.68	178 360 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	76.55	-----	-----	62.78	36.95	10.25	33.43	178 360 AVERAGE																																																																																			







Mode	132																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																											
ANT	5+7																																																																											
Pol.	Horizontal					Fundamental																																																																						
Peak	 Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5752.45</td><td>55.56</td><td>88.20</td><td>-32.64</td><td>41.48</td><td>36.25</td><td>10.08</td><td>32.25</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5752.45	55.56	88.20	-32.64	41.48	36.25	10.08	32.25	100	141	PEAK	 Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>86.86</td><td>-----</td><td>-----</td><td>72.22</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	86.86	-----	-----	72.22	36.57	10.55	32.48	100	141	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5752.45	55.56	88.20	-32.64	41.48	36.25	10.08	32.25	100	141	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6105.00	86.86	-----	-----	72.22	36.57	10.55	32.48	100	141	PEAK																																																																		
Avg	 Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5796.82</td><td>46.58</td><td>68.20</td><td>-21.62</td><td>32.39</td><td>36.32</td><td>10.17</td><td>32.30</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5796.82	46.58	68.20	-21.62	32.39	36.32	10.17	32.30	100	141	AVERAGE	 Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>77.98</td><td>-----</td><td>-----</td><td>63.34</td><td>36.57</td><td>10.55</td><td>32.48</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	77.98	-----	-----	63.34	36.57	10.55	32.48	100	141	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5796.82	46.58	68.20	-21.62	32.39	36.32	10.17	32.30	100	141	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6105.00	77.98	-----	-----	63.34	36.57	10.55	32.48	100	141	AVERAGE																																																																		



Mode	132																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 80M_6105MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5627.76</td><td>58.74</td><td>88.20</td><td>-29.46</td><td>44.98</td><td>36.08</td><td>9.81</td><td>32.13</td><td>400</td><td>254 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5627.76	58.74	88.20	-29.46	44.98	36.08	9.81	32.13	400	254 PEAK	 Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>89.99</td><td>-----</td><td>-----</td><td>75.34</td><td>36.62</td><td>10.61</td><td>32.58</td><td>400</td><td>254 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	89.99	-----	-----	75.34	36.62	10.61	32.58	400	254 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5627.76	58.74	88.20	-29.46	44.98	36.08	9.81	32.13	400	254 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6105.00	89.99	-----	-----	75.34	36.62	10.61	32.58	400	254 PEAK																																																																																	
Avg	 Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5832.01</td><td>46.27</td><td>68.20</td><td>-21.93</td><td>32.00</td><td>36.36</td><td>10.24</td><td>32.33</td><td>400</td><td>254 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5832.01	46.27	68.20	-21.93	32.00	36.36	10.24	32.33	400	254 AVERAGE	 Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>80.98</td><td>-----</td><td>-----</td><td>66.35</td><td>36.56</td><td>10.54</td><td>32.47</td><td>400</td><td>254 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	80.98	-----	-----	66.35	36.56	10.54	32.47	400	254 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5832.01	46.27	68.20	-21.93	32.00	36.36	10.24	32.33	400	254 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6105.00	80.98	-----	-----	66.35	36.56	10.54	32.47	400	254 AVERAGE																																																																																	



Mode	133																																																																																																									
	Band Edge																																																																																																									
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																																									
ANT	5+7																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-23  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.93</td><td>53.40</td><td>88.20</td><td>-34.80</td><td>39.94</td><td>36.91</td><td>10.18</td><td>33.63</td><td>200</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>7290.71</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>39.55</td><td>36.88</td><td>10.18</td><td>33.67</td><td>200</td><td>343</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7219.93	53.40	88.20	-34.80	39.94	36.91	10.18	33.63	200	343	PEAK	2	7290.71	52.94	74.00	-21.06	39.55	36.88	10.18	33.67	200	343	PEAK	Level (dBuV/m) Date: 2024-03-23  PEAK_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>81.65</td><td>-----</td><td>-----</td><td>67.90</td><td>36.98</td><td>10.23</td><td>33.46</td><td>200</td><td>343</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	81.65	-----	-----	67.90	36.98	10.23	33.46	200	343	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7219.93	53.40	88.20	-34.80	39.94	36.91	10.18	33.63	200	343	PEAK																																																																																															
2	7290.71	52.94	74.00	-21.06	39.55	36.88	10.18	33.67	200	343	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6905.00	81.65	-----	-----	67.90	36.98	10.23	33.46	200	343	PEAK																																																																																															
Avg	Level (dBuV/m) Date: 2024-03-23  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7239.29</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>29.95</td><td>36.90</td><td>10.18</td><td>33.64</td><td>200</td><td>343</td><td>AVERAGE</td></tr><tr><td>2</td><td>7262.88</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>29.85</td><td>36.89</td><td>10.18</td><td>33.66</td><td>200</td><td>343</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7239.29	43.39	68.20	-24.81	29.95	36.90	10.18	33.64	200	343	AVERAGE	2	7262.88	43.26	54.00	-10.74	29.85	36.89	10.18	33.66	200	343	AVERAGE	Level (dBuV/m) Date: 2024-03-23  AVG_BE(U-NII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>72.78</td><td>-----</td><td>-----</td><td>59.01</td><td>36.94</td><td>10.25</td><td>33.42</td><td>200</td><td>343</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	72.78	-----	-----	59.01	36.94	10.25	33.42	200	343	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7239.29	43.39	68.20	-24.81	29.95	36.90	10.18	33.64	200	343	AVERAGE																																																																																															
2	7262.88	43.26	54.00	-10.74	29.85	36.89	10.18	33.66	200	343	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	6905.00	72.78	-----	-----	59.01	36.94	10.25	33.42	200	343	AVERAGE																																																																																															



Mode	133																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 80M_6905MHz																																																																																											
ANT	5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.63</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>39.90</td><td>36.91</td><td>10.18</td><td>33.64</td><td>221 360 PEAK</td></tr><tr><td>2</td><td>7250.18</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>39.65</td><td>36.90</td><td>10.18</td><td>33.65</td><td>221 360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7232.63	53.35	88.20	-34.85	39.90	36.91	10.18	33.64	221 360 PEAK	2	7250.18	53.08	74.00	-20.92	39.65	36.90	10.18	33.65	221 360 PEAK	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>84.70</td><td>-----</td><td>-----</td><td>70.96</td><td>36.98</td><td>10.23</td><td>33.47</td><td>221 360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	84.70	-----	-----	70.96	36.98	10.23	33.47	221 360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7232.63	53.35	88.20	-34.85	39.90	36.91	10.18	33.64	221 360 PEAK																																																																																			
2	7250.18	53.08	74.00	-20.92	39.65	36.90	10.18	33.65	221 360 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	84.70	-----	-----	70.96	36.98	10.23	33.47	221 360 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7166.69</td><td>43.38</td><td>68.20</td><td>-24.82</td><td>29.86</td><td>36.93</td><td>10.19</td><td>33.60</td><td>221 360 AVERAGE</td></tr><tr><td>2</td><td>7256.83</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>29.87</td><td>36.90</td><td>10.18</td><td>33.65</td><td>221 360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7166.69	43.38	68.20	-24.82	29.86	36.93	10.19	33.60	221 360 AVERAGE	2	7256.83	43.30	54.00	-10.70	29.87	36.90	10.18	33.65	221 360 AVERAGE	Level (dBuV/m) Date: 2024-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>75.33</td><td>-----</td><td>-----</td><td>61.56</td><td>36.95</td><td>10.25</td><td>33.43</td><td>221 360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	75.33	-----	-----	61.56	36.95	10.25	33.43	221 360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7166.69	43.38	68.20	-24.82	29.86	36.93	10.19	33.60	221 360 AVERAGE																																																																																			
2	7256.83	43.30	54.00	-10.70	29.87	36.90	10.18	33.65	221 360 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	75.33	-----	-----	61.56	36.95	10.25	33.43	221 360 AVERAGE																																																																																			







Mode	134									
	Band Edge									
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_6105MHz									
ANT	5+7									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2024-03-23									







Mode	134																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Puncturing 40M_6105MHz																																																																											
ANT	5+7																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5626.23</td><td>58.38</td><td>88.20</td><td>-29.82</td><td>44.62</td><td>36.08</td><td>9.81</td><td>32.13</td><td>400</td><td>277</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5626.23	58.38	88.20	-29.82	44.62	36.08	9.81	32.13	400	277	PEAK	Level (dBuV/m) Date: 2024-03-23 PEAK_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6105.00</td><td>90.67</td><td>-----</td><td>-----</td><td>76.06</td><td>36.55</td><td>10.53</td><td>32.47</td><td>400</td><td>277</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	90.67	-----	-----	76.06	36.55	10.53	32.47	400	277	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5626.23	58.38	88.20	-29.82	44.62	36.08	9.81	32.13	400	277	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6105.00	90.67	-----	-----	76.06	36.55	10.53	32.47	400	277	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5791.47</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>35.37</td><td>36.31</td><td>10.16</td><td>32.29</td><td>400</td><td>277</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5791.47	49.55	68.20	-18.65	35.37	36.31	10.16	32.29	400	277	AVERAGE	Level (dBuV/m) Date: 2024-03-23 AVG_BE(U-NII)_6E <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 6105.00</td><td>81.57</td><td>-----</td><td>-----</td><td>67.00</td><td>36.53</td><td>10.49</td><td>32.45</td><td>400</td><td>277</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	81.57	-----	-----	67.00	36.53	10.49	32.45	400	277	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5791.47	49.55	68.20	-18.65	35.37	36.31	10.16	32.29	400	277	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 6105.00	81.57	-----	-----	67.00	36.53	10.49	32.45	400	277	AVERAGE																																																																		



		135																																																																																																				
Mode	Band Edge																																																																																																					
	U-NII-8 6.525-7.125 802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal					Fundamental																																																																																																
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7189.07</td><td>65.07</td><td>88.20</td><td>-23.13</td><td>51.58</td><td>36.92</td><td>10.18</td><td>33.61</td><td>400</td><td>43</td><td>PEAK</td></tr><tr><td>2</td><td>7281.64</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>42.62</td><td>36.89</td><td>10.18</td><td>33.67</td><td>400</td><td>43</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7189.07	65.07	88.20	-23.13	51.58	36.92	10.18	33.61	400	43	PEAK	2	7281.64	56.02	74.00	-17.98	42.62	36.89	10.18	33.67	400	43	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>84.47</td><td>-----</td><td>-----</td><td>70.68</td><td>36.93</td><td>10.26</td><td>33.40</td><td>400</td><td>43</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	84.47	-----	-----	70.68	36.93	10.26	33.40	400	43
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7189.07	65.07	88.20	-23.13	51.58	36.92	10.18	33.61	400	43	PEAK																																																																																											
2	7281.64	56.02	74.00	-17.98	42.62	36.89	10.18	33.67	400	43	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	84.47	-----	-----	70.68	36.93	10.26	33.40	400	43	PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7192.70</td><td>50.68</td><td>68.20</td><td>-17.52</td><td>37.20</td><td>36.92</td><td>10.18</td><td>33.62</td><td>400</td><td>43</td><td>AVERAGE</td></tr><tr><td>2</td><td>7292.53</td><td>45.34</td><td>54.00</td><td>-8.66</td><td>31.96</td><td>36.88</td><td>10.18</td><td>33.68</td><td>400</td><td>43</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	7192.70	50.68	68.20	-17.52	37.20	36.92	10.18	33.62	400	43	AVERAGE	2	7292.53	45.34	54.00	-8.66	31.96	36.88	10.18	33.68	400	43	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>75.89</td><td>99.20</td><td>-23.31</td><td>62.15</td><td>36.98</td><td>10.23</td><td>33.47</td><td>400</td><td>43</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	6905.00	75.89	99.20	-23.31	62.15	36.98	10.23	33.47	400	43
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	7192.70	50.68	68.20	-17.52	37.20	36.92	10.18	33.62	400	43	AVERAGE																																																																																											
2	7292.53	45.34	54.00	-8.66	31.96	36.88	10.18	33.68	400	43	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	6905.00	75.89	99.20	-23.31	62.15	36.98	10.23	33.47	400	43	AVERAGE																																																																																											



		135																																																																																									
Mode	Band Edge																																																																																										
	U-NII-8_6.525-7.125_802.11be EHT320_CH191_Puncturing 40M_6905MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7193.31</td><td>64.98</td><td>88.20</td><td>-23.22</td><td>51.50</td><td>36.92</td><td>10.18</td><td>33.62 300 243 PEAK</td></tr><tr><td>2</td><td>7282.24</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>41.51</td><td>36.89</td><td>10.18</td><td>33.67 300 243 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	7193.31	64.98	88.20	-23.22	51.50	36.92	10.18	33.62 300 243 PEAK	2	7282.24	54.91	74.00	-19.09	41.51	36.89	10.18	33.67 300 243 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>88.44</td><td>-----</td><td>-----</td><td>74.65</td><td>36.94</td><td>10.25</td><td>33.40 300 243 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	6905.00	88.44	-----	-----	74.65	36.94	10.25
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																				
1	7193.31	64.98	88.20	-23.22	51.50	36.92	10.18	33.62 300 243 PEAK																																																																																			
2	7282.24	54.91	74.00	-19.09	41.51	36.89	10.18	33.67 300 243 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																				
1	6905.00	88.44	-----	-----	74.65	36.94	10.25	33.40 300 243 PEAK																																																																																			
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7190.89</td><td>50.93</td><td>68.20</td><td>-17.27</td><td>37.44</td><td>36.92</td><td>10.18</td><td>33.61 300 243 AVERAGE</td></tr><tr><td>2</td><td>7250.18</td><td>45.93</td><td>54.00</td><td>-8.07</td><td>32.50</td><td>36.90</td><td>10.18</td><td>33.65 300 243 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	7190.89	50.93	68.20	-17.27	37.44	36.92	10.18	33.61 300 243 AVERAGE	2	7250.18	45.93	54.00	-8.07	32.50	36.90	10.18	33.65 300 243 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.53</td><td>99.20</td><td>-19.67</td><td>65.76</td><td>36.95</td><td>10.25</td><td>33.43 300 243 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	6905.00	79.53	99.20	-19.67	65.76	36.95	10.25
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																				
1	7190.89	50.93	68.20	-17.27	37.44	36.92	10.18	33.61 300 243 AVERAGE																																																																																			
2	7250.18	45.93	54.00	-8.07	32.50	36.90	10.18	33.65 300 243 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																				
1	6905.00	79.53	99.20	-19.67	65.76	36.95	10.25	33.43 300 243 AVERAGE																																																																																			







9Mode	136																																																																																																																																																																																																				
	Band Edge																																																																																																																																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																																																																																																				
ANT	5+7																																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																																														
Peak	Data: 1 Site : 03CH04-SZ Condition : FCC CLASS-B 3m LF_ANT_41909 HORIZONTAL Project : 420703 Mode : 136 Setting : MCS0 power setting Z1 Plane : Y with Accessories 350431590015650/350431590015668 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>23.75</td><td>-16.25</td><td>40.00</td><td>30.00</td><td>24.83</td><td>0.54</td><td>31.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>190.05</td><td>31.80</td><td>-11.70</td><td>43.50</td><td>47.10</td><td>14.92</td><td>1.40</td><td>31.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>507.24</td><td>26.65</td><td>-19.35</td><td>46.00</td><td>31.41</td><td>24.26</td><td>2.35</td><td>31.37</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>633.34</td><td>28.34</td><td>-17.66</td><td>46.00</td><td>30.47</td><td>26.42</td><td>2.62</td><td>31.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>838.98</td><td>31.34</td><td>-14.66</td><td>46.00</td><td>30.62</td><td>28.79</td><td>3.03</td><td>31.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>958.29</td><td>32.69</td><td>-13.31</td><td>46.00</td><td>29.99</td><td>30.28</td><td>3.24</td><td>30.82</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.97	23.75	-16.25	40.00	30.00	24.83	0.54	31.62	---	---	Peak	2 *	190.05	31.80	-11.70	43.50	47.10	14.92	1.40	31.62	---	---	Peak	3	507.24	26.65	-19.35	46.00	31.41	24.26	2.35	31.37	---	---	Peak	4	633.34	28.34	-17.66	46.00	30.47	26.42	2.62	31.17	---	---	Peak	5	838.98	31.34	-14.66	46.00	30.62	28.79	3.03	31.10	---	---	Peak	6	958.29	32.69	-13.31	46.00	29.99	30.28	3.24	30.82	---	---	Peak	Data: 2 Site : 03CH04-SZ Condition : FCC CLASS-B 3m LF_ANT_41909 VERTICAL Project : 420703 Mode : 136 Setting : MCS0 power setting Z1 Plane : Y with Accessories 350431590015650/350431590015668 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>27.60</td><td>-12.40</td><td>40.00</td><td>33.33</td><td>25.34</td><td>0.53</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>53.28</td><td>31.87</td><td>-8.13</td><td>40.00</td><td>49.69</td><td>13.28</td><td>0.73</td><td>31.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>189.08</td><td>30.82</td><td>-12.68</td><td>43.50</td><td>46.08</td><td>14.96</td><td>1.40</td><td>31.62</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>581.93</td><td>27.56</td><td>-18.44</td><td>46.00</td><td>30.34</td><td>25.84</td><td>2.52</td><td>31.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>839.95</td><td>31.40</td><td>-14.60</td><td>46.00</td><td>30.66</td><td>28.81</td><td>3.03</td><td>31.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>914.64</td><td>32.87</td><td>-13.13</td><td>46.00</td><td>30.85</td><td>29.71</td><td>3.18</td><td>30.87</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.00	27.60	-12.40	40.00	33.33	25.34	0.53	31.60	---	---	Peak	2 *	53.28	31.87	-8.13	40.00	49.69	13.28	0.73	31.83	---	---	Peak	3	189.08	30.82	-12.68	43.50	46.08	14.96	1.40	31.62	---	---	Peak	4	581.93	27.56	-18.44	46.00	30.34	25.84	2.52	31.14	---	---	Peak	5	839.95	31.40	-14.60	46.00	30.66	28.81	3.03	31.10	---	---	Peak	6	914.64	32.87	-13.13	46.00	30.85	29.71	3.18	30.87	---	---	Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																											
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																										
1	30.97	23.75	-16.25	40.00	30.00	24.83	0.54	31.62	---	---	Peak																																																																																																																																																																																										
2 *	190.05	31.80	-11.70	43.50	47.10	14.92	1.40	31.62	---	---	Peak																																																																																																																																																																																										
3	507.24	26.65	-19.35	46.00	31.41	24.26	2.35	31.37	---	---	Peak																																																																																																																																																																																										
4	633.34	28.34	-17.66	46.00	30.47	26.42	2.62	31.17	---	---	Peak																																																																																																																																																																																										
5	838.98	31.34	-14.66	46.00	30.62	28.79	3.03	31.10	---	---	Peak																																																																																																																																																																																										
6	958.29	32.69	-13.31	46.00	29.99	30.28	3.24	30.82	---	---	Peak																																																																																																																																																																																										
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	30.00	27.60	-12.40	40.00	33.33	25.34	0.53	31.60	---	---	Peak																																																																																																																																																																																										
2 *	53.28	31.87	-8.13	40.00	49.69	13.28	0.73	31.83	---	---	Peak																																																																																																																																																																																										
3	189.08	30.82	-12.68	43.50	46.08	14.96	1.40	31.62	---	---	Peak																																																																																																																																																																																										
4	581.93	27.56	-18.44	46.00	30.34	25.84	2.52	31.14	---	---	Peak																																																																																																																																																																																										
5	839.95	31.40	-14.60	46.00	30.66	28.81	3.03	31.10	---	---	Peak																																																																																																																																																																																										
6	914.64	32.87	-13.13	46.00	30.85	29.71	3.18	30.87	---	---	Peak																																																																																																																																																																																										



		139																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-5_5.925-6.425_802.11a_CH2_5935MHz																																																																																																			
ANT		5+7																																																																																																			
Pol.		Horizontal																																																																																																			
Peak	Level (dBuV/m) Date: 2024-02-29 PEAK_BE(U-NII)_6E												Level (dBuV/m) Date: 2024-02-29 PEAK_BE(U-NII)_6E																																																																																								
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>72.15</td><td>88.20</td><td>-16.05</td><td></td><td>57.64</td><td>36.49</td><td>10.44</td><td>32.42</td><td>321</td><td>168</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	72.15	88.20	-16.05		57.64	36.49	10.44	32.42	321	168	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>86.78</td><td>-----</td><td>-----</td><td></td><td>72.23</td><td>36.52</td><td>10.47</td><td>32.44</td><td>321</td><td>168</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5935.00	86.78	-----	-----		72.23	36.52	10.47	32.44	321	168
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5924.97	72.15	88.20	-16.05		57.64	36.49	10.44	32.42	321	168	PEAK																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5935.00	86.78	-----	-----		72.23	36.52	10.47	32.44	321	168	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2024-02-29 AVG_BE(U-NII)_6E												Level (dBuV/m) Date: 2024-02-29 AVG_BE(U-NII)_6E																																																																																								
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>61.22</td><td>68.20</td><td>-6.98</td><td></td><td>46.71</td><td>36.49</td><td>10.44</td><td>32.42</td><td>321</td><td>168</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	61.22	68.20	-6.98		46.71	36.49	10.44	32.42	321	168	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>79.80</td><td>99.20</td><td>-19.40</td><td></td><td>65.28</td><td>36.50</td><td>10.45</td><td>32.43</td><td>321</td><td>168</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5935.00	79.80	99.20	-19.40		65.28	36.50	10.45	32.43	321	168
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5924.97	61.22	68.20	-6.98		46.71	36.49	10.44	32.42	321	168	AVERAGE																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5935.00	79.80	99.20	-19.40		65.28	36.50	10.45	32.43	321	168	AVERAGE																																																																																									







Mode	139																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11a_CH2_5935MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.71</td><td>77.67</td><td>88.20</td><td>-10.53</td><td>63.16</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.71	77.67	88.20	-10.53	63.16	36.49	10.44	32.42	400	310	PEAK	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>90.95</td><td>-----</td><td>-----</td><td>76.43</td><td>36.50</td><td>10.45</td><td>32.43</td><td>400</td><td>310</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5935.00	90.95	-----	-----	76.43	36.50	10.45	32.43	400	310	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.71	77.67	88.20	-10.53	63.16	36.49	10.44	32.42	400	310	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5935.00	90.95	-----	-----	76.43	36.50	10.45	32.43	400	310	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>64.93</td><td>68.20</td><td>-3.27</td><td>50.42</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.97	64.93	68.20	-3.27	50.42	36.49	10.44	32.42	400	310	AVERAGE	 Level (dBuV/m) Date: 2024-02-29 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>83.69</td><td>-----</td><td>-----</td><td>69.17</td><td>36.50</td><td>10.45</td><td>32.43</td><td>400</td><td>310</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5935.00	83.69	-----	-----	69.17	36.50	10.45	32.43	400	310	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5924.97	64.93	68.20	-3.27	50.42	36.49	10.44	32.42	400	310	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5935.00	83.69	-----	-----	69.17	36.50	10.45	32.43	400	310	AVERAGE																																																																																



Mode	139																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH2_5935MHz																																																																																																					
ANT	5+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg	Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2024-03-11 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>59.28</td><td>39.35</td><td>13.15</td><td>63.46</td></tr><tr><td>2</td><td>17805.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>54.92</td><td>42.49</td><td>16.15</td><td>65.60</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	48.32	74.00	-25.68	59.28	39.35	13.15	63.46	2	17805.00	47.96	74.00	-26.04	54.92	42.49	16.15	65.60	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>58.65</td><td>39.35</td><td>13.15</td><td>63.46</td></tr><tr><td>2</td><td>17805.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>55.28</td><td>42.49</td><td>16.15</td><td>65.60</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	47.69	74.00	-26.31	58.65	39.35	13.15	63.46	2	17805.00	48.32	74.00	-25.68	55.28	42.49	16.15	65.60
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	48.32	74.00	-25.68	59.28	39.35	13.15	63.46																																																																																														
2	17805.00	47.96	74.00	-26.04	54.92	42.49	16.15	65.60																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	47.69	74.00	-26.31	58.65	39.35	13.15	63.46																																																																																														
2	17805.00	48.32	74.00	-25.68	55.28	42.49	16.15	65.60																																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>59.28</td><td>39.35</td><td>13.15</td><td>63.46</td></tr><tr><td>2</td><td>17805.00</td><td>47.96</td><td>74.00</td><td>-26.04</td><td>54.92</td><td>42.49</td><td>16.15</td><td>65.60</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	48.32	74.00	-25.68	59.28	39.35	13.15	63.46	2	17805.00	47.96	74.00	-26.04	54.92	42.49	16.15	65.60	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11870.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>58.65</td><td>39.35</td><td>13.15</td><td>63.46</td></tr><tr><td>2</td><td>17805.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>55.28</td><td>42.49</td><td>16.15</td><td>65.60</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11870.00	47.69	74.00	-26.31	58.65	39.35	13.15	63.46	2	17805.00	48.32	74.00	-25.68	55.28	42.49	16.15	65.60	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	48.32	74.00	-25.68	59.28	39.35	13.15	63.46																																																																																														
2	17805.00	47.96	74.00	-26.04	54.92	42.49	16.15	65.60																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	11870.00	47.69	74.00	-26.31	58.65	39.35	13.15	63.46																																																																																														
2	17805.00	48.32	74.00	-25.68	55.28	42.49	16.15	65.60																																																																																														





Mode	140																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full RU_5935MHz																																																	
ANT	5+7																																																	
Pol.	Horizontal																																																	
Peak	Fundamental																																																	
	Date: 2024-02-29																																																	
	 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line with a peak at 5929 MHz. A red limit line is at 122.5 dBuV/m. The peak is labeled 'PEAK_BE(U-NII)_6E'.																																																	
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>71.14</td><td>88.20</td><td>-17.06</td><td>56.63</td><td>36.49</td><td>10.44</td><td>32.42</td><td>147</td><td>335</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	71.14	88.20	-17.06	56.63	36.49	10.44	32.42	147	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5924.97	71.14	88.20	-17.06	56.63	36.49	10.44	32.42	147	335	PEAK																																							
Avg	Fundamental																																																	
	Date: 2024-02-29																																																	
	 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line with a peak at 5960 MHz. A red limit line is at 122.5 dBuV/m. The peak is labeled 'PEAK_BE(U-NII)_6E'.																																																	
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>80.59</td><td>-----</td><td>-----</td><td>66.07</td><td>36.50</td><td>10.45</td><td>32.43</td><td>147</td><td>335</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	80.59	-----	-----	66.07	36.50	10.45	32.43	147	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5935.00	80.59	-----	-----	66.07	36.50	10.45	32.43	147	335	PEAK																																							
Avg	Horizontal																																																	
	Date: 2024-02-29																																																	
	 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line with a peak at 5929 MHz. A red limit line is at 122.5 dBuV/m. The peak is labeled 'AVG_BE(U-NII)_6E'.																																																	
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>62.40</td><td>68.20</td><td>-5.80</td><td>47.89</td><td>36.49</td><td>10.44</td><td>32.42</td><td>147</td><td>335</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	62.40	68.20	-5.80	47.89	36.49	10.44	32.42	147	335	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5924.97	62.40	68.20	-5.80	47.89	36.49	10.44	32.42	147	335	AVERAGE																																							
Avg	Fundamental																																																	
	Date: 2024-02-29																																																	
	 Level (dBuV/m) vs Frequency (MHz). The plot shows a blue signal line with a peak at 5960 MHz. A red limit line is at 122.5 dBuV/m. The peak is labeled 'AVG_BE(U-NII)_6E'.																																																	
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>71.63</td><td>99.20</td><td>-27.57</td><td>57.11</td><td>36.50</td><td>10.45</td><td>32.43</td><td>147</td><td>335</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	71.63	99.20	-27.57	57.11	36.50	10.45	32.43	147	335	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	5935.00	71.63	99.20	-27.57	57.11	36.50	10.45	32.43	147	335	AVERAGE																																							



Mode	140																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full RU_5935MHz																																																	
ANT	5+7																																																	
Pol.	Vertical																																																	
Peak	Fundamental																																																	
	Date: 2024-02-29																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>73.92</td><td>88.20</td><td>-14.28</td><td>59.41</td><td>36.49</td><td>10.44</td><td>32.42</td><td>220</td><td>79</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.97	73.92	88.20	-14.28	59.41	36.49	10.44	32.42	220	79	PEAK
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5924.97	73.92	88.20	-14.28	59.41	36.49	10.44	32.42	220	79	PEAK																																							
Avg	Date: 2024-02-29																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>64.56</td><td>68.20</td><td>-3.64</td><td>50.05</td><td>36.49</td><td>10.44</td><td>32.42</td><td>220</td><td>79</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5924.97	64.56	68.20	-3.64	50.05	36.49	10.44	32.42	220	79
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5924.97	64.56	68.20	-3.64	50.05	36.49	10.44	32.42	220	79	AVERAGE																																							
Peak	Date: 2024-02-29																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>82.59</td><td>-----</td><td>-----</td><td>68.07</td><td>36.50</td><td>10.45</td><td>32.43</td><td>220</td><td>79</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5935.00	82.59	-----	-----	68.07	36.50	10.45	32.43	220	79
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5935.00	82.59	-----	-----	68.07	36.50	10.45	32.43	220	79	PEAK																																							
Avg	Date: 2024-02-29																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>74.16</td><td>99.20</td><td>-25.04</td><td>59.64</td><td>36.50</td><td>10.45</td><td>32.43</td><td>220</td><td>79</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5935.00	74.16	99.20	-25.04	59.64	36.50	10.45	32.43	220	79
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5935.00	74.16	99.20	-25.04	59.64	36.50	10.45	32.43	220	79	AVERAGE																																							



Mode	140																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH2_Full RU_5935MHz																																																																																																																						
ANT	5+7																																																																																																																						
Pol.	Horizontal										Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_5E) AVG(U-NII_5E)										Level (dBuV/m) Date: 2024-03-11  PEAK(U-NII_5E) AVG(U-NII_5E)																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>57.75</td><td>39.35</td><td>13.15</td><td>63.46</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>48.99</td><td>74.00</td><td>-25.01</td><td>55.95</td><td>42.49</td><td>16.15</td><td>65.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11870.00	46.79	74.00	-27.21	57.75	39.35	13.15	63.46	---	---	Peak	2	17805.00	48.99	74.00	-25.01	55.95	42.49	16.15	65.60	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11870.00</td><td>48.36</td><td>74.00</td><td>-25.64</td><td>59.32</td><td>39.35</td><td>13.15</td><td>63.46</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17805.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>55.22</td><td>42.49</td><td>16.15</td><td>65.60</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11870.00	48.36	74.00	-25.64	59.32	39.35	13.15	63.46	---	---	Peak	2	17805.00	48.26	74.00	-25.74	55.22	42.49	16.15	65.60	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11870.00	46.79	74.00	-27.21	57.75	39.35	13.15	63.46	---	---	Peak																																																																																																												
2	17805.00	48.99	74.00	-25.01	55.95	42.49	16.15	65.60	---	---	Peak																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	11870.00	48.36	74.00	-25.64	59.32	39.35	13.15	63.46	---	---	Peak																																																																																																												
2	17805.00	48.26	74.00	-25.74	55.22	42.49	16.15	65.60	---	---	Peak																																																																																																												



Mode	141																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH2_Partial RU_5935MHz																																																																																									
ANT	5+7																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>72.07</td><td>88.20</td><td>-16.13</td><td>57.56</td><td>36.49</td><td>10.44</td><td>32.42</td><td>190 338 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	72.07	88.20	-16.13	57.56	36.49	10.44	32.42	190 338 PEAK	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>80.27</td><td>-----</td><td>-----</td><td>65.75</td><td>36.50</td><td>10.45</td><td>32.43</td><td>190 338 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	80.27	-----	-----	65.75	36.50	10.45	32.43	190 338 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.97	72.07	88.20	-16.13	57.56	36.49	10.44	32.42	190 338 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5935.00	80.27	-----	-----	65.75	36.50	10.45	32.43	190 338 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>61.69</td><td>68.20</td><td>-6.51</td><td>47.18</td><td>36.49</td><td>10.44</td><td>32.42</td><td>190 338 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	61.69	68.20	-6.51	47.18	36.49	10.44	32.42	190 338 AVERAGE	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U-NII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>73.05</td><td>-----</td><td>-----</td><td>58.53</td><td>36.50</td><td>10.45</td><td>32.43</td><td>190 338 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	73.05	-----	-----	58.53	36.50	10.45	32.43	190 338 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5924.97	61.69	68.20	-6.51	47.18	36.49	10.44	32.42	190 338 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5935.00	73.05	-----	-----	58.53	36.50	10.45	32.43	190 338 AVERAGE																																																																																	



Mode	141																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE20_CH2_Partial RU_5935MHz																																																																																										
ANT	5+7																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U)NII_6E					Level (dBuV/m) Date: 2024-03-21 PEAK_BE(U)NII_6E																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>69.56</td><td>88.20</td><td>-18.64</td><td>55.05</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>74 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	69.56	88.20	-18.64	55.05	36.49	10.44	32.42	400	74 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>82.13</td><td>-----</td><td>-----</td><td>67.61</td><td>36.50</td><td>10.45</td><td>32.43</td><td>400</td><td>74 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	82.13	-----	-----	67.61	36.50	10.45	32.43	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.97	69.56	88.20	-18.64	55.05	36.49	10.44	32.42	400	74 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5935.00	82.13	-----	-----	67.61	36.50	10.45	32.43	400	74 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2024-03-21 AVG_BE(U)NII_6E					Level (dBuV/m) Date: 2024-03-21 AVG_BE(U)NII_6E																																																																																					
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>61.94</td><td>68.20</td><td>-6.26</td><td>47.43</td><td>36.49</td><td>10.44</td><td>32.42</td><td>400</td><td>74 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	61.94	68.20	-6.26	47.43	36.49	10.44	32.42	400	74 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>73.04</td><td>-----</td><td>-----</td><td>58.52</td><td>36.50</td><td>10.45</td><td>32.43</td><td>400</td><td>74 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	73.04	-----	-----	58.52	36.50	10.45	32.43	400
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.97	61.94	68.20	-6.26	47.43	36.49	10.44	32.42	400	74 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5935.00	73.04	-----	-----	58.52	36.50	10.45	32.43	400	74 AVERAGE																																																																																	