





11AX20MIMO_Ant5_6415_26Tone_RU8




11AX20MIMO_Ant5_6415_52Tone_RU40






11AX20MIMO_Ant5_6415_106Tone_RU54




11AX20MIMO_Ant4_6415_26Tone_RU8






11AX20MIMO_Ant4_6415_52Tone_RU40




11AX20MIMO_Ant4_6415_106Tone_RU54






11AX20MIMO_Ant5_6435_26Tone_RU0




11AX20MIMO_Ant5_6435_52Tone_RU37






11AX20MIMO_Ant5_6435_106Tone_RU53




11AX20MIMO_Ant4_6435_26Tone_RU0






11AX20MIMO_Ant4_6435_52Tone_RU37




11AX20MIMO_Ant4_6435_106Tone_RU53






11AX20MIMO_Ant5_6475_26Tone_RU0




11AX20MIMO_Ant5_6475_52Tone_RU37






11AX20MIMO_Ant5_6475_106Tone_RU53




11AX20MIMO_Ant4_6475_26Tone_RU0






11AX20MIMO_Ant4_6475_52Tone_RU37




11AX20MIMO_Ant4_6475_106Tone_RU53






11AX20MIMO_Ant5_6515_26Tone_RU8




11AX20MIMO_Ant5_6515_52Tone_RU40






11AX20MIMO_Ant5_6515_106Tone_RU54




11AX20MIMO_Ant4_6515_26Tone_RU8






11AX20MIMO_Ant4_6515_52Tone_RU40




11AX20MIMO_Ant4_6515_106Tone_RU54






11AX20MIMO_Ant5_6535_26Tone_RU0




11AX20MIMO_Ant5_6535_52Tone_RU37






11AX20MIMO_Ant5_6535_106Tone_RU53




11AX20MIMO_Ant4_6535_26Tone_RU0






11AX20MIMO_Ant4_6535_52Tone_RU37




11AX20MIMO_Ant4_6535_106Tone_RU53






11AX20MIMO_Ant5_6695_26Tone_RU0




11AX20MIMO_Ant5_6695_52Tone_RU37






11AX20MIMO_Ant5_6695_106Tone_RU53




11AX20MIMO_Ant4_6695_26Tone_RU0






11AX20MIMO_Ant4_6695_52Tone_RU37




11AX20MIMO_Ant4_6695_106Tone_RU53






11AX20MIMO_Ant5_6855_26Tone_RU8




11AX20MIMO_Ant5_6855_52Tone_RU40






11AX20MIMO_Ant5_6855_106Tone_RU54




11AX20MIMO_Ant4_6855_26Tone_RU8






11AX20MIMO_Ant4_6855_52Tone_RU40




11AX20MIMO_Ant4_6855_106Tone_RU54






11AX20MIMO_Ant5_6875_26Tone_RU0




11AX20MIMO_Ant5_6875_52Tone_RU37






11AX20MIMO_Ant5_6875_106Tone_RU53




11AX20MIMO_Ant4_6875_26Tone_RU0






11AX20MIMO_Ant4_6875_52Tone_RU37




11AX20MIMO_Ant4_6875_106Tone_RU53






11AX20MIMO_Ant5_6895_26Tone_RU0




11AX20MIMO_Ant5_6895_52Tone_RU37






11AX20MIMO_Ant5_6895_106Tone_RU53




11AX20MIMO_Ant4_6895_26Tone_RU0






11AX20MIMO_Ant4_6895_52Tone_RU37




11AX20MIMO_Ant4_6895_106Tone_RU53






11AX20MIMO_Ant5_6995_26Tone_RU0




11AX20MIMO_Ant5_6995_52Tone_RU37






11AX20MIMO_Ant5_6995_106Tone_RU53




11AX20MIMO_Ant4_6995_26Tone_RU0






11AX20MIMO_Ant4_6995_52Tone_RU37




11AX20MIMO_Ant4_6995_106Tone_RU53






11AX20MIMO_Ant5_7095_26Tone_RU8




11AX20MIMO_Ant5_7095_52Tone_RU40






11AX20MIMO_Ant5_7095_106Tone_RU54




11AX20MIMO_Ant4_7095_26Tone_RU8






11AX20MIMO_Ant4_7095_52Tone_RU40




11AX20MIMO_Ant4_7095_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.174	41.25	-23.52	64.77	30.80	0.04	10.41	QP
2	0.174	36.55	-18.22	54.77	26.10	0.04	10.41	Average
3	0.193	42.64	-21.25	63.89	32.20	0.03	10.41	QP
4 *	0.193	39.74	-14.15	53.89	29.30	0.03	10.41	Average
5	0.205	41.24	-22.16	63.40	30.80	0.03	10.41	QP
6	0.205	36.74	-16.66	53.40	26.30	0.03	10.41	Average
7	0.396	36.08	-21.87	57.95	25.80	0.00	10.28	QP
8	0.396	27.58	-20.37	47.95	17.30	0.00	10.28	Average
9	0.524	32.67	-23.33	56.00	22.50	-0.04	10.21	QP
10	0.524	24.37	-21.63	46.00	14.20	-0.04	10.21	Average
11	1.027	31.49	-24.51	56.00	21.50	-0.10	10.09	QP
12	1.027	24.09	-21.91	46.00	14.10	-0.10	10.09	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.175	44.36	-20.36	64.72	33.90	0.05	10.41	QP
2 *	0.175	41.06	-13.66	54.72	30.60	0.05	10.41	Average
3	0.191	40.66	-23.32	63.98	30.20	0.05	10.41	QP
4	0.191	31.96	-22.02	53.98	21.50	0.05	10.41	Average
5	0.406	33.52	-24.21	57.73	23.30	-0.06	10.28	QP
6	0.406	24.42	-23.31	47.73	14.20	-0.06	10.28	Average
7	0.513	34.64	-21.36	56.00	24.50	-0.07	10.21	QP
8	0.513	23.74	-22.26	46.00	13.60	-0.07	10.21	Average
9	0.541	33.43	-22.57	56.00	23.30	-0.07	10.20	QP
10	0.541	25.93	-20.07	46.00	15.80	-0.07	10.20	Average
11	1.021	34.59	-21.41	56.00	24.60	-0.10	10.09	QP
12	1.021	23.79	-22.21	46.00	13.80	-0.10	10.09	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jian kang jiang	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD 5+4	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD 5+4	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD 5+4	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE20	45	6175	MCS0	Full RU	-
Mode 6	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	-
Mode 8	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	-
Mode 9	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 10	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 12	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	CDD 5+4	802.11a	97	6435	6Mbps	-	-
Mode 20	U-NII-6	6.425-6.525	CDD 5+4	802.11a	105	6475	6Mbps	-	-
Mode 21	U-NII-6	6.425-6.525	CDD 5+4	802.11a	113	6515	6Mbps	-	-
Mode 22	U-NII-6	6.425-6.525	CDD 5+4	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 23	U-NII-6	6.425-6.525	CDD 5+4	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	CDD 5+4	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 25	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	CDD 5+4	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	CDD 5+4	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 28	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	CDD 5+4	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 30	U-NII-5	5.925-6.425	CDD 5+4	802.11ax HE160	111	6505	MCS0	Full RU	-



Mode 31	U-NII-7	6.525-6.875	CDD 5+4	802.11a	117	6535	6Mbps	-	-
Mode 32	U-NII-7	6.525-6.875	CDD 5+4	802.11a	149	6695	6Mbps	-	-
Mode 33	U-NII-7	6.525-6.875	CDD 5+4	802.11a	185	6875	6Mbps	-	-
Mode 34	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	CDD 5+4	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 45	U-NII-8	6.875-7.125	CDD 5+4	802.11a	189	6895	6Mbps	-	-
Mode 46	U-NII-8	6.875-7.125	CDD 5+4	802.11a	209	6995	6Mbps	-	-
Mode 47	U-NII-8	6.875-7.125	CDD 5+4	802.11a	229	7095	6Mbps	-	-
Mode 48	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 51	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE20	229	7095	MCS0	Partial_26/8RU	-
Mode 52	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE20	229	7095	MCS0	Partial_52/40RU	-
Mode 53	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE20	229	7095	MCS0	Partial_106/54RU	-
Mode 54	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	CDD 5+4	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 60	U-NII-5	5.925-6.425	CDD 5+4	802.11a	2	5935	6Mbps	-	-
Mode 65	U-NII-8	6.875-7.125	CDD 5+4	802.11a	233	7115	6Mbps	-	-
Mode 59	U-NII-8	6.875-7.125	CDD 5+4	802.11a	233	7115	6Mbps	-	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.32	55.40	68.20	-12.80	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11912.00	45.41	54.00	-8.59	H	AVERAGE	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	49.11	54.00	-4.89	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	53.29	88.20	-34.91	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.97	53.42	68.20	-14.78	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	38.69	54.00	-15.31	H	AVERAGE	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12350.00	48.41	54.00	-5.59	V	AVERAGE	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	50.34	88.20	-37.86	V	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5910.15	42.98	68.20	-25.22	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5908.59	43.02	68.20	-25.18	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5911.71	43.04	68.20	-25.16	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5924.12	55.35	68.20	-12.85	V	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	43.11	54.00	-10.89	H	AVERAGE	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12330.00	45.75	54.00	-8.25	V	AVERAGE	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	48.66	88.20	-39.54	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5921.48	62.17	68.20	-6.03	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	40.99	54.00	-13.01	H	AVERAGE	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12290.00	42.05	54.00	-11.95	V	AVERAGE	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	47.12	88.20	-41.08	H	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5918.80	60.28	68.20	-7.92	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	39.55	54.00	-14.45	V	AVERAGE	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	40.82	54.00	-13.18	V	AVERAGE	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	79	12690.00	42.83	54.00	-11.17	V	AVERAGE	Pass	Harmonic
19	802.11a	97	-	-	-	-	-	-	-	Band Edge
19	802.11a	97	12870.00	54.10	88.20	-34.10	V	PEAK	Pass	Harmonic
20	802.11a	105	-	-	-	-	-	-	-	Band Edge
20	802.11a	105	12950.00	50.12	88.20	-38.08	V	PEAK	Pass	Harmonic
21	802.11a	113	-	-	-	-	-	-	-	Band Edge
21	802.11a	113	13030.00	51.65	88.20	-36.55	V	PEAK	Pass	Harmonic
22	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge







22	802.11ax HE20	97	12870.00	50.78	88.20	-37.42	V	PEAK	Pass	Harmonic
23	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	105	12950.00	50.53	88.20	-37.67	V	PEAK	Pass	Harmonic
24	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	113	13030.00	50.00	88.20	-38.20	V	PEAK	Pass	Harmonic
25	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE40	99	12890.00	46.11	88.20	-42.09	V	PEAK	Pass	Harmonic
26	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	107	12970.00	46.09	88.20	-42.11	H	PEAK	Pass	Harmonic
27	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	115	13050.00	46.05	88.20	-42.15	V	PEAK	Pass	Harmonic
28	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE80	103	12930.00	47.21	88.20	-40.99	H	PEAK	Pass	Harmonic
29	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	119	13090.00	46.95	88.20	-41.25	H	PEAK	Pass	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE160	111	13010.00	47.24	88.20	-40.96	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	48.42	88.20	-39.78	H	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	45.64	54.00	-8.36	V	AVERAGE	Pass	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Band Edge
33	802.11a	185	13750.00	52.36	88.20	-35.84	V	PEAK	Pass	Harmonic
34	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	117	13070.00	49.39	88.20	-38.81	V	PEAK	Pass	Harmonic
35	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	149	13390.00	44.72	54.00	-9.28	V	AVERAGE	Pass	Harmonic
36	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	185	13750.00	53.45	88.20	-34.75	V	PEAK	Pass	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	123	13130.00	48.14	88.20	-40.06	V	PEAK	Pass	Harmonic
38	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE40	147	13370.00	41.58	54.00	-12.42	V	AVERAGE	Pass	Harmonic
39	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	179	13690.00	52.67	88.20	-35.53	V	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	38.04	54.00	-15.96	H	AVERAGE	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	46.50	88.20	-41.70	V	PEAK	Pass	Harmonic
42	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	183	13730.00	48.47	88.20	-39.73	V	PEAK	Pass	Harmonic
43	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE160	143	13330.00	37.32	54.00	-16.68	V	AVERAGE	Pass	Harmonic
44	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	175	13650.00	48.11	88.20	-40.09	V	PEAK	Pass	Harmonic
45	802.11a	189	-	-	-	-	-	-	-	Band Edge
45	802.11a	189	13790.00	53.58	88.20	-34.62	V	PEAK	Pass	Harmonic







46	802.11a	209	-	-	-	-	-	-	-	Band Edge
46	802.11a	209	13990.00	54.80	88.20	-33.40	V	PEAK	Pass	Harmonic
47	802.11a	229	7125.64	57.94	68.20	-10.26	H	AVERAGE	Pass	Band Edge
47	802.11a	229	14190.00	54.12	88.20	-34.08	H	Peak	Pass	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	189	13790.00	47.25	88.20	-40.95	V	PEAK	Pass	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	209	13990.00	54.49	88.20	-33.71	V	PEAK	Pass	Harmonic
50	802.11ax HE20	229	7125.64	58.32	68.20	-9.88	H	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	14190.00	54.58	88.20	-33.62	H	Peak	Pass	Harmonic
51	802.11ax HE20	229	7241.80	44.06	68.20	-24.14	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
52	802.11ax HE20	229	7138.60	44.06	68.20	-24.14	V	AVERAGE	Pass	Band Edge
52	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
53	802.11ax HE20	229	7142.28	44.07	68.20	-24.13	V	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	203	13930.00	47.79	88.20	-40.41	V	PEAK	Pass	Harmonic
55	802.11ax HE40	227	7127.08	58.58	68.20	-9.62	H	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	14170.00	51.39	88.20	-36.81	V	Peak	Pass	Harmonic
56	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	199	13890.00	47.96	88.20	-40.24	V	PEAK	Pass	Harmonic
57	802.11ax HE80	215	7127.30	59.85	68.20	-8.35	H	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	48.93	88.20	-39.27	V	PEAK	Pass	Harmonic
58	802.11ax HE160	207	7132.60	60.98	68.20	-7.22	H	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	13970.00	48.15	88.20	-40.05	V	PEAK	Pass	Harmonic
60	802.11a	2	5924.97	64.68	68.20	-3.52	V	AVERAGE	Pass	Band Edge
60	802.11a	2	11870.00	36.77	54.00	-17.23	H	AVERAGE	Pass	Harmonic
65	802.11a	233	7125.01	64.83	68.20	-3.37	H	AVERAGE	Pass	Band Edge
65	802.11a	233	14230.00	48.39	88.20	-39.81	V	PEAK	Pass	Harmonic
59	802.11a	233	311.30	35.14	46.00	-10.86	H	PEAK	Pass	LF





		1																																																				
Mode		Band Edge																																																				
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																				
ANT		CDD 5+4																																																				
Pol.		Horizontal																																																				
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.24</td><td>66.49</td><td>88.20</td><td>-21.71</td><td>52.88</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>134</td><td>328</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	66.49	88.20	-21.71	52.88	35.09	10.51	31.99	0.00	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5922.24	66.49	88.20	-21.71	52.88	35.09	10.51	31.99	0.00	134	328	PEAK																																										
Fundamental																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.03</td><td>-----</td><td>-----</td><td>96.30</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>134</td><td>328</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.03	-----	-----	96.30	35.20	10.54	32.01	0.00	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	110.03	-----	-----	96.30	35.20	10.54	32.01	0.00	134	328	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>55.40</td><td>68.20</td><td>-12.80</td><td>41.78</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>134</td><td>328</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	55.40	68.20	-12.80	41.78	35.10	10.51	31.99	0.00	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5924.32	55.40	68.20	-12.80	41.78	35.10	10.51	31.99	0.00	134	328	AVERAGE																																										
AVERAGE																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.40</td><td>-----</td><td>-----</td><td>87.65</td><td>35.22</td><td>10.55</td><td>32.02</td><td>0.00</td><td>134</td><td>328</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.40	-----	-----	87.65	35.22	10.55	32.02	0.00	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5955.00	101.40	-----	-----	87.65	35.22	10.55	32.02	0.00	134	328	AVERAGE																																										



		1																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																					
ANT		CDD 5+4																																																					
Pol.		Vertical																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.46</td><td>66.05</td><td>88.20</td><td>-22.15</td><td>52.44</td><td>35.09</td><td>10.51</td><td>31.99</td><td>0.00</td><td>305</td><td>270</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.46	66.05	88.20	-22.15	52.44	35.09	10.51	31.99	0.00	305	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5921.46	66.05	88.20	-22.15	52.44	35.09	10.51	31.99	0.00	305	270	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.14</td><td>-----</td><td>-----</td><td>95.41</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>305</td><td>270</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.14	-----	-----	95.41	35.20	10.54	32.01	0.00	305	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	109.14	-----	-----	95.41	35.20	10.54	32.01	0.00	305	270	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>53.62</td><td>68.20</td><td>-14.58</td><td>39.99</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>305</td><td>270</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	53.62	68.20	-14.58	39.99	35.10	10.52	31.99	0.00	305	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.45	53.62	68.20	-14.58	39.99	35.10	10.52	31.99	0.00	305	270	AVERAGE																																											
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.26</td><td>-----</td><td>-----</td><td>86.53</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>305</td><td>270</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.26	-----	-----	86.53	35.20	10.54	32.01	0.00	305	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	100.26	-----	-----	86.53	35.20	10.54	32.01	0.00	305	270	AVERAGE																																											



Mode	1																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																													
ANT	CDD 5+4																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11912.00</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>60.27</td><td>38.81</td><td>15.21</td><td>60.61</td><td>0.00</td><td>164</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>11912.00</td><td>45.41</td><td>54.00</td><td>-8.59</td><td>52.00</td><td>38.81</td><td>15.21</td><td>60.61</td><td>0.00</td><td>164</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11912.00	53.68	74.00	-20.32	60.27	38.81	15.21	60.61	0.00	164	360	Peak	2	11912.00	45.41	54.00	-8.59	52.00	38.81	15.21	60.61	0.00	164	360	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11920.00</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>58.48</td><td>38.82</td><td>15.21</td><td>60.61</td><td>0.00</td><td>300</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>11920.00</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>51.21</td><td>38.82</td><td>15.21</td><td>60.61</td><td>0.00</td><td>300</td><td>11</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11920.00	51.90	74.00	-22.10	58.48	38.82	15.21	60.61	0.00	300	11	Peak	2	11920.00	44.63	54.00	-9.37	51.21	38.82	15.21	60.61	0.00	300	11	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11912.00	53.68	74.00	-20.32	60.27	38.81	15.21	60.61	0.00	164	360	Peak																																																																																																																		
2	11912.00	45.41	54.00	-8.59	52.00	38.81	15.21	60.61	0.00	164	360	Average																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11920.00	51.90	74.00	-22.10	58.48	38.82	15.21	60.61	0.00	300	11	Peak																																																																																																																		
2	11920.00	44.63	54.00	-9.37	51.21	38.82	15.21	60.61	0.00	300	11	Average																																																																																																																		







Mode	2																																																								
	Harmonic																																																								
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																								
ANT	CDD 5+4																																																								
Pol.	Horizontal						Vertical																																																		
Peak Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>12350.00</td><td>54.89</td><td>74.00</td><td>-19.11</td><td>61.01</td><td>38.85</td><td>15.54</td><td>60.51</td></tr><tr><td>2</td><td>12350.00</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>51.51</td><td>38.85</td><td>15.54</td><td>60.51</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12350.00	54.89	74.00	-19.11	61.01	38.85	15.54	60.51	2	12350.00	45.39	54.00	-8.61	51.51	38.85	15.54	60.51
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	12350.00	54.89	74.00	-19.11	61.01	38.85	15.54	60.51																																																	
2	12350.00	45.39	54.00	-8.61	51.51	38.85	15.54	60.51																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>12350.00</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>65.60</td><td>38.85</td><td>15.54</td><td>60.51</td></tr><tr><td>2</td><td>12350.00</td><td>49.11</td><td>54.00</td><td>-4.89</td><td>55.23</td><td>38.85</td><td>15.54</td><td>60.51</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	12350.00	59.48	74.00	-14.52	65.60	38.85	15.54	60.51	2	12350.00	49.11	54.00	-4.89	55.23	38.85	15.54	60.51	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																	
1	12350.00	59.48	74.00	-14.52	65.60	38.85	15.54	60.51																																																	
2	12350.00	49.11	54.00	-4.89	55.23	38.85	15.54	60.51																																																	







Mode	3																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																		
ANT	CDD 5+4																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg	Level (dBuV/m) Frequency (MHz)						Level (dBuV/m) Frequency (MHz)																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>50.89</td><td>88.20</td><td>-37.31</td><td>55.97</td><td>39.43</td><td>15.92</td><td>60.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	50.89	88.20	-37.31	55.97	39.43	15.92	60.43	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.29</td><td>88.20</td><td>-34.91</td><td>58.37</td><td>39.43</td><td>15.92</td><td>60.43</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.29	88.20	-34.91	58.37	39.43	15.92	60.43	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12830.00	50.89	88.20	-37.31	55.97	39.43	15.92	60.43	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12830.00	53.29	88.20	-34.91	58.37	39.43	15.92	60.43	0.00	---	---	PEAK																																																																																							



		4																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																											
ANT		CDD 5+4																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.19</td><td>65.43</td><td>88.20</td><td>-22.77</td><td>51.81</td><td>35.10</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.19	65.43	88.20	-22.77	51.81	35.10	10.51	31.99	0.00	100	330	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.55</td><td>-----</td><td>-----</td><td>97.82</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.55	-----	-----	97.82	35.20	10.54	32.01	0.00	100	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5924.19	65.43	88.20	-22.77	51.81	35.10	10.51	31.99	0.00	100	330	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5955.00	111.55	-----	-----	97.82	35.20	10.54	32.01	0.00	100	330	PEAK																																																																																																	
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>53.42</td><td>68.20</td><td>-14.78</td><td>39.79</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	53.42	68.20	-14.78	39.79	35.10	10.52	31.99	0.00	100	330	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.93</td><td>-----</td><td>-----</td><td>86.20</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.93	-----	-----	86.20	35.20	10.54	32.01	0.00	100	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5924.97	53.42	68.20	-14.78	39.79	35.10	10.52	31.99	0.00	100	330	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5955.00	99.93	-----	-----	86.20	35.20	10.54	32.01	0.00	100	330	AVERAGE																																																																																																	



Mode	4																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																									
ANT	CDD 5+4																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5928.42</td><td>64.87</td><td>88.20</td><td>-23.33</td><td>51.27</td><td>35.08</td><td>10.51</td><td>31.99</td><td>0.00</td><td>367</td><td>277</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5928.42	64.87	88.20	-23.33	51.27	35.08	10.51	31.99	0.00	367	277	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.05</td><td>-----</td><td>-----</td><td>94.32</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>367</td><td>277</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.05	-----	-----	94.32	35.20	10.54	32.01	0.00	367	277	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5928.42	64.87	88.20	-23.33	51.27	35.08	10.51	31.99	0.00	367	277	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	108.05	-----	-----	94.32	35.20	10.54	32.01	0.00	367	277	PEAK																																																																														
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>53.11</td><td>68.20</td><td>-15.09</td><td>39.48</td><td>35.10</td><td>10.52</td><td>31.99</td><td>0.00</td><td>367</td><td>277</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	53.11	68.20	-15.09	39.48	35.10	10.52	31.99	0.00	367	277	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.20</td><td>-----</td><td>-----</td><td>85.47</td><td>35.20</td><td>10.54</td><td>32.01</td><td>0.00</td><td>367</td><td>277</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.20	-----	-----	85.47	35.20	10.54	32.01	0.00	367	277	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5924.97	53.11	68.20	-15.09	39.48	35.10	10.52	31.99	0.00	367	277	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	99.20	-----	-----	85.47	35.20	10.54	32.01	0.00	367	277	AVERAGE																																																																														