11AX160MIMO_Ant5_6345



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-249.600 MHz	2.000 MHz	6.08008 GHz	-61.43 dBm	-51.57 dB	-11.57 dB
-249.600 MHz	-166.400 MHz	2.000 MHz	6.09576 GHz	-61.70 dBm	-51.84 dB	-11.89 dB
-166.400 MHz	-84.200 MHz	2.000 MHz	6.26076 GHz	-42.49 dBm	-32.64 dB	-12.63 dB
-84.200 MHz	-83.200 MHz	2.000 MHz	6.26084 GHz	-42.42 dBm	-32.56 dB	-13.40 dB
83.200 MHz	84.200 MHz	2.000 MHz	6.42916 GHz	-41.42 dBm	-31.56 dB	-12.39 dB
84.200 MHz	166.400 MHz	2.000 MHz	6.42932 GHz	-41.59 dBm	-31.73 dB	-11.72 dB
166.400 MHz	249.600 MHz	2.000 MHz	6.59432 GHz	-62.79 dBm	-52.93 dB	-12.97 dB
249.600 MHz	400.000 MHz	2.000 MHz	6.59728 GHz	-62.60 dBm	-52.75 dB	-12.75 dB

11AX160MIMO_Ant4_6345



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-250.800 MHz	2.000 MHz	6.09296 GHz	-58.81 dBm	-50.58 dB	-10.58 dB
-250.800 MHz	-167.200 MHz	2.000 MHz	6.09456 GHz	-58.85 dBm	-50.62 dB	-10.67 dB
-167.200 MHz	-84.600 MHz	2.000 MHz	6.26036 GHz	-40.02 dBm	-31.79 dB	-11.79 dB
-84.600 MHz	-83.600 MHz	2.000 MHz	6.26044 GHz	-39.88 dBm	-31.65 dB	-12.49 dB
83.600 MHz	84.600 MHz	2.000 MHz	6.42956 GHz	-42.14 dBm	-33.91 dB	-14.74 dB
84.600 MHz	167.200 MHz	2.000 MHz	6.42964 GHz	-42.21 dBm	-33.98 dB	-13.97 dB
167.200 MHz	250.800 MHz	2.000 MHz	6.59544 GHz	-63.06 dBm	-54.84 dB	-14.89 dB
250.800 MHz	400.000 MHz	2.000 MHz	6.59704 GHz	-62.95 dBm	-54.73 dB	-14.73 dB

11AX160MIMO_Ant5_6505



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-249.600 MHz	2.000 MHz	6.23472 GHz	-60.74 dBm	-51.65 dB	-11.65 dB
-249.600 MHz	-166.400 MHz	2.000 MHz	6.25576 GHz	-60.85 dBm	-51.77 dB	-11.82 dB
-166.400 MHz	-84.200 MHz	2.000 MHz	6.42076 GHz	-42.14 dBm	-33.06 dB	-13.05 dB
-84.200 MHz	-83.200 MHz	2.000 MHz	6.42084 GHz	-41.96 dBm	-32.87 dB	-13.71 dB
83.200 MHz	84.200 MHz	2.000 MHz	6.58916 GHz	-41.41 dBm	-32.32 dB	-13.16 dB
84.200 MHz	166.400 MHz	2.000 MHz	6.58924 GHz	-41.68 dBm	-32.60 dB	-12.59 dB
166.400 MHz	249.600 MHz	2.000 MHz	6.75424 GHz	-60.40 dBm	-51.32 dB	-11.37 dB
249.600 MHz	400.000 MHz	2.000 MHz	6.75584 GHz	-60.29 dBm	-51.20 dB	-11.20 dB

11AX160MIMO_Ant4_6505



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.400 MHz	2.000 MHz	6.25608 GHz	-56.65 dBm	-49.07 dB	-9.07 dB
-248.400 MHz	-165.600 MHz	2.000 MHz	6.25680 GHz	-56.65 dBm	-49.07 dB	-9.10 dB
-165.600 MHz	-83.800 MHz	2.000 MHz	6.42116 GHz	-39.06 dBm	-31.48 dB	-11.48 dB
-83.800 MHz	-82.800 MHz	2.000 MHz	6.42124 GHz	-38.90 dBm	-31.32 dB	-12.16 dB
82.800 MHz	83.800 MHz	2.000 MHz	6.58876 GHz	-40.39 dBm	-32.82 dB	-13.65 dB
83.800 MHz	165.600 MHz	2.000 MHz	6.58892 GHz	-40.62 dBm	-33.04 dB	-13.03 dB
165.600 MHz	248.400 MHz	2.000 MHz	6.75336 GHz	-60.53 dBm	-52.95 dB	-12.96 dB
248.400 MHz	400.000 MHz	2.000 MHz	6.75544 GHz	-60.54 dBm	-52.96 dB	-12.96 dB

11AX160MIMO_Ant5_6665



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-247.200 MHz	2.000 MHz	6.39912 GHz	-63.21 dBm	-54.05 dB	-14.05 dB
-247.200 MHz	-164.800 MHz	2.000 MHz	6.41816 GHz	-63.37 dBm	-54.21 dB	-14.26 dB
-164.800 MHz	-83.400 MHz	2.000 MHz	6.58156 GHz	-41.88 dBm	-32.72 dB	-12.72 dB
-83.400 MHz	-82.400 MHz	2.000 MHz	6.58164 GHz	-41.65 dBm	-32.49 dB	-13.33 dB
82.400 MHz	83.400 MHz	2.000 MHz	6.74836 GHz	-40.51 dBm	-31.35 dB	-12.19 dB
83.400 MHz	164.800 MHz	2.000 MHz	6.74844 GHz	-40.63 dBm	-31.47 dB	-11.47 dB
164.800 MHz	247.200 MHz	2.000 MHz	6.91168 GHz	-62.90 dBm	-53.75 dB	-13.82 dB
247.200 MHz	400.000 MHz	2.000 MHz	6.91504 GHz	-62.80 dBm	-53.64 dB	-13.64 dB

11AX160MIMO_Ant4_6665



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-247.200 MHz	2.000 MHz	6.40720 GHz	-59.78 dBm	-51.79 dB	-11.79 dB
-247.200 MHz	-164.800 MHz	2.000 MHz	6.41848 GHz	-59.92 dBm	-51.93 dB	-12.03 dB
-164.800 MHz	-83.400 MHz	2.000 MHz	6.58156 GHz	-39.55 dBm	-31.56 dB	-11.56 dB
-83.400 MHz	-82.400 MHz	2.000 MHz	6.58164 GHz	-39.46 dBm	-31.47 dB	-12.30 dB
82.400 MHz	83.400 MHz	2.000 MHz	6.74836 GHz	-39.98 dBm	-32.00 dB	-12.83 dB
83.400 MHz	164.800 MHz	2.000 MHz	6.74844 GHz	-40.22 dBm	-32.24 dB	-12.23 dB
164.800 MHz	247.200 MHz	2.000 MHz	6.91168 GHz	-61.17 dBm	-53.18 dB	-13.26 dB
247.200 MHz	400.000 MHz	2.000 MHz	6.91600 GHz	-61.07 dBm	-53.08 dB	-13.08 dB

11AX160MIMO_Ant5_6825



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-247.200 MHz	2.000 MHz	6.57128 GHz	-63.13 dBm	-53.56 dB	-13.56 dB
-247.200 MHz	-164.800 MHz	2.000 MHz	6.57784 GHz	-63.33 dBm	-53.76 dB	-13.77 dB
-164.800 MHz	-83.400 MHz	2.000 MHz	6.74148 GHz	-41.06 dBm	-31.49 dB	-11.48 dB
-83.400 MHz	-82.400 MHz	2.000 MHz	6.74164 GHz	-40.82 dBm	-31.25 dB	-12.09 dB
82.400 MHz	83.400 MHz	2.000 MHz	6.90836 GHz	-41.99 dBm	-32.42 dB	-13.26 dB
83.400 MHz	164.800 MHz	2.000 MHz	6.90844 GHz	-42.09 dBm	-32.52 dB	-12.51 dB
164.800 MHz	247.200 MHz	2.000 MHz	7.07192 GHz	-64.52 dBm	-54.95 dB	-14.99 dB
247.200 MHz	400.000 MHz	2.000 MHz	7.07240 GHz	-64.34 dBm	-54.77 dB	-14.77 dB

11AX160MIMO_Ant4_6825



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-249.600 MHz	2.000 MHz	6.56872 GHz	-61.43 dBm	-52.09 dB	-12.09 dB
-249.600 MHz	-166.400 MHz	2.000 MHz	6.57560 GHz	-61.64 dBm	-52.31 dB	-12.34 dB
-166.400 MHz	-84.200 MHz	2.000 MHz	6.74076 GHz	-41.28 dBm	-31.95 dB	-11.94 dB
-84.200 MHz	-83.200 MHz	2.000 MHz	6.74084 GHz	-41.18 dBm	-31.84 dB	-12.68 dB
83.200 MHz	84.200 MHz	2.000 MHz	6.90916 GHz	-41.35 dBm	-32.01 dB	-12.84 dB
84.200 MHz	166.400 MHz	2.000 MHz	6.90932 GHz	-41.44 dBm	-32.10 dB	-12.09 dB
166.400 MHz	249.600 MHz	2.000 MHz	7.07448 GHz	-61.06 dBm	-51.72 dB	-11.74 dB
249.600 MHz	400.000 MHz	2.000 MHz	7.07464 GHz	-61.03 dBm	-51.69 dB	-11.69 dB

11AX160MIMO_Ant5_6985



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-248.400 MHz	2.000 MHz	6.73448 GHz	-57.89 dBm	-50.01 dB	-10.01 dB
-248.400 MHz	-165.600 MHz	2.000 MHz	6.73688 GHz	-58.06 dBm	-50.18 dB	-10.22 dB
-165.600 MHz	-83.800 MHz	2.000 MHz	6.90116 GHz	-39.03 dBm	-31.15 dB	-11.15 dB
-83.800 MHz	-82.800 MHz	2.000 MHz	6.90124 GHz	-39.02 dBm	-31.14 dB	-11.97 dB
82.800 MHz	83.800 MHz	2.000 MHz	7.06876 GHz	-40.89 dBm	-33.01 dB	-13.84 dB
83.800 MHz	165.600 MHz	2.000 MHz	7.06892 GHz	-40.71 dBm	-32.83 dB	-12.81 dB
165.600 MHz	248.400 MHz	2.000 MHz	7.23328 GHz	-62.07 dBm	-54.19 dB	-14.21 dB
248.400 MHz	400.000 MHz	2.000 MHz	7.23368 GHz	-61.96 dBm	-54.08 dB	-14.08 dB

11AX160MIMO_Ant4_6985



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-247.200 MHz	2.000 MHz	6.73520 GHz	-61.31 dBm	-54.20 dB	-14.20 dB
-247.200 MHz	-164.800 MHz	2.000 MHz	6.73800 GHz	-61.42 dBm	-54.32 dB	-14.35 dB
-164.800 MHz	-83.400 MHz	2.000 MHz	6.90148 GHz	-39.31 dBm	-32.21 dB	-12.20 dB
-83.400 MHz	-82.400 MHz	2.000 MHz	6.90164 GHz	-39.17 dBm	-32.07 dB	-12.90 dB
82.400 MHz	83.400 MHz	2.000 MHz	7.06836 GHz	-38.35 dBm	-31.24 dB	-12.08 dB
83.400 MHz	164.800 MHz	2.000 MHz	7.06844 GHz	-38.13 dBm	-31.03 dB	-11.02 dB
164.800 MHz	247.200 MHz	2.000 MHz	7.23208 GHz	-59.09 dBm	-51.99 dB	-12.01 dB
247.200 MHz	400.000 MHz	2.000 MHz	7.23240 GHz	-59.03 dBm	-51.92 dB	-11.92 dB

<802.11ax Partial RU>

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20 MIMO	Ant5	5955	26Tone	RU0	-3.99	-8.50	-12.49	≤-1.00	PASS
			52Tone	RU37	-4.13	-8.50	-12.63	≤-1.00	PASS
			106Tone	RU53	-4.3	-8.50	-12.80	≤-1.00	PASS
	Ant4	5955	26Tone	RU0	-5.73	-9.20	-14.93	≤-1.00	PASS
			52Tone	RU37	-5.69	-9.20	-14.89	≤-1.00	PASS
			106Tone	RU53	-5.72	-9.20	-14.92	≤-1.00	PASS
	total	5955	26Tone	RU0	-1.76	-5.83	-7.59	≤-1.00	PASS
			52Tone	RU37	-1.83	-5.83	-7.66	≤-1.00	PASS
			106Tone	RU53	-1.94	-5.83	-7.77	≤-1.00	PASS
	Ant5	6175	26Tone	RU0	-4.57	-8.50	-13.07	≤-1.00	PASS
			52Tone	RU37	-3.99	-8.50	-12.49	≤-1.00	PASS
			106Tone	RU53	-5.54	-8.50	-14.04	≤-1.00	PASS
	Ant4	6175	26Tone	RU0	-5.13	-9.20	-14.33	≤-1.00	PASS
			52Tone	RU37	-5.64	-9.20	-14.84	≤-1.00	PASS
			106Tone	RU53	-4.01	-9.20	-13.21	≤-1.00	PASS
	total	6175	26Tone	RU0	-1.83	-5.83	-7.66	≤-1.00	PASS
			52Tone	RU37	-1.73	-5.83	-7.56	≤-1.00	PASS
			106Tone	RU53	-1.70	-5.83	-7.53	≤-1.00	PASS
	Ant5	6415	26Tone	RU8	-4.4	-8.50	-12.90	≤-1.00	PASS
			52Tone	RU40	-5.03	-8.50	-13.53	≤-1.00	PASS
			106Tone	RU54	-5.45	-8.50	-13.95	≤-1.00	PASS
	Ant4	6415	26Tone	RU8	-6.88	-9.20	-16.08	≤-1.00	PASS
			52Tone	RU40	-6.05	-9.20	-15.25	≤-1.00	PASS
			106Tone	RU54	-3.9	-9.20	-13.10	≤-1.00	PASS
	total	6415	26Tone	RU8	-2.46	-5.83	-8.29	≤-1.00	PASS
			52Tone	RU40	-2.50	-5.83	-8.33	≤-1.00	PASS
			106Tone	RU54	-1.60	-5.83	-7.43	≤-1.00	PASS
	Ant5	6435	26Tone	RU0	-3.46	-8.90	-12.36	≤-1.00	PASS
			52Tone	RU37	-3.74	-8.90	-12.64	≤-1.00	PASS
			106Tone	RU53	-4.91	-8.90	-13.81	≤-1.00	PASS
	Ant4	6435	26Tone	RU0	-4.89	-9.50	-14.39	≤-1.00	PASS
			52Tone	RU37	-4.82	-9.50	-14.32	≤-1.00	PASS
			106Tone	RU53	-3.16	-9.50	-12.66	≤-1.00	PASS
	total	6435	26Tone	RU0	-1.11	-6.18	-7.29	≤-1.00	PASS
			52Tone	RU37	-1.24	-6.18	-7.42	≤-1.00	PASS
			106Tone	RU53	-0.94	-6.18	-7.12	≤-1.00	PASS
	Ant5	6475	26Tone	RU0	-3.97	-8.90	-12.87	≤-1.00	PASS
			52Tone	RU37	-4.28	-8.90	-13.18	≤-1.00	PASS
			106Tone	RU53	-5.21	-8.90	-14.11	≤-1.00	PASS
	Ant4	6475	26Tone	RU0	-5.35	-9.50	-14.85	≤-1.00	PASS
			52Tone	RU37	-5.66	-9.50	-15.16	≤-1.00	PASS

			106Tone	RU53	-3.68	-9.50	-13.18	≤-1.00	PASS
	total	6475	26Tone	RU0	-1.60	-6.18	-7.78	≤-1.00	PASS
			52Tone	RU37	-1.91	-6.18	-8.09	≤-1.00	PASS
			106Tone	RU53	-1.37	-6.18	-7.55	≤-1.00	PASS
	Ant5	6515	26Tone	RU8	-3.47	-8.90	-12.37	≤-1.00	PASS
			52Tone	RU40	-3.41	-8.90	-12.31	≤-1.00	PASS
			106Tone	RU54	-3.5	-8.90	-12.40	≤-1.00	PASS
	Ant4	6515	26Tone	RU8	-4.42	-9.50	-13.92	≤-1.00	PASS
			52Tone	RU40	-5.54	-9.50	-15.04	≤-1.00	PASS
			106Tone	RU54	-5.72	-9.50	-15.22	≤-1.00	PASS
	total	6515	26Tone	RU8	-0.91	-6.18	-7.09	≤-1.00	PASS
			52Tone	RU40	-1.34	-6.18	-7.52	≤-1.00	PASS
			106Tone	RU54	-1.46	-6.18	-7.64	≤-1.00	PASS
	Ant5	6535	26Tone	RU0	-4.27	-9.30	-13.57	≤-1.00	PASS
			52Tone	RU37	-4.77	-9.30	-14.07	≤-1.00	PASS
			106Tone	RU53	-4.78	-9.30	-14.08	≤-1.00	PASS
	Ant4	6535	26Tone	RU0	-5.72	-9.60	-15.32	≤-1.00	PASS
			52Tone	RU37	-5.55	-9.60	-15.15	≤-1.00	PASS
			106Tone	RU53	-5.51	-9.60	-15.11	≤-1.00	PASS
	total	6535	26Tone	RU0	-1.92	-6.44	-8.36	≤-1.00	PASS
			52Tone	RU37	-2.13	-6.44	-8.57	≤-1.00	PASS
			106Tone	RU53	-2.12	-6.44	-8.56	≤-1.00	PASS
	Ant5	6695	26Tone	RU0	-3.68	-9.30	-12.98	≤-1.00	PASS
			52Tone	RU37	-4.3	-9.30	-13.60	≤-1.00	PASS
			106Tone	RU53	-4.5	-9.30	-13.80	≤-1.00	PASS
	Ant4	6695	26Tone	RU0	-6.52	-9.60	-16.12	≤-1.00	PASS
			52Tone	RU37	-6.59	-9.60	-16.19	≤-1.00	PASS
			106Tone	RU53	-6.46	-9.60	-16.06	≤-1.00	PASS
	total	6695	26Tone	RU0	-1.86	-6.44	-8.30	≤-1.00	PASS
			52Tone	RU37	-2.29	-6.44	-8.73	≤-1.00	PASS
			106Tone	RU53	-2.36	-6.44	-8.80	≤-1.00	PASS
	Ant5	6855	26Tone	RU8	-4.78	-9.30	-14.08	≤-1.00	PASS
			52Tone	RU40	-4.7	-9.30	-14.00	≤-1.00	PASS
			106Tone	RU54	-4.81	-9.30	-14.11	≤-1.00	PASS
	Ant4	6855	26Tone	RU8	-5.87	-9.60	-15.47	≤-1.00	PASS
			52Tone	RU40	-6.33	-9.60	-15.93	≤-1.00	PASS
			106Tone	RU54	-6.19	-9.60	-15.79	≤-1.00	PASS
	total	6855	26Tone	RU8	-2.28	-6.44	-8.72	≤-1.00	PASS
			52Tone	RU40	-2.43	-6.44	-8.87	≤-1.00	PASS
			106Tone	RU54	-2.44	-6.44	-8.88	≤-1.00	PASS
	Ant5	6875	26Tone	RU0	-4.54	-9.30	-13.84	≤-1.00	PASS
			52Tone	RU37	-4.31	-9.30	-13.61	≤-1.00	PASS
			106Tone	RU53	-4.5	-9.30	-13.80	≤-1.00	PASS
	Ant4	6875	26Tone	RU0	-5.8	-9.60	-15.40	≤-1.00	PASS
			52Tone	RU37	-6.19	-9.60	-15.79	≤-1.00	PASS
			106Tone	RU53	-6.08	-9.60	-15.68	≤-1.00	PASS
	total	6875	26Tone	RU0	-2.11	-6.44	-8.55	≤-1.00	PASS
			52Tone	RU37	-2.14	-6.44	-8.58	≤-1.00	PASS
			106Tone	RU53	-2.21	-6.44	-8.65	≤-1.00	PASS
	Ant5	6895	26Tone	RU0	-2.71	-9.80	-12.51	≤-1.00	PASS

			52Tone	RU37	-2.38	-9.80	-12.18	≤-1.00	PASS
			106Tone	RU53	-3.52	-9.80	-13.32	≤-1.00	PASS
	Ant4	6895	26Tone	RU0	-3.52	-9.80	-13.32	≤-1.00	PASS
			52Tone	RU37	-4.67	-9.80	-14.47	≤-1.00	PASS
			106Tone	RU53	-2.72	-9.80	-12.52	≤-1.00	PASS
	total	6895	26Tone	RU0	-0.09	-6.79	-6.88	≤-1.00	PASS
			52Tone	RU37	-0.37	-6.79	-7.16	≤-1.00	PASS
			106Tone	RU53	-0.09	-6.79	-6.88	≤-1.00	PASS
	Ant5	6995	26Tone	RU0	-2.68	-9.80	-12.48	≤-1.00	PASS
			52Tone	RU37	-2.76	-9.80	-12.56	≤-1.00	PASS
			106Tone	RU53	-3.79	-9.80	-13.59	≤-1.00	PASS
	Ant4	6995	26Tone	RU0	-3.91	-9.80	-13.71	≤-1.00	PASS
			52Tone	RU37	-4.89	-9.80	-14.69	≤-1.00	PASS
			106Tone	RU53	-2.8	-9.80	-12.60	≤-1.00	PASS
	total	6995	26Tone	RU0	-0.24	-6.79	-7.03	≤-1.00	PASS
			52Tone	RU37	-0.69	-6.79	-7.48	≤-1.00	PASS
			106Tone	RU53	-0.26	-6.79	-7.05	≤-1.00	PASS
	Ant5	7095	26Tone	RU8	-2.94	-9.80	-12.74	≤-1.00	PASS
			52Tone	RU40	-3.15	-9.80	-12.95	≤-1.00	PASS
			106Tone	RU54	-4.12	-9.80	-13.92	≤-1.00	PASS
	Ant4	7095	26Tone	RU8	-4.37	-9.80	-14.17	≤-1.00	PASS
			52Tone	RU40	-4.52	-9.80	-14.32	≤-1.00	PASS
			106Tone	RU54	-2.84	-9.80	-12.64	≤-1.00	PASS
	total	7095	26Tone	RU8	-0.59	-6.79	-7.38	≤-1.00	PASS
			52Tone	RU40	-0.77	-6.79	-7.56	≤-1.00	PASS
			106Tone	RU54	-0.42	-6.79	-7.21	≤-1.00	PASS

Note： The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11AX20MIMO_Ant5_5955_26Tone_RU0



11AX20MIMO_Ant5_5955_52Tone_RU37



11AX20MIMO_Ant5_5955_106Tone_RU53



11AX20MIMO_Ant4_5955_26Tone_RU0



11AX20MIMO_Ant4_5955_52Tone_RU37



11AX20MIMO_Ant4_5955_106Tone_RU53



11AX20MIMO_Ant5_6175_26Tone_RU0



11AX20MIMO_Ant5_6175_52Tone_RU37



11AX20MIMO_Ant5_6175_106Tone_RU53



11AX20MIMO_Ant4_6175_26Tone_RU0



11AX20MIMO_Ant4_6175_52Tone_RU37



11AX20MIMO_Ant4_6175_106Tone_RU53



11AX20MIMO_Ant5_6415_26Tone_RU8



11AX20MIMO_Ant5_6415_52Tone_RU40



11AX20MIMO_Ant5_6415_106Tone_RU54



11AX20MIMO_Ant4_6415_26Tone_RU8



11AX20MIMO_Ant4_6415_52Tone_RU40



11AX20MIMO_Ant4_6415_106Tone_RU54



11AX20MIMO_Ant5_6435_26Tone_RU0



11AX20MIMO_Ant5_6435_52Tone_RU37



11AX20MIMO_Ant5_6435_106Tone_RU53



11AX20MIMO_Ant4_6435_26Tone_RU0



11AX20MIMO_Ant4_6435_52Tone_RU37



11AX20MIMO_Ant4_6435_106Tone_RU53



11AX20MIMO_Ant5_6475_26Tone_RU0



11AX20MIMO_Ant5_6475_52Tone_RU37



11AX20MIMO_Ant5_6475_106Tone_RU53



11AX20MIMO_Ant4_6475_26Tone_RU0



11AX20MIMO_Ant4_6475_52Tone_RU37



11AX20MIMO_Ant4_6475_106Tone_RU53



11AX20MIMO_Ant5_6515_26Tone_RU8



11AX20MIMO_Ant5_6515_52Tone_RU40



11AX20MIMO_Ant5_6515_106Tone_RU54



11AX20MIMO_Ant4_6515_26Tone_RU8



11AX20MIMO_Ant4_6515_52Tone_RU40



11AX20MIMO_Ant4_6515_106Tone_RU54



11AX20MIMO_Ant5_6535_26Tone_RU0



11AX20MIMO_Ant5_6535_52Tone_RU37



11AX20MIMO_Ant5_6535_106Tone_RU53



11AX20MIMO_Ant4_6535_26Tone_RU0



11AX20MIMO_Ant4_6535_52Tone_RU37



11AX20MIMO_Ant4_6535_106Tone_RU53



11AX20MIMO_Ant5_6695_26Tone_RU0



11AX20MIMO_Ant5_6695_52Tone_RU37



11AX20MIMO_Ant5_6695_106Tone_RU53



11AX20MIMO_Ant4_6695_26Tone_RU0



11AX20MIMO_Ant4_6695_52Tone_RU37



11AX20MIMO_Ant4_6695_106Tone_RU53



11AX20MIMO_Ant5_6855_26Tone_RU8



11AX20MIMO_Ant5_6855_52Tone_RU40



11AX20MIMO_Ant5_6855_106Tone_RU54



11AX20MIMO_Ant4_6855_26Tone_RU8



11AX20MIMO_Ant4_6855_52Tone_RU40



11AX20MIMO_Ant4_6855_106Tone_RU54



11AX20MIMO_Ant5_6875_26Tone_RU0



11AX20MIMO_Ant5_6875_52Tone_RU37



11AX20MIMO_Ant5_6875_106Tone_RU53



11AX20MIMO_Ant4_6875_26Tone_RU0



11AX20MIMO_Ant4_6875_52Tone_RU37



11AX20MIMO_Ant4_6875_106Tone_RU53



11AX20MIMO_Ant5_6895_26Tone_RU0



11AX20MIMO_Ant5_6895_52Tone_RU37



11AX20MIMO_Ant5_6895_106Tone_RU53



11AX20MIMO_Ant4_6895_26Tone_RU0



11AX20MIMO_Ant4_6895_52Tone_RU37



11AX20MIMO_Ant4_6895_106Tone_RU53



11AX20MIMO_Ant5_6995_26Tone_RU0



11AX20MIMO_Ant5_6995_52Tone_RU37



11AX20MIMO_Ant5_6995_106Tone_RU53



11AX20MIMO_Ant4_6995_26Tone_RU0



11AX20MIMO_Ant4_6995_52Tone_RU37



11AX20MIMO_Ant4_6995_106Tone_RU53



11AX20MIMO_Ant5_7095_26Tone_RU8



11AX20MIMO_Ant5_7095_52Tone_RU40



11AX20MIMO_Ant5_7095_106Tone_RU54



11AX20MIMO_Ant4_7095_26Tone_RU8



11AX20MIMO_Ant4_7095_52Tone_RU40



11AX20MIMO_Ant4_7095_106Tone_RU54



In-Band Emissions

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20 MIMO	Ant5	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6175	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant4	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant5	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant4	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant5	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6695	26Tone	RU0	See test graph	See test graph	PASS

			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6695	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant4	6855	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant5	6875	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6875	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6895	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6895	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	6995	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant4	6995	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant5	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant4	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS

Test Graphs

11AX20MIMO_Ant5_5955_26Tone_RU0



11AX20MIMO_Ant5_5955_52Tone_RU37



11AX20MIMO_Ant5_5955_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.350 MHz	200.000 kHz	5.91357 GHz	-72.86 dBm	-61.95 dB	-21.95 dB
-31.350 MHz	-20.900 MHz	200.000 kHz	5.92370 GHz	-73.36 dBm	-62.45 dB	-22.51 dB
-20.900 MHz	-11.450 MHz	200.000 kHz	5.94353 GHz	-45.98 dBm	-35.06 dB	-15.04 dB
-11.450 MHz	-10.450 MHz	200.000 kHz	5.94356 GHz	-46.00 dBm	-35.09 dB	-15.19 dB
10.450 MHz	11.450 MHz	200.000 kHz	5.96645 GHz	-61.56 dBm	-50.65 dB	-30.75 dB
11.450 MHz	20.900 MHz	200.000 kHz	5.96741 GHz	-60.62 dBm	-49.71 dB	-28.90 dB
20.900 MHz	31.350 MHz	200.000 kHz	5.98628 GHz	-73.36 dBm	-62.45 dB	-22.54 dB
31.350 MHz	50.000 MHz	200.000 kHz	5.98742 GHz	-73.12 dBm	-62.21 dB	-22.21 dB

11AX20MIMO_Ant4_5955_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	200.000 kHz	5.91419 GHz	-74.04 dBm	-61.52 dB	-21.52 dB
-31.500 MHz	-21.000 MHz	200.000 kHz	5.92354 GHz	-74.76 dBm	-62.24 dB	-22.28 dB
-21.000 MHz	-11.500 MHz	200.000 kHz	5.94339 GHz	-48.76 dBm	-36.24 dB	-16.14 dB
-11.500 MHz	-10.500 MHz	200.000 kHz	5.94352 GHz	-48.55 dBm	-36.03 dB	-16.33 dB
10.500 MHz	11.500 MHz	200.000 kHz	5.96642 GHz	-67.12 dBm	-54.60 dB	-36.30 dB
11.500 MHz	21.000 MHz	200.000 kHz	5.96651 GHz	-66.46 dBm	-53.94 dB	-33.94 dB
21.000 MHz	31.500 MHz	200.000 kHz	5.98637 GHz	-74.26 dBm	-61.73 dB	-21.89 dB
31.500 MHz	50.000 MHz	200.000 kHz	5.99778 GHz	-74.16 dBm	-61.64 dB	-21.64 dB

11AX20MIMO_Ant4_5955_52Tone_RU37



11AX20MIMO_Ant4_5955_106Tone_RU53



11AX20MIMO_Ant5_6175_26Tone_RU0



11AX20MIMO_Ant5_6175_52Tone_RU37



11AX20MIMO_Ant5_6175_106Tone_RU53



11AX20MIMO_Ant4_6175_26Tone_RU0



11AX20MIMO_Ant4_6175_52Tone_RU37



11AX20MIMO_Ant4_6175_106Tone_RU53