











Mode	43																																																
	Band Edge - R																																																
	2400-2483.5_802.11be EHT40_CH8_2447MHz																																																
ANT	6+3																																																
Pol.	Horizontal						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>49.52</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>112</td><td>98</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	62.79	74.00	-11.21	49.52	32.77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.68	62.79	74.00	-11.21	49.52	32.77	6.73	32.23	6.00	112	98	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.69</td><td>54.00</td><td>-3.31</td><td>37.42</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>112</td><td>98</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.69	54.00	-3.31	37.42	32.77
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2483.56	50.69	54.00	-3.31	37.42	32.77	6.73	32.23	6.00	112	98	AVERAGE																																					





Mode	43																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11be EHT40_CH8_2447MHz																																																																																																		
ANT	6+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.31</td><td>55.68</td><td>74.00</td><td>-18.32</td><td>43.41</td><td>31.88</td><td>6.58</td><td>32.19</td><td>6.00</td><td>337</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2377.31	55.68	74.00	-18.32	43.41	31.88	6.58	32.19	6.00	337	64	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>106.56</td><td>-----</td><td>-----</td><td>93.58</td><td>32.50</td><td>6.69</td><td>32.21</td><td>6.00</td><td>337</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	106.56	-----	-----	93.58	32.50	6.69	32.21	6.00	337	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2377.31	55.68	74.00	-18.32	43.41	31.88	6.58	32.19	6.00	337	64	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2447.00	106.56	-----	-----	93.58	32.50	6.69	32.21	6.00	337	64	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.98</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>30.43</td><td>32.03</td><td>6.60</td><td>32.18</td><td>6.00</td><td>337</td><td>64</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.98	42.88	54.00	-11.12	30.43	32.03	6.60	32.18	6.00	337	64	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2447.00</td><td>95.51</td><td>-----</td><td>-----</td><td>82.55</td><td>32.49</td><td>6.68</td><td>32.21</td><td>6.00</td><td>337</td><td>64</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	95.51	-----	-----	82.55	32.49	6.68	32.21	6.00	337	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.98	42.88	54.00	-11.12	30.43	32.03	6.60	32.18	6.00	337	64	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2447.00	95.51	-----	-----	82.55	32.49	6.68	32.21	6.00	337	64	AVERAGE																																																																																							







Mode	43																																												
	Band Edge - R																																												
	2400-2483.5_802.11be EHT40_CH8_2447MHz																																												
ANT	6+3																																												
Pol.	Vertical	Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.26</td><td>59.77</td><td>74.00</td><td>-14.23</td><td>46.48</td><td>32.78</td><td>6.74</td><td>32.23</td><td>6.00</td><td>337</td><td>64 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.26	59.77	74.00	-14.23	46.48	32.78	6.74	32.23	6.00	337	64 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2485.26	59.77	74.00	-14.23	46.48	32.78	6.74	32.23	6.00	337	64 PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>47.14</td><td>54.00</td><td>-6.86</td><td>33.87</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>337</td><td>64 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	47.14	54.00	-6.86	33.87	32.77	6.73	32.23	6.00	337	64 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2483.56	47.14	54.00	-6.86	33.87	32.77	6.73	32.23	6.00	337	64 AVERAGE																																		





Mode	43																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11be EHT40_CH8_2447MHz																																																																																																																																	
ANT	6+3																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																							
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>43.35</td><td>74.00</td><td>-30.65</td><td>60.82</td><td>34.20</td><td>9.54</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7341.00</td><td>44.76</td><td>74.00</td><td>-29.24</td><td>58.09</td><td>35.76</td><td>11.70</td><td>60.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	43.35	74.00	-30.65	60.82	34.20	9.54	61.21	0.00	---	---	PEAK	2	7341.00	44.76	74.00	-29.24	58.09	35.76	11.70	60.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4894.00</td><td>43.28</td><td>74.00</td><td>-30.72</td><td>60.75</td><td>34.20</td><td>9.54</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7341.00</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>58.22</td><td>35.76</td><td>11.70</td><td>60.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	43.28	74.00	-30.72	60.75	34.20	9.54	61.21	0.00	---	---	PEAK	2	7341.00	44.89	74.00	-29.11	58.22	35.76	11.70	60.79	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4894.00	43.35	74.00	-30.65	60.82	34.20	9.54	61.21	0.00	---	---	PEAK																																																																																																																						
2	7341.00	44.76	74.00	-29.24	58.09	35.76	11.70	60.79	0.00	---	---	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	4894.00	43.28	74.00	-30.72	60.75	34.20	9.54	61.21	0.00	---	---	PEAK																																																																																																																						
2	7341.00	44.89	74.00	-29.11	58.22	35.76	11.70	60.79	0.00	---	---	PEAK																																																																																																																						







Mode	44																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11be EHT40_CH7_2442MHz																																																																																																														
ANT	6+3																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.37</td><td>55.29</td><td>74.00</td><td>-18.71</td><td>43.07</td><td>31.83</td><td>6.58</td><td>32.19</td><td>6.00</td><td>147</td><td>98</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2373.37	55.29	74.00	-18.71	43.07	31.83	6.58	32.19	6.00	147	98	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2442.00</td><td>109.53</td><td>-----</td><td>-----</td><td>96.60</td><td>32.46</td><td>6.68</td><td>32.21</td><td>6.00</td><td>147</td><td>98</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	109.53	-----	-----	96.60	32.46	6.68	32.21	6.00	147	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2373.37	55.29	74.00	-18.71	43.07	31.83	6.58	32.19	6.00	147	98	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2442.00	109.53	-----	-----	96.60	32.46	6.68	32.21	6.00	147	98	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.88</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>30.75</td><td>32.06</td><td>6.60</td><td>32.18</td><td>6.00</td><td>147</td><td>98</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.88	43.23	54.00	-10.77	30.75	32.06	6.60	32.18	6.00	147	98	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2442.00</td><td>99.91</td><td>-----</td><td>-----</td><td>86.98</td><td>32.46</td><td>6.68</td><td>32.21</td><td>6.00</td><td>147</td><td>98</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	99.91	-----	-----	86.98	32.46	6.68	32.21	6.00	147	98
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.88	43.23	54.00	-10.77	30.75	32.06	6.60	32.18	6.00	147	98	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2442.00	99.91	-----	-----	86.98	32.46	6.68	32.21	6.00	147	98	AVERAGE																																																																																																			



Mode	44																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11be EHT40_CH7_2442MHz																																																					
ANT	6+3																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.06</td><td>62.87</td><td>74.00</td><td>-11.13</td><td>49.60</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>147</td><td>98 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.06	62.87	74.00	-11.13	49.60	32.77	6.73	32.23	6.00	147	98 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.06	62.87	74.00	-11.13	49.60	32.77	6.73	32.23	6.00	147	98 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.19</td><td>54.00</td><td>-3.81</td><td>36.92</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>147</td><td>98 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.19	54.00	-3.81	36.92	32.77	6.73	32.23	6.00	147	98 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.56	50.19	54.00	-3.81	36.92	32.77	6.73	32.23	6.00	147	98 AVERAGE																																											





Mode	44																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11be EHT40_CH7_2442MHz																																																																																																		
ANT	6+3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.18</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>43.07</td><td>31.77</td><td>6.57</td><td>32.19</td><td>6.00</td><td>343</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2369.18	55.22	74.00	-18.78	43.07	31.77	6.57	32.19	6.00	343	76	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2442.00</td><td>108.96</td><td>-----</td><td>-----</td><td>96.03</td><td>32.46</td><td>6.68</td><td>32.21</td><td>6.00</td><td>343</td><td>76</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	108.96	-----	-----	96.03	32.46	6.68	32.21	6.00	343	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2369.18	55.22	74.00	-18.78	43.07	31.77	6.57	32.19	6.00	343	76	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2442.00	108.96	-----	-----	96.03	32.46	6.68	32.21	6.00	343	76	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.76</td><td>43.00</td><td>54.00</td><td>-11.00</td><td>30.52</td><td>32.06</td><td>6.60</td><td>32.18</td><td>6.00</td><td>343</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	43.00	54.00	-11.00	30.52	32.06	6.60	32.18	6.00	343	76	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2442.00</td><td>97.88</td><td>-----</td><td>-----</td><td>84.98</td><td>32.44</td><td>6.67</td><td>32.21</td><td>6.00</td><td>343</td><td>76</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	97.88	-----	-----	84.98	32.44	6.67	32.21	6.00	343	76
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.76	43.00	54.00	-11.00	30.52	32.06	6.60	32.18	6.00	343	76	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2442.00	97.88	-----	-----	84.98	32.44	6.67	32.21	6.00	343	76	AVERAGE																																																																																							





Mode	44																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11be EHT40_CH7_2442MHz																																																						
ANT	6+3																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2486.39</td><td>60.19</td><td>74.00</td><td>-13.81</td><td>46.90</td><td>32.79</td><td>6.74</td><td>32.24</td><td>6.00</td><td>343 76 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2486.39	60.19	74.00	-13.81	46.90	32.79	6.74	32.24	6.00	343 76 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	2486.39	60.19	74.00	-13.81	46.90	32.79	6.74	32.24	6.00	343 76 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2483.94</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>33.82</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>343 76 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2483.94	47.09	54.00	-6.91	33.82	32.77	6.73	32.23	6.00	343 76 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	2483.94	47.09	54.00	-6.91	33.82	32.77	6.73	32.23	6.00	343 76 AVERAGE																																													



Mode	44																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11be EHT40_CH7_2442MHz																																																																																																																																											
ANT	6+3																																																																																																																																											
Pol.	Horizontal												Vertical																																																																																																																															
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4884.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>60.72</td><td>34.20</td><td>9.53</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7326.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>58.48</td><td>35.70</td><td>11.70</td><td>60.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	43.23	74.00	-30.77	60.72	34.20	9.53	61.22	0.00	---	---	PEAK	2	7326.00	45.12	74.00	-28.88	58.48	35.70	11.70	60.76	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4884.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>60.43</td><td>34.20</td><td>9.53</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7326.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>58.45</td><td>35.70</td><td>11.70</td><td>60.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	42.94	74.00	-31.06	60.43	34.20	9.53	61.22	0.00	---	---	PEAK	2	7326.00	45.09	74.00	-28.91	58.45	35.70	11.70	60.76	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4884.00	43.23	74.00	-30.77	60.72	34.20	9.53	61.22	0.00	---	---	PEAK																																																																																																																																
2	7326.00	45.12	74.00	-28.88	58.48	35.70	11.70	60.76	0.00	---	---	PEAK																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4884.00	42.94	74.00	-31.06	60.43	34.20	9.53	61.22	0.00	---	---	PEAK																																																																																																																																
2	7326.00	45.09	74.00	-28.91	58.45	35.70	11.70	60.76	0.00	---	---	PEAK																																																																																																																																



Mode	39	
	18-25G	
	2400-2483.5_802.11be EHT40_CH06_2437MHz	
ANT	6+3	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	39																																																																																																																																																																	
	LF																																																																																																																																																																	
	2400-2483.5_802.11be EHT40_CH06_2437MHz																																																																																																																																																																	
ANT	6+3																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																
Peak Avg	Horizontal Peak Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for FCC PART 15C and a blue line for the measured signal. Six peaks are identified and numbered 1 through 6. <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>22.58</td><td>-17.42</td><td>40.00</td><td>30.47</td><td>23.76</td><td>0.54</td><td>32.19</td><td>--- Peak</td></tr><tr><td>2</td><td>99.84</td><td>21.32</td><td>-22.18</td><td>43.50</td><td>35.97</td><td>15.93</td><td>1.46</td><td>32.04</td><td>--- Peak</td></tr><tr><td>3</td><td>201.69</td><td>20.67</td><td>-22.83</td><td>43.50</td><td>35.65</td><td>15.12</td><td>2.08</td><td>32.18</td><td>--- Peak</td></tr><tr><td>4</td><td>424.79</td><td>21.85</td><td>-24.15</td><td>46.00</td><td>28.26</td><td>22.70</td><td>3.01</td><td>32.12</td><td>--- Peak</td></tr><tr><td>5</td><td>591.63</td><td>26.52</td><td>-19.48</td><td>46.00</td><td>29.03</td><td>26.32</td><td>3.54</td><td>32.37</td><td>--- Peak</td></tr><tr><td>6</td><td>785.63</td><td>29.07</td><td>-16.93</td><td>46.00</td><td>28.59</td><td>28.35</td><td>4.08</td><td>31.95</td><td>--- Peak</td></tr></table>		Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	32.91	22.58	-17.42	40.00	30.47	23.76	0.54	32.19	--- Peak	2	99.84	21.32	-22.18	43.50	35.97	15.93	1.46	32.04	--- Peak	3	201.69	20.67	-22.83	43.50	35.65	15.12	2.08	32.18	--- Peak	4	424.79	21.85	-24.15	46.00	28.26	22.70	3.01	32.12	--- Peak	5	591.63	26.52	-19.48	46.00	29.03	26.32	3.54	32.37	--- Peak	6	785.63	29.07	-16.93	46.00	28.59	28.35	4.08	31.95	--- Peak	Vertical Peak Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for FCC PART 15C and a blue line for the measured signal. Six peaks are identified and numbered 1 through 6. <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>46.49</td><td>32.10</td><td>-7.90</td><td>40.00</td><td>47.29</td><td>16.20</td><td>0.72</td><td>32.11</td><td>--- Peak</td></tr><tr><td>2</td><td>86.26</td><td>29.44</td><td>-10.56</td><td>40.00</td><td>46.02</td><td>14.21</td><td>1.27</td><td>32.06</td><td>--- Peak</td></tr><tr><td>3</td><td>154.16</td><td>24.37</td><td>-19.13</td><td>43.50</td><td>37.83</td><td>16.82</td><td>1.79</td><td>32.07</td><td>--- Peak</td></tr><tr><td>4</td><td>326.82</td><td>25.86</td><td>-20.14</td><td>46.00</td><td>35.59</td><td>19.70</td><td>2.64</td><td>32.07</td><td>--- Peak</td></tr><tr><td>5</td><td>582.90</td><td>29.56</td><td>-16.44</td><td>46.00</td><td>31.98</td><td>26.42</td><td>3.51</td><td>32.35</td><td>--- Peak</td></tr><tr><td>6</td><td>824.43</td><td>32.80</td><td>-13.20</td><td>46.00</td><td>31.56</td><td>28.79</td><td>4.17</td><td>31.72</td><td>--- Peak</td></tr></table>		Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	46.49	32.10	-7.90	40.00	47.29	16.20	0.72	32.11	--- Peak	2	86.26	29.44	-10.56	40.00	46.02	14.21	1.27	32.06	--- Peak	3	154.16	24.37	-19.13	43.50	37.83	16.82	1.79	32.07	--- Peak	4	326.82	25.86	-20.14	46.00	35.59	19.70	2.64	32.07	--- Peak	5	582.90	29.56	-16.44	46.00	31.98	26.42	3.51	32.35	--- Peak	6	824.43	32.80	-13.20	46.00	31.56	28.79	4.17	31.72	--- Peak
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																									
1	32.91	22.58	-17.42	40.00	30.47	23.76	0.54	32.19	--- Peak																																																																																																																																																									
2	99.84	21.32	-22.18	43.50	35.97	15.93	1.46	32.04	--- Peak																																																																																																																																																									
3	201.69	20.67	-22.83	43.50	35.65	15.12	2.08	32.18	--- Peak																																																																																																																																																									
4	424.79	21.85	-24.15	46.00	28.26	22.70	3.01	32.12	--- Peak																																																																																																																																																									
5	591.63	26.52	-19.48	46.00	29.03	26.32	3.54	32.37	--- Peak																																																																																																																																																									
6	785.63	29.07	-16.93	46.00	28.59	28.35	4.08	31.95	--- Peak																																																																																																																																																									
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Preamp Loss Factor	A/Pos	T/Pos	Remark																																																																																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																									
1	46.49	32.10	-7.90	40.00	47.29	16.20	0.72	32.11	--- Peak																																																																																																																																																									
2	86.26	29.44	-10.56	40.00	46.02	14.21	1.27	32.06	--- Peak																																																																																																																																																									
3	154.16	24.37	-19.13	43.50	37.83	16.82	1.79	32.07	--- Peak																																																																																																																																																									
4	326.82	25.86	-20.14	46.00	35.59	19.70	2.64	32.07	--- Peak																																																																																																																																																									
5	582.90	29.56	-16.44	46.00	31.98	26.42	3.51	32.35	--- Peak																																																																																																																																																									
6	824.43	32.80	-13.20	46.00	31.56	28.79	4.17	31.72	--- Peak																																																																																																																																																									







<Simultaneous transmission>

		1									
Mode	Band Edge - L										
	2400-2483.5_802.11BE EHT 40_CH06_2437MHz										
ANT	6+3										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										



Mode	1																																													
	Band Edge - R																																													
	2400-2483.5_802.11BE EHT 40_CH06_2437MHz																																													
ANT	6+3																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.32</td><td>61.77</td><td>74.00</td><td>-12.23</td><td>48.48</td><td>32.78</td><td>6.74</td><td>32.23</td><td>6.00</td><td>107</td><td>152</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.32	61.77	74.00	-12.23	48.48	32.78	6.74	32.23	6.00	107	152	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2485.32	61.77	74.00	-12.23	48.48	32.78	6.74	32.23	6.00	107	152	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.32</td><td>54.00</td><td>-3.68</td><td>37.05</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>107</td><td>152</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.32	54.00	-3.68	37.05	32.77	6.73	32.23	6.00	107	152	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2483.56	50.32	54.00	-3.68	37.05	32.77	6.73	32.23	6.00	107	152	AVERAGE																																		





Mode	1																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11BE EHT 40_CH06_2437MHz																																																						
ANT	6+3																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.04</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>43.61</td><td>31.98</td><td>6.59</td><td>32.19</td><td>6.00</td><td>389</td><td>72</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.04	55.99	74.00	-18.01	43.61	31.98	6.59	32.19	6.00	389	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2384.04	55.99	74.00	-18.01	43.61	31.98	6.59	32.19	6.00	389	72	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>108.91</td><td>-----</td><td>-----</td><td>95.88</td><td>32.55</td><td>6.70</td><td>32.22</td><td>6.00</td><td>389</td><td>72</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	108.91	-----	-----	95.88	32.55	6.70	32.22	6.00	389	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	108.91	-----	-----	95.88	32.55	6.70	32.22	6.00	389	72	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.36</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>30.72</td><td>32.04</td><td>6.60</td><td>32.18</td><td>6.00</td><td>389</td><td>72</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.36	43.18	54.00	-10.82	30.72	32.04	6.60	32.18	6.00	389	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.36	43.18	54.00	-10.82	30.72	32.04	6.60	32.18	6.00	389	72	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>99.46</td><td>-----</td><td>-----</td><td>86.43</td><td>32.55</td><td>6.70</td><td>32.22</td><td>6.00</td><td>389</td><td>72</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	99.46	-----	-----	86.43	32.55	6.70	32.22	6.00	389	72
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	99.46	-----	-----	86.43	32.55	6.70	32.22	6.00	389	72	AVERAGE																																											



Mode	1																																																				
	Band Edge - R																																																				
	2400-2483.5_802.11BE EHT 40_CH06_2437MHz																																																				
ANT	6+3																																																				
Pol.	Vertical										Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.32</td><td>60.65</td><td>74.00</td><td>-13.35</td><td>47.36</td><td>32.78</td><td>6.74</td><td>32.23</td><td>6.00</td><td>389</td><td>72 PEAK</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.32	60.65	74.00	-13.35	47.36	32.78	6.74	32.23	6.00	389	72 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2485.32	60.65	74.00	-13.35	47.36	32.78	6.74	32.23	6.00	389	72 PEAK																																										
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>48.92</td><td>54.00</td><td>-5.08</td><td>35.65</td><td>32.77</td><td>6.73</td><td>32.23</td><td>6.00</td><td>389</td><td>72 AVERAGE</td></tr></table>										Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	48.92	54.00	-5.08	35.65	32.77	6.73	32.23	6.00	389	72 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1	2483.56	48.92	54.00	-5.08	35.65	32.77	6.73	32.23	6.00	389	72 AVERAGE																																										




Mode	1																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_802.11BE EHT 40_CH06_2437MHz																																																																																																																									
ANT	6+3																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.95</td><td>74.00</td><td>-31.05</td><td>60.46</td><td>34.20</td><td>9.52</td><td>61.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>57.77</td><td>35.64</td><td>11.69</td><td>60.73</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.95	74.00	-31.05	60.46	34.20	9.52	61.23	0.00	---	PEAK	2	7311.00	44.37	74.00	-29.63	57.77	35.64	11.69	60.73	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>42.96</td><td>74.00</td><td>-31.04</td><td>60.47</td><td>34.20</td><td>9.52</td><td>61.23</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>58.25</td><td>35.64</td><td>11.69</td><td>60.73</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	42.96	74.00	-31.04	60.47	34.20	9.52	61.23	0.00	---	PEAK	2	7311.00	44.85	74.00	-29.15	58.25	35.64	11.69	60.73	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4874.00	42.95	74.00	-31.05	60.46	34.20	9.52	61.23	0.00	---	PEAK																																																																																																															
2	7311.00	44.37	74.00	-29.63	57.77	35.64	11.69	60.73	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	4874.00	42.96	74.00	-31.04	60.47	34.20	9.52	61.23	0.00	---	PEAK																																																																																																															
2	7311.00	44.85	74.00	-29.15	58.25	35.64	11.69	60.73	0.00	---	PEAK																																																																																																															


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	97.46	0.667	1.500	1.5KHz
802.11g	99.04	-	-	10Hz
802.11be EHT20	100	-	-	10Hz
802.11be EHT20- Single RU26	100	-	-	10Hz
802.11be EHT20- Single RU52	100	-	-	10Hz
802.11be EHT20- Single RU106	100	-	-	10Hz
802.11be EHT20- Small RU52+26	100	-	-	10Hz
802.11be EHT20- Small RU106+26	100	-	-	10Hz
802.11be EHT40	100	-	-	10Hz


802.11b




802.11g




802.11be EHT20




802.11be EHT20-Single RU26




802.11be EHT20-Single RU52




802.11be EHT20-Single RU106



802.11be EHT20-Small RU52+26



802.11be EHT20-Small RU106+26



802.11be EHT40

