Mode	5	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 47.78 88.20 -40.42 43.09 40.48 15.17 50.96 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 47.50 88.20 -40.70 42.81 40.48 15.17 50.96 -- -- Peak

Mode	6	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 47.33 88.20 -40.87 42.62 40.51 15.19 50.99 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 47.59 88.20 -40.61 42.88 40.51 15.19 50.99 -- -- Peak

Mode	7	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 46.75 88.20 -41.45 41.97 40.51 15.24 50.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 47.63 88.20 -40.57 42.85 40.51 15.24 50.97 -- -- Peak

Mode	8	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 47.60 74.00 -26.40 42.25 40.58 15.61 50.84 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 48.36 74.00 -25.64 43.01 40.58 15.61 50.84 -- -- Peak

Mode	9	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 48.50 88.20 -39.70 42.55 40.73 15.98 50.76 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 48.45 88.20 -39.75 42.50 40.73 15.98 50.76 -- -- Peak

Mode	10	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 49.83 88.20 -38.37 43.73 40.77 16.07 50.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 49.73 88.20 -38.47 43.63 40.77 16.07 50.74 -- -- Peak

Mode	11	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 49.26 88.20 -38.94 42.77 40.89 16.30 50.70 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 49.97 88.20 -38.23 43.48 40.89 16.30 50.70 -- -- Peak

Mode	12	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 49.94 88.20 -38.26 43.35 41.01 16.32 50.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 49.32 88.20 -38.88 42.73 41.01 16.32 50.74 -- -- Peak

Mode	13	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.54 70.82 88.20 -17.38 56.57 35.39 11.40 32.54 226 62 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5955.00 111.61 ------ ------ 97.39 35.44 11.35 32.57 226 62 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.82 59.58 68.20 -8.62 45.33 35.39 11.40 32.54 226 62 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5955.00 103.62 ------ ------ 89.40 35.44 11.35 32.57 226 62 AVERAGE

Mode	13	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5923.98 66.82 88.20 -21.38 52.56 35.39 11.41 32.54 296 271 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5955.00 104.98 ------ ------ 90.76 35.44 11.35 32.57 296 271 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5924.96 54.96 68.20 -13.24 40.71 35.39 11.40 32.54 296 271 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5955.00 96.80 ------ ------ 82.58 35.44 11.35 32.57 296 271 AVERAGE

Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11910.00 48.48 74.00 -25.52 43.71 40.13 15.09 50.45 -- -- Peak 2 17865.00 49.90 74.00 -24.10 41.99 42.52 17.74 52.35 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11910.00 49.76 74.00 -24.24 44.99 40.13 15.09 50.45 -- -- Peak 2 17865.00 50.37 74.00 -23.63 42.46 42.52 17.74 52.35 -- -- Peak

Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6175MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12350.00 48.43 74.00 -25.57 43.55 40.27 15.15 50.54 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12350.00 48.69 74.00 -25.31 43.81 40.27 15.15 50.54 -- -- Peak

Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12830.00 48.81 88.20 -39.39 44.09 40.43 15.16 50.87 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12830.00 49.25 88.20 -38.95 44.53 40.43 15.16 50.87 -- -- Peak

Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_6435MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 48.44 74.00 -25.56 43.66 40.38 15.16 50.76 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 49.16 74.00 -24.84 44.38 40.38 15.16 50.76 -- -- Peak

Mode	17	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_6475MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 48.38 88.20 -39.82 43.69 40.48 15.17 50.96 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12950.00 49.53 88.20 -38.67 44.84 40.48 15.17 50.96 -- -- Peak

Mode	18	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_6515MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 48.31 88.20 -39.89 43.60 40.51 15.19 50.99 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13030.00 49.25 88.20 -38.95 44.54 40.51 15.19 50.99 -- -- Peak

Mode	19	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 47.81 88.20 -40.39 43.03 40.51 15.24 50.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13070.00 48.09 88.20 -40.11 43.31 40.51 15.24 50.97 -- -- Peak

Mode	20	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 48.54 74.00 -25.46 43.19 40.58 15.61 50.84 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13390.00 49.01 74.00 -24.99 43.66 40.58 15.61 50.84 -- -- Peak

Mode	21	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 49.95 88.20 -38.25 44.00 40.73 15.98 50.76 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13710.00 50.55 88.20 -37.65 44.60 40.73 15.98 50.76 -- -- Peak

Mode	22	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 49.00 88.20 -39.20 42.90 40.77 16.07 50.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13790.00 49.55 88.20 -38.65 43.45 40.77 16.07 50.74 -- -- Peak

Mode	23	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 50.47 88.20 -37.73 43.98 40.89 16.30 50.70 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13990.00 48.91 88.20 -39.29 42.42 40.89 16.30 50.70 -- -- Peak

Mode	24	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7127.95 70.85 88.20 -17.35 54.37 36.25 12.74 32.51 197 239 PEAK 2 7342.88 54.62 74.00 -19.38 37.85 36.34 13.10 32.67 197 239 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 104.15 ------ ------ 87.77 36.24 12.62 32.48 197 239 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7125.28 60.12 68.20 -8.08 43.64 36.25 12.73 32.50 197 239 AVERAGE 2 7251.66 44.49 54.00 -9.51 27.75 36.30 13.04 32.60 197 239 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 95.12 ------ ------ 78.74 36.24 12.62 32.48 197 239 AVERAGE

Mode	24	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.28 73.26 88.20 -14.94 56.78 36.25 12.73 32.50 266 271 PEAK 2 7262.78 54.70 74.00 -19.30 37.96 36.31 13.04 32.61 266 271 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 108.06 ------ ------ 91.70 36.24 12.60 32.48 266 271 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.28 61.10 68.20 -7.10 44.62 36.25 12.73 32.50 266 271 AVERAGE 2 7254.77 44.10 54.00 -9.90 27.37 36.30 13.04 32.61 266 271 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7095.00 98.12 ------ ------ 81.74 36.24 12.62 32.48 266 271 AVERAGE

Mode	24	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 48.29 88.20 -39.91 41.70 41.01 16.32 50.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14190.00 49.07 88.20 -39.13 42.48 41.01 16.32 50.74 -- -- Peak

Mode	25	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5924.52 68.71 88.20 -19.49 54.46 35.39 11.40 32.54 222 61 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5965.00 106.55 ------ ------ 92.35 35.45 11.33 32.58 222 61 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5925.00 58.44 68.20 -9.76 44.18 35.40 11.40 32.54 222 61 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5965.00 98.56 ------ ------ 84.36 35.45 11.33 32.58 222 61 AVERAGE

Mode	25	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5923.40 60.36 88.20 -27.84 46.10 35.39 11.41 32.54 200 276 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5965.00 96.35 ------ ------ 82.14 35.44 11.34 32.57 200 276 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5923.72 49.16 68.20 -19.04 34.90 35.39 11.41 32.54 200 276 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5965.00 88.34 ------ ------ 74.13 35.44 11.34 32.57 200 276 AVERAGE

Mode	25	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11930.00 48.72 74.00 -25.28 43.92 40.14 15.10 50.44 -- -- Peak 2 17895.00 50.41 74.00 -23.59 42.48 42.54 17.75 52.36 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11930.00 50.21 74.00 -23.79 45.41 40.14 15.10 50.44 -- -- Peak 2 17895.00 49.97 74.00 -24.03 42.04 42.54 17.75 52.36 -- -- Peak

Mode	26	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_Full RU_6165MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12330.00 48.07 74.00 -25.93 43.18 40.27 15.15 50.53 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12330.00 48.52 74.00 -25.48 43.63 40.27 15.15 50.53 -- -- Peak

Mode	27	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12810.00 49.69 88.20 -38.51 44.96 40.42 15.16 50.85 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12810.00 48.81 88.20 -39.39 44.08 40.42 15.16 50.85 -- -- Peak

Mode	28	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12890.00 49.68 88.20 -38.52 44.96 40.46 15.17 50.91 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12890.00 48.28 88.20 -39.92 43.56 40.46 15.17 50.91 -- -- Peak

Mode	29	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12970.00 48.80 88.20 -39.40 44.11 40.49 15.17 50.97 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12970.00 48.16 88.20 -40.04 43.47 40.49 15.17 50.97 -- -- Peak

Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13130.00 48.19 88.20 -40.01 43.30 40.53 15.31 50.95 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13130.00 48.27 88.20 -39.93 43.38 40.53 15.31 50.95 -- -- Peak

Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 48.37 74.00 -25.63 43.07 40.57 15.58 50.85 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13370.00 48.58 74.00 -25.42 43.28 40.57 15.58 50.85 -- -- Peak

Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.00 49.87 88.20 -38.33 43.96 40.71 15.96 50.76 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13690.80 49.20 88.20 -39.00 43.29 40.71 15.96 50.76 -- -- Peak

Mode	33	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13850.00 49.00 88.20 -39.20 42.78 40.81 16.14 50.73 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13850.00 50.19 88.20 -38.01 43.97 40.81 16.14 50.73 -- -- Peak

Mode	34	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full RU_6965MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13930.00 49.81 88.20 -38.39 43.43 40.86 16.23 50.71 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13930.00 49.43 88.20 -38.77 43.05 40.86 16.23 50.71 -- -- Peak

Mode	35	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7128.27 74.34 88.20 -13.86 57.86 36.25 12.74 32.51 199 240 PEAK 2 7254.53 59.84 74.00 -14.16 43.11 36.30 13.04 32.61 199 240 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7085.00 102.65 ------ ------ 86.29 36.24 12.60 32.48 199 240 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.42 62.66 68.20 -5.54 46.18 36.25 12.73 32.50 199 240 AVERAGE 2 7251.11 48.91 54.00 -5.09 32.17 36.30 13.04 32.60 199 240 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7085.00 92.68 ------ ------ 76.34 36.23 12.58 32.47 199 240 AVERAGE

Mode	35	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.42 72.30 88.20 -15.90 55.82 36.25 12.73 32.50 200 257 PEAK 2 7255.95 58.95 74.00 -15.05 42.22 36.30 13.04 32.61 200 257 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7085.00 100.61 ------ ------ 84.27 36.23 12.58 32.47 200 257 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.14 61.03 68.20 -7.17 44.55 36.25 12.73 32.50 200 257 AVERAGE 2 7251.39 47.79 54.00 -6.21 31.05 36.30 13.04 32.60 200 257 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7085.00 91.14 ------ ------ 74.80 36.23 12.58 32.47 200 257 AVERAGE

Mode	35	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 50.60 88.20 -37.60 44.01 41.00 16.32 50.73 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 50.01 88.20 -38.19 43.42 41.00 16.32 50.73 -- -- Peak

Mode	36	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5914.12 71.76 88.20 -16.44 57.49 35.38 11.42 32.53 214 60 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5985.00 102.75 ------ ------ 88.56 35.48 11.30 32.59 214 60 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5923.24 61.23 68.20 -6.97 46.97 35.39 11.41 32.54 214 60 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5985.00 96.16 ------ ------ 81.97 35.48 11.30 32.59 214 60 AVERAGE

Mode	36	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5918.28 65.53 88.20 -22.67 51.27 35.39 11.41 32.54 292 263 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5985.00 97.98 ------ ------ 83.79 35.48 11.30 32.59 292 263 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5919.24 54.38 68.20 -13.82 40.12 35.39 11.41 32.54 292 263 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5985.00 88.37 ------ ------ 74.17 35.47 11.31 32.58 292 263 AVERAGE

Mode	36	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11970.00 50.61 74.00 -23.39 45.73 40.18 15.12 50.42 -- -- Peak 2 17955.00 50.85 74.00 -23.15 42.89 42.57 17.77 52.38 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 11970.00 49.32 74.00 -24.68 44.44 40.18 15.12 50.42 -- -- Peak 2 17955.00 49.21 74.00 -24.79 41.25 42.57 17.77 52.38 -- -- Peak

Mode	37	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full RU_6145MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12290.00 48.81 74.00 -25.19 43.92 40.26 15.15 50.52 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12290.00 48.18 74.00 -25.82 43.29 40.26 15.15 50.52 -- -- Peak

Mode	38	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 49.12 88.20 -39.08 44.37 40.41 15.16 50.82 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12770.00 49.07 88.20 -39.13 44.32 40.41 15.16 50.82 -- -- Peak

Mode	39	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 49.51 88.20 -38.69 44.81 40.47 15.17 50.94 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12930.00 47.46 88.20 -40.74 42.76 40.47 15.17 50.94 -- -- Peak

Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 49.50 74.00 -24.50 44.40 40.55 15.45 50.90 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13250.00 48.03 74.00 -25.97 42.93 40.55 15.45 50.90 -- -- Peak

Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 49.15 88.20 -39.05 43.77 40.58 15.63 50.83 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13410.00 49.46 88.20 -38.74 44.08 40.58 15.63 50.83 -- -- Peak

Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 50.22 88.20 -37.98 44.55 40.64 15.82 50.79 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13570.00 50.41 88.20 -37.79 44.74 40.64 15.82 50.79 -- -- Peak

Mode	43	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13890.00 49.50 88.20 -38.70 43.20 40.83 16.19 50.72 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13890.00 48.94 88.20 -39.26 42.64 40.83 16.19 50.72 -- -- Peak

Mode	44	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.16 64.20 88.20 -24.00 47.72 36.25 12.73 32.50 200 245 PEAK 2 7272.26 56.42 74.00 -17.58 39.68 36.31 13.05 32.62 200 245 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7025.00 101.30 ------ ------ 85.15 36.21 12.36 32.42 200 245 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.53 55.61 68.20 -12.59 39.13 36.25 12.73 32.50 200 245 AVERAGE 2 7255.10 46.03 54.00 -7.97 29.30 36.30 13.04 32.61 200 245 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7025.00 90.23 ------ ------ 74.08 36.21 12.36 32.42 200 245 AVERAGE

Mode	44	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.89 65.78 88.20 -22.42 49.30 36.25 12.73 32.50 259 265 PEAK 2 7254.01 55.73 74.00 -18.27 39.00 36.30 13.04 32.61 259 265 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7025.00 100.40 ------ ------ 84.25 36.21 12.36 32.42 259 265 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.16 55.74 68.20 -12.46 39.26 36.25 12.73 32.50 259 265 AVERAGE 2 7250.36 45.47 54.00 -8.53 28.73 36.30 13.04 32.60 259 265 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7025.00 91.93 ------ ------ 75.78 36.21 12.36 32.42 259 265 AVERAGE

Mode	44	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14052.00 48.35 88.20 -39.85 56.08 38.51 12.73 58.97 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14052.00 48.13 88.20 -40.07 55.86 38.51 12.73 58.97 148 0 Peak

Mode	45	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5918.24 68.83 88.20 -19.37 54.57 35.39 11.41 32.54 237 76 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 6025.00 98.73 ------ ------ 84.52 35.50 11.31 32.60 237 76 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 5917.96 58.91 68.20 -9.29 44.64 35.39 11.42 32.54 237 76 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 6025.00 89.88 ------ ------ 75.61 35.51 11.36 32.60 237 76 AVERAGE

Mode	45	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5860.00 66.06 88.20 -22.14 51.74 35.30 11.51 32.49 252 81 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 6025.00 94.34 ------ ------ 79.74 35.56 11.64 32.60 252 81 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5860.28 56.23 68.20 -11.97 41.91 35.30 11.51 32.49 252 81 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 6025.00 84.53 ------ ------ 70.11 35.53 11.49 32.60 252 81 AVERAGE

Mode	45	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12048.00 47.78 74.00 -26.22 55.07 38.23 11.71 57.23 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12048.00 47.52 74.00 -26.48 54.81 38.23 11.71 57.23 148 0 Peak

Mode	46	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12372.00 49.27 74.00 -24.73 56.52 38.43 11.78 57.46 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12372.00 48.32 74.00 -25.68 55.57 38.43 11.78 57.46 148 0 Peak

Mode	47	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 48.62 74.00 -25.38 55.92 38.54 11.84 57.68 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 12690.00 47.56 74.00 -26.44 54.86 38.54 11.84 57.68 148 0 Peak

Mode	48	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13332.00 47.65 74.00 -26.35 55.13 38.60 12.18 58.26 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13332.00 47.09 74.00 -26.91 54.57 38.60 12.18 58.26 148 0 Peak

Mode	49	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7138.75 64.39 88.20 -23.81 47.86 36.26 12.78 32.51 400 52 PEAK 2 7255.63 55.26 74.00 -18.74 38.53 36.30 13.04 32.61 400 52 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 6985.00 96.21 ------ ------ 80.13 36.19 12.29 32.40 400 52 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7132.50 55.21 68.20 -12.99 38.71 36.25 12.76 32.51 400 52 AVERAGE 2 7258.13 44.35 54.00 -9.65 27.62 36.30 13.04 32.61 400 52 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 6985.00 86.94 ------ ------ 70.86 36.19 12.29 32.40 400 52 AVERAGE

Mode	49	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7126.25 64.54 88.20 -23.66 48.05 36.25 12.74 32.50 400 111 PEAK 2 7284.38 54.85 74.00 -19.15 38.11 36.31 13.06 32.63 400 111 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 6985.00 96.08 ------ ------ 80.00 36.19 12.29 32.40 400 111 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7125.63 55.60 68.20 -12.60 39.12 36.25 12.73 32.50 400 111 AVERAGE 2 7251.88 44.49 54.00 -9.51 27.75 36.30 13.04 32.60 400 111 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 6985.00 86.69 ------ ------ 70.62 36.19 12.28 32.40 400 111 AVERAGE

Mode	49	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13968.00 47.38 88.20 -40.82 55.12 38.51 12.71 58.96 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13968.00 46.99 88.20 -41.21 54.73 38.51 12.71 58.96 148 0 Peak

Mode	50	
	Harmonic	
	U-NII-7-8_6525-7125_802.11ax HE20_CH185_Full RU_6525MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 47.73 88.20 -40.47 55.14 38.60 11.94 57.95 148 0 Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 47.34 88.20 -40.86 54.75 38.60 11.94 57.95 148 0 Peak

Mode	51	
	Harmonic	
	U-NII-7-8_6525-7125_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 46.41 88.20 -41.79 54.05 38.55 12.55 58.74 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13770.00 47.61 88.20 -40.59 55.25 38.55 12.55 58.74 -- -- Peak

Mode	52	
	Harmonic	
	U-NII-7-8_6525-7125_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13730.00 47.81 88.20 -40.39 55.45 38.55 12.51 58.70 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13730.00 46.84 88.20 -41.36 54.48 38.55 12.51 58.70 -- -- Peak

Mode	53	
	Harmonic	
	U-NII-7-8_6525-7125_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 47.70 88.20 -40.50 55.29 38.57 12.45 58.61 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13650.00 47.39 88.20 -40.81 54.98 38.57 12.45 58.61 -- -- Peak

Mode	54	
	Harmonic	
	U-NII-6-7_6425-6875_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 48.42 88.20 -39.78 55.83 38.60 11.94 57.95 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13050.00 48.26 88.20 -39.94 55.67 38.60 11.94 57.95 -- -- Peak

Mode	55	
	Harmonic	
	U-NII-6-7_6425-6875_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13090.00 47.41 88.20 -40.79 54.83 38.60 11.98 58.00 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13090.00 47.33 88.20 -40.87 54.75 38.60 11.98 58.00 -- -- Peak

Mode	56	
	Harmonic	
	U-NII-6-7_6425-6875_802.11ax HE160_CH111_Full RU_6505MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 46.89 88.20 -41.31 54.29 38.60 11.91 57.91 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13010.00 47.84 88.20 -40.36 55.24 38.60 11.91 57.91 -- -- Peak

Mode	57	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 52/37_5955MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5912.64 52.78 88.20 -35.42 38.51 35.38 11.42 32.53 231 66 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5955.00 102.95 ------ ------ 88.71 35.43 11.37 32.56 231 66 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5922.72 42.12 68.20 -26.08 27.86 35.39 11.41 32.54 231 66 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5955.00 95.10 ------ ------ 80.86 35.43 11.37 32.56 231 66 AVERAGE

Mode	57	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 52/37_5955MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5833.54 52.69 88.20 -35.51 38.33 35.27 11.56 32.47 203 102 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5955.00 96.01 ------ ------ 81.77 35.43 11.37 32.56 203 102 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5923.14 41.98 68.20 -26.22 27.72 35.39 11.41 32.54 203 102 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 5955.00 88.56 ------ ------ 74.32 35.43 11.37 32.56 203 102 AVERAGE

Mode	58	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU 26/8_7095MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7165.33 54.83 88.20 -33.37 38.23 36.27 12.87 32.54 209 53 PEAK 2 7335.32 54.94 74.00 -19.06 38.18 36.33 13.10 32.67 209 53 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7095.00 101.79 ------ ------ 85.37 36.24 12.67 32.49 209 53 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7129.28 44.50 68.20 -23.70 28.01 36.25 12.75 32.51 209 53 AVERAGE 2 7273.46 44.42 54.00 -9.58 27.68 36.31 13.05 32.62 209 53 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7095.00 93.40 ------ ------ 76.98 36.24 12.67 32.49 209 53 AVERAGE

Mode	58	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU 26/8_7095MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7145.75 54.45 88.20 -33.75 37.91 36.26 12.80 32.52 364 174 PEAK 2 7298.38 54.82 74.00 -19.18 38.07 36.32 13.07 32.64 364 174 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 97.32 ------ ------ 80.91 36.24 12.65 32.48 364 174 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7225.40 44.44 68.20 -23.76 27.71 36.29 13.02 32.58 364 174 AVERAGE 2 7283.70 44.39 54.00 -9.61 27.65 36.31 13.06 32.63 364 174 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7095.00 88.76 ------ ------ 72.35 36.24 12.65 32.48 364 174 AVERAGE

Mode	59	
	Harmonic	
	U-NII-7-8_6525-7125_802.11a_CH185_Full RU_6525MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 47.89 88.20 -40.31 55.53 38.55 12.53 58.72 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13750.00 47.51 88.20 -40.69 55.15 38.55 12.53 58.72 -- -- Peak

Mode	60	
	LF	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak		

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	67.83	20.51	40.00	-19.49	40.83	18.15	1.51	39.98	--	--	Peak
2	167.74	21.88	43.50	-21.62	40.31	19.24	2.35	40.02	--	--	Peak
3	195.87	24.34	43.50	-19.16	45.27	16.52	2.54	39.99	--	--	Peak
4	568.35	26.59	46.00	-19.41	36.80	25.15	4.30	39.66	--	--	Peak
5	739.07	28.74	46.00	-17.26	35.75	27.63	4.89	39.53	--	--	Peak
6	873.90	31.46	46.00	-14.54	36.80	28.77	5.30	39.41	--	--	Peak

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	67.83	32.47	40.00	-7.53	52.79	18.15	1.51	39.98	--	--	Peak
2	165.80	28.28	43.50	-15.22	46.67	19.29	2.34	40.02	--	--	Peak
3	196.84	26.28	43.50	-17.22	47.24	16.48	2.55	39.99	--	--	Peak
4	461.65	23.49	46.00	-22.51	35.99	23.35	3.87	39.72	--	--	Peak
5	727.43	28.47	46.00	-17.53	35.83	27.34	4.84	39.54	--	--	Peak
6	934.04	31.86	46.00	-14.14	36.02	29.67	5.51	39.34	--	--	Peak

Mode	61	
	Band Edge	
	Co-location _802.11ax HE40_CH227 _7085MHz+B13	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7132.83 66.05 88.20 -22.15 49.55 36.25 12.76 32.51 208 245 PEAK 2 7282.74 56.11 74.00 -17.89 39.37 36.31 13.06 32.63 208 245 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 101.40 ------ ------ 85.09 36.23 12.54 32.46 208 245 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.42 56.13 68.20 -12.07 39.65 36.25 12.73 32.50 208 245 AVERAGE 2 7253.39 45.92 54.00 -8.08 29.18 36.30 13.04 32.60 208 245 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 93.15 ------ ------ 76.81 36.23 12.58 32.47 208 245 AVERAGE

Mode	61	
	Band Edge	
	Co-location _802.11ax HE40_CH227 _7085MHz+B13	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7126.28 68.10 88.20 -20.10 51.61 36.25 12.74 32.50 200 269 PEAK 2 7251.96 55.11 74.00 -18.89 38.37 36.30 13.04 32.60 200 269 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 103.26 ------ ------ 86.90 36.24 12.60 32.48 200 269 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.14 56.03 68.20 -12.17 39.55 36.25 12.73 32.50 200 269 AVERAGE 2 7250.82 44.74 54.00 -9.26 28.00 36.30 13.04 32.60 200 269 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 92.62 ------ ------ 76.28 36.23 12.58 32.47 200 269 AVERAGE

Mode	61	
	Harmonic	
	Co-location _802.11ax HE40_CH227 _7085MHz+B13	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 50.40 88.20 -37.80 43.81 41.00 16.32 50.73 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 49.30 88.20 -38.90 42.71 41.00 16.32 50.73 -- -- Peak

Mode	62	
	Band Edge	
	Co-location _802.11ax HE40_CH227 _7085MHz+ Bluetooth-LE_GSFK _CH39_2480MHz+B13	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7133.97 60.33 88.20 -27.87 43.83 36.25 12.76 32.51 206 290 PEAK 2 7305.83 55.04 74.00 -18.96 38.29 36.32 13.08 32.65 206 290 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7085.00 102.30 ------ ------ 85.96 36.23 12.58 32.47 206 290 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7128.27 48.79 68.20 -19.41 32.31 36.25 12.74 32.51 206 290 AVERAGE 2 7283.88 45.49 54.00 -8.51 28.75 36.31 13.06 32.63 206 290 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dBuV dB/m dB dB cm deg 1 7085.00 89.95 ------ ------ 73.61 36.23 12.58 32.47 206 290 AVERAGE

Mode	62	
	Band Edge	
	Co-location _802.11ax HE40_CH227 _7085MHz+ Bluetooth-LE_GSFK _CH39_2480MHz+B13	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7133.97 60.93 88.20 -27.27 44.43 36.25 12.76 32.51 214 252 PEAK 2 7311.24 54.78 74.00 -19.22 38.03 36.32 13.08 32.65 214 252 PEAK	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 101.99 ------ ------ 85.63 36.24 12.60 32.48 214 252 PEAK
Avg	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7130.27 47.82 68.20 -20.38 31.33 36.25 12.75 32.51 214 252 AVERAGE 2 7288.73 44.44 54.00 -9.56 27.69 36.32 13.06 32.63 214 252 AVERAGE	 Freq Level Limit Line Margin (dB) Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark 1 7085.00 91.14 ------ ------ 74.80 36.23 12.58 32.47 214 252 AVERAGE

Mode	62	
	Band Edge	
	Co-location _802.11ax HE40_CH227 _7085MHz+ Bluetooth-LE_GSFK _CH39_2480MHz+B13	
ANT	8	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2483.52 50.13 74.00 -23.87 41.89 32.46 7.88 32.10 295 250 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2480.00 101.62 ------ ------ 93.39 32.46 7.87 32.10 295 250 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2483.64 41.24 54.00 -12.76 33.00 32.46 7.88 32.10 295 250 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2480.00 99.87 ------ ------ 91.64 32.46 7.87 32.10 295 250 AVERAGE

Mode	62	
	Band Edge	
	Co-location _802.11ax HE40_CH227 _7085MHz+ Bluetooth-LE_GSFK _CH39_2480MHz+B13	
ANT	8	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2494.56 49.71 74.00 -24.29 41.43 32.49 7.89 32.10 289 280 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2480.00 96.35 ------ ------ 88.12 32.46 7.87 32.10 289 280 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2484.12 41.16 54.00 -12.84 32.91 32.47 7.88 32.10 289 280 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 2480.00 94.65 ------ ------ 86.42 32.46 7.87 32.10 289 280 AVERAGE

Mode	62	
	Harmonic	
	Co-location _802.11ax HE40_CH227 _7085MHz+ Bluetooth-LE_GSFK _CH39_2480MHz+B13	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 50.00 88.20 -38.20 43.41 41.00 16.32 50.73 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 49.61 88.20 -38.59 43.02 41.00 16.32 50.73 -- -- Peak

Mode	63	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.99 74.06 88.20 -14.14 57.58 36.25 12.73 32.50 200 54 PEAK 2 7262.79 60.99 74.00 -13.01 44.25 36.31 13.04 32.61 200 54 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 101.64 ------ ------ 85.30 36.23 12.58 32.47 200 54 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7125.42 61.11 68.20 -7.09 44.63 36.25 12.73 32.50 200 54 AVERAGE 2 7285.02 45.20 54.00 -8.80 28.46 36.31 13.06 32.63 200 54 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 92.99 ------ ------ 76.63 36.24 12.60 32.48 200 54 AVERAGE

Mode	63	
	Band Edge	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7132.83 72.56 88.20 -15.64 56.06 36.25 12.76 32.51 392 110 PEAK 2 7335.18 58.11 74.00 -15.89 41.35 36.33 13.10 32.67 392 110 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 99.41 ------ ------ 83.07 36.23 12.58 32.47 392 110 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7129.70 59.65 68.20 -8.55 43.16 36.25 12.75 32.51 392 110 AVERAGE 2 7309.53 46.50 54.00 -7.50 29.75 36.32 13.08 32.65 392 110 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 7085.00 90.65 ------ ------ 74.29 36.24 12.60 32.48 392 110 AVERAGE

Mode	63	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz	
ANT	8+7	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 49.40 88.20 -38.80 42.81 41.00 16.32 50.73 -- -- Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 14170.00 48.68 88.20 -39.52 42.09 41.00 16.32 50.73 -- -- Peak

Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a Ant.8	94.24	1.991	0.502	1KHz
802.11a Ant.7	94.26	2.000	0.500	1KHz
802.11ax HE20 Ant.8	98.56	-	-	10Hz
802.11ax HE20 Ant.7	98.56	-	-	10Hz
802.11ax HE40 Ant.8	98.57	-	-	10Hz
802.11ax HE40 Ant.7	98.57	-	-	10Hz
802.11ax HE80 Ant.8	99.36	-	-	10Hz
802.11ax HE80 Ant.7	98.96	-	-	10Hz
802.11ax HE160 Ant.8	98.77	-	-	10Hz
802.11ax HE160 Ant.7	98.77	-	-	10Hz

802.11a Ant.8



802.11a Ant.7



802.11ax HE20 Ant.8



802.11ax HE20 Ant.7



802.11ax HE40 Ant.8



802.11ax HE40 Ant.7



802.11ax HE80 Ant. 8



802.11ax HE80 Ant. 7



802.11ax HE160 Ant.8



802.11ax HE160 Ant.7