


Appendix D. SAR Test Setup Photos

Head Exposure Condition



Right Cheek, Test Separation 0 mm



Right Tilted, Test Separation 0 mm



Left Cheek, Test Separation 0 mm



Left Tilted, Test Separation 0 mm

Hotspot Exposure Condition



Front, Test Separation 5 mm



Back, Test Separation 5 mm



Left Side, Test Separation 5 mm



Right Side, Test Separation 5 mm



Top Side, Test Separation 5 mm



Bottom Side, Test Separation 5 mm

Body-worn Exposure Condition



Front, Test Separation 5 mm




Back, Test Separation 5 mm



Back with headset, Test Separation 5 mm

Sensor off



Front, Test Separation 15 mm



Back, Test Separation 18 mm

Product Specific 10g SAR



Front, Test Separation 0 mm



Back, Test Separation 0 mm



Left Side, Test Separation 0 mm



Right Side, Test Separation 0 mm



Top Side, Test Separation 0 mm



Bottom Side, Test Separation 0 mm

Sensor off



Front, Test Separation 3 mm



Back, Test Separation 9 mm



Back, Test Separation 8 mm



Back, Test Separation 11 mm




Left Side, Test Separation 2 mm



Left Side, Test Separation 7 mm




Top Side, Test Separation 10 mm



Top Side, Test Separation 9 mm



Bottom Side, Test Separation 10 mm




Front, Test Separation 5 mm



Right Side, Test Separation 5 mm

Antenna Location



Antenna	Support Band
Antenna 0	GSM: 850/1900<TX/RX> UMTS: B2/4/5<TX/RX> LTE: B2/4/5/12/13/17/25/26/66<TX/RX> 5G NR: n2/n5/n26/n66 <TX/RX>
Antenna 1	LTE: B7/38/41<TX/RX> 5G NR: n7<TX/RX> 5G NR: n78<RX>
Antenna 2	5G NR: n78<RX>
Antenna 4	LTE: B2/4/5/25/66/38/41<TX/RX> 5G NR: n2/n7/n38/n41/n66 <TX/RX>
Antenna 5	LTE: B42<TX/RX> 5G NR: n78<TX/RX>
Antenna 6	Bluetooth <TX/RX> WLAN 2.4GHz / 5GHz <TX/RX>
Antenna 8	5G NR: n78<RX>
NFC Antenna	NFC<TX/RX>

Note:

1. LTE Band 38/41 at Ant 1 and LTE Band 5 at Ant 4 was limited to EN-DC combination only.
2. 5G NR n78 at ant 1/2/8 supports SRS (Sounding Reference Signal) functionality.