





11AX160MIMO_Ant5_5250_UNII-2A




11AX160MIMO_Ant8_5250_UNII-2A






11AX160MIMO_Ant5_5570



Date: 7 AUG 2024 23:08:36

11AX160MIMO_Ant8_5570



Date: 7 AUG 2024 23:08:57



802.11ax Partial RU Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant5	5180	26Tone	RU0	5.74	≤11.00	PASS
			52Tone	RU37	5.43	≤11.00	PASS
			106Tone	RU53	5.02	≤11.00	PASS
	Ant8	5180	26Tone	RU0	4.97	≤11.00	PASS
			52Tone	RU37	4.66	≤11.00	PASS
			106Tone	RU53	4.56	≤11.00	PASS
	total	5180	26Tone	RU0	8.38	≤11.00	PASS
			52Tone	RU37	8.07	≤11.00	PASS
			106Tone	RU53	7.81	≤11.00	PASS
	Ant5	5220	26Tone	RU0	6.31	≤11.00	PASS
			52Tone	RU37	6.38	≤11.00	PASS
			106Tone	RU53	6.35	≤11.00	PASS
	Ant8	5220	26Tone	RU0	6.45	≤11.00	PASS
			52Tone	RU37	6.19	≤11.00	PASS
			106Tone	RU53	6.33	≤11.00	PASS
	total	5220	26Tone	RU0	9.39	≤11.00	PASS
			52Tone	RU37	9.30	≤11.00	PASS
			106Tone	RU53	9.35	≤11.00	PASS
	Ant5	5240	26Tone	RU8	5.94	≤11.00	PASS
			52Tone	RU40	5.98	≤11.00	PASS
			106Tone	RU54	6.16	≤11.00	PASS
	Ant8	5240	26Tone	RU8	6.06	≤11.00	PASS
			52Tone	RU40	5.67	≤11.00	PASS
			106Tone	RU54	5.98	≤11.00	PASS
	total	5240	26Tone	RU8	9.01	≤11.00	PASS
			52Tone	RU40	8.84	≤11.00	PASS
			106Tone	RU54	9.08	≤11.00	PASS
	Ant5	5260	26Tone	RU0	5.54	≤11.00	PASS
			52Tone	RU37	6.2	≤11.00	PASS
			106Tone	RU53	6.13	≤11.00	PASS
	Ant8	5260	26Tone	RU0	6.01	≤11.00	PASS
			52Tone	RU37	6.02	≤11.00	PASS
			106Tone	RU53	5.89	≤11.00	PASS
	total	5260	26Tone	RU0	8.79	≤11.00	PASS
			52Tone	RU37	9.12	≤11.00	PASS
			106Tone	RU53	9.02	≤11.00	PASS
	Ant5	5300	26Tone	RU0	6.27	≤11.00	PASS
			52Tone	RU37	6.18	≤11.00	PASS
			106Tone	RU53	6.35	≤11.00	PASS
	Ant8	5300	26Tone	RU0	6.42	≤11.00	PASS
			52Tone	RU37	6.28	≤11.00	PASS
			106Tone	RU53	6.15	≤11.00	PASS
	total	5300	26Tone	RU0	9.36	≤11.00	PASS



			52Tone	RU37	9.24	≤11.00	PASS
			106Tone	RU53	9.26	≤11.00	PASS
			26Tone	RU8	6.13	≤11.00	PASS
	Ant5	5320	52Tone	RU40	5.97	≤11.00	PASS
			106Tone	RU54	6.03	≤11.00	PASS
			26Tone	RU8	6.12	≤11.00	PASS
	Ant8	5320	52Tone	RU40	5.9	≤11.00	PASS
			106Tone	RU54	5.91	≤11.00	PASS
			26Tone	RU8	9.14	≤11.00	PASS
	total	5320	52Tone	RU40	8.95	≤11.00	PASS
			106Tone	RU54	8.98	≤11.00	PASS
			26Tone	RU0	4.76	≤11.00	PASS
	Ant5	5500	52Tone	RU37	4.61	≤11.00	PASS
			106Tone	RU53	4.8	≤11.00	PASS
			26Tone	RU0	5.16	≤11.00	PASS
	Ant8	5500	52Tone	RU37	4.72	≤11.00	PASS
			106Tone	RU53	4.77	≤11.00	PASS
			26Tone	RU0	7.97	≤11.00	PASS
	total	5500	52Tone	RU37	7.68	≤11.00	PASS
			106Tone	RU53	7.80	≤11.00	PASS
			26Tone	RU0	6.32	≤11.00	PASS
	Ant5	5580	52Tone	RU37	6.7	≤11.00	PASS
			106Tone	RU53	6.76	≤11.00	PASS
			26Tone	RU0	6.38	≤11.00	PASS
	Ant8	5580	52Tone	RU37	6.26	≤11.00	PASS
			106Tone	RU53	6.06	≤11.00	PASS
			26Tone	RU0	9.36	≤11.00	PASS
	total	5580	52Tone	RU37	9.50	≤11.00	PASS
			106Tone	RU53	9.43	≤11.00	PASS
			26Tone	RU8	4.13	≤11.00	PASS
	Ant5	5700	52Tone	RU40	4.18	≤11.00	PASS
			106Tone	RU54	4.59	≤11.00	PASS
			26Tone	RU8	4.15	≤11.00	PASS
	Ant8	5700	52Tone	RU40	3.66	≤11.00	PASS
			106Tone	RU54	3.81	≤11.00	PASS
			26Tone	RU8	7.15	≤11.00	PASS
	total	5700	52Tone	RU40	6.94	≤11.00	PASS
			106Tone	RU54	7.23	≤11.00	PASS
			26Tone	RU8	6.57	≤11.00	PASS
	Ant5	5720	52Tone	RU40	6.9	≤11.00	PASS
			106Tone	RU54	6.48	≤11.00	PASS
			26Tone	RU8	5.88	≤11.00	PASS
	Ant8	5720	52Tone	RU40	5.96	≤11.00	PASS
			106Tone	RU54	5.29	≤11.00	PASS
			26Tone	RU8	9.25	≤11.00	PASS
	total	5720	52Tone	RU40	9.47	≤11.00	PASS
			106Tone	RU54	8.94	≤11.00	PASS
			26Tone	RU0	5.64	≤30.00	PASS
	Ant5	5745	52Tone	RU37	5.48	≤30.00	PASS
			106Tone	RU53	5.37	≤30.00	PASS




	Ant8	5745	26Tone	RU0	4.01	≤30.00	PASS
			52Tone	RU37	3.6	≤30.00	PASS
			106Tone	RU53	3.61	≤30.00	PASS
	total	5745	26Tone	RU0	7.91	≤30.00	PASS
			52Tone	RU37	7.65	≤30.00	PASS
			106Tone	RU53	7.59	≤30.00	PASS
	Ant5	5785	26Tone	RU0	5.39	≤30.00	PASS
			52Tone	RU37	5.39	≤30.00	PASS
			106Tone	RU53	5.05	≤30.00	PASS
	Ant8	5785	26Tone	RU0	3.77	≤30.00	PASS
			52Tone	RU37	3.36	≤30.00	PASS
			106Tone	RU53	3.13	≤30.00	PASS
	total	5785	26Tone	RU0	7.67	≤30.00	PASS
			52Tone	RU37	7.50	≤30.00	PASS
			106Tone	RU53	7.21	≤30.00	PASS
	Ant5	5825	26Tone	RU8	4.59	≤30.00	PASS
			52Tone	RU40	4.67	≤30.00	PASS
			106Tone	RU54	4.83	≤30.00	PASS
	Ant8	5825	26Tone	RU8	3.42	≤30.00	PASS
			52Tone	RU40	3.14	≤30.00	PASS
			106Tone	RU54	3.12	≤30.00	PASS
	total	5825	26Tone	RU8	7.05	≤30.00	PASS
			52Tone	RU40	6.98	≤30.00	PASS
			106Tone	RU54	7.07	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20MIMO_Ant5_5180_106Tone_RU53



Date: 8 AUG 2024 13:04:06


11AX20MIMO_Ant8_5180_26Tone_RU0



Date: 8 AUG 2024 13:00:52




11AX20MIMO_Ant8_5180_52Tone_RU37



Date: 8 AUG 2024 13:03:06


11AX20MIMO_Ant8_5180_106Tone_RU53



Date: 8 AUG 2024 13:04:33




11AX20MIMO_Ant5_5220_26Tone_RU0



Date: 8 AUG 2024 13:06:35


11AX20MIMO_Ant5_5220_52Tone_RU37



Date: 8 AUG 2024 13:07:37




11AX20MIMO_Ant5_5220_106Tone_RU53



Date: 8 AUG 2024 13:09:31


11AX20MIMO_Ant8_5220_26Tone_RU0




Date: 8 AUG 2024 13:06:45



11AX20MIMO_Ant8_5220_52Tone_RU37




11AX20MIMO_Ant8_5220_106Tone_RU53






11AX20MIMO_Ant5_5240_26Tone_RU8



Date: 8 AUG 2024 13:11:28


11AX20MIMO_Ant5_5240_52Tone_RU40



Date: 8 AUG 2024 13:12:47




11AX20MIMO_Ant5_5240_106Tone_RU54



Date: 8 AUG 2024 13:14:28


11AX20MIMO_Ant8_5240_26Tone_RU8



Date: 8 AUG 2024 13:11:56




11AX20MIMO_Ant8_5240_52Tone_RU40



Date: 8 AUG 2024 13:13:15


11AX20MIMO_Ant8_5240_106Tone_RU54



Date: 8 AUG 2024 13:14:55




11AX20MIMO_Ant5_5260_26Tone_RU0



Date: 8 AUG 2024 13:15:25


11AX20MIMO_Ant5_5260_52Tone_RU37



Date: 8 AUG 2024 13:16:11




11AX20MIMO_Ant5_5260_106Tone_RU53



Date: 8 AUG 2024 13:16:49


11AX20MIMO_Ant8_5260_26Tone_RU0



Date: 8 AUG 2024 13:15:35




11AX20MIMO_Ant8_5260_52Tone_RU37



Date: 8 AUG 2024 13:16:21


11AX20MIMO_Ant8_5260_106Tone_RU53



Date: 8 AUG 2024 13:17:00




11AX20MIMO_Ant5_5300_26Tone_RU0



Date: 8 AUG 2024 13:17:33


11AX20MIMO_Ant5_5300_52Tone_RU37



Date: 8 AUG 2024 13:18:33




11AX20MIMO_Ant5_5300_106Tone_RU53



Date: 8 AUG 2024 13:20:03


11AX20MIMO_Ant8_5300_26Tone_RU0



Date: 8 AUG 2024 13:17:43




11AX20MIMO_Ant8_5300_52Tone_RU37



Date: 8 AUG 2024 13:18:43


11AX20MIMO_Ant8_5300_106Tone_RU53



Date: 8 AUG 2024 13:20:14




11AX20MIMO_Ant5_5320_26Tone_RU8



Date: 8 AUG 2024 13:20:42


11AX20MIMO_Ant5_5320_52Tone_RU40



Date: 8 AUG 2024 13:21:31




11AX20MIMO_Ant5_5320_106Tone_RU54



Date: 8 AUG 2024 13:22:40


11AX20MIMO_Ant8_5320_26Tone_RU8



Date: 8 AUG 2024 13:20:52




11AX20MIMO_Ant8_5320_52Tone_RU40



Date: 8 AUG 2024 13:21:41


11AX20MIMO_Ant8_5320_106Tone_RU54



Date: 8 AUG 2024 13:22:50




11AX20MIMO_Ant5_5500_26Tone_RU0



Date: 8 AUG 2024 13:23:31


11AX20MIMO_Ant5_5500_52Tone_RU37



Date: 8 AUG 2024 13:24:18




11AX20MIMO_Ant5_5500_106Tone_RU53



Date: 8 AUG 2024 13:25:04


11AX20MIMO_Ant8_5500_26Tone_RU0



Date: 8 AUG 2024 13:23:41




11AX20MIMO_Ant8_5500_52Tone_RU37



Date: 8 AUG 2024 13:24:28


11AX20MIMO_Ant8_5500_106Tone_RU53



Date: 8 AUG 2024 13:25:14




11AX20MIMO_Ant5_5580_26Tone_RU0



Date: 8 AUG 2024 13:25:58


11AX20MIMO_Ant5_5580_52Tone_RU37



Date: 8 AUG 2024 13:26:39




11AX20MIMO_Ant5_5580_106Tone_RU53



Date: 8 AUG 2024 13:27:21


11AX20MIMO_Ant8_5580_26Tone_RU0



Date: 8 AUG 2024 13:26:08




11AX20MIMO_Ant8_5580_52Tone_RU37



Date: 8 AUG 2024 13:26:49


11AX20MIMO_Ant8_5580_106Tone_RU53



Date: 8 AUG 2024 13:27:32




11AX20MIMO_Ant5_5700_26Tone_RU8



Date: 8 AUG 2024 13:28:06


11AX20MIMO_Ant5_5700_52Tone_RU40



Date: 8 AUG 2024 13:28:48




11AX20MIMO_Ant5_5700_106Tone_RU54



Date: 8 AUG 2024 13:29:29


11AX20MIMO_Ant8_5700_26Tone_RU8



Date: 8 AUG 2024 13:28:16




11AX20MIMO_Ant8_5700_52Tone_RU40



Date: 8 AUG 2024 13:28:58


11AX20MIMO_Ant8_5700_106Tone_RU54



Date: 8 AUG 2024 13:29:39




11AX20MIMO_Ant5_5720_26Tone_RU8



Date: 8 AUG 2024 13:35:32


11AX20MIMO_Ant5_5720_52Tone_RU40



Date: 8 AUG 2024 13:37:20




11AX20MIMO_Ant5_5720_106Tone_RU54



Date: 8 AUG 2024 13:38:01


11AX20MIMO_Ant8_5720_26Tone_RU8



Date: 8 AUG 2024 13:35:42




11AX20MIMO_Ant8_5720_52Tone_RU40



Date: 8 AUG 2024 13:37:31


11AX20MIMO_Ant8_5720_106Tone_RU54



Date: 8 AUG 2024 13:38:11




11AX20MIMO_Ant5_5745_26Tone_RU0



Date: 8 AUG 2024 14:05:23


11AX20MIMO_Ant5_5745_52Tone_RU37



Date: 8 AUG 2024 14:06:58




11AX20MIMO_Ant5_5745_106Tone_RU53



Date: 8 AUG 2024 14:07:37


11AX20MIMO_Ant8_5745_26Tone_RU0



Date: 8 AUG 2024 14:05:33




11AX20MIMO_Ant8_5745_52Tone_RU37



Date: 8 AUG 2024 14:07:07


11AX20MIMO_Ant8_5745_106Tone_RU53



Date: 8 AUG 2024 14:07:47




11AX20MIMO_Ant5_5785_26Tone_RU0



Date: 8 AUG 2024 14:08:54


11AX20MIMO_Ant5_5785_52Tone_RU37



Date: 8 AUG 2024 14:10:20




11AX20MIMO_Ant5_5785_106Tone_RU53



Date: 8 AUG 2024 14:10:59


11AX20MIMO_Ant8_5785_26Tone_RU0



Date: 8 AUG 2024 14:09:04




11AX20MIMO_Ant8_5785_52Tone_RU37



Date: 8 AUG 2024 14:10:29


11AX20MIMO_Ant8_5785_106Tone_RU53



Date: 8 AUG 2024 14:11:09




11AX20MIMO_Ant5_5825_26Tone_RU8



Date: 8 AUG 2024 14:14:09


11AX20MIMO_Ant5_5825_52Tone_RU40




Date: 8 AUG 2024 14:14:45



11AX20MIMO_Ant5_5825_106Tone_RU54




11AX20MIMO_Ant8_5825_26Tone_RU8






11AX20MIMO_Ant8_5825_52Tone_RU40



Date: 8 AUG 2024 14:14:55

11AX20MIMO_Ant8_5825_106Tone_RU54




Date: 8 AUG 2024 14:15:45



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.189	52.80	-11.26	64.06	42.30	0.09	10.41	QP
2	0.189	40.10	-13.96	54.06	29.60	0.09	10.41	Average
3	0.262	48.35	-13.03	61.38	37.90	0.09	10.36	QP
4	0.262	34.75	-16.63	51.38	24.30	0.09	10.36	Average
5	0.391	46.17	-11.86	58.03	35.90	-0.01	10.28	QP
6 *	0.391	36.87	-11.16	48.03	26.60	-0.01	10.28	Average
7	0.694	39.89	-16.11	56.00	29.90	-0.15	10.14	QP
8	0.694	28.89	-17.11	46.00	18.90	-0.15	10.14	Average
9	0.943	40.52	-15.48	56.00	30.59	-0.17	10.10	QP
10	0.943	25.82	-20.18	46.00	15.89	-0.17	10.10	Average
11	2.190	42.17	-13.83	56.00	32.30	-0.21	10.08	QP
12	2.190	29.77	-16.23	46.00	19.90	-0.21	10.08	Average
13	3.623	43.08	-12.92	56.00	33.19	-0.18	10.07	QP
14	3.623	30.53	-15.47	46.00	20.64	-0.18	10.07	Average
15	7.446	46.20	-13.80	60.00	36.09	-0.22	10.33	QP
16	7.446	36.40	-13.60	50.00	26.29	-0.22	10.33	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.193	45.74	-18.15	63.89	35.20	0.13	10.41	QP
2	0.193	35.84	-18.05	53.89	25.30	0.13	10.41	Average
3	0.391	44.45	-13.58	58.03	34.31	-0.14	10.28	QP
4 *	0.391	36.45	-11.58	48.03	26.31	-0.14	10.28	Average
5	0.507	43.37	-12.63	56.00	33.30	-0.15	10.22	QP
6	0.507	28.97	-17.03	46.00	18.90	-0.15	10.22	Average
7	0.570	43.13	-12.87	56.00	33.10	-0.16	10.19	QP
8	0.570	31.33	-14.67	46.00	21.30	-0.16	10.19	Average
9	0.848	41.78	-14.22	56.00	31.85	-0.17	10.10	QP
10	0.848	29.83	-16.17	46.00	19.90	-0.17	10.10	Average
11	8.323	40.02	-19.98	60.00	29.80	-0.23	10.45	QP
12	8.323	29.92	-20.08	50.00	19.70	-0.23	10.45	Average
13	9.302	44.51	-15.49	60.00	34.20	-0.26	10.57	QP
14	9.302	36.61	-13.39	50.00	26.30	-0.26	10.57	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	levi zhao	Relative Humidity :	41 ~ 42%
		Temperature :	22 ~ 23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 5+8	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 5+8	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 5+8	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	CDD 5+8	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	CDD 5+8	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	CDD 5+8	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	CDD 5+8	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	CDD 5+8	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	CDD 5+8	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE40	38	5190	MCS0	Full	-
Mode 32	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE40	46	5230	MCS0	Full	-
Mode 33	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE40	54	5270	MCS0	Full	-
Mode 34	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE40	62	5310	MCS0	Full	-
Mode 35	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE40	102	5510	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE40	110	5550	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE40	134	5670	MCS0	Full	-



Mode 38	U-NII-1	5.15-5.25	CDD 5+8	802.11ax HE80	42	5210	MCS0	Full	-
Mode 39	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE80	58	5290	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE80	106	5530	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE80	122	5610	MCS0	Full	-
Mode 42	U-NII-2A	5.15-5.35	CDD 5+8	802.11ax HE160	50	5250	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.725	CDD 5+8	802.11ax HE160	114	5570	MCS0	Full	-
Mode 44	U-NII-3	5.725-5.85	CDD 5+8	802.11a	149	5745	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	CDD 5+8	802.11a	157	5785	6Mbps	-	-
Mode 46	U-NII-3	5.725-5.85	CDD 5+8	802.11a	165	5825	6Mbps	-	-
Mode 47	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	149	5745	MCS0	Full	-
Mode 48	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	157	5785	MCS0	Full	-
Mode 49	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	165	5825	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE40	151	5755	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE40	159	5795	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE80	155	5775	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 54	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 55	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 56	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 57	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 58	U-NII-3	5.725-5.85	CDD 5+8	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-2C	5.47-5.85	CDD 5+8	802.11a	144	5720	6Mbps	-	-
Mode 60	U-NII-2C	5.47-5.85	CDD 5+8	802.11ax HE20	144	5720	MCS0	Full	-
Mode 61	U-NII-2C	5.47-5.85	CDD 5+8	802.11ax HE40	142	5710	MCS0	Full	-
Mode 62	U-NII-2C	5.47-5.85	CDD 5+8	802.11ax HE80	138	5690	MCS0	Full	-
Mode 63	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSFK	39	2480	2Mbps	Full	-
	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE40	62	5310	MCS0	Full	-
	5G NR n7 Link								
Mode 64	2400-2483.5	2400-2483.5	8	Bluetooth-LE_GSFK	39	2480	2Mbps	Full	-
	U-NII-2A	5.25-5.35	CDD 5+8	802.11ax HE40	62	5310	MCS0	Full	-
	5G NR n7 Link								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.92	49.06	54.00	-4.94	V	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	40.81	54.00	-13.19	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	56.84	68.20	-11.36	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	43.05	54.00	-10.95	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	53.06	68.20	-15.14	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	43.79	54.00	-10.21	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.10	49.77	54.00	-4.23	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	42.80	54.00	-11.20	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5470.00	64.33	68.20	-3.87	H	PEAK	Pass	Band Edge
7	802.11a	100	8250.70	47.25	54.00	-6.75	V	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	44.60	54.00	-9.40	V	AVERAGE	Pass	Harmonic
9	802.11a	140	5725.48	64.90	68.20	-3.30	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	44.47	54.00	-9.53	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5149.92	50.78	54.00	-3.22	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	46.06	68.20	-22.14	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	54.76	68.20	-13.44	V	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	10480.00	55.03	68.20	-13.17	V	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	10520.00	54.54	68.20	-13.66	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	43.25	54.00	-10.75	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.24	50.68	54.00	-3.32	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	41.40	54.00	-12.60	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5468.65	63.10	68.20	-5.10	H	PEAK	Pass	Band Edge
16	802.11ax HE20	100	8250.70	49.75	54.00	-4.25	H	Average	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	55.96	68.20	-12.24	H	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.09	64.68	68.20	-3.52	H	Peak	Pass	Band Edge
18	802.11ax HE20	140	11400.00	43.57	54.00	-10.43	V	AVERAGE	Pass	Harmonic
19	802.11ax HE20	36	5141.28	69.36	74.00	-4.64	V	PEAK	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	64	5350.94	44.07	54.00	-9.93	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5454.70	44.33	54.00	-9.67	H	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
22	802.11ax HE20	140	5730.88	64.30	68.20	-3.90	V	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5149.12	45.40	54.00	-8.60	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5351.64	43.41	54.00	-10.59	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5459.80	44.09	54.00	-9.91	H	AVERAGE	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5738.35	63.30	68.20	-4.90	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5149.92	49.53	54.00	-4.47	H	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.80	48.69	54.00	-5.31	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5463.25	60.72	68.20	-7.48	H	PEAK	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5733.28	58.55	68.20	-9.65	V	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.90	50.75	54.00	-3.25	V	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	49.65	68.20	-18.55	V	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5149.27	47.11	54.00	-6.89	V	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	50.39	68.20	-17.81	V	PEAK	Pass	Harmonic
33	802.11ax HE40	54	5350.18	46.17	54.00	-7.83	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	54	10540.00	48.31	68.20	-19.89	V	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5351.25	50.80	54.00	-3.20	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	7080.30	48.09	68.20	-20.11	V	Peak	Pass	Harmonic
35	802.11ax HE40	102	5459.44	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	102	7346.50	48.79	74.00	-25.21	H	Peak	Pass	Harmonic
36	802.11ax HE40	110	5457.40	46.32	54.00	-7.68	H	AVERAGE	Pass	Band Edge
36	802.11ax HE40	110	11100.00	42.55	54.00	-11.45	V	AVERAGE	Pass	Harmonic
37	802.11ax HE40	134	5726.62	63.87	68.20	-4.33	H	Peak	Pass	Band Edge
37	802.11ax HE40	134	11340.00	44.73	54.00	-9.27	V	AVERAGE	Pass	Harmonic
38	802.11ax HE80	42	5144.06	49.97	54.00	-4.03	H	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	47.07	68.20	-21.13	V	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5352.39	49.71	54.00	-4.29	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	58	7052.80	48.72	68.20	-19.48	V	Peak	Pass	Harmonic
40	802.11ax HE80	106	5452.60	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	16590.00	48.48	68.20	-19.72	V	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5725.52	64.60	68.20	-3.60	H	PEAK	Pass	Band Edge
41	802.11ax HE80	122	7480.70	48.09	74.00	-25.91	H	Peak	Pass	Harmonic
42	802.11ax HE160	50	5401.20	49.98	54.00	-4.02	H	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	10500.00	47.11	68.20	-21.09	V	PEAK	Pass	Harmonic
43	802.11ax HE160	114	5432.28	49.91	54.00	-4.09	H	AVERAGE	Pass	Band Edge
43	802.11ax HE160	114	11140.00	48.70	74.00	-25.30	V	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
44	802.11a	149	5629.01	57.79	68.20	-10.41	V	PEAK	Pass	Band Edge
44	802.11a	149	7660.00	47.34	54.00	-6.66	H	Average	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
45	802.11a	157	7713.90	48.36	54.00	-5.64	H	Average	Pass	Harmonic
46	802.11a	165	5958.21	57.89	68.20	-10.31	V	PEAK	Pass	Band Edge
46	802.11a	165	11650.00	47.44	54.00	-6.56	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	149	5615.81	58.21	68.20	-9.99	H	PEAK	Pass	Band Edge
47	802.11ax HE20	149	7660.00	49.77	54.00	-4.23	H	Average	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	157	7713.90	50.71	54.00	-3.29	H	Average	Pass	Harmonic
49	802.11ax HE20	165	5944.61	56.67	68.20	-11.53	H	PEAK	Pass	Band Edge
49	802.11ax HE20	165	11650.00	48.34	54.00	-5.66	V	AVERAGE	Pass	Harmonic
50	802.11ax HE40	151	5644.41	58.28	68.20	-9.92	H	PEAK	Pass	Band Edge
50	802.11ax HE40	151	11510.00	46.54	54.00	-7.46	V	AVERAGE	Pass	Harmonic
51	802.11ax HE40	159	5626.61	58.43	68.20	-9.77	H	PEAK	Pass	Band Edge
51	802.11ax HE40	159	7727.10	50.71	54.00	-3.29	H	Average	Pass	Harmonic
52	802.11ax HE80	155	5648.21	64.65	68.20	-3.55	H	PEAK	Pass	Band Edge
52	802.11ax HE80	155	7699.98	50.51	54.00	-3.49	H	AVERAGE	Pass	Harmonic
53	802.11ax HE20	149	5642.20	55.16	68.20	-13.04	V	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5925.25	56.42	68.20	-11.78	V	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5622.77	54.68	68.20	-13.52	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5934.13	55.21	68.20	-12.99	H	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	149	5618.60	54.24	68.20	-13.96	V	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5924.60	52.40	68.50	-16.10	V	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
59	802.11a	144	17160.00	61.87	68.20	-6.33	H	PEAK	Pass	Harmonic
60	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
60	802.11ax HE20	144	17160.00	61.55	68.20	-6.65	H	PEAK	Pass	Harmonic
61	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
61	802.11ax HE40	142	11420.90	47.02	54.00	-6.98	V	Average	Pass	Harmonic
62	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
62	802.11ax HE80	138	17070.00	46.68	68.20	-21.52	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	Bluetooth-LE_GSKF	39	2498.68	44.32	54.00	-9.68	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	-	-	-	-	-	-	-	Harmonic
	802.11ax HE40	62	5435.10	50.09	54.00	-3.91	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
64	Bluetooth-LE_GSKF	39	2498.74	45.72	54.00	-8.28	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	5309.20	63.26	74.00	-10.74	H	Peak	Pass	Harmonic
	802.11ax HE40	62	5436.75	49.71	54.00	-4.29	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	62	7080.30	53.39	68.20	-14.81	H	Peak	Pass	Harmonic





		1																																																																																																																					
Mode	Band Edge																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																						
ANT	CDD 5+8																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5141.92</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>47.58</td><td>34.18</td><td>9.78</td><td>31.89</td><td>0.00</td><td>105</td><td>309 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	5141.92	59.65	74.00	-14.35	47.58	34.18	9.78	31.89	0.00	105	309 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>109.16</td><td>-----</td><td>-----</td><td>97.02</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>105</td><td>309 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	5180.00	109.16	-----	-----	97.02	34.20	9.81	31.87	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	5141.92	59.65	74.00	-14.35	47.58	34.18	9.78	31.89	0.00	105	309 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	5180.00	109.16	-----	-----	97.02	34.20	9.81	31.87	0.00	105	309 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5146.56</td><td>48.05</td><td>54.00</td><td>-5.95</td><td>35.97</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>105</td><td>309 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	5146.56	48.05	54.00	-5.95	35.97	34.19	9.78	31.89	0.00	105	309 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>101.51</td><td>-----</td><td>-----</td><td>89.37</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>105</td><td>309 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB			1	5180.00	101.51	-----	-----	89.37	34.20	9.81	31.87	0.00	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	5146.56	48.05	54.00	-5.95	35.97	34.19	9.78	31.89	0.00	105	309 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																																														
1	5180.00	101.51	-----	-----	89.37	34.20	9.81	31.87	0.00	105	309 AVERAGE																																																																																																												





Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																			
ANT	CDD 5+8																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>46.41</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>368</td><td>70 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	58.51	74.00	-15.49	46.41	34.20	9.79	31.89	0.00	368	70 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>107.57</td><td>-----</td><td>-----</td><td>95.43</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>368</td><td>70 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.57	-----	-----	95.43	34.20	9.81	31.87	0.00	368
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.92	58.51	74.00	-15.49	46.41	34.20	9.79	31.89	0.00	368	70 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	107.57	-----	-----	95.43	34.20	9.81	31.87	0.00	368	70 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>49.06</td><td>54.00</td><td>-4.94</td><td>36.96</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>368</td><td>70 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	49.06	54.00	-4.94	36.96	34.20	9.79	31.89	0.00	368	70 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.61</td><td>-----</td><td>-----</td><td>87.47</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>368</td><td>70 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.61	-----	-----	87.47	34.20	9.81	31.87	0.00	368
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.92	49.06	54.00	-4.94	36.96	34.20	9.79	31.89	0.00	368	70 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	99.61	-----	-----	87.47	34.20	9.81	31.87	0.00	368	70 AVERAGE																																																																																									





Mode	1																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																							
ANT	CDD 5+8																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.43</td><td>68.20</td><td>-20.77</td><td>57.16</td><td>37.42</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>52.50</td><td>40.08</td><td>17.52</td><td>63.80</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	47.43	68.20	-20.77	57.16	37.42	14.13	61.28	0.00	---	PEAK	2	15540.00	46.30	74.00	-27.70	52.50	40.08	17.52	63.80	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>64.41</td><td>37.42</td><td>14.13</td><td>61.28</td><td>0.00</td><td>103</td><td>333 PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>56.09</td><td>40.08</td><td>17.52</td><td>63.80</td><td>0.00</td><td>103</td><td>333 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>47.01</td><td>40.08</td><td>17.52</td><td>63.80</td><td>0.00</td><td>103</td><td>333 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	54.68	68.20	-13.52	64.41	37.42	14.13	61.28	0.00	103	333 PEAK	2	15540.00	49.89	74.00	-24.11	56.09	40.08	17.52	63.80	0.00	103	333 PEAK	3	15540.00	40.81	54.00	-13.19	47.01	40.08	17.52	63.80	0.00	103	333 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	10360.00	47.43	68.20	-20.77	57.16	37.42	14.13	61.28	0.00	---	PEAK																																																																																																																													
2	15540.00	46.30	74.00	-27.70	52.50	40.08	17.52	63.80	0.00	---	PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	10360.00	54.68	68.20	-13.52	64.41	37.42	14.13	61.28	0.00	103	333 PEAK																																																																																																																													
2	15540.00	49.89	74.00	-24.11	56.09	40.08	17.52	63.80	0.00	103	333 PEAK																																																																																																																													
3	15540.00	40.81	54.00	-13.19	47.01	40.08	17.52	63.80	0.00	103	333 AVERAGE																																																																																																																													





Mode	2																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																											
ANT	CDD 5+8																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>47.24</td><td>68.20</td><td>-20.96</td><td>56.75</td><td>37.58</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>52.16</td><td>40.32</td><td>17.58</td><td>63.80</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	47.24	68.20	-20.96	56.75	37.58	14.18	61.27	0.00	---	PEAK	2	15660.00	46.26	74.00	-27.74	52.16	40.32	17.58	63.80	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>56.84</td><td>68.20</td><td>-11.36</td><td>66.35</td><td>37.58</td><td>14.18</td><td>61.27</td><td>0.00</td><td>109</td><td>336 PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>55.10</td><td>40.32</td><td>17.58</td><td>63.80</td><td>0.00</td><td>109</td><td>336 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>45.72</td><td>40.31</td><td>17.58</td><td>63.80</td><td>0.00</td><td>109</td><td>336 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	56.84	68.20	-11.36	66.35	37.58	14.18	61.27	0.00	109	336 PEAK	2	15660.00	49.20	74.00	-24.80	55.10	40.32	17.58	63.80	0.00	109	336 PEAK	3	15660.00	39.81	54.00	-14.19	45.72	40.31	17.58	63.80	0.00	109
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10440.00	47.24	68.20	-20.96	56.75	37.58	14.18	61.27	0.00	---	PEAK																																																																																																																																	
2	15660.00	46.26	74.00	-27.74	52.16	40.32	17.58	63.80	0.00	---	PEAK																																																																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10440.00	56.84	68.20	-11.36	66.35	37.58	14.18	61.27	0.00	109	336 PEAK																																																																																																																																	
2	15660.00	49.20	74.00	-24.80	55.10	40.32	17.58	63.80	0.00	109	336 PEAK																																																																																																																																	
3	15660.00	39.81	54.00	-14.19	45.72	40.31	17.58	63.80	0.00	109	336 AVERAGE																																																																																																																																	





Mode	3																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																														
ANT	CDD 5+8																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>46.99</td><td>68.20</td><td>-21.21</td><td>56.39</td><td>37.66</td><td>14.21</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>52.64</td><td>40.44</td><td>17.61</td><td>63.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	46.99	68.20	-21.21	56.39	37.66	14.21	61.27	0.00	---	---	PEAK	2	15720.00	46.88	74.00	-27.12	52.64	40.44	17.61	63.81	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>55.39</td><td>68.20</td><td>-12.81</td><td>64.79</td><td>37.66</td><td>14.21</td><td>61.27</td><td>0.00</td><td>111</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>59.56</td><td>40.44</td><td>17.61</td><td>63.81</td><td>0.00</td><td>108</td><td>103</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>48.81</td><td>40.44</td><td>17.61</td><td>63.81</td><td>0.00</td><td>108</td><td>103</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	55.39	68.20	-12.81	64.79	37.66	14.21	61.27	0.00	111	340	PEAK	2	15720.00	53.80	74.00	-20.20	59.56	40.44	17.61	63.81	0.00	108	103	PEAK	3	15720.00	43.05	54.00	-10.95	48.81	40.44	17.61	63.81	0.00	108	103	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	10480.00	46.99	68.20	-21.21	56.39	37.66	14.21	61.27	0.00	---	---	PEAK																																																																																																																																			
2	15720.00	46.88	74.00	-27.12	52.64	40.44	17.61	63.81	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	10480.00	55.39	68.20	-12.81	64.79	37.66	14.21	61.27	0.00	111	340	PEAK																																																																																																																																			
2	15720.00	53.80	74.00	-20.20	59.56	40.44	17.61	63.81	0.00	108	103	PEAK																																																																																																																																			
3	15720.00	43.05	54.00	-10.95	48.81	40.44	17.61	63.81	0.00	108	103	AVERAGE																																																																																																																																			







Mode	4																																																																				
	Harmonic																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																				
ANT	CDD 5+8																																																																				
Pol.	Horizontal																																																																				
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.13</td><td>68.20</td><td>-22.07</td><td>55.41</td><td>37.74</td><td>14.24</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>53.76</td><td>40.56</td><td>17.64</td><td>63.81</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	46.13	68.20	-22.07	55.41	37.74	14.24	61.26	0.00	---	PEAK	2	15780.00	48.15	74.00	-25.85	53.76	40.56	17.64	63.81	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10520.00	46.13	68.20	-22.07	55.41	37.74	14.24	61.26	0.00	---	PEAK																																																										
2	15780.00	48.15	74.00	-25.85	53.76	40.56	17.64	63.81	0.00	---	PEAK																																																										
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>53.06</td><td>68.20</td><td>-15.14</td><td>62.34</td><td>37.74</td><td>14.24</td><td>61.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15780.20</td><td>49.38</td><td>74.00</td><td>-24.62</td><td>54.99</td><td>40.56</td><td>17.64</td><td>63.81</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	53.06	68.20	-15.14	62.34	37.74	14.24	61.26	0.00	---	PEAK	2	15780.20	49.38	74.00	-24.62	54.99	40.56	17.64	63.81	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	10520.00	53.06	68.20	-15.14	62.34	37.74	14.24	61.26	0.00	---	PEAK																																																										
2	15780.20	49.38	74.00	-24.62	54.99	40.56	17.64	63.81	0.00	---	Peak																																																										







Mode	5																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																											
ANT	CDD 5+8																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>56.28</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15900.00</td><td>47.64</td><td>74.00</td><td>-26.36</td><td>52.85</td><td>40.90</td><td>17.70</td><td>63.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	47.21	74.00	-26.79	56.28	37.90	14.29	61.26	0.00	---	---	PEAK	2	15900.00	47.64	74.00	-26.36	52.85	40.90	17.70	63.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>64.94</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>110</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>52.86</td><td>37.90</td><td>14.29</td><td>61.26</td><td>0.00</td><td>110</td><td>333</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>54.91</td><td>40.90</td><td>17.70</td><td>63.81</td><td>0.00</td><td>110</td><td>333</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>40.02</td><td>54.00</td><td>-13.98</td><td>45.23</td><td>40.90</td><td>17.70</td><td>63.81</td><td>0.00</td><td>110</td><td>333</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10600.00	55.87	74.00	-18.13	64.94	37.90	14.29	61.26	0.00	110	333	PEAK	2	10600.00	43.79	54.00	-10.21	52.86	37.90	14.29	61.26	0.00	110	333	AVERAGE	3	15900.00	49.70	74.00	-24.30	54.91	40.90	17.70	63.81	0.00	110	333	PEAK	4	15900.00	40.02	54.00	-13.98	45.23	40.90	17.70	63.81	0.00	110	333	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10600.00	47.21	74.00	-26.79	56.28	37.90	14.29	61.26	0.00	---	---	PEAK																																																																																																																																																
2	15900.00	47.64	74.00	-26.36	52.85	40.90	17.70	63.81	0.00	---	---	PEAK																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10600.00	55.87	74.00	-18.13	64.94	37.90	14.29	61.26	0.00	110	333	PEAK																																																																																																																																																
2	10600.00	43.79	54.00	-10.21	52.86	37.90	14.29	61.26	0.00	110	333	AVERAGE																																																																																																																																																
3	15900.00	49.70	74.00	-24.30	54.91	40.90	17.70	63.81	0.00	110	333	PEAK																																																																																																																																																
4	15900.00	40.02	54.00	-13.98	45.23	40.90	17.70	63.81	0.00	110	333	AVERAGE																																																																																																																																																





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	CDD 5+8																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.24</td><td>58.28</td><td>74.00</td><td>-15.72</td><td>45.55</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>107 247 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.24	58.28	74.00	-15.72	45.55	34.60	9.91	31.78	0.00	107 247 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>110.51</td><td>-----</td><td>-----</td><td>97.87</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>107 247 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.51	-----	-----	97.87	34.54	9.90	31.80	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.24	58.28	74.00	-15.72	45.55	34.60	9.91	31.78	0.00	107 247 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	110.51	-----	-----	97.87	34.54	9.90	31.80	0.00	107 247 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.10</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>37.04</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>107 247 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.10	49.77	54.00	-4.23	37.04	34.60	9.91	31.78	0.00	107 247 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.29</td><td>-----</td><td>-----</td><td>90.65</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>107 247 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.29	-----	-----	90.65	34.54	9.90	31.80	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.10	49.77	54.00	-4.23	37.04	34.60	9.91	31.78	0.00	107 247 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.29	-----	-----	90.65	34.54	9.90	31.80	0.00	107 247 AVERAGE																																																																																									





Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																			
ANT	CDD 5+8																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.34</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>42.48</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>118</td><td>32 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.34	55.21	74.00	-18.79	42.48	34.60	9.91	31.78	0.00	118	32 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.21</td><td>-----</td><td>-----</td><td>92.57</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>118</td><td>32 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.21	-----	-----	92.57	34.54	9.90	31.80	0.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5352.34	55.21	74.00	-18.79	42.48	34.60	9.91	31.78	0.00	118	32 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	105.21	-----	-----	92.57	34.54	9.90	31.80	0.00	118	32 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.06</td><td>44.73</td><td>54.00</td><td>-9.27</td><td>32.00</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>118</td><td>32 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.06	44.73	54.00	-9.27	32.00	34.60	9.91	31.78	0.00	118	32 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>97.89</td><td>-----</td><td>-----</td><td>85.25</td><td>34.54</td><td>9.90</td><td>31.80</td><td>0.00</td><td>118</td><td>32 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	97.89	-----	-----	85.25	34.54	9.90	31.80	0.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5352.06	44.73	54.00	-9.27	32.00	34.60	9.91	31.78	0.00	118	32 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5320.00	97.89	-----	-----	85.25	34.54	9.90	31.80	0.00	118	32 AVERAGE																																																																																									







		6																																																																																																	
Mode		Harmonic																																																																																																	
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT		CDD 5+8																																																																																																	
Pol.		Horizontal						Vertical																																																																																											
Peak Avg																																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>55.84</td><td>37.86</td><td>14.32</td><td>61.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>52.54</td><td>41.02</td><td>17.73</td><td>63.82</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	46.77	74.00	-27.23	55.84	37.86	14.32	61.25	0.00	---	---	PEAK	2	15960.00	47.47	74.00	-26.53	52.54	41.02	17.73	63.82	0.00	---	---	PEAK																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10640.00	46.77	74.00	-27.23	55.84	37.86	14.32	61.25	0.00	---	---	PEAK																																																																																							
2	15960.00	47.47	74.00	-26.53	52.54	41.02	17.73	63.82	0.00	---	---	PEAK																																																																																							
																																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>62.52</td><td>37.86</td><td>14.32</td><td>61.25</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>51.87</td><td>37.86</td><td>14.32</td><td>61.25</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>55.25</td><td>41.02</td><td>17.73</td><td>63.82</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>40.43</td><td>54.00</td><td>-13.57</td><td>45.50</td><td>41.02</td><td>17.73</td><td>63.82</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	53.45	74.00	-20.55	62.52	37.86	14.32	61.25	0.00	100	334	PEAK	2	10640.00	42.80	54.00	-11.20	51.87	37.86	14.32	61.25	0.00	100	334	AVERAGE	3	15960.00	50.18	74.00	-23.82	55.25	41.02	17.73	63.82	0.00	100	334	PEAK	4	15960.00	40.43	54.00	-13.57	45.50	41.02	17.73	63.82	0.00	100	334	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	10640.00	53.45	74.00	-20.55	62.52	37.86	14.32	61.25	0.00	100	334	PEAK																																																																																							
2	10640.00	42.80	54.00	-11.20	51.87	37.86	14.32	61.25	0.00	100	334	AVERAGE																																																																																							
3	15960.00	50.18	74.00	-23.82	55.25	41.02	17.73	63.82	0.00	100	334	PEAK																																																																																							
4	15960.00	40.43	54.00	-13.57	45.50	41.02	17.73	63.82	0.00	100	334	AVERAGE																																																																																							



		7																																																																	
Mode	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																		
ANT	CDD 5+8																																																																		
Pol.	Horizontal																																																																		
Peak	Fundamental																																																																		
	Horizontal																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.35</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>42.21</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>64.33</td><td>68.20</td><td>-3.87</td><td>51.25</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>243 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5378.35	55.03	74.00	-18.97	42.21	34.66	9.93	31.77	0.00	100	243 PEAK	2	5470.00	64.33	68.20	-3.87	51.25	34.76	10.04	31.72	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5378.35	55.03	74.00	-18.97	42.21	34.66	9.93	31.77	0.00	100	243 PEAK																																																								
2	5470.00	64.33	68.20	-3.87	51.25	34.76	10.04	31.72	0.00	100	243 PEAK																																																								
Avg	Fundamental																																																																		
	Horizontal																																																																		
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.00</td><td>45.91</td><td>54.00</td><td>-8.09</td><td>32.83</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>243 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.00	45.91	54.00	-8.09	32.83	34.78	10.03	31.73	0.00	100	243 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	5459.00	45.91	54.00	-8.09	32.83	34.78	10.03	31.73	0.00	100	243 AVERAGE																																																								





Mode	7																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																												
ANT	CDD 5+8																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5399.80</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>40.67</td><td>34.70</td><td>9.94</td><td>31.76</td><td>0.00</td><td>359 39 PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>62.30</td><td>68.20</td><td>-5.90</td><td>49.22</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>359 39 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.80	53.55	74.00	-20.45	40.67	34.70	9.94	31.76	0.00	359 39 PEAK	2	5469.70	62.30	68.20	-5.90	49.22	34.76	10.04	31.72	0.00	359 39 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>109.41</td><td>-----</td><td>-----</td><td>96.32</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>359 39 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.41	-----	-----	96.32	34.70	10.09	31.70	0.00	359 39 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5399.80	53.55	74.00	-20.45	40.67	34.70	9.94	31.76	0.00	359 39 PEAK																																																																																																			
2	5469.70	62.30	68.20	-5.90	49.22	34.76	10.04	31.72	0.00	359 39 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	109.41	-----	-----	96.32	34.70	10.09	31.70	0.00	359 39 PEAK																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.20</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>30.55</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>359 39 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.20	43.63	54.00	-10.37	30.55	34.78	10.03	31.73	0.00	359 39 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.57</td><td>-----</td><td>-----</td><td>87.48</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>359 39 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.57	-----	-----	87.48	34.70	10.09	31.70	0.00	359 39 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.20	43.63	54.00	-10.37	30.55	34.78	10.03	31.73	0.00	359 39 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	100.57	-----	-----	87.48	34.70	10.09	31.70	0.00	359 39 AVERAGE																																																																																																			






Mode	7																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	CDD 5+8																																																																																																						
Pol.	Horizontal																																																																																																						
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8250.70</td><td>47.32</td><td>74.00</td><td>-26.68</td><td>59.57</td><td>35.00</td><td>12.51</td><td>60.56</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>54.81</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>16499.60</td><td>56.74</td><td>68.20</td><td>-11.46</td><td>60.83</td><td>41.30</td><td>17.98</td><td>63.37</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8250.70	47.32	74.00	-26.68	59.57	35.00	12.51	60.56	0.00	---	Peak	2	11000.00	46.15	74.00	-27.85	54.81	38.00	14.56	61.22	0.00	---	PEAK	3	16499.60	56.74	68.20	-11.46	60.83	41.30	17.98	63.37	0.00	---	Peak																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	8250.70	47.32	74.00	-26.68	59.57	35.00	12.51	60.56	0.00	---	Peak																																																																																												
2	11000.00	46.15	74.00	-27.85	54.81	38.00	14.56	61.22	0.00	---	PEAK																																																																																												
3	16499.60	56.74	68.20	-11.46	60.83	41.30	17.98	63.37	0.00	---	Peak																																																																																												
Vertical																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8250.70</td><td>49.14</td><td>74.00</td><td>-24.86</td><td>61.39</td><td>35.00</td><td>12.51</td><td>60.56</td><td>0.00</td><td>100</td><td>6 Peak</td></tr><tr><td>2</td><td>8250.70</td><td>47.25</td><td>54.00</td><td>-6.75</td><td>59.50</td><td>35.00</td><td>12.51</td><td>60.56</td><td>0.00</td><td>100</td><td>6 Average</td></tr><tr><td>3</td><td>11000.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>58.70</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>4</td><td>11000.00</td><td>41.37</td><td>54.00</td><td>-12.63</td><td>50.03</td><td>38.00</td><td>14.56</td><td>61.22</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr><tr><td>5</td><td>16500.00</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>61.59</td><td>41.29</td><td>17.98</td><td>63.37</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	8250.70	49.14	74.00	-24.86	61.39	35.00	12.51	60.56	0.00	100	6 Peak	2	8250.70	47.25	54.00	-6.75	59.50	35.00	12.51	60.56	0.00	100	6 Average	3	11000.00	50.04	74.00	-23.96	58.70	38.00	14.56	61.22	0.00	100	360 PEAK	4	11000.00	41.37	54.00	-12.63	50.03	38.00	14.56	61.22	0.00	100	360 AVERAGE	5	16500.00	57.49	68.20	-10.71	61.59	41.29	17.98	63.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	8250.70	49.14	74.00	-24.86	61.39	35.00	12.51	60.56	0.00	100	6 Peak																																																																																												
2	8250.70	47.25	54.00	-6.75	59.50	35.00	12.51	60.56	0.00	100	6 Average																																																																																												
3	11000.00	50.04	74.00	-23.96	58.70	38.00	14.56	61.22	0.00	100	360 PEAK																																																																																												
4	11000.00	41.37	54.00	-12.63	50.03	38.00	14.56	61.22	0.00	100	360 AVERAGE																																																																																												
5	16500.00	57.49	68.20	-10.71	61.59	41.29	17.98	63.37	0.00	100	117 PEAK																																																																																												






		8																																																																																												
Mode		Harmonic																																																																																												
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																												
ANT		CDD 5+8																																																																																												
Pol.		Horizontal																																																																																												
Peak Avg																																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>55.48</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>16739.40</td><td>55.75</td><td>68.20</td><td>-12.45</td><td>59.47</td><td>41.34</td><td>18.09</td><td>63.15</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11160.00	46.95	74.00	-27.05	55.48	38.00	14.68	61.21	0.00	---	--- PEAK	2	16739.40	55.75	68.20	-12.45	59.47	41.34	18.09	63.15	0.00	---	--- Peak																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	11160.00	46.95	74.00	-27.05	55.48	38.00	14.68	61.21	0.00	---	--- PEAK																																																																																			
2	16739.40	55.75	68.20	-12.45	59.47	41.34	18.09	63.15	0.00	---	--- Peak																																																																																			
		Vertical																																																																																												
Peak Avg																																																																																														
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7440.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>60.41</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>11160.00</td><td>52.55</td><td>74.00</td><td>-21.45</td><td>61.08</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr><tr><td>3</td><td>11160.00</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>53.13</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr><tr><td>4</td><td>16740.00</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>61.54</td><td>41.34</td><td>18.09</td><td>63.15</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7440.00	46.86	74.00	-27.14	60.41	35.70	11.77	61.02	0.00	---	--- Peak	2	11160.00	52.55	74.00	-21.45	61.08	38.00	14.68	61.21	0.00	100	40 PEAK	3	11160.00	44.60	54.00	-9.40	53.13	38.00	14.68	61.21	0.00	100	40 AVERAGE	4	16740.00	57.82	68.20	-10.38	61.54	41.34	18.09	63.15	0.00	100
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	7440.00	46.86	74.00	-27.14	60.41	35.70	11.77	61.02	0.00	---	--- Peak																																																																																			
2	11160.00	52.55	74.00	-21.45	61.08	38.00	14.68	61.21	0.00	100	40 PEAK																																																																																			
3	11160.00	44.60	54.00	-9.40	53.13	38.00	14.68	61.21	0.00	100	40 AVERAGE																																																																																			
4	16740.00	57.82	68.20	-10.38	61.54	41.34	18.09	63.15	0.00	100	116 PEAK																																																																																			



Mode	9																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																							
ANT	CDD 5+8																																																																																																																																							
Pol.	Horizontal					Fundamental																																																																																																																																		
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5725.48</td><td>64.90</td><td>-3.30</td><td>51.79</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>103</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>245</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5725.48	64.90	-3.30	51.79	34.60	10.35	31.84	0.00									103									245									PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>113.91</td><td>-----</td><td>100.77</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>103</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>245</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5700.00	113.91	-----	100.77	34.60	10.33	31.79	0.00									103									245									PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																
1	5725.48	64.90	-3.30	51.79	34.60	10.35	31.84	0.00																																																																																																																																
								103																																																																																																																																
								245																																																																																																																																
								PEAK																																																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																
1	5700.00	113.91	-----	100.77	34.60	10.33	31.79	0.00																																																																																																																																
								103																																																																																																																																
								245																																																																																																																																
								PEAK																																																																																																																																
Avg	Blank					 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.29</td><td>-----</td><td>92.15</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>103</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>245</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5700.00	105.29	-----	92.15	34.60	10.33	31.79	0.00									103									245									AVERAGE																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																
1	5700.00	105.29	-----	92.15	34.60	10.33	31.79	0.00																																																																																																																																
								103																																																																																																																																
								245																																																																																																																																
								AVERAGE																																																																																																																																







Mode	9																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																					
ANT	CDD 5+8																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.03</td><td>60.25</td><td>68.20</td><td>-7.95</td><td>47.15</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>336</td><td>31 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.03	60.25	68.20	-7.95	47.15	34.60	10.34	31.84	0.00	336	31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.73</td><td>-----</td><td>-----</td><td>94.58</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>336</td><td>31 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	107.73	-----	-----	94.58	34.60	10.32	31.77	0.00	336	31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5725.03	60.25	68.20	-7.95	47.15	34.60	10.34	31.84	0.00	336	31 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																											
1	5700.00	107.73	-----	-----	94.58	34.60	10.32	31.77	0.00	336	31 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.74</td><td>-----</td><td>-----</td><td>87.59</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>336</td><td>31 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5700.00	100.74	-----	-----	87.59	34.60	10.32	31.77	0.00	336	31 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																											
1	5700.00	100.74	-----	-----	87.59	34.60	10.32	31.77	0.00	336	31 AVERAGE																																																																																											



Mode	9																																																																																																																																																																
	Harmonic																																																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																
ANT	CDD 5+8																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7600.60</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>60.61</td><td>35.70</td><td>11.95</td><td>60.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 11400.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>55.22</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 17100.00</td><td>47.72</td><td>68.20</td><td>-20.48</td><td>51.36</td><td>41.01</td><td>18.27</td><td>62.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7600.60	47.31	74.00	-26.69	60.61	35.70	11.95	60.95	0.00	---	---	Peak	2 11400.00	46.98	74.00	-27.02	55.22	38.10	14.85	61.19	0.00	---	---	PEAK	3 17100.00	47.72	68.20	-20.48	51.36	41.01	18.27	62.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7599.50</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>59.76</td><td>35.70</td><td>11.95</td><td>60.95</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 11400.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>59.60</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3 11400.00</td><td>44.47</td><td>54.00</td><td>-9.53</td><td>52.71</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>4 17100.00</td><td>48.31</td><td>68.20</td><td>-19.89</td><td>51.95</td><td>41.00</td><td>18.28</td><td>62.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7599.50	46.46	74.00	-27.54	59.76	35.70	11.95	60.95	0.00	---	---	Peak	2 11400.00	51.36	74.00	-22.64	59.60	38.10	14.85	61.19	0.00	100	0	PEAK	3 11400.00	44.47	54.00	-9.53	52.71	38.10	14.85	61.19	0.00	100	0	AVERAGE	4 17100.00	48.31	68.20	-19.89	51.95	41.00	18.28	62.92	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1 7600.60	47.31	74.00	-26.69	60.61	35.70	11.95	60.95	0.00	---	---	Peak																																																																																																																																																						
2 11400.00	46.98	74.00	-27.02	55.22	38.10	14.85	61.19	0.00	---	---	PEAK																																																																																																																																																						
3 17100.00	47.72	68.20	-20.48	51.36	41.01	18.27	62.92	0.00	---	---	PEAK																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1 7599.50	46.46	74.00	-27.54	59.76	35.70	11.95	60.95	0.00	---	---	Peak																																																																																																																																																						
2 11400.00	51.36	74.00	-22.64	59.60	38.10	14.85	61.19	0.00	100	0	PEAK																																																																																																																																																						
3 11400.00	44.47	54.00	-9.53	52.71	38.10	14.85	61.19	0.00	100	0	AVERAGE																																																																																																																																																						
4 17100.00	48.31	68.20	-19.89	51.95	41.00	18.28	62.92	0.00	---	---	PEAK																																																																																																																																																						



Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																		
ANT	CDD 5+8																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.44</td><td>63.31</td><td>74.00</td><td>-10.69</td><td>51.21</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.44	63.31	74.00	-10.69	51.21	34.20	9.79	31.89	0.00	100	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.67</td><td>-----</td><td>-----</td><td>96.53</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.67	-----	-----	96.53	34.20	9.81	31.87	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5149.44	63.31	74.00	-10.69	51.21	34.20	9.79	31.89	0.00	100	115 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5180.00	108.67	-----	-----	96.53	34.20	9.81	31.87	0.00	100	115 PEAK																																																																																								
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>38.68</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	50.78	54.00	-3.22	38.68	34.20	9.79	31.89	0.00	100	115 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.25</td><td>-----</td><td>-----</td><td>87.11</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	99.25	-----	-----	87.11	34.20	9.81	31.87	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5149.92	50.78	54.00	-3.22	38.68	34.20	9.79	31.89	0.00	100	115 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5180.00	99.25	-----	-----	87.11	34.20	9.81	31.87	0.00	100	115 AVERAGE																																																																																								



Mode	10																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																						
ANT	CDD 5+8																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.60</td><td>58.28</td><td>74.00</td><td>-15.72</td><td>46.18</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>325 59 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	58.28	74.00	-15.72	46.18	34.20	9.79	31.89	0.00	325 59 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.60	58.28	74.00	-15.72	46.18	34.20	9.79	31.89	0.00	325 59 PEAK																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.17</td><td>-----</td><td>-----</td><td>94.03</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>325 59 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.17	-----	-----	94.03	34.20	9.81	31.87	0.00	325 59 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	106.17	-----	-----	94.03	34.20	9.81	31.87	0.00	325 59 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>36.34</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>325 59 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	48.44	54.00	-5.56	36.34	34.20	9.79	31.89	0.00	325 59 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.92	48.44	54.00	-5.56	36.34	34.20	9.79	31.89	0.00	325 59 AVERAGE																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>97.71</td><td>-----</td><td>-----</td><td>85.57</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>325 59 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.71	-----	-----	85.57	34.20	9.81	31.87	0.00	325 59 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	97.71	-----	-----	85.57	34.20	9.81	31.87	0.00	325 59 AVERAGE																																													