









Mode	46																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	CDD 5+8																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.99</td><td>66.13</td><td>110.93</td><td>-44.80</td><td>47.53</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>2 5855.41</td><td>66.82</td><td>110.78</td><td>-43.96</td><td>48.22</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>3 5923.41</td><td>56.39</td><td>69.37</td><td>-12.98</td><td>37.83</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr><tr><td>4 5927.81</td><td>57.51</td><td>68.20</td><td>-10.69</td><td>38.97</td><td>35.10</td><td>13.85</td><td>30.41</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.99	66.13	110.93	-44.80	47.53	34.83	14.14	30.37	0.00	100	244 PEAK	2 5855.41	66.82	110.78	-43.96	48.22	34.83	14.14	30.37	0.00	100	244 PEAK	3 5923.41	56.39	69.37	-12.98	37.83	35.10	13.86	30.40	0.00	100	244 PEAK	4 5927.81	57.51	68.20	-10.69	38.97	35.10	13.85	30.41	0.00	100	244 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.57</td><td>-----</td><td>-----</td><td>93.80</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>100</td><td>244 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.57	-----	-----	93.80	34.80	14.28	30.31	0.00	100	244 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.99	66.13	110.93	-44.80	47.53	34.83	14.14	30.37	0.00	100	244 PEAK																																																																																																																										
2 5855.41	66.82	110.78	-43.96	48.22	34.83	14.14	30.37	0.00	100	244 PEAK																																																																																																																										
3 5923.41	56.39	69.37	-12.98	37.83	35.10	13.86	30.40	0.00	100	244 PEAK																																																																																																																										
4 5927.81	57.51	68.20	-10.69	38.97	35.10	13.85	30.41	0.00	100	244 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	112.57	-----	-----	93.80	34.80	14.28	30.31	0.00	100	244 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.06</td><td>-----</td><td>-----</td><td>87.29</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>100</td><td>244 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.06	-----	-----	87.29	34.80	14.28	30.31	0.00	100	244 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	106.06	-----	-----	87.29	34.80	14.28	30.31	0.00	100	244 AVERAGE																																																																																																																										






Mode	46																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	CDD 5+8																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.21</td><td>57.04</td><td>112.69</td><td>-55.65</td><td>38.43</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>394</td><td>37</td><td>PEAK</td></tr><tr><td>2</td><td>5872.61</td><td>58.08</td><td>105.97</td><td>-47.89</td><td>39.45</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>394</td><td>37</td><td>PEAK</td></tr><tr><td>3</td><td>5922.61</td><td>56.23</td><td>69.96</td><td>-13.73</td><td>37.66</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>394</td><td>37</td><td>PEAK</td></tr><tr><td>4</td><td>5958.21</td><td>57.89</td><td>68.20</td><td>-10.31</td><td>39.49</td><td>35.10</td><td>13.72</td><td>30.42</td><td>0.00</td><td>394</td><td>37</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.21	57.04	112.69	-55.65	38.43	34.83	14.15	30.37	0.00	394	37	PEAK	2	5872.61	58.08	105.97	-47.89	39.45	34.94	14.07	30.38	0.00	394	37	PEAK	3	5922.61	56.23	69.96	-13.73	37.66	35.10	13.87	30.40	0.00	394	37	PEAK	4	5958.21	57.89	68.20	-10.31	39.49	35.10	13.72	30.42	0.00	394	37	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.29</td><td>-----</td><td>-----</td><td>89.52</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>394</td><td>37</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.29	-----	-----	89.52	34.80	14.28	30.31	0.00	394	37
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.21	57.04	112.69	-55.65	38.43	34.83	14.15	30.37	0.00	394	37	PEAK																																																																																																																														
2	5872.61	58.08	105.97	-47.89	39.45	34.94	14.07	30.38	0.00	394	37	PEAK																																																																																																																														
3	5922.61	56.23	69.96	-13.73	37.66	35.10	13.87	30.40	0.00	394	37	PEAK																																																																																																																														
4	5958.21	57.89	68.20	-10.31	39.49	35.10	13.72	30.42	0.00	394	37	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	108.29	-----	-----	89.52	34.80	14.28	30.31	0.00	394	37	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.53</td><td>-----</td><td>-----</td><td>82.76</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>394</td><td>37</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.53	-----	-----	82.76	34.80	14.28	30.31	0.00	394	37	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.53	-----	-----	82.76	34.80	14.28	30.31	0.00	394	37	AVERAGE																																																																																																																														






Mode	46																																																																																																																																																															
	Harmonic																																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																																															
ANT	CDD 5+8																																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																																									
Peak Avg																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.70</td><td>50.41</td><td>68.20</td><td>-17.79</td><td>63.02</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>100</td><td>322 Peak</td></tr><tr><td>2</td><td>11650.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>55.69</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>3</td><td>17475.00</td><td>60.87</td><td>68.20</td><td>-7.33</td><td>64.39</td><td>40.90</td><td>18.52</td><td>62.94</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.70	50.41	68.20	-17.79	63.02	35.90	12.12	60.63	0.00	100	322 Peak	2	11650.00	47.84	74.00	-26.16	55.69	38.35	15.02	61.22	0.00	---	--- PEAK	3	17475.00	60.87	68.20	-7.33	64.39	40.90	18.52	62.94	0.00	100	251 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.70</td><td>48.94</td><td>68.20</td><td>-19.26</td><td>61.55</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>100</td><td>105 Peak</td></tr><tr><td>2</td><td>11650.00</td><td>57.29</td><td>74.00</td><td>-16.71</td><td>65.14</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>101</td><td>40 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>47.44</td><td>54.00</td><td>-6.56</td><td>55.29</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>101</td><td>40 AVERAGE</td></tr><tr><td>4</td><td>17475.00</td><td>59.01</td><td>68.20</td><td>-9.19</td><td>62.53</td><td>40.90</td><td>18.52</td><td>62.94</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.70	48.94	68.20	-19.26	61.55	35.90	12.12	60.63	0.00	100	105 Peak	2	11650.00	57.29	74.00	-16.71	65.14	38.35	15.02	61.22	0.00	101	40 PEAK	3	11650.00	47.44	54.00	-6.56	55.29	38.35	15.02	61.22	0.00	101	40 AVERAGE	4	17475.00	59.01	68.20	-9.19	62.53	40.90	18.52	62.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	7766.70	50.41	68.20	-17.79	63.02	35.90	12.12	60.63	0.00	100	322 Peak																																																																																																																																																					
2	11650.00	47.84	74.00	-26.16	55.69	38.35	15.02	61.22	0.00	---	--- PEAK																																																																																																																																																					
3	17475.00	60.87	68.20	-7.33	64.39	40.90	18.52	62.94	0.00	100	251 PEAK																																																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																						
1	7766.70	48.94	68.20	-19.26	61.55	35.90	12.12	60.63	0.00	100	105 Peak																																																																																																																																																					
2	11650.00	57.29	74.00	-16.71	65.14	38.35	15.02	61.22	0.00	101	40 PEAK																																																																																																																																																					
3	11650.00	47.44	54.00	-6.56	55.29	38.35	15.02	61.22	0.00	101	40 AVERAGE																																																																																																																																																					
4	17475.00	59.01	68.20	-9.19	62.53	40.90	18.52	62.94	0.00	100	47 PEAK																																																																																																																																																					





	47																																																																																																																																														
Mode	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																														
ANT	CDD 5+8																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5615.81</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>40.43</td><td>34.53</td><td>13.25</td><td>30.00</td><td>0.00</td><td>103</td><td>244 PEAK</td></tr><tr><td>2</td><td>5651.81</td><td>57.04</td><td>69.55</td><td>-12.51</td><td>38.98</td><td>34.60</td><td>13.47</td><td>30.01</td><td>0.00</td><td>103</td><td>244 PEAK</td></tr><tr><td>3</td><td>5718.61</td><td>79.69</td><td>110.51</td><td>-30.82</td><td>61.31</td><td>34.64</td><td>13.87</td><td>30.13</td><td>0.00</td><td>103</td><td>244 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>77.31</td><td>110.90</td><td>-33.59</td><td>58.92</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>103</td><td>244 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5615.81	58.21	68.20	-9.99	40.43	34.53	13.25	30.00	0.00	103	244 PEAK	2	5651.81	57.04	69.55	-12.51	38.98	34.60	13.47	30.01	0.00	103	244 PEAK	3	5718.61	79.69	110.51	-30.82	61.31	34.64	13.87	30.13	0.00	103	244 PEAK	4	5720.00	77.31	110.90	-33.59	58.92	34.64	13.88	30.13	0.00	103	244 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.83</td><td>-----</td><td>-----</td><td>98.29</td><td>34.69</td><td>14.02</td><td>30.17</td><td>0.00</td><td>103</td><td>244 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	116.83	-----	-----	98.29	34.69	14.02	30.17	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5615.81	58.21	68.20	-9.99	40.43	34.53	13.25	30.00	0.00	103	244 PEAK																																																																																																																																				
2	5651.81	57.04	69.55	-12.51	38.98	34.60	13.47	30.01	0.00	103	244 PEAK																																																																																																																																				
3	5718.61	79.69	110.51	-30.82	61.31	34.64	13.87	30.13	0.00	103	244 PEAK																																																																																																																																				
4	5720.00	77.31	110.90	-33.59	58.92	34.64	13.88	30.13	0.00	103	244 PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	116.83	-----	-----	98.29	34.69	14.02	30.17	0.00	103	244 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.00</td><td>-----</td><td>-----</td><td>88.46</td><td>34.69</td><td>14.02</td><td>30.17</td><td>0.00</td><td>103</td><td>244 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	107.00	-----	-----	88.46	34.69	14.02	30.17	0.00	103	244 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	107.00	-----	-----	88.46	34.69	14.02	30.17	0.00	103	244 AVERAGE																																																																																																																																				





		47																																																																																																																																																																		
Mode	Band Edge																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																																																			
ANT	CDD 5+8																																																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																																																													
Peak																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5640.61</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>39.92</td><td>34.58</td><td>13.40</td><td>29.99</td><td>0.00</td><td>382</td><td>34</td><td>PEAK</td></tr><tr><td>2</td><td>5650.21</td><td>55.01</td><td>68.36</td><td>-13.35</td><td>36.96</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>382</td><td>34</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>71.32</td><td>110.90</td><td>-39.58</td><td>52.93</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>382</td><td>34</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>72.05</td><td>111.39</td><td>-39.34</td><td>53.66</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>382</td><td>34</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5640.61	57.91	68.20	-10.29	39.92	34.58	13.40	29.99	0.00	382	34	PEAK	2	5650.21	55.01	68.36	-13.35	36.96	34.60	13.46	30.01	0.00	382	34	PEAK	3	5720.00	71.32	110.90	-39.58	52.93	34.64	13.88	30.13	0.00	382	34	PEAK	4	5720.21	72.05	111.39	-39.34	53.66	34.64	13.88	30.13	0.00	382	34	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.88</td><td>-----</td><td>-----</td><td>91.34</td><td>34.69</td><td>14.02</td><td>30.17</td><td>0.00</td><td>382</td><td>34</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5745.00	109.88	-----	-----	91.34	34.69	14.02	30.17	0.00	382	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	5640.61	57.91	68.20	-10.29	39.92	34.58	13.40	29.99	0.00	382	34	PEAK																																																																																																																																																								
2	5650.21	55.01	68.36	-13.35	36.96	34.60	13.46	30.01	0.00	382	34	PEAK																																																																																																																																																								
3	5720.00	71.32	110.90	-39.58	52.93	34.64	13.88	30.13	0.00	382	34	PEAK																																																																																																																																																								
4	5720.21	72.05	111.39	-39.34	53.66	34.64	13.88	30.13	0.00	382	34	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																									
1	5745.00	109.88	-----	-----	91.34	34.69	14.02	30.17	0.00	382	34	PEAK																																																																																																																																																								
Avg	Blank																																																																																																																																																																			
													<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.99</td><td>-----</td><td>-----</td><td>83.45</td><td>34.69</td><td>14.02</td><td>30.17</td><td>0.00</td><td>382</td><td>34</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	5745.00	101.99	-----	-----	83.45	34.69	14.02	30.17	0.00	382	34	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																									
1	5745.00	101.99	-----	-----	83.45	34.69	14.02	30.17	0.00	382	34	AVERAGE																																																																																																																																																								






		47																																																																																																					
Mode		Harmonic																																																																																																					
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																					
ANT		CDD 5+8																																																																																																					
Pol.		Horizontal					Vertical																																																																																																
Peak Avg																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7660.00</td><td>52.25</td><td>74.00</td><td>-21.75</td><td>65.26</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>100</td><td>304 Peak</td></tr><tr><td>2</td><td>7660.00</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>62.78</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>100</td><td>304 Average</td></tr><tr><td>3</td><td>11490.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>55.79</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>4</td><td>17242.10</td><td>56.67</td><td>68.20</td><td>-11.53</td><td>60.33</td><td>40.90</td><td>18.37</td><td>62.93</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7660.00	52.25	74.00	-21.75	65.26	35.82	12.01	60.84	0.00	100	304 Peak	2	7660.00	49.77	54.00	-4.23	62.78	35.82	12.01	60.84	0.00	100	304 Average	3	11490.00	47.71	74.00	-26.29	55.79	38.19	14.91	61.18	0.00	---	--- PEAK	4	17242.10	56.67	68.20	-11.53	60.33	40.90	18.37	62.93	0.00	---	--- Peak												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	7660.00	52.25	74.00	-21.75	65.26	35.82	12.01	60.84	0.00	100	304 Peak																																																																																												
2	7660.00	49.77	54.00	-4.23	62.78	35.82	12.01	60.84	0.00	100	304 Average																																																																																												
3	11490.00	47.71	74.00	-26.29	55.79	38.19	14.91	61.18	0.00	---	--- PEAK																																																																																												
4	17242.10	56.67	68.20	-11.53	60.33	40.90	18.37	62.93	0.00	---	--- Peak																																																																																												
																																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7660.00</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>63.46</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>100</td><td>82 Peak</td></tr><tr><td>2</td><td>7660.00</td><td>48.85</td><td>54.00</td><td>-5.15</td><td>61.86</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>100</td><td>82 Average</td></tr><tr><td>3</td><td>11490.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>60.24</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>100</td><td>44 PEAK</td></tr><tr><td>4</td><td>11490.00</td><td>46.88</td><td>54.00</td><td>-7.12</td><td>54.96</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>100</td><td>44 AVERAGE</td></tr><tr><td>5</td><td>17235.00</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>61.26</td><td>40.90</td><td>18.36</td><td>62.93</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7660.00	50.45	74.00	-23.55	63.46	35.82	12.01	60.84	0.00	100	82 Peak	2	7660.00	48.85	54.00	-5.15	61.86	35.82	12.01	60.84	0.00	100	82 Average	3	11490.00	52.16	74.00	-21.84	60.24	38.19	14.91	61.18	0.00	100	44 PEAK	4	11490.00	46.88	54.00	-7.12	54.96	38.19	14.91	61.18	0.00	100	44 AVERAGE	5	17235.00	57.59	68.20	-10.61	61.26	40.90	18.36	62.93	0.00	100	116 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	7660.00	50.45	74.00	-23.55	63.46	35.82	12.01	60.84	0.00	100	82 Peak																																																																																												
2	7660.00	48.85	54.00	-5.15	61.86	35.82	12.01	60.84	0.00	100	82 Average																																																																																												
3	11490.00	52.16	74.00	-21.84	60.24	38.19	14.91	61.18	0.00	100	44 PEAK																																																																																												
4	11490.00	46.88	54.00	-7.12	54.96	38.19	14.91	61.18	0.00	100	44 AVERAGE																																																																																												
5	17235.00	57.59	68.20	-10.61	61.26	40.90	18.36	62.93	0.00	100	116 PEAK																																																																																												






Mode	48																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																																																				
ANT	CDD 5+8																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7713.90</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>66.22</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>100</td><td>305 Peak</td></tr><tr><td>2</td><td>7713.90</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>63.47</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>100</td><td>305 Average</td></tr><tr><td>3</td><td>11570.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>55.11</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>4</td><td>17348.80</td><td>53.53</td><td>68.20</td><td>-14.67</td><td>57.13</td><td>40.90</td><td>18.43</td><td>62.93</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.90	53.46	74.00	-20.54	66.22	35.90	12.07	60.73	0.00	100	305 Peak	2	7713.90	50.71	54.00	-3.29	63.47	35.90	12.07	60.73	0.00	100	305 Average	3	11570.00	47.15	74.00	-26.85	55.11	38.27	14.97	61.20	0.00	---	--- PEAK	4	17348.80	53.53	68.20	-14.67	57.13	40.90	18.43	62.93	0.00	---	--- Peak	<table><tr><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7713.90</td><td>51.97</td><td>74.00</td><td>-22.03</td><td>64.73</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>100</td><td>90 Peak</td></tr><tr><td>2</td><td>7713.90</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>62.54</td><td>35.90</td><td>12.07</td><td>60.73</td><td>0.00</td><td>100</td><td>90 Average</td></tr><tr><td>3</td><td>11570.00</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>64.96</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>100</td><td>44 PEAK</td></tr><tr><td>4</td><td>11570.00</td><td>48.11</td><td>54.00</td><td>-5.89</td><td>56.07</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>100</td><td>44 AVERAGE</td></tr><tr><td>5</td><td>17355.00</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>59.25</td><td>40.90</td><td>18.44</td><td>62.94</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7713.90	51.97	74.00	-22.03	64.73	35.90	12.07	60.73	0.00	100	90 Peak	2	7713.90	49.78	54.00	-4.22	62.54	35.90	12.07	60.73	0.00	100	90 Average	3	11570.00	57.00	74.00	-17.00	64.96	38.27	14.97	61.20	0.00	100	44 PEAK	4	11570.00	48.11	54.00	-5.89	56.07	38.27	14.97	61.20	0.00	100	44 AVERAGE	5	17355.00	55.65	68.20	-12.55	59.25	40.90	18.44	62.94	0.00	---
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	7713.90	53.46	74.00	-20.54	66.22	35.90	12.07	60.73	0.00	100	305 Peak																																																																																																																																																										
2	7713.90	50.71	54.00	-3.29	63.47	35.90	12.07	60.73	0.00	100	305 Average																																																																																																																																																										
3	11570.00	47.15	74.00	-26.85	55.11	38.27	14.97	61.20	0.00	---	--- PEAK																																																																																																																																																										
4	17348.80	53.53	68.20	-14.67	57.13	40.90	18.43	62.93	0.00	---	--- Peak																																																																																																																																																										
Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	7713.90	51.97	74.00	-22.03	64.73	35.90	12.07	60.73	0.00	100	90 Peak																																																																																																																																																										
2	7713.90	49.78	54.00	-4.22	62.54	35.90	12.07	60.73	0.00	100	90 Average																																																																																																																																																										
3	11570.00	57.00	74.00	-17.00	64.96	38.27	14.97	61.20	0.00	100	44 PEAK																																																																																																																																																										
4	11570.00	48.11	54.00	-5.89	56.07	38.27	14.97	61.20	0.00	100	44 AVERAGE																																																																																																																																																										
5	17355.00	55.65	68.20	-12.55	59.25	40.90	18.44	62.94	0.00	---	--- PEAK																																																																																																																																																										



Mode	49																																																																																															
	Band Edge																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																															
ANT	CDD 5+8																																																																																															
Pol.	Horizontal																																																																																															
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.99</td><td>66.14</td><td>110.93</td><td>-44.79</td><td>47.54</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>2</td><td>5856.21</td><td>67.67</td><td>110.56</td><td>-42.89</td><td>49.06</td><td>34.84</td><td>14.14</td><td>30.37</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>56.41</td><td>68.49</td><td>-12.08</td><td>37.86</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>4</td><td>5944.61</td><td>56.67</td><td>68.20</td><td>-11.53</td><td>38.21</td><td>35.10</td><td>13.78</td><td>30.42</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	66.14	110.93	-44.79	47.54	34.83	14.14	30.37	0.00	100	241	PEAK	2	5856.21	67.67	110.56	-42.89	49.06	34.84	14.14	30.37	0.00	100	241	PEAK	3	5924.61	56.41	68.49	-12.08	37.86	35.10	13.86	30.41	0.00	100	241	PEAK	4	5944.61	56.67	68.20	-11.53	38.21	35.10	13.78	30.42	0.00	100	241	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5854.99	66.14	110.93	-44.79	47.54	34.83	14.14	30.37	0.00	100	241	PEAK																																																																																				
2	5856.21	67.67	110.56	-42.89	49.06	34.84	14.14	30.37	0.00	100	241	PEAK																																																																																				
3	5924.61	56.41	68.49	-12.08	37.86	35.10	13.86	30.41	0.00	100	241	PEAK																																																																																				
4	5944.61	56.67	68.20	-11.53	38.21	35.10	13.78	30.42	0.00	100	241	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.98</td><td>-----</td><td>-----</td><td>96.21</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.98	-----	-----	96.21	34.80	14.28	30.31	0.00	100	241	PEAK																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	114.98	-----	-----	96.21	34.80	14.28	30.31	0.00	100	241	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.00</td><td>-----</td><td>-----</td><td>87.31</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.00	-----	-----	87.31	34.80	14.28	30.31	0.00	100	241	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5825.00	106.00	-----	-----	87.31	34.80	14.28	30.31	0.00	100	241	AVERAGE																																																																																				






Mode	49																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT	CDD 5+8																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.99</td><td>59.85</td><td>110.93</td><td>-51.08</td><td>41.25</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>394</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5870.61</td><td>56.84</td><td>106.53</td><td>-49.69</td><td>38.22</td><td>34.92</td><td>14.08</td><td>30.38</td><td>0.00</td><td>394</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>55.39</td><td>68.21</td><td>-12.82</td><td>36.84</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>394</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5931.01</td><td>56.64</td><td>68.20</td><td>-11.56</td><td>38.12</td><td>35.10</td><td>13.83</td><td>30.41</td><td>0.00</td><td>394</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	59.85	110.93	-51.08	41.25	34.83	14.14	30.37	0.00	394	38	PEAK	2	5870.61	56.84	106.53	-49.69	38.22	34.92	14.08	30.38	0.00	394	38	PEAK	3	5924.99	55.39	68.21	-12.82	36.84	35.10	13.86	30.41	0.00	394	38	PEAK	4	5931.01	56.64	68.20	-11.56	38.12	35.10	13.83	30.41	0.00	394	38	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.87</td><td>-----</td><td>-----</td><td>90.10</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>394</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.87	-----	-----	90.10	34.80	14.28	30.31	0.00	394	38
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.99	59.85	110.93	-51.08	41.25	34.83	14.14	30.37	0.00	394	38	PEAK																																																																																																																														
2	5870.61	56.84	106.53	-49.69	38.22	34.92	14.08	30.38	0.00	394	38	PEAK																																																																																																																														
3	5924.99	55.39	68.21	-12.82	36.84	35.10	13.86	30.41	0.00	394	38	PEAK																																																																																																																														
4	5931.01	56.64	68.20	-11.56	38.12	35.10	13.83	30.41	0.00	394	38	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	108.87	-----	-----	90.10	34.80	14.28	30.31	0.00	394	38	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.51</td><td>-----</td><td>-----</td><td>82.74</td><td>34.80</td><td>14.28</td><td>30.31</td><td>0.00</td><td>394</td><td>38</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.51	-----	-----	82.74	34.80	14.28	30.31	0.00	394	38	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.51	-----	-----	82.74	34.80	14.28	30.31	0.00	394	38	AVERAGE																																																																																																																														




		49																																																																																	
Mode		Harmonic																																																																																	
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																	
ANT		CDD 5+8																																																																																	
Pol.		Horizontal																																																																																	
Peak Avg																																																																																			
		<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.65</td><td>54.03</td><td>68.20</td><td>-14.17</td><td>66.64</td><td>35.90</td><td>12.12</td><td>60.63</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>50.03</td><td>74.00</td><td>-23.97</td><td>57.88</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr><tr><td>3</td><td>11650.00</td><td>41.80</td><td>54.00</td><td>-12.20</td><td>49.65</td><td>38.35</td><td>15.02</td><td>61.22</td><td>0.00</td><td>100</td><td>303 AVERAGE</td></tr><tr><td>4</td><td>17475.00</td><td>58.40</td><td>68.20</td><td>-9.80</td><td>61.93</td><td>40.90</td><td>18.51</td><td>62.94</td><td>0.00</td><td>---</td><td>---</td> PEAK</tr></table>												Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7766.65	54.03	68.20	-14.17	66.64	35.90	12.12	60.63	0.00	100	303 PEAK	2	11650.00	50.03	74.00	-23.97	57.88	38.35	15.02	61.22	0.00	100	303 PEAK	3	11650.00	41.80	54.00	-12.20	49.65	38.35	15.02	61.22	0.00	100	303 AVERAGE	4	17475.00	58.40	68.20	-9.80	61.93	40.90	18.51	62.94	0.00	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	7766.65	54.03	68.20	-14.17	66.64	35.90	12.12	60.63	0.00	100	303 PEAK																																																																								
2	11650.00	50.03	74.00	-23.97	57.88	38.35	15.02	61.22	0.00	100	303 PEAK																																																																								
3	11650.00	41.80	54.00	-12.20	49.65	38.35	15.02	61.22	0.00	100	303 AVERAGE																																																																								
4	17475.00	58.40	68.20	-9.80	61.93	40.90	18.51	62.94	0.00	---	---																																																																								

		Vertical																																																																																																				
Peak Avg																																																																																																						
			Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		---	----------	--------	--------	--------	-------	-------	--------	-------	------	------	------------			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7766.65	51.73	68.20	-16.47	64.34	35.90	12.12	60.63	0.00	100	87 PEAK		2	11650.00	56.17	74.00	-17.83	64.02	38.35	15.02	61.22	0.00	102	44 PEAK		3	11650.00	48.34	54.00	-5.66	56.19	38.35	15.02	61.22	0.00	102	44 AVERAGE		4	17475.00	59.03	68.20	-9.17	62.56	40.90	18.51	62.94	0.00	100	11 PEAK											






Mode	50																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																								
ANT	CDD 5+8																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.41</td><td>58.28</td><td>68.20</td><td>-9.92</td><td>40.27</td><td>34.59</td><td>13.42</td><td>30.00</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5650.77</td><td>57.14</td><td>68.77</td><td>-11.63</td><td>39.09</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr><tr><td>3</td><td>5706.88</td><td>82.16</td><td>107.23</td><td>-25.07</td><td>63.86</td><td>34.61</td><td>13.80</td><td>30.11</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>84.11</td><td>110.90</td><td>-26.79</td><td>65.72</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.41	58.28	68.20	-9.92	40.27	34.59	13.42	30.00	0.00	104	247	PEAK	2	5650.77	57.14	68.77	-11.63	39.09	34.60	13.46	30.01	0.00	104	247	PEAK	3	5706.88	82.16	107.23	-25.07	63.86	34.61	13.80	30.11	0.00	104	247	PEAK	4	5720.00	84.11	110.90	-26.79	65.72	34.64	13.88	30.13	0.00	104	247	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>111.43</td><td>-----</td><td>-----</td><td>92.81</td><td>34.71</td><td>14.10</td><td>30.19</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	111.43	-----	-----	92.81	34.71	14.10	30.19	0.00	104	247
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5644.41	58.28	68.20	-9.92	40.27	34.59	13.42	30.00	0.00	104	247	PEAK																																																																																																																													
2	5650.77	57.14	68.77	-11.63	39.09	34.60	13.46	30.01	0.00	104	247	PEAK																																																																																																																													
3	5706.88	82.16	107.23	-25.07	63.86	34.61	13.80	30.11	0.00	104	247	PEAK																																																																																																																													
4	5720.00	84.11	110.90	-26.79	65.72	34.64	13.88	30.13	0.00	104	247	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	111.43	-----	-----	92.81	34.71	14.10	30.19	0.00	104	247	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.94</td><td>-----</td><td>-----</td><td>85.32</td><td>34.71</td><td>14.10</td><td>30.19</td><td>0.00</td><td>104</td><td>247</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.94	-----	-----	85.32	34.71	14.10	30.19	0.00	104	247	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5755.00	103.94	-----	-----	85.32	34.71	14.10	30.19	0.00	104	247	AVERAGE																																																																																																																													




Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	CDD 5+8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>57.32</td><td>111.47</td><td>-54.15</td><td>38.71</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr><tr><td>2</td><td>5874.64</td><td>56.21</td><td>105.40</td><td>-49.19</td><td>37.58</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr><tr><td>3</td><td>5922.61</td><td>56.49</td><td>69.97</td><td>-13.48</td><td>37.92</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr><tr><td>4</td><td>5930.41</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>38.28</td><td>35.10</td><td>13.84</td><td>30.41</td><td>0.00</td><td>104</td><td>247</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.75	57.32	111.47	-54.15	38.71	34.83	14.15	30.37	0.00	104	247	PEAK	2	5874.64	56.21	105.40	-49.19	37.58	34.95	14.06	30.38	0.00	104	247	PEAK	3	5922.61	56.49	69.97	-13.48	37.92	35.10	13.87	30.40	0.00	104	247	PEAK	4	5930.41	56.81	68.20	-11.39	38.28	35.10	13.84	30.41	0.00	104	247	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.75	57.32	111.47	-54.15	38.71	34.83	14.15	30.37	0.00	104	247	PEAK																																																																									
2	5874.64	56.21	105.40	-49.19	37.58	34.95	14.06	30.38	0.00	104	247	PEAK																																																																									
3	5922.61	56.49	69.97	-13.48	37.92	35.10	13.87	30.40	0.00	104	247	PEAK																																																																									
4	5930.41	56.81	68.20	-11.39	38.28	35.10	13.84	30.41	0.00	104	247	PEAK																																																																									





Mode	50																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	CDD 5+8																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.02</td><td>57.89</td><td>68.20</td><td>-10.31</td><td>39.89</td><td>34.59</td><td>13.41</td><td>30.00</td><td>0.00</td><td>362</td><td>35 PEAK</td></tr><tr><td>2</td><td>5652.63</td><td>57.45</td><td>70.16</td><td>-12.71</td><td>39.39</td><td>34.60</td><td>13.47</td><td>30.01</td><td>0.00</td><td>362</td><td>35 PEAK</td></tr><tr><td>3</td><td>5715.09</td><td>78.67</td><td>109.53</td><td>-30.86</td><td>60.31</td><td>34.63</td><td>13.85</td><td>30.12</td><td>0.00</td><td>362</td><td>35 PEAK</td></tr><tr><td>4</td><td>5721.91</td><td>77.63</td><td>115.26</td><td>-37.63</td><td>59.23</td><td>34.64</td><td>13.89</td><td>30.13</td><td>0.00</td><td>362</td><td>35 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.02	57.89	68.20	-10.31	39.89	34.59	13.41	30.00	0.00	362	35 PEAK	2	5652.63	57.45	70.16	-12.71	39.39	34.60	13.47	30.01	0.00	362	35 PEAK	3	5715.09	78.67	109.53	-30.86	60.31	34.63	13.85	30.12	0.00	362	35 PEAK	4	5721.91	77.63	115.26	-37.63	59.23	34.64	13.89	30.13	0.00	362	35 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5643.02	57.89	68.20	-10.31	39.89	34.59	13.41	30.00	0.00	362	35 PEAK																																																																																	
2	5652.63	57.45	70.16	-12.71	39.39	34.60	13.47	30.01	0.00	362	35 PEAK																																																																																	
3	5715.09	78.67	109.53	-30.86	60.31	34.63	13.85	30.12	0.00	362	35 PEAK																																																																																	
4	5721.91	77.63	115.26	-37.63	59.23	34.64	13.89	30.13	0.00	362	35 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.83</td><td>-----</td><td>-----</td><td>87.25</td><td>34.70</td><td>14.06</td><td>30.18</td><td>0.00</td><td>362</td><td>35 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.83	-----	-----	87.25	34.70	14.06	30.18	0.00	362	35 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5755.00	105.83	-----	-----	87.25	34.70	14.06	30.18	0.00	362	35 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.68</td><td>-----</td><td>-----</td><td>80.10</td><td>34.70</td><td>14.06</td><td>30.18</td><td>0.00</td><td>362</td><td>35 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	98.68	-----	-----	80.10	34.70	14.06	30.18	0.00	362	35 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5755.00	98.68	-----	-----	80.10	34.70	14.06	30.18	0.00	362	35 AVERAGE																																																																																	






Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	CDD 5+8																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>55.19</td><td>111.47</td><td>-56.28</td><td>36.58</td><td>34.83</td><td>14.15</td><td>30.37</td><td>0.00</td><td>362</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>5871.91</td><td>57.14</td><td>106.16</td><td>-49.02</td><td>38.51</td><td>34.93</td><td>14.00</td><td>30.38</td><td>0.00</td><td>362</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>54.25</td><td>68.38</td><td>-14.13</td><td>35.70</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>362</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>5935.67</td><td>58.16</td><td>68.20</td><td>-10.04</td><td>39.66</td><td>35.10</td><td>13.81</td><td>30.41</td><td>0.00</td><td>362</td><td>35</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	55.19	111.47	-56.28	36.58	34.83	14.15	30.37	0.00	362	35	PEAK	2	5871.91	57.14	106.16	-49.02	38.51	34.93	14.00	30.38	0.00	362	35	PEAK	3	5924.75	54.25	68.38	-14.13	35.70	35.10	13.86	30.41	0.00	362	35	PEAK	4	5935.67	58.16	68.20	-10.04	39.66	35.10	13.81	30.41	0.00	362	35	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.75	55.19	111.47	-56.28	36.58	34.83	14.15	30.37	0.00	362	35	PEAK																																																																									
2	5871.91	57.14	106.16	-49.02	38.51	34.93	14.00	30.38	0.00	362	35	PEAK																																																																									
3	5924.75	54.25	68.38	-14.13	35.70	35.10	13.86	30.41	0.00	362	35	PEAK																																																																									
4	5935.67	58.16	68.20	-10.04	39.66	35.10	13.81	30.41	0.00	362	35	PEAK																																																																									




Mode	50																																																																																																																																																																									
	Harmonic																																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																																																									
ANT	CDD 5+8																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																			
Peak Avg																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>57.22</td><td>35.85</td><td>12.03</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>53.81</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17265.00</td><td>47.19</td><td>68.20</td><td>-21.01</td><td>50.83</td><td>40.90</td><td>18.39</td><td>62.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.31	44.29	74.00	-29.71	57.22	35.85	12.03	60.81	0.00	---	---	PEAK	2	11510.00	45.76	74.00	-28.24	53.81	38.21	14.92	61.18	0.00	---	---	PEAK	3	17265.00	47.19	68.20	-21.01	50.83	40.90	18.39	62.93	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7673.31</td><td>44.74</td><td>74.00</td><td>-29.26</td><td>57.67</td><td>35.85</td><td>12.03</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>58.55</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>100</td><td>45</td><td>PEAK</td></tr><tr><td>3</td><td>11510.00</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>54.59</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>100</td><td>45</td><td>AVERAGE</td></tr><tr><td>4</td><td>17265.00</td><td>51.75</td><td>68.20</td><td>-16.45</td><td>55.40</td><td>40.90</td><td>18.38</td><td>62.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7673.31	44.74	74.00	-29.26	57.67	35.85	12.03	60.81	0.00	---	---	PEAK	2	11510.00	50.50	74.00	-23.50	58.55	38.21	14.92	61.18	0.00	100	45	PEAK	3	11510.00	46.54	54.00	-7.46	54.59	38.21	14.92	61.18	0.00	100	45	AVERAGE	4	17265.00	51.75	68.20	-16.45	55.40	40.90	18.38	62.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	7673.31	44.29	74.00	-29.71	57.22	35.85	12.03	60.81	0.00	---	---	PEAK																																																																																																																																																														
2	11510.00	45.76	74.00	-28.24	53.81	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																																																																																														
3	17265.00	47.19	68.20	-21.01	50.83	40.90	18.39	62.93	0.00	---	---	PEAK																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																															
1	7673.31	44.74	74.00	-29.26	57.67	35.85	12.03	60.81	0.00	---	---	PEAK																																																																																																																																																														
2	11510.00	50.50	74.00	-23.50	58.55	38.21	14.92	61.18	0.00	100	45	PEAK																																																																																																																																																														
3	11510.00	46.54	54.00	-7.46	54.59	38.21	14.92	61.18	0.00	100	45	AVERAGE																																																																																																																																																														
4	17265.00	51.75	68.20	-16.45	55.40	40.90	18.38	62.93	0.00	---	---	PEAK																																																																																																																																																														






		51																																																																																																																																						
Mode		Band Edge - L																																																																																																																																						
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																						
ANT		CDD 5+8																																																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.61</td><td>58.43</td><td>68.20</td><td>-9.77</td><td>40.57</td><td>34.55</td><td>13.31</td><td>30.00</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5651.01</td><td>55.96</td><td>68.96</td><td>-13.00</td><td>37.91</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>3</td><td>5703.41</td><td>58.13</td><td>106.26</td><td>-48.13</td><td>39.84</td><td>34.61</td><td>13.78</td><td>30.10</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>60.48</td><td>111.39</td><td>-50.91</td><td>42.09</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.61	58.43	68.20	-9.77	40.57	34.55	13.31	30.00	0.00	100	261	PEAK	2	5651.01	55.96	68.96	-13.00	37.91	34.60	13.46	30.01	0.00	100	261	PEAK	3	5703.41	58.13	106.26	-48.13	39.84	34.61	13.78	30.10	0.00	100	261	PEAK	4	5720.21	60.48	111.39	-50.91	42.09	34.64	13.88	30.13	0.00	100	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>110.00</td><td>-----</td><td>-----</td><td>91.13</td><td>34.79</td><td>14.35</td><td>30.27</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	110.00	-----	-----	91.13	34.79	14.35	30.27	0.00	100	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5626.61	58.43	68.20	-9.77	40.57	34.55	13.31	30.00	0.00	100	261	PEAK																																																																																																																												
2	5651.01	55.96	68.96	-13.00	37.91	34.60	13.46	30.01	0.00	100	261	PEAK																																																																																																																												
3	5703.41	58.13	106.26	-48.13	39.84	34.61	13.78	30.10	0.00	100	261	PEAK																																																																																																																												
4	5720.21	60.48	111.39	-50.91	42.09	34.64	13.88	30.13	0.00	100	261	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	110.00	-----	-----	91.13	34.79	14.35	30.27	0.00	100	261	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.42</td><td>-----</td><td>-----</td><td>83.55</td><td>34.79</td><td>14.35</td><td>30.27</td><td>0.00</td><td>100</td><td>261</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	102.42	-----	-----	83.55	34.79	14.35	30.27	0.00	100	261	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	102.42	-----	-----	83.55	34.79	14.35	30.27	0.00	100	261	AVERAGE																																																																																																																												




Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	CDD 5+8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.14</td><td>110.93</td><td>-53.79</td><td>38.54</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>2</td><td>5873.01</td><td>56.78</td><td>105.86</td><td>-49.08</td><td>38.15</td><td>34.94</td><td>14.07</td><td>30.38</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>3</td><td>5924.99</td><td>53.74</td><td>68.21</td><td>-14.47</td><td>35.19</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr><tr><td>4</td><td>5950.21</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.11</td><td>35.10</td><td>13.75</td><td>30.42</td><td>0.00</td><td>100</td><td>261</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	57.14	110.93	-53.79	38.54	34.83	14.14	30.37	0.00	100	261	PEAK	2	5873.01	56.78	105.86	-49.08	38.15	34.94	14.07	30.38	0.00	100	261	PEAK	3	5924.99	53.74	68.21	-14.47	35.19	35.10	13.86	30.41	0.00	100	261	PEAK	4	5950.21	57.54	68.20	-10.66	39.11	35.10	13.75	30.42	0.00	100	261	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	57.14	110.93	-53.79	38.54	34.83	14.14	30.37	0.00	100	261	PEAK																																																																									
2	5873.01	56.78	105.86	-49.08	38.15	34.94	14.07	30.38	0.00	100	261	PEAK																																																																									
3	5924.99	53.74	68.21	-14.47	35.19	35.10	13.86	30.41	0.00	100	261	PEAK																																																																									
4	5950.21	57.54	68.20	-10.66	39.11	35.10	13.75	30.42	0.00	100	261	PEAK																																																																									





Mode	51																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																													
ANT	CDD 5+8																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5639.41</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>39.65</td><td>34.58</td><td>13.39</td><td>29.99</td><td>0.00</td><td>344</td><td>36 PEAK</td></tr><tr><td>2 5650.00</td><td>54.55</td><td>68.20</td><td>-13.65</td><td>36.51</td><td>34.60</td><td>13.45</td><td>30.01</td><td>0.00</td><td>344</td><td>36 PEAK</td></tr><tr><td>3 5701.01</td><td>55.36</td><td>105.58</td><td>-50.22</td><td>37.09</td><td>34.60</td><td>13.77</td><td>30.10</td><td>0.00</td><td>344</td><td>36 PEAK</td></tr><tr><td>4 5720.00</td><td>54.61</td><td>110.90</td><td>-56.29</td><td>36.22</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>344</td><td>36 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5639.41	57.63	68.20	-10.57	39.65	34.58	13.39	29.99	0.00	344	36 PEAK	2 5650.00	54.55	68.20	-13.65	36.51	34.60	13.45	30.01	0.00	344	36 PEAK	3 5701.01	55.36	105.58	-50.22	37.09	34.60	13.77	30.10	0.00	344	36 PEAK	4 5720.00	54.61	110.90	-56.29	36.22	34.64	13.88	30.13	0.00	344	36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>104.74</td><td>-----</td><td>-----</td><td>85.86</td><td>34.80</td><td>14.36</td><td>30.28</td><td>0.00</td><td>344</td><td>36 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	104.74	-----	-----	85.86	34.80	14.36	30.28	0.00	344
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5639.41	57.63	68.20	-10.57	39.65	34.58	13.39	29.99	0.00	344	36 PEAK																																																																																																																				
2 5650.00	54.55	68.20	-13.65	36.51	34.60	13.45	30.01	0.00	344	36 PEAK																																																																																																																				
3 5701.01	55.36	105.58	-50.22	37.09	34.60	13.77	30.10	0.00	344	36 PEAK																																																																																																																				
4 5720.00	54.61	110.90	-56.29	36.22	34.64	13.88	30.13	0.00	344	36 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5795.00	104.74	-----	-----	85.86	34.80	14.36	30.28	0.00	344	36 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>97.11</td><td>-----</td><td>-----</td><td>78.27</td><td>34.78</td><td>14.32</td><td>30.26</td><td>0.00</td><td>344</td><td>36 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	97.11	-----	-----	78.27	34.78	14.32	30.26	0.00	344	36 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5795.00	97.11	-----	-----	78.27	34.78	14.32	30.26	0.00	344	36 AVERAGE																																																																																																																				






Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	CDD 5+8																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>54.54</td><td>110.93</td><td>-56.39</td><td>35.94</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>344</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5874.61</td><td>57.73</td><td>105.41</td><td>-47.68</td><td>39.10</td><td>34.95</td><td>14.06</td><td>30.38</td><td>0.00</td><td>344</td><td>36</td><td>PEAK</td></tr><tr><td>3</td><td>5921.81</td><td>56.65</td><td>70.56</td><td>-13.91</td><td>38.08</td><td>35.10</td><td>13.87</td><td>30.40</td><td>0.00</td><td>344</td><td>36</td><td>PEAK</td></tr><tr><td>4</td><td>5956.61</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>38.70</td><td>35.10</td><td>13.73</td><td>30.42</td><td>0.00</td><td>344</td><td>36</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	54.54	110.93	-56.39	35.94	34.83	14.14	30.37	0.00	344	36	PEAK	2	5874.61	57.73	105.41	-47.68	39.10	34.95	14.06	30.38	0.00	344	36	PEAK	3	5921.81	56.65	70.56	-13.91	38.08	35.10	13.87	30.40	0.00	344	36	PEAK	4	5956.61	57.11	68.20	-11.09	38.70	35.10	13.73	30.42	0.00	344	36	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.99	54.54	110.93	-56.39	35.94	34.83	14.14	30.37	0.00	344	36	PEAK																																																																									
2	5874.61	57.73	105.41	-47.68	39.10	34.95	14.06	30.38	0.00	344	36	PEAK																																																																									
3	5921.81	56.65	70.56	-13.91	38.08	35.10	13.87	30.40	0.00	344	36	PEAK																																																																									
4	5956.61	57.11	68.20	-11.09	38.70	35.10	13.73	30.42	0.00	344	36	PEAK																																																																									




		51																																																																																				
Mode		Harmonic																																																																																				
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT		CDD 5+8																																																																																				
Pol.		Horizontal																																																																																				
Peak Avg																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7727.10</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>66.76</td><td>35.90</td><td>12.08</td><td>60.70</td><td>0.00</td><td>100</td><td>306 Peak</td></tr><tr><td>2</td><td>7727.10</td><td>50.71</td><td>54.00</td><td>-3.29</td><td>63.43</td><td>35.90</td><td>12.08</td><td>60.70</td><td>0.00</td><td>100</td><td>306 Average</td></tr><tr><td>3</td><td>11590.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>54.51</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>17385.00</td><td>45.85</td><td>68.20</td><td>-22.35</td><td>49.43</td><td>40.90</td><td>18.46</td><td>62.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7727.10	54.04	74.00	-19.96	66.76	35.90	12.08	60.70	0.00	100	306 Peak	2	7727.10	50.71	54.00	-3.29	63.43	35.90	12.08	60.70	0.00	100	306 Average	3	11590.00	46.57	74.00	-27.43	54.51	38.29	14.98	61.21	0.00	---	---	PEAK	4	17385.00	45.85	68.20	-22.35	49.43	40.90	18.46	62.94	0.00	---	---	PEAK											
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	7727.10	54.04	74.00	-19.96	66.76	35.90	12.08	60.70	0.00	100	306 Peak																																																																											
2	7727.10	50.71	54.00	-3.29	63.43	35.90	12.08	60.70	0.00	100	306 Average																																																																											
3	11590.00	46.57	74.00	-27.43	54.51	38.29	14.98	61.21	0.00	---	---	PEAK																																																																										
4	17385.00	45.85	68.20	-22.35	49.43	40.90	18.46	62.94	0.00	---	---	PEAK																																																																										
																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7727.10</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>63.54</td><td>35.90</td><td>12.08</td><td>60.70</td><td>0.00</td><td>100</td><td>9 Peak</td></tr><tr><td>2</td><td>7727.10</td><td>48.52</td><td>54.00</td><td>-5.48</td><td>61.24</td><td>35.90</td><td>12.08</td><td>60.70</td><td>0.00</td><td>100</td><td>9 Average</td></tr><tr><td>3</td><td>11590.00</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>59.90</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>100</td><td>44 PEAK</td></tr><tr><td>4</td><td>11590.00</td><td>47.35</td><td>54.00</td><td>-6.65</td><td>55.29</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>100</td><td>44 AVERAGE</td></tr><tr><td>5</td><td>17385.00</td><td>49.22</td><td>68.20</td><td>-18.98</td><td>52.80</td><td>40.90</td><td>18.46</td><td>62.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>		Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7727.10	50.82	74.00	-23.18	63.54	35.90	12.08	60.70	0.00	100	9 Peak	2	7727.10	48.52	54.00	-5.48	61.24	35.90	12.08	60.70	0.00	100	9 Average	3	11590.00	51.96	74.00	-22.04	59.90	38.29	14.98	61.21	0.00	100	44 PEAK	4	11590.00	47.35	54.00	-6.65	55.29	38.29	14.98	61.21	0.00	100	44 AVERAGE	5	17385.00	49.22	68.20	-18.98	52.80	40.90	18.46	62.94	0.00	---	---	PEAK
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	7727.10	50.82	74.00	-23.18	63.54	35.90	12.08	60.70	0.00	100	9 Peak																																																																											
2	7727.10	48.52	54.00	-5.48	61.24	35.90	12.08	60.70	0.00	100	9 Average																																																																											
3	11590.00	51.96	74.00	-22.04	59.90	38.29	14.98	61.21	0.00	100	44 PEAK																																																																											
4	11590.00	47.35	54.00	-6.65	55.29	38.29	14.98	61.21	0.00	100	44 AVERAGE																																																																											
5	17385.00	49.22	68.20	-18.98	52.80	40.90	18.46	62.94	0.00	---	---	PEAK																																																																										






Mode	52																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																									
ANT	CDD 5+8																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a blue signal line with a red limit line. A peak is visible around 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.21</td><td>64.65</td><td>68.20</td><td>-3.55</td><td>46.61</td><td>34.60</td><td>13.44</td><td>30.00</td><td>0.00</td><td>101 266 PEAK</td></tr><tr><td>2 5650.21</td><td>62.13</td><td>68.36</td><td>-6.23</td><td>44.08</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>101 266 PEAK</td></tr><tr><td>3 5700.21</td><td>71.43</td><td>105.36</td><td>-33.93</td><td>53.17</td><td>34.60</td><td>13.76</td><td>30.10</td><td>0.00</td><td>101 266 PEAK</td></tr><tr><td>4 5720.21</td><td>72.36</td><td>111.39</td><td>-39.03</td><td>53.97</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>101 266 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5648.21	64.65	68.20	-3.55	46.61	34.60	13.44	30.00	0.00	101 266 PEAK	2 5650.21	62.13	68.36	-6.23	44.08	34.60	13.46	30.01	0.00	101 266 PEAK	3 5700.21	71.43	105.36	-33.93	53.17	34.60	13.76	30.10	0.00	101 266 PEAK	4 5720.21	72.36	111.39	-39.03	53.97	34.64	13.88	30.13	0.00	101 266 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a red limit line. A sharp peak is visible around 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>107.46</td><td>-----</td><td>-----</td><td>88.84</td><td>34.71</td><td>14.10</td><td>30.19</td><td>0.00</td><td>101 266 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	107.46	-----	-----	88.84	34.71	14.10	30.19	0.00	101 266 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5648.21	64.65	68.20	-3.55	46.61	34.60	13.44	30.00	0.00	101 266 PEAK																																																																																																																	
2 5650.21	62.13	68.36	-6.23	44.08	34.60	13.46	30.01	0.00	101 266 PEAK																																																																																																																	
3 5700.21	71.43	105.36	-33.93	53.17	34.60	13.76	30.10	0.00	101 266 PEAK																																																																																																																	
4 5720.21	72.36	111.39	-39.03	53.97	34.64	13.88	30.13	0.00	101 266 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5775.00	107.46	-----	-----	88.84	34.71	14.10	30.19	0.00	101 266 PEAK																																																																																																																	
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a red limit line. A sharp peak is visible around 5775 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>99.56</td><td>-----</td><td>-----</td><td>80.88</td><td>34.73</td><td>14.17</td><td>30.22</td><td>0.00</td><td>101 266 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	99.56	-----	-----	80.88	34.73	14.17	30.22	0.00	101 266 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5775.00	99.56	-----	-----	80.88	34.73	14.17	30.22	0.00	101 266 AVERAGE																																																																																																																	




Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	CDD 5+8																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>61.97</td><td>110.93</td><td>-48.96</td><td>43.37</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>101</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5869.81</td><td>62.97</td><td>106.75</td><td>-43.78</td><td>44.35</td><td>34.92</td><td>14.00</td><td>30.38</td><td>0.00</td><td>101</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5924.21</td><td>57.97</td><td>68.78</td><td>-10.81</td><td>39.41</td><td>35.10</td><td>13.86</td><td>30.40</td><td>0.00</td><td>101</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5933.79</td><td>57.83</td><td>68.20</td><td>-10.37</td><td>39.32</td><td>35.10</td><td>13.82</td><td>30.41</td><td>0.00</td><td>101</td><td>266</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	61.97	110.93	-48.96	43.37	34.83	14.14	30.37	0.00	101	266	PEAK	2	5869.81	62.97	106.75	-43.78	44.35	34.92	14.00	30.38	0.00	101	266	PEAK	3	5924.21	57.97	68.78	-10.81	39.41	35.10	13.86	30.40	0.00	101	266	PEAK	4	5933.79	57.83	68.20	-10.37	39.32	35.10	13.82	30.41	0.00	101	266	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	61.97	110.93	-48.96	43.37	34.83	14.14	30.37	0.00	101	266	PEAK																																																																																		
2	5869.81	62.97	106.75	-43.78	44.35	34.92	14.00	30.38	0.00	101	266	PEAK																																																																																		
3	5924.21	57.97	68.78	-10.81	39.41	35.10	13.86	30.40	0.00	101	266	PEAK																																																																																		
4	5933.79	57.83	68.20	-10.37	39.32	35.10	13.82	30.41	0.00	101	266	PEAK																																																																																		



Mode	52																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																														
ANT	CDD 5+8																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5645.81</td><td>60.07</td><td>68.20</td><td>-8.13</td><td>42.05</td><td>34.59</td><td>13.43</td><td>30.00</td><td>0.00</td><td>398</td><td>23 PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>57.33</td><td>68.66</td><td>-11.33</td><td>39.28</td><td>34.60</td><td>13.46</td><td>30.01</td><td>0.00</td><td>398</td><td>23 PEAK</td></tr><tr><td>3</td><td>5703.01</td><td>64.63</td><td>106.14</td><td>-41.51</td><td>46.34</td><td>34.61</td><td>13.78</td><td>30.10</td><td>0.00</td><td>398</td><td>23 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.68</td><td>110.90</td><td>-47.22</td><td>45.29</td><td>34.64</td><td>13.88</td><td>30.13</td><td>0.00</td><td>398</td><td>23 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5645.81	60.07	68.20	-8.13	42.05	34.59	13.43	30.00	0.00	398	23 PEAK	2	5650.61	57.33	68.66	-11.33	39.28	34.60	13.46	30.01	0.00	398	23 PEAK	3	5703.01	64.63	106.14	-41.51	46.34	34.61	13.78	30.10	0.00	398	23 PEAK	4	5720.00	63.68	110.90	-47.22	45.29	34.64	13.88	30.13	0.00	398	23 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.52</td><td>-----</td><td>-----</td><td>83.79</td><td>34.75</td><td>14.21</td><td>30.23</td><td>0.00</td><td>398</td><td>23 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	102.52	-----	-----	83.79	34.75	14.21	30.23	0.00	398
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5645.81	60.07	68.20	-8.13	42.05	34.59	13.43	30.00	0.00	398	23 PEAK																																																																																																																																				
2	5650.61	57.33	68.66	-11.33	39.28	34.60	13.46	30.01	0.00	398	23 PEAK																																																																																																																																				
3	5703.01	64.63	106.14	-41.51	46.34	34.61	13.78	30.10	0.00	398	23 PEAK																																																																																																																																				
4	5720.00	63.68	110.90	-47.22	45.29	34.64	13.88	30.13	0.00	398	23 PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5775.00	102.52	-----	-----	83.79	34.75	14.21	30.23	0.00	398	23 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.34</td><td>-----</td><td>-----</td><td>76.61</td><td>34.75</td><td>14.21</td><td>30.23</td><td>0.00</td><td>398</td><td>23 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	95.34	-----	-----	76.61	34.75	14.21	30.23	0.00	398	23 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5775.00	95.34	-----	-----	76.61	34.75	14.21	30.23	0.00	398	23 AVERAGE																																																																																																																																				






Mode	52																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	CDD 5+8																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.07</td><td>110.93</td><td>-53.86</td><td>38.47</td><td>34.83</td><td>14.14</td><td>30.37</td><td>0.00</td><td>398</td><td>23</td><td>PEAK</td></tr><tr><td>2</td><td>5872.21</td><td>58.15</td><td>106.08</td><td>-47.93</td><td>39.53</td><td>34.93</td><td>14.07</td><td>30.38</td><td>0.00</td><td>398</td><td>23</td><td>PEAK</td></tr><tr><td>3</td><td>5924.61</td><td>55.07</td><td>68.49</td><td>-13.42</td><td>36.52</td><td>35.10</td><td>13.86</td><td>30.41</td><td>0.00</td><td>398</td><td>23</td><td>PEAK</td></tr><tr><td>4</td><td>5937.81</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>38.48</td><td>35.10</td><td>13.80</td><td>30.41</td><td>0.00</td><td>398</td><td>23</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.99	57.07	110.93	-53.86	38.47	34.83	14.14	30.37	0.00	398	23	PEAK	2	5872.21	58.15	106.08	-47.93	39.53	34.93	14.07	30.38	0.00	398	23	PEAK	3	5924.61	55.07	68.49	-13.42	36.52	35.10	13.86	30.41	0.00	398	23	PEAK	4	5937.81	56.97	68.20	-11.23	38.48	35.10	13.80	30.41	0.00	398	23	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.99	57.07	110.93	-53.86	38.47	34.83	14.14	30.37	0.00	398	23	PEAK																																																																																		
2	5872.21	58.15	106.08	-47.93	39.53	34.93	14.07	30.38	0.00	398	23	PEAK																																																																																		
3	5924.61	55.07	68.49	-13.42	36.52	35.10	13.86	30.41	0.00	398	23	PEAK																																																																																		
4	5937.81	56.97	68.20	-11.23	38.48	35.10	13.80	30.41	0.00	398	23	PEAK																																																																																		





		52																																																																																														
Mode		Harmonic																																																																																														
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT		CDD 5+8																																																																																														
Pol.		Horizontal																																																																																														
Peak Avg																																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	7699.98	52.04	74.00	-21.96	64.85	35.90	12.05	60.76	0.00	100	323	2	7699.98	50.51	54.00	-3.49	63.32	35.90	12.05	60.76	0.00	100	323	3	11550.00	46.90	74.00	-27.10	54.89	38.25	14.95	61.19	0.00	---	---	4	17325.00	46.40	68.20	-21.80	50.04	40.90	18.39	62.93	0.00	---	---																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																					
1	7699.98	52.04	74.00	-21.96	64.85	35.90	12.05	60.76	0.00	100	323																																																																																					
2	7699.98	50.51	54.00	-3.49	63.32	35.90	12.05	60.76	0.00	100	323																																																																																					
3	11550.00	46.90	74.00	-27.10	54.89	38.25	14.95	61.19	0.00	---	---																																																																																					
4	17325.00	46.40	68.20	-21.80	50.04	40.90	18.39	62.93	0.00	---	---																																																																																					
		Vertical																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7699.98</td><td>50.77</td><td>74.00</td><td>-23.23</td><td>63.58</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>100</td><td>92</td></tr><tr><td>2</td><td>7699.98</td><td>48.76</td><td>54.00</td><td>-5.24</td><td>61.57</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>100</td><td>92</td></tr><tr><td>3</td><td>11550.00</td><td>50.66</td><td>74.00</td><td>-23.34</td><td>58.65</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>100</td><td>45</td></tr><tr><td>4</td><td>11550.00</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>55.05</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>100</td><td>45</td></tr><tr><td>5</td><td>17325.00</td><td>47.07</td><td>68.20</td><td>-21.13</td><td>50.67</td><td>40.90</td><td>18.43</td><td>62.93</td><td>0.00</td><td>---</td><td>---</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	7699.98	50.77	74.00	-23.23	63.58	35.90	12.05	60.76	0.00	100	92	2	7699.98	48.76	54.00	-5.24	61.57	35.90	12.05	60.76	0.00	100	92	3	11550.00	50.66	74.00	-23.34	58.65	38.25	14.95	61.19	0.00	100	45	4	11550.00	47.06	54.00	-6.94	55.05	38.25	14.95	61.19	0.00	100	45	5	17325.00	47.07	68.20	-21.13	50.67	40.90	18.43	62.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																					
1	7699.98	50.77	74.00	-23.23	63.58	35.90	12.05	60.76	0.00	100	92																																																																																					
2	7699.98	48.76	54.00	-5.24	61.57	35.90	12.05	60.76	0.00	100	92																																																																																					
3	11550.00	50.66	74.00	-23.34	58.65	38.25	14.95	61.19	0.00	100	45																																																																																					
4	11550.00	47.06	54.00	-6.94	55.05	38.25	14.95	61.19	0.00	100	45																																																																																					
5	17325.00	47.07	68.20	-21.13	50.67	40.90	18.43	62.93	0.00	---	---																																																																																					






Mode	53																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																		
ANT	CDD 5+8																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5636.54</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>41.03</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>2</td><td>5651.48</td><td>54.85</td><td>69.30</td><td>-14.45</td><td>41.62</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>3</td><td>5700.63</td><td>54.45</td><td>105.48</td><td>-51.03</td><td>41.30</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>4</td><td>5720.93</td><td>54.94</td><td>113.02</td><td>-58.08</td><td>41.83</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5636.54	54.27	68.20	-13.93	41.03	34.60	10.27	31.63	0.00	100	246 PEAK	2	5651.48	54.85	69.30	-14.45	41.62	34.60	10.29	31.66	0.00	100	246 PEAK	3	5700.63	54.45	105.48	-51.03	41.30	34.60	10.33	31.78	0.00	100	246 PEAK	4	5720.93	54.94	113.02	-58.08	41.83	34.60	10.34	31.83	0.00	100	246 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.72</td><td>-----</td><td>-----</td><td>98.64</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	111.72	-----	-----	98.64	34.60	10.36	31.88	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5636.54	54.27	68.20	-13.93	41.03	34.60	10.27	31.63	0.00	100	246 PEAK																																																																																																								
2	5651.48	54.85	69.30	-14.45	41.62	34.60	10.29	31.66	0.00	100	246 PEAK																																																																																																								
3	5700.63	54.45	105.48	-51.03	41.30	34.60	10.33	31.78	0.00	100	246 PEAK																																																																																																								
4	5720.93	54.94	113.02	-58.08	41.83	34.60	10.34	31.83	0.00	100	246 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	111.72	-----	-----	98.64	34.60	10.36	31.88	0.00	100	246 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.69</td><td>-----</td><td>-----</td><td>91.61</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>246 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	104.69	-----	-----	91.61	34.60	10.36	31.88	0.00	100	246 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	104.69	-----	-----	91.61	34.60	10.36	31.88	0.00	100	246 AVERAGE																																																																																																								






	53																																																																																										
Mode	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																										
ANT	CDD 5+8																																																																																										
Pol.	Vertical																																																																																										
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5642.20</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>41.92</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>300</td><td>72 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.79</td><td>68.22</td><td>-15.43</td><td>39.56</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>300</td><td>72 PEAK</td></tr><tr><td>3</td><td>5705.27</td><td>54.76</td><td>106.78</td><td>-52.02</td><td>41.62</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>300</td><td>72 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.21</td><td>111.04</td><td>-58.83</td><td>39.10</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>300</td><td>72 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5642.20	55.16	68.20	-13.04	41.92	34.60	10.28	31.64	0.00	300	72 PEAK	2	5650.03	52.79	68.22	-15.43	39.56	34.60	10.28	31.65	0.00	300	72 PEAK	3	5705.27	54.76	106.78	-52.02	41.62	34.60	10.33	31.79	0.00	300	72 PEAK	4	5720.06	52.21	111.04	-58.83	39.10	34.60	10.34	31.83	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5642.20	55.16	68.20	-13.04	41.92	34.60	10.28	31.64	0.00	300	72 PEAK																																																																																
2	5650.03	52.79	68.22	-15.43	39.56	34.60	10.28	31.65	0.00	300	72 PEAK																																																																																
3	5705.27	54.76	106.78	-52.02	41.62	34.60	10.33	31.79	0.00	300	72 PEAK																																																																																
4	5720.06	52.21	111.04	-58.83	39.10	34.60	10.34	31.83	0.00	300	72 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.03</td><td>-----</td><td>-----</td><td>81.95</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>300</td><td>72 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.03	-----	-----	81.95	34.60	10.36	31.88	0.00	300	72 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5745.00	95.03	-----	-----	81.95	34.60	10.36	31.88	0.00	300	72 AVERAGE																																																																																






	54																																																																																																																						
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																						
ANT	CDD 5+8																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>53.39</td><td>111.18</td><td>-57.79</td><td>40.38</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr><tr><td>2</td><td>5873.13</td><td>55.94</td><td>105.82</td><td>-49.88</td><td>42.84</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr><tr><td>3</td><td>5923.38</td><td>55.09</td><td>69.40</td><td>-14.31</td><td>41.70</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr><tr><td>4</td><td>5928.88</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>41.95</td><td>35.07</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.88	53.39	111.18	-57.79	40.38	34.72	10.45	32.16	0.00	100	229 PEAK	2	5873.13	55.94	105.82	-49.88	42.84	34.79	10.47	32.16	0.00	100	229 PEAK	3	5923.38	55.09	69.40	-14.31	41.70	35.04	10.51	32.16	0.00	100	229 PEAK	4	5928.88	55.38	68.20	-12.82	41.95	35.07	10.52	32.16	0.00	100	229 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.95</td><td>-----</td><td>-----</td><td>94.95</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>229 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	107.95	-----	-----	94.95	34.67	10.44	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.88	53.39	111.18	-57.79	40.38	34.72	10.45	32.16	0.00	100	229 PEAK																																																																																																												
2	5873.13	55.94	105.82	-49.88	42.84	34.79	10.47	32.16	0.00	100	229 PEAK																																																																																																												
3	5923.38	55.09	69.40	-14.31	41.70	35.04	10.51	32.16	0.00	100	229 PEAK																																																																																																												
4	5928.88	55.38	68.20	-12.82	41.95	35.07	10.52	32.16	0.00	100	229 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	107.95	-----	-----	94.95	34.67	10.44	32.11	0.00	100	229 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.84</td><td>-----</td><td>-----</td><td>86.84</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>100</td><td>229 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	99.84	-----	-----	86.84	34.67	10.44	32.11	0.00	100	229 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	99.84	-----	-----	86.84	34.67	10.44	32.11	0.00	100	229 AVERAGE																																																																																																												






	54																																																																																																																																							
Mode	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																							
ANT	CDD 5+8																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>52.66</td><td>111.18</td><td>-58.52</td><td>39.65</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>334</td><td>30 PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>54.61</td><td>105.68</td><td>-51.07</td><td>41.51</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>334</td><td>30 PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>55.27</td><td>68.66</td><td>-13.39</td><td>41.86</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>334</td><td>30 PEAK</td></tr><tr><td>4</td><td>5925.25</td><td>56.42</td><td>68.20</td><td>-11.78</td><td>43.01</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>334</td><td>30 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	52.66	111.18	-58.52	39.65	34.72	10.45	32.16	0.00	334	30 PEAK	2	5873.63	54.61	105.68	-51.07	41.51	34.79	10.47	32.16	0.00	334	30 PEAK	3	5924.38	55.27	68.66	-13.39	41.86	35.05	10.52	32.16	0.00	334	30 PEAK	4	5925.25	56.42	68.20	-11.78	43.01	35.05	10.52	32.16	0.00	334	30 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.72</td><td>-----</td><td>-----</td><td>92.72</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>334</td><td>30 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.72	-----	-----	92.72	34.67	10.44	32.11	0.00	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.88	52.66	111.18	-58.52	39.65	34.72	10.45	32.16	0.00	334	30 PEAK																																																																																																																													
2	5873.63	54.61	105.68	-51.07	41.51	34.79	10.47	32.16	0.00	334	30 PEAK																																																																																																																													
3	5924.38	55.27	68.66	-13.39	41.86	35.05	10.52	32.16	0.00	334	30 PEAK																																																																																																																													
4	5925.25	56.42	68.20	-11.78	43.01	35.05	10.52	32.16	0.00	334	30 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	105.72	-----	-----	92.72	34.67	10.44	32.11	0.00	334	30 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.21</td><td>-----</td><td>-----</td><td>85.21</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>334</td><td>30 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.21	-----	-----	85.21	34.67	10.44	32.11	0.00	334	30 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	98.21	-----	-----	85.21	34.67	10.44	32.11	0.00	334	30 AVERAGE																																																																																																																													






	55																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																								
ANT	CDD 5+8																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.77</td><td>54.68</td><td>68.20</td><td>-13.52</td><td>41.46</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>2</td><td>5651.19</td><td>54.66</td><td>69.08</td><td>-14.42</td><td>41.43</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>3</td><td>5700.34</td><td>55.21</td><td>105.40</td><td>-50.19</td><td>42.07</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>53.17</td><td>111.04</td><td>-57.87</td><td>40.06</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5622.77	54.68	68.20	-13.52	41.46	34.60	10.26	31.64	0.00	100	242 PEAK	2	5651.19	54.66	69.08	-14.42	41.43	34.60	10.29	31.66	0.00	100	242 PEAK	3	5700.34	55.21	105.40	-50.19	42.07	34.60	10.32	31.78	0.00	100	242 PEAK	4	5720.06	53.17	111.04	-57.87	40.06	34.60	10.34	31.83	0.00	100	242 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.46</td><td>-----</td><td>-----</td><td>99.38</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	112.46	-----	-----	99.38	34.60	10.36	31.88	0.00	100	242 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5622.77	54.68	68.20	-13.52	41.46	34.60	10.26	31.64	0.00	100	242 PEAK																																																																																																																														
2	5651.19	54.66	69.08	-14.42	41.43	34.60	10.29	31.66	0.00	100	242 PEAK																																																																																																																														
3	5700.34	55.21	105.40	-50.19	42.07	34.60	10.32	31.78	0.00	100	242 PEAK																																																																																																																														
4	5720.06	53.17	111.04	-57.87	40.06	34.60	10.34	31.83	0.00	100	242 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	112.46	-----	-----	99.38	34.60	10.36	31.88	0.00	100	242 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.94</td><td>-----</td><td>-----</td><td>90.06</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>242 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.94	-----	-----	90.06	34.60	10.36	31.88	0.00	100	242 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.94	-----	-----	90.06	34.60	10.36	31.88	0.00	100	242 AVERAGE																																																																																																																														






	55																																																																																																																																	
Mode	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																	
ANT	CDD 5+8																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5683.05</td><td>54.56</td><td>68.20</td><td>-13.64</td><td>41.37</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>331</td><td>52 PEAK</td></tr><tr><td>2 5650.32</td><td>53.34</td><td>68.43</td><td>-15.09</td><td>40.12</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>331</td><td>52 PEAK</td></tr><tr><td>3 5704.40</td><td>56.90</td><td>106.53</td><td>-49.63</td><td>43.76</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>331</td><td>52 PEAK</td></tr><tr><td>4 5720.79</td><td>60.76</td><td>112.69</td><td>-51.93</td><td>47.65</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>331</td><td>52 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5683.05	54.56	68.20	-13.64	41.37	34.60	10.24	31.65	0.00	331	52 PEAK	2 5650.32	53.34	68.43	-15.09	40.12	34.60	10.28	31.66	0.00	331	52 PEAK	3 5704.40	56.90	106.53	-49.63	43.76	34.60	10.33	31.79	0.00	331	52 PEAK	4 5720.79	60.76	112.69	-51.93	47.65	34.60	10.34	31.83	0.00	331	52 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.48</td><td>-----</td><td>-----</td><td>92.40</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>331</td><td>52 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.48	-----	-----	92.40	34.60	10.36	31.88	0.00	331
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5683.05	54.56	68.20	-13.64	41.37	34.60	10.24	31.65	0.00	331	52 PEAK																																																																																																																								
2 5650.32	53.34	68.43	-15.09	40.12	34.60	10.28	31.66	0.00	331	52 PEAK																																																																																																																								
3 5704.40	56.90	106.53	-49.63	43.76	34.60	10.33	31.79	0.00	331	52 PEAK																																																																																																																								
4 5720.79	60.76	112.69	-51.93	47.65	34.60	10.34	31.83	0.00	331	52 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	105.48	-----	-----	92.40	34.60	10.36	31.88	0.00	331	52 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>90.34</td><td>-----</td><td>-----</td><td>85.26</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>331</td><td>52 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	90.34	-----	-----	85.26	34.60	10.36	31.88	0.00	331	52 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	90.34	-----	-----	85.26	34.60	10.36	31.88	0.00	331	52 AVERAGE																																																																																																																								






	56																																																																																																																						
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																						
ANT	CDD 5+8																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.63</td><td>53.41</td><td>111.75</td><td>-58.34</td><td>40.40</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>104</td><td>299 PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>54.44</td><td>105.68</td><td>-51.24</td><td>41.34</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>104</td><td>299 PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>54.16</td><td>68.38</td><td>-14.22</td><td>40.75</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>104</td><td>299 PEAK</td></tr><tr><td>4</td><td>5934.13</td><td>55.21</td><td>68.20</td><td>-12.99</td><td>41.75</td><td>35.10</td><td>10.52</td><td>32.16</td><td>0.00</td><td>104</td><td>299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.63	53.41	111.75	-58.34	40.40	34.72	10.45	32.16	0.00	104	299 PEAK	2	5873.63	54.44	105.68	-51.24	41.34	34.79	10.47	32.16	0.00	104	299 PEAK	3	5924.75	54.16	68.38	-14.22	40.75	35.05	10.52	32.16	0.00	104	299 PEAK	4	5934.13	55.21	68.20	-12.99	41.75	35.10	10.52	32.16	0.00	104	299 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.23</td><td>-----</td><td>-----</td><td>95.23</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>104</td><td>299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	108.23	-----	-----	95.23	34.67	10.44	32.11	0.00	104
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.63	53.41	111.75	-58.34	40.40	34.72	10.45	32.16	0.00	104	299 PEAK																																																																																																												
2	5873.63	54.44	105.68	-51.24	41.34	34.79	10.47	32.16	0.00	104	299 PEAK																																																																																																												
3	5924.75	54.16	68.38	-14.22	40.75	35.05	10.52	32.16	0.00	104	299 PEAK																																																																																																												
4	5934.13	55.21	68.20	-12.99	41.75	35.10	10.52	32.16	0.00	104	299 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	108.23	-----	-----	95.23	34.67	10.44	32.11	0.00	104	299 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.96</td><td>-----</td><td>-----</td><td>87.96</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>104</td><td>299 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	100.96	-----	-----	87.96	34.67	10.44	32.11	0.00	104	299 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	100.96	-----	-----	87.96	34.67	10.44	32.11	0.00	104	299 AVERAGE																																																																																																												






	56																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																		
ANT	CDD 5+8																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>55.52</td><td>113.18</td><td>-57.66</td><td>42.51</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>354</td><td>33 PEAK</td></tr><tr><td>2 5872.13</td><td>55.55</td><td>106.10</td><td>-50.55</td><td>42.45</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>354</td><td>33 PEAK</td></tr><tr><td>3 5924.13</td><td>54.05</td><td>68.85</td><td>-14.80</td><td>40.66</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>354</td><td>33 PEAK</td></tr><tr><td>4 5940.25</td><td>55.15</td><td>68.20</td><td>-13.05</td><td>41.65</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>354</td><td>33 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	55.52	113.18	-57.66	42.51	34.72	10.45	32.16	0.00	354	33 PEAK	2 5872.13	55.55	106.10	-50.55	42.45	34.79	10.47	32.16	0.00	354	33 PEAK	3 5924.13	54.05	68.85	-14.80	40.66	35.04	10.51	32.16	0.00	354	33 PEAK	4 5940.25	55.15	68.20	-13.05	41.65	35.14	10.53	32.17	0.00	354	33 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.54</td><td>-----</td><td>-----</td><td>94.54</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>354</td><td>33 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.54	-----	-----	94.54	34.67	10.44	32.11	0.00	354
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.00	55.52	113.18	-57.66	42.51	34.72	10.45	32.16	0.00	354	33 PEAK																																																																																																																									
2 5872.13	55.55	106.10	-50.55	42.45	34.79	10.47	32.16	0.00	354	33 PEAK																																																																																																																									
3 5924.13	54.05	68.85	-14.80	40.66	35.04	10.51	32.16	0.00	354	33 PEAK																																																																																																																									
4 5940.25	55.15	68.20	-13.05	41.65	35.14	10.53	32.17	0.00	354	33 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	107.54	-----	-----	94.54	34.67	10.44	32.11	0.00	354	33 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>98.50</td><td>-----</td><td>-----</td><td>85.50</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>354</td><td>33 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.50	-----	-----	85.50	34.67	10.44	32.11	0.00	354	33 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	98.50	-----	-----	85.50	34.67	10.44	32.11	0.00	354	33 AVERAGE																																																																																																																									






		57																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																											
ANT	CDD 5+8																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5681.02</td><td>54.23</td><td>68.20</td><td>-13.97</td><td>44.42</td><td>34.83</td><td>11.00</td><td>36.02</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.43</td><td>68.20</td><td>-15.77</td><td>42.60</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr><tr><td>3</td><td>5703.42</td><td>66.04</td><td>106.26</td><td>-40.22</td><td>56.92</td><td>34.93</td><td>11.15</td><td>36.96</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.73</td><td>110.90</td><td>-43.17</td><td>58.84</td><td>34.94</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5681.02	54.23	68.20	-13.97	44.42	34.83	11.00	36.02	0.00	100	249 PEAK	2	5650.00	52.43	68.20	-15.77	42.60	34.88	11.07	36.12	0.00	100	249 PEAK	3	5703.42	66.04	106.26	-40.22	56.92	34.93	11.15	36.96	0.00	100	249 PEAK	4	5720.00	67.73	110.90	-43.17	58.84	34.94	11.17	37.22	0.00	100	249 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5681.02	54.23	68.20	-13.97	44.42	34.83	11.00	36.02	0.00	100	249 PEAK																																																																																	
2	5650.00	52.43	68.20	-15.77	42.60	34.88	11.07	36.12	0.00	100	249 PEAK																																																																																	
3	5703.42	66.04	106.26	-40.22	56.92	34.93	11.15	36.96	0.00	100	249 PEAK																																																																																	
4	5720.00	67.73	110.90	-43.17	58.84	34.94	11.17	37.22	0.00	100	249 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.00</td><td>-----</td><td>-----</td><td>102.33</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>249 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.00	-----	-----	102.33	34.95	11.19	37.39	0.00	100	249 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	111.00	-----	-----	102.33	34.95	11.19	37.39	0.00	100	249 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.91</td><td>-----</td><td>-----</td><td>94.16</td><td>34.95</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>249 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.91	-----	-----	94.16	34.95	11.19	37.39	0.00	100	249 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	102.91	-----	-----	94.16	34.95	11.19	37.39	0.00	100	249 AVERAGE																																																																																	






	57																																																																																																																																									
Mode	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																									
ANT	CDD 5+8																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.60</td><td>54.24</td><td>68.20</td><td>-13.96</td><td>44.35</td><td>34.85</td><td>11.03</td><td>35.99</td><td>0.00</td><td>379</td><td>44</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>40.08</td><td>34.88</td><td>11.07</td><td>36.12</td><td>0.00</td><td>379</td><td>44</td><td>PEAK</td></tr><tr><td>3</td><td>5707.42</td><td>66.97</td><td>107.38</td><td>-40.41</td><td>57.91</td><td>34.93</td><td>11.15</td><td>37.02</td><td>0.00</td><td>379</td><td>44</td><td>PEAK</td></tr><tr><td>4</td><td>5724.60</td><td>63.25</td><td>121.39</td><td>-58.14</td><td>54.41</td><td>34.95</td><td>11.18</td><td>37.29</td><td>0.00</td><td>379</td><td>44</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5618.60	54.24	68.20	-13.96	44.35	34.85	11.03	35.99	0.00	379	44	PEAK	2	5650.00	49.91	68.20	-18.29	40.08	34.88	11.07	36.12	0.00	379	44	PEAK	3	5707.42	66.97	107.38	-40.41	57.91	34.93	11.15	37.02	0.00	379	44	PEAK	4	5724.60	63.25	121.39	-58.14	54.41	34.95	11.18	37.29	0.00	379	44	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.12</td><td>-----</td><td>-----</td><td>98.45</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>379</td><td>44</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.12	-----	-----	98.45	34.96	11.19	37.48	0.00	379	44
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5618.60	54.24	68.20	-13.96	44.35	34.85	11.03	35.99	0.00	379	44	PEAK																																																																																																																														
2	5650.00	49.91	68.20	-18.29	40.08	34.88	11.07	36.12	0.00	379	44	PEAK																																																																																																																														
3	5707.42	66.97	107.38	-40.41	57.91	34.93	11.15	37.02	0.00	379	44	PEAK																																																																																																																														
4	5724.60	63.25	121.39	-58.14	54.41	34.95	11.18	37.29	0.00	379	44	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	107.12	-----	-----	98.45	34.96	11.19	37.48	0.00	379	44	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.69</td><td>-----</td><td>-----</td><td>90.02</td><td>34.96</td><td>11.19</td><td>37.48</td><td>0.00</td><td>379</td><td>44</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.69	-----	-----	90.02	34.96	11.19	37.48	0.00	379	44	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	98.69	-----	-----	90.02	34.96	11.19	37.48	0.00	379	44	AVERAGE																																																																																																																														





Mode	58																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																		
ANT	CDD 5+8																																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>58.81</td><td>110.90</td><td>-52.09</td><td>51.73</td><td>35.07</td><td>11.34</td><td>39.33</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>2</td><td>5861.02</td><td>61.48</td><td>109.21</td><td>-47.73</td><td>54.39</td><td>35.07</td><td>11.34</td><td>39.32</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>3</td><td>5923.00</td><td>50.27</td><td>69.68</td><td>-19.41</td><td>42.96</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>4</td><td>5996.22</td><td>51.16</td><td>68.20</td><td>-17.04</td><td>43.59</td><td>35.20</td><td>11.47</td><td>39.10</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	58.81	110.90	-52.09	51.73	35.07	11.34	39.33	0.00	100	251 PEAK	2	5861.02	61.48	109.21	-47.73	54.39	35.07	11.34	39.32	0.00	100	251 PEAK	3	5923.00	50.27	69.68	-19.41	42.96	35.13	11.40	39.22	0.00	100	251 PEAK	4	5996.22	51.16	68.20	-17.04	43.59	35.20	11.47	39.10	0.00	100	251 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.02</td><td>-----</td><td>-----</td><td>99.57</td><td>35.04</td><td>11.31</td><td>38.90</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.02	-----	-----	99.57	35.04	11.31	38.90	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5855.00	58.81	110.90	-52.09	51.73	35.07	11.34	39.33	0.00	100	251 PEAK																																																																																																																								
2	5861.02	61.48	109.21	-47.73	54.39	35.07	11.34	39.32	0.00	100	251 PEAK																																																																																																																								
3	5923.00	50.27	69.68	-19.41	42.96	35.13	11.40	39.22	0.00	100	251 PEAK																																																																																																																								
4	5996.22	51.16	68.20	-17.04	43.59	35.20	11.47	39.10	0.00	100	251 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5825.00	107.02	-----	-----	99.57	35.04	11.31	38.90	0.00	100	251 PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.91</td><td>-----</td><td>-----</td><td>91.37</td><td>35.04</td><td>11.30</td><td>38.80</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	98.91	-----	-----	91.37	35.04	11.30	38.80	0.00	100	251 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5825.00	98.91	-----	-----	91.37	35.04	11.30	38.80	0.00	100	251 AVERAGE																																																																																																																								





Mode	58																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																									
ANT	CDD 5+8																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.80</td><td>60.72</td><td>113.64</td><td>-52.92</td><td>53.63</td><td>35.07</td><td>11.33</td><td>39.31</td><td>0.00</td><td>388</td><td>25</td><td>PEAK</td></tr><tr><td>2</td><td>5863.42</td><td>58.82</td><td>108.54</td><td>-49.72</td><td>51.72</td><td>35.08</td><td>11.34</td><td>39.32</td><td>0.00</td><td>388</td><td>25</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>52.40</td><td>68.50</td><td>-16.10</td><td>45.09</td><td>35.13</td><td>11.40</td><td>39.22</td><td>0.00</td><td>388</td><td>25</td><td>PEAK</td></tr><tr><td>4</td><td>5963.80</td><td>51.19</td><td>68.20</td><td>-17.01</td><td>43.73</td><td>35.17</td><td>11.44</td><td>39.15</td><td>0.00</td><td>388</td><td>25</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.80	60.72	113.64	-52.92	53.63	35.07	11.33	39.31	0.00	388	25	PEAK	2	5863.42	58.82	108.54	-49.72	51.72	35.08	11.34	39.32	0.00	388	25	PEAK	3	5924.60	52.40	68.50	-16.10	45.09	35.13	11.40	39.22	0.00	388	25	PEAK	4	5963.80	51.19	68.20	-17.01	43.73	35.17	11.44	39.15	0.00	388	25	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.43</td><td>-----</td><td>-----</td><td>98.06</td><td>35.05</td><td>11.31</td><td>38.99</td><td>0.00</td><td>388</td><td>25</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.43	-----	-----	98.06	35.05	11.31	38.99	0.00	388	25
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5853.80	60.72	113.64	-52.92	53.63	35.07	11.33	39.31	0.00	388	25	PEAK																																																																																																																														
2	5863.42	58.82	108.54	-49.72	51.72	35.08	11.34	39.32	0.00	388	25	PEAK																																																																																																																														
3	5924.60	52.40	68.50	-16.10	45.09	35.13	11.40	39.22	0.00	388	25	PEAK																																																																																																																														
4	5963.80	51.19	68.20	-17.01	43.73	35.17	11.44	39.15	0.00	388	25	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	105.43	-----	-----	98.06	35.05	11.31	38.99	0.00	388	25	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.97</td><td>-----</td><td>-----</td><td>88.60</td><td>35.05</td><td>11.31</td><td>38.99</td><td>0.00</td><td>388</td><td>25</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.97	-----	-----	88.60	35.05	11.31	38.99	0.00	388	25	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	95.97	-----	-----	88.60	35.05	11.31	38.99	0.00	388	25	AVERAGE																																																																																																																														





Mode	51	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz	
ANT	CDD 5+8	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	51																																																																																																													
	30M-1G																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																													
ANT	CDD 5+8																																																																																																													
Pol.	Horizontal																																																																																																													
QP																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>20.69</td><td>40.00</td><td>-19.31</td><td>27.14</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>86.26</td><td>20.40</td><td>40.00</td><td>-19.60</td><td>37.44</td><td>14.33</td><td>1.33</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>178.41</td><td>22.09</td><td>43.50</td><td>-21.41</td><td>37.68</td><td>15.23</td><td>1.95</td><td>32.77</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>308.39</td><td>30.99</td><td>46.00</td><td>-15.01</td><td>41.69</td><td>19.55</td><td>2.59</td><td>32.84</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>619.76</td><td>25.73</td><td>46.00</td><td>-20.27</td><td>29.28</td><td>26.29</td><td>3.68</td><td>33.52</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>738.34</td><td>27.73</td><td>46.00</td><td>-18.27</td><td>29.93</td><td>27.17</td><td>4.02</td><td>33.39</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	20.69	40.00	-19.31	27.14	25.74	0.76	32.95	0.00	--- Peak	2	86.26	20.40	40.00	-19.60	37.44	14.33	1.33	32.70	0.00	--- Peak	3	178.41	22.09	43.50	-21.41	37.68	15.23	1.95	32.77	0.00	--- Peak	4	308.39	30.99	46.00	-15.01	41.69	19.55	2.59	32.84	0.00	--- Peak	5	619.76	25.73	46.00	-20.27	29.28	26.29	3.68	33.52	0.00	--- Peak	6	738.34	27.73	46.00	-18.27	29.93	27.17	4.02	33.39	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
	1	30.00	20.69	40.00	-19.31	27.14	25.74	0.76	32.95	0.00	--- Peak																																																																																																			
	2	86.26	20.40	40.00	-19.60	37.44	14.33	1.33	32.70	0.00	--- Peak																																																																																																			
	3	178.41	22.09	43.50	-21.41	37.68	15.23	1.95	32.77	0.00	--- Peak																																																																																																			
	4	308.39	30.99	46.00	-15.01	41.69	19.55	2.59	32.84	0.00	--- Peak																																																																																																			
	5	619.76	25.73	46.00	-20.27	29.28	26.29	3.68	33.52	0.00	--- Peak																																																																																																			
6	738.34	27.73	46.00	-18.27	29.93	27.17	4.02	33.39	0.00	--- Peak																																																																																																				
Vertical																																																																																																														
QP																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.94</td><td>33.24</td><td>40.00</td><td>-6.76</td><td>41.05</td><td>24.39</td><td>0.76</td><td>32.96</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>74.62</td><td>24.04</td><td>40.00</td><td>-15.96</td><td>40.22</td><td>14.67</td><td>1.20</td><td>32.05</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>174.53</td><td>21.66</td><td>43.50</td><td>-21.84</td><td>36.98</td><td>15.50</td><td>1.93</td><td>32.75</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>348.16</td><td>25.04</td><td>46.00</td><td>-20.96</td><td>34.73</td><td>20.56</td><td>2.75</td><td>33.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>682.81</td><td>26.86</td><td>46.00</td><td>-19.14</td><td>29.91</td><td>26.63</td><td>3.88</td><td>33.56</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>916.58</td><td>29.88</td><td>46.00</td><td>-16.12</td><td>28.42</td><td>29.34</td><td>4.52</td><td>32.40</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31.94	33.24	40.00	-6.76	41.05	24.39	0.76	32.96	0.00	--- Peak	2	74.62	24.04	40.00	-15.96	40.22	14.67	1.20	32.05	0.00	--- Peak	3	174.53	21.66	43.50	-21.84	36.98	15.50	1.93	32.75	0.00	--- Peak	4	348.16	25.04	46.00	-20.96	34.73	20.56	2.75	33.00	0.00	--- Peak	5	682.81	26.86	46.00	-19.14	29.91	26.63	3.88	33.56	0.00	--- Peak	6	916.58	29.88	46.00	-16.12	28.42	29.34	4.52	32.40	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
	1	31.94	33.24	40.00	-6.76	41.05	24.39	0.76	32.96	0.00	--- Peak																																																																																																			
	2	74.62	24.04	40.00	-15.96	40.22	14.67	1.20	32.05	0.00	--- Peak																																																																																																			
	3	174.53	21.66	43.50	-21.84	36.98	15.50	1.93	32.75	0.00	--- Peak																																																																																																			
	4	348.16	25.04	46.00	-20.96	34.73	20.56	2.75	33.00	0.00	--- Peak																																																																																																			
	5	682.81	26.86	46.00	-19.14	29.91	26.63	3.88	33.56	0.00	--- Peak																																																																																																			
6	916.58	29.88	46.00	-16.12	28.42	29.34	4.52	32.40	0.00	--- Peak																																																																																																				





Mode	59																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																																																							
ANT	CDD 5+8																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																	
Peak Avg																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>57.59</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>54.95</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17160.00</td><td>61.87</td><td>68.20</td><td>-6.33</td><td>65.53</td><td>40.94</td><td>18.32</td><td>62.92</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7626.65	44.42	74.00	-29.58	57.59	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	46.77	74.00	-27.23	54.95	38.14	14.87	61.19	0.00	---	---	PEAK	3	17160.00	61.87	68.20	-6.33	65.53	40.94	18.32	62.92	0.00	100	252	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7626.65</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>57.82</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>65.06</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>101</td><td>44</td><td>PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>54.95</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>101</td><td>44</td><td>AVERAGE</td></tr><tr><td>4</td><td>17160.00</td><td>60.85</td><td>68.20</td><td>-7.35</td><td>64.52</td><td>40.93</td><td>18.32</td><td>62.92</td><td>0.00</td><td>106</td><td>114</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7626.65	44.65	74.00	-29.35	57.82	35.75	11.98	60.90	0.00	---	---	PEAK	2	11440.00	56.88	74.00	-17.12	65.06	38.14	14.87	61.19	0.00	101	44	PEAK	3	11440.00	46.77	54.00	-7.23	54.95	38.14	14.87	61.19	0.00	101	44	AVERAGE	4	17160.00	60.85	68.20	-7.35	64.52	40.93	18.32	62.92	0.00	106	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7626.65	44.42	74.00	-29.58	57.59	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																																																																																												
2	11440.00	46.77	74.00	-27.23	54.95	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																																																																																												
3	17160.00	61.87	68.20	-6.33	65.53	40.94	18.32	62.92	0.00	100	252	PEAK																																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	7626.65	44.65	74.00	-29.35	57.82	35.75	11.98	60.90	0.00	---	---	PEAK																																																																																																																																																												
2	11440.00	56.88	74.00	-17.12	65.06	38.14	14.87	61.19	0.00	101	44	PEAK																																																																																																																																																												
3	11440.00	46.77	54.00	-7.23	54.95	38.14	14.87	61.19	0.00	101	44	AVERAGE																																																																																																																																																												
4	17160.00	60.85	68.20	-7.35	64.52	40.93	18.32	62.92	0.00	106	114	PEAK																																																																																																																																																												





		60																																																																														
Mode		Harmonic																																																																														
		U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																														
ANT		CDD 5+8																																																																														
Pol.		Horizontal																																																																														
Peak Avg																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7626.65	46.61	74.00	-27.39	59.78	35.75	11.98	60.90	0.00	---	---	PEAK	2 11440.00	46.88	74.00	-27.12	55.06	38.14	14.87	61.19	0.00	---	---	PEAK	3 17160.00	61.55	68.20	-6.65	65.22	40.94	18.31	62.92	0.00	103	255	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 7626.65	46.61	74.00	-27.39	59.78	35.75	11.98	60.90	0.00	---	---	PEAK																																																																					
2 11440.00	46.88	74.00	-27.12	55.06	38.14	14.87	61.19	0.00	---	---	PEAK																																																																					
3 17160.00	61.55	68.20	-6.65	65.22	40.94	18.31	62.92	0.00	103	255	PEAK																																																																					
		Vertical																																																																														
Peak Avg																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7626.65	44.90	74.00	-29.10	58.07	35.75	11.98	60.90	0.00	---	---	PEAK	2 11440.00	53.53	74.00	-20.47	61.71	38.14	14.87	61.19	0.00	100	44	PEAK	3 11440.00	45.58	54.00	-8.42	53.76	38.14	14.87	61.19	0.00	100	44	AVERAGE	4 17160.00	61.49	68.20	-6.71	65.16	40.94	18.31	62.92	0.00	103	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 7626.65	44.90	74.00	-29.10	58.07	35.75	11.98	60.90	0.00	---	---	PEAK																																																																					
2 11440.00	53.53	74.00	-20.47	61.71	38.14	14.87	61.19	0.00	100	44	PEAK																																																																					
3 11440.00	45.58	54.00	-8.42	53.76	38.14	14.87	61.19	0.00	100	44	AVERAGE																																																																					
4 17160.00	61.49	68.20	-6.71	65.16	40.94	18.31	62.92	0.00	103	115	PEAK																																																																					







Mode	61																																																																																																																																																																
	Harmonic																																																																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																																																																																
ANT	CDD 5+8																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>61.15</td><td>35.73</td><td>11.97</td><td>60.93</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11420.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>54.98</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17138.70</td><td>53.89</td><td>68.20</td><td>-14.31</td><td>57.55</td><td>40.96</td><td>18.30</td><td>62.92</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.00	47.92	74.00	-26.08	61.15	35.73	11.97	60.93	0.00	---	Peak	2	11420.00	46.77	74.00	-27.23	54.98	38.12	14.86	61.19	0.00	---	PEAK	3	17138.70	53.89	68.20	-14.31	57.55	40.96	18.30	62.92	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7613.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>61.28</td><td>35.73</td><td>11.97</td><td>60.93</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11420.90</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>60.22</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>133</td><td>0 Peak</td></tr><tr><td>3</td><td>11420.90</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>55.23</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>133</td><td>0 Average</td></tr><tr><td>4</td><td>17130.00</td><td>55.94</td><td>68.20</td><td>-12.26</td><td>59.60</td><td>40.97</td><td>18.29</td><td>62.92</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7613.00	48.05	74.00	-25.95	61.28	35.73	11.97	60.93	0.00	---	Peak	2	11420.90	52.01	74.00	-21.99	60.22	38.12	14.86	61.19	0.00	133	0 Peak	3	11420.90	47.02	54.00	-6.98	55.23	38.12	14.86	61.19	0.00	133	0 Average	4	17130.00	55.94	68.20	-12.26	59.60	40.97	18.29	62.92	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	7613.00	47.92	74.00	-26.08	61.15	35.73	11.97	60.93	0.00	---	Peak																																																																																																																																																						
2	11420.00	46.77	74.00	-27.23	54.98	38.12	14.86	61.19	0.00	---	PEAK																																																																																																																																																						
3	17138.70	53.89	68.20	-14.31	57.55	40.96	18.30	62.92	0.00	---	Peak																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	7613.00	48.05	74.00	-25.95	61.28	35.73	11.97	60.93	0.00	---	Peak																																																																																																																																																						
2	11420.90	52.01	74.00	-21.99	60.22	38.12	14.86	61.19	0.00	133	0 Peak																																																																																																																																																						
3	11420.90	47.02	54.00	-6.98	55.23	38.12	14.86	61.19	0.00	133	0 Average																																																																																																																																																						
4	17130.00	55.94	68.20	-12.26	59.60	40.97	18.29	62.92	0.00	100	114 PEAK																																																																																																																																																						







Mode	62																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																																																																											
ANT	CDD 5+8																																																																																																																																																											
Pol.	Horizontal										Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.65</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>58.23</td><td>35.70</td><td>11.94</td><td>60.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>53.10</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17070.00</td><td>46.68</td><td>68.20</td><td>-21.52</td><td>50.22</td><td>41.14</td><td>18.23</td><td>62.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.65	44.89	74.00	-29.11	58.23	35.70	11.94	60.98	0.00	---	PEAK	2	11380.00	44.82	74.00	-29.18	53.10	38.08	14.83	61.19	0.00	---	PEAK	3	17070.00	46.68	68.20	-21.52	50.22	41.14	18.23	62.91	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7586.65</td><td>47.83</td><td>74.00</td><td>-26.17</td><td>61.17</td><td>35.70</td><td>11.94</td><td>60.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>56.02</td><td>38.08</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>17070.00</td><td>46.22</td><td>68.20</td><td>-21.98</td><td>49.76</td><td>41.14</td><td>18.23</td><td>62.91</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7586.65	47.83	74.00	-26.17	61.17	35.70	11.94	60.98	0.00	---	PEAK	2	11380.00	47.74	74.00	-26.26	56.02	38.08	14.83	61.19	0.00	---	PEAK	3	17070.00	46.22	68.20	-21.98	49.76	41.14	18.23	62.91	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	7586.65	44.89	74.00	-29.11	58.23	35.70	11.94	60.98	0.00	---	PEAK																																																																																																																																																	
2	11380.00	44.82	74.00	-29.18	53.10	38.08	14.83	61.19	0.00	---	PEAK																																																																																																																																																	
3	17070.00	46.68	68.20	-21.52	50.22	41.14	18.23	62.91	0.00	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	7586.65	47.83	74.00	-26.17	61.17	35.70	11.94	60.98	0.00	---	PEAK																																																																																																																																																	
2	11380.00	47.74	74.00	-26.26	56.02	38.08	14.83	61.19	0.00	---	PEAK																																																																																																																																																	
3	17070.00	46.22	68.20	-21.98	49.76	41.14	18.23	62.91	0.00	---	PEAK																																																																																																																																																	







Mode	63																																																																																																																			
	Co-location Bluetooth-LE_CH39 Band Edge																																																																																																																			
	Image																																																																																																																			
ANT	6																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>42.86</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>128</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	55.97	74.00	-18.03	42.86	32.61	6.73	32.23	6.00	100	128	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.03</td><td>-----</td><td>-----</td><td>83.09</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>100</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>2526.00</td><td>97.03</td><td>-----</td><td>-----</td><td>83.09</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>100</td><td>128</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.03	-----	-----	83.09	32.60	6.79	32.25	6.00	100	128	PEAK	2	2526.00	97.03	-----	-----	83.09	32.60	6.79	32.25	6.00	100	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2484.34	55.97	74.00	-18.03	42.86	32.61	6.73	32.23	6.00	100	128	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2480.00	97.03	-----	-----	83.09	32.60	6.79	32.25	6.00	100	128	PEAK																																																																																																								
2	2526.00	97.03	-----	-----	83.09	32.60	6.79	32.25	6.00	100	128	Peak																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.68</td><td>44.32</td><td>54.00</td><td>-9.68</td><td>31.12</td><td>32.69</td><td>6.75</td><td>32.24</td><td>6.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.68	44.32	54.00	-9.68	31.12	32.69	6.75	32.24	6.00	100	128	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.30</td><td>-----</td><td>-----</td><td>78.16</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>100</td><td>128</td><td>AVERAGE</td></tr><tr><td>2</td><td>2526.00</td><td>91.30</td><td>-----</td><td>-----</td><td>78.16</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>100</td><td>128</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.30	-----	-----	78.16	32.60	6.79	32.25	6.00	100	128	AVERAGE	2	2526.00	91.30	-----	-----	78.16	32.60	6.79	32.25	6.00	100	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2498.68	44.32	54.00	-9.68	31.12	32.69	6.75	32.24	6.00	100	128	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2480.00	91.30	-----	-----	78.16	32.60	6.79	32.25	6.00	100	128	AVERAGE																																																																																																								
2	2526.00	91.30	-----	-----	78.16	32.60	6.79	32.25	6.00	100	128	Average																																																																																																								





Mode	63																																																																																																		
	Co-location Bluetooth-LE_CH39 Band Edge																																																																																																		
	Image																																																																																																		
ANT	6																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.06	56.28	74.00	-17.72	43.09	32.68	6.75	32.24	6.00	224 329 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.34</td><td>-----</td><td>-----</td><td>85.26</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>224 329 Peak</td></tr><tr><td>2</td><td>2526.00</td><td>113.64</td><td>-----</td><td>-----</td><td>100.50</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>224 329 Peak</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.34	-----	-----	85.26	32.58	6.73	32.23	6.00	224 329 Peak	2	2526.00	113.64	-----	-----	100.50	32.60	6.79	32.25	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2497.06	56.28	74.00	-17.72	43.09	32.68	6.75	32.24	6.00	224 329 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	98.34	-----	-----	85.26	32.58	6.73	32.23	6.00	224 329 Peak																																																																																									
2	2526.00	113.64	-----	-----	100.50	32.60	6.79	32.25	6.00	224 329 Peak																																																																																									
Avg																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2497.36	44.20	54.00	-9.80	31.01	32.68	6.75	32.24	6.00	224 329 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>93.65</td><td>-----</td><td>-----</td><td>80.57</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>224 329 Average</td></tr><tr><td>2</td><td>2526.00</td><td>108.12</td><td>-----</td><td>-----</td><td>94.98</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>224 329 Average</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.65	-----	-----	80.57	32.58	6.73	32.23	6.00	224 329 Average	2	2526.00	108.12	-----	-----	94.98	32.60	6.79	32.25	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2497.36	44.20	54.00	-9.80	31.01	32.68	6.75	32.24	6.00	224 329 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	93.65	-----	-----	80.57	32.58	6.73	32.23	6.00	224 329 Average																																																																																									
2	2526.00	108.12	-----	-----	94.98	32.60	6.79	32.25	6.00	224 329 Average																																																																																									







		63																																																																																																																																									
Mode		Co-location 802.11ax HE40_CH62 Band Edge																																																																																																																																									
		Image																																																																																																																																									
ANT		CDD 5+8																																																																																																																																									
Pol.	Horizontal											Fundamental																																																																																																																															
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5049.91</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>43.51</td><td>34.00</td><td>9.70</td><td>31.94</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5049.91	55.27	74.00	-18.73	43.51	34.00	9.70	31.94	0.00	100	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>95.02</td><td>-----</td><td>-----</td><td>87.93</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>303</td><td>Peak</td></tr><tr><td>2</td><td>2524.00</td><td>100.18</td><td>-----</td><td>-----</td><td>93.04</td><td>32.60</td><td>6.79</td><td>32.25</td><td>0.00</td><td>100</td><td>303</td><td>Peak</td></tr><tr><td>3</td><td>5310.00</td><td>106.20</td><td>-----</td><td>-----</td><td>93.60</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	95.02	-----	-----	87.93	32.59	6.73	32.23	0.00	100	303	Peak	2	2524.00	100.18	-----	-----	93.04	32.60	6.79	32.25	0.00	100	303	Peak	3	5310.00	106.20	-----	-----	93.60	34.52	9.89	31.81	0.00	100	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5049.91	55.27	74.00	-18.73	43.51	34.00	9.70	31.94	0.00	100	303	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	2482.00	95.02	-----	-----	87.93	32.59	6.73	32.23	0.00	100	303	Peak																																																																																																																															
2	2524.00	100.18	-----	-----	93.04	32.60	6.79	32.25	0.00	100	303	Peak																																																																																																																															
3	5310.00	106.20	-----	-----	93.60	34.52	9.89	31.81	0.00	100	303	PEAK																																																																																																																															
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5057.35</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>35.89</td><td>34.01</td><td>9.71</td><td>31.94</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5057.35	47.67	54.00	-6.33	35.89	34.01	9.71	31.94	0.00	100	303	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.29</td><td>-----</td><td>-----</td><td>85.20</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>100</td><td>303</td><td>Average</td></tr><tr><td>2</td><td>2524.00</td><td>95.94</td><td>-----</td><td>-----</td><td>88.80</td><td>32.60</td><td>6.79</td><td>32.25</td><td>0.00</td><td>100</td><td>303</td><td>Average</td></tr><tr><td>3</td><td>5310.00</td><td>98.36</td><td>-----</td><td>-----</td><td>85.76</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	92.29	-----	-----	85.20	32.59	6.73	32.23	0.00	100	303	Average	2	2524.00	95.94	-----	-----	88.80	32.60	6.79	32.25	0.00	100	303	Average	3	5310.00	98.36	-----	-----	85.76	34.52	9.89	31.81	0.00	100	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5057.35	47.67	54.00	-6.33	35.89	34.01	9.71	31.94	0.00	100	303	AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	2482.00	92.29	-----	-----	85.20	32.59	6.73	32.23	0.00	100	303	Average																																																																																																																															
2	2524.00	95.94	-----	-----	88.80	32.60	6.79	32.25	0.00	100	303	Average																																																																																																																															
3	5310.00	98.36	-----	-----	85.76	34.52	9.89	31.81	0.00	100	303	AVERAGE																																																																																																																															





	63																																																								
Mode	Co-location 802.11ax HE40_CH62 Band Edge																																																								
	Image																																																								
ANT	CDD 5+8																																																								
Pol.	Horizontal										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.60</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>45.94</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.60	58.96	74.00	-15.04	45.94	34.77	9.99	31.74	0.00	100	303 PEAK	Blank	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5436.60	58.96	74.00	-15.04	45.94	34.77	9.99	31.74	0.00	100	303 PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.10</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>37.07</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>100</td><td>303 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5435.10	50.09	54.00	-3.91	37.07	34.77	9.99	31.74	0.00	100	303 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5435.10	50.09	54.00	-3.91	37.07	34.77	9.99	31.74	0.00	100	303 AVERAGE																																														







		63																																																																																																																											
Mode		Co-location 802.11ax HE40_CH62 Band Edge																																																																																																																											
		Image																																																																																																																											
ANT		CDD 5+8																																																																																																																											
Pol.		Vertical						Fundamental																																																																																																																					
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.49</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>43.44</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>312</td><td>70 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.49	55.42	74.00	-18.58	43.44	34.13	9.76	31.91	0.00	312	70 Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>93.19</td><td>-----</td><td>-----</td><td>86.10</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>312</td><td>70 Peak</td></tr><tr><td>2</td><td>2524.00</td><td>112.46</td><td>-----</td><td>-----</td><td>105.32</td><td>32.60</td><td>6.79</td><td>32.25</td><td>0.00</td><td>312</td><td>70 Peak</td></tr><tr><td>3</td><td>5314.00</td><td>102.22</td><td>-----</td><td>-----</td><td>89.60</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>312</td><td>70 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	93.19	-----	-----	86.10	32.59	6.73	32.23	0.00	312	70 Peak	2	2524.00	112.46	-----	-----	105.32	32.60	6.79	32.25	0.00	312	70 Peak	3	5314.00	102.22	-----	-----	89.60	34.53	9.89	31.80	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5117.49	55.42	74.00	-18.58	43.44	34.13	9.76	31.91	0.00	312	70 Peak																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2482.00	93.19	-----	-----	86.10	32.59	6.73	32.23	0.00	312	70 Peak																																																																																																																		
2	2524.00	112.46	-----	-----	105.32	32.60	6.79	32.25	0.00	312	70 Peak																																																																																																																		
3	5314.00	102.22	-----	-----	89.60	34.53	9.89	31.80	0.00	312	70 Peak																																																																																																																		
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5005.09</td><td>46.32</td><td>54.00</td><td>-7.68</td><td>34.62</td><td>34.00</td><td>9.66</td><td>31.96</td><td>0.00</td><td>312</td><td>70 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5005.09	46.32	54.00	-7.68	34.62	34.00	9.66	31.96	0.00	312	70 Average	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>90.03</td><td>-----</td><td>-----</td><td>82.94</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>312</td><td>70 Average</td></tr><tr><td>2</td><td>2524.00</td><td>107.42</td><td>-----</td><td>-----</td><td>100.28</td><td>32.60</td><td>6.79</td><td>32.25</td><td>0.00</td><td>312</td><td>70 Average</td></tr><tr><td>3</td><td>5314.00</td><td>94.29</td><td>-----</td><td>-----</td><td>81.67</td><td>34.53</td><td>9.89</td><td>31.80</td><td>0.00</td><td>312</td><td>70 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	90.03	-----	-----	82.94	32.59	6.73	32.23	0.00	312	70 Average	2	2524.00	107.42	-----	-----	100.28	32.60	6.79	32.25	0.00	312	70 Average	3	5314.00	94.29	-----	-----	81.67	34.53	9.89	31.80	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	5005.09	46.32	54.00	-7.68	34.62	34.00	9.66	31.96	0.00	312	70 Average																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2482.00	90.03	-----	-----	82.94	32.59	6.73	32.23	0.00	312	70 Average																																																																																																																		
2	2524.00	107.42	-----	-----	100.28	32.60	6.79	32.25	0.00	312	70 Average																																																																																																																		
3	5314.00	94.29	-----	-----	81.67	34.53	9.89	31.80	0.00	312	70 Average																																																																																																																		







Mode	63																																																					
	Co-location 802.11ax HE40_CH62 Band Edge																																																					
	Image																																																					
ANT	CDD 5+8																																																					
Pol.	Vertical										Fundamental																																											
Peak											Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5435.55</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>42.91</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>312</td><td>70 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5435.55	55.93	74.00	-18.07	42.91	34.77	9.99	31.74	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5435.55	55.93	74.00	-18.07	42.91	34.77	9.99	31.74	0.00	312	70 PEAK																																											
Avg											Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.20</td><td>46.15</td><td>54.00</td><td>-7.85</td><td>33.09</td><td>34.79</td><td>10.00</td><td>31.73</td><td>0.00</td><td>312</td><td>70 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.20	46.15	54.00	-7.85	33.09	34.79	10.00	31.73	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
1	5443.20	46.15	54.00	-7.85	33.09	34.79	10.00	31.73	0.00	312	70 Average																																											





Mode	64																																																																																																															
	Co-location Bluetooth-LE_CH39 Band Edge																																																																																																															
	Image																																																																																																															
ANT	8																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.62</td><td>55.56</td><td>74.00</td><td>-18.44</td><td>42.36</td><td>32.69</td><td>6.75</td><td>32.24</td><td>6.00</td><td>219</td><td>51 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.62	55.56	74.00	-18.44	42.36	32.69	6.75	32.24	6.00	219	51 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.67</td><td>-----</td><td>-----</td><td>81.59</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>219</td><td>51 Peak</td></tr><tr><td>2</td><td>2526.00</td><td>111.81</td><td>-----</td><td>-----</td><td>98.67</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>219</td><td>51 Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.67	-----	-----	81.59	32.58	6.73	32.23	6.00	219	51 Peak	2	2526.00	111.81	-----	-----	98.67	32.60	6.79	32.25	6.00	219
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2498.62	55.56	74.00	-18.44	42.36	32.69	6.75	32.24	6.00	219	51 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	94.67	-----	-----	81.59	32.58	6.73	32.23	6.00	219	51 Peak																																																																																																					
2	2526.00	111.81	-----	-----	98.67	32.60	6.79	32.25	6.00	219	51 Peak																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.74</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>32.52</td><td>32.69</td><td>6.75</td><td>32.24</td><td>6.00</td><td>219</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.74	45.72	54.00	-8.28	32.52	32.69	6.75	32.24	6.00	219	51 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.53</td><td>-----</td><td>-----</td><td>79.45</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>219</td><td>51 Average</td></tr><tr><td>2</td><td>2526.00</td><td>107.09</td><td>-----</td><td>-----</td><td>93.95</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>219</td><td>51 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.53	-----	-----	79.45	32.58	6.73	32.23	6.00	219	51 Average	2	2526.00	107.09	-----	-----	93.95	32.60	6.79	32.25	6.00	219
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2498.74	45.72	54.00	-8.28	32.52	32.69	6.75	32.24	6.00	219	51 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2480.00	92.53	-----	-----	79.45	32.58	6.73	32.23	6.00	219	51 Average																																																																																																					
2	2526.00	107.09	-----	-----	93.95	32.60	6.79	32.25	6.00	219	51 Average																																																																																																					







Mode	64																																																																																																													
	Co-location Bluetooth-LE_CH39 Band Edge																																																																																																													
	Image																																																																																																													
ANT	8																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2498.86</td><td>55.60</td><td>74.00</td><td>-18.40</td><td>42.40</td><td>32.69</td><td>6.75</td><td>32.24</td><td>6.00</td><td>346</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2498.86	55.60	74.00	-18.40	42.40	32.69	6.75	32.24	6.00	346	334	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.22</td><td>-----</td><td>85.14</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>346</td><td>334</td><td>Peak</td></tr><tr><td>2</td><td>2526.00</td><td>115.42</td><td>-----</td><td>102.28</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>346</td><td>334</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.22	-----	85.14	32.58	6.73	32.23	6.00	346	334	Peak	2	2526.00	115.42	-----	102.28	32.60	6.79	32.25	6.00	346	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2498.86	55.60	74.00	-18.40	42.40	32.69	6.75	32.24	6.00	346	334	PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2480.00	98.22	-----	85.14	32.58	6.73	32.23	6.00	346	334	Peak																																																																																																			
2	2526.00	115.42	-----	102.28	32.60	6.79	32.25	6.00	346	334	Peak																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2494.90</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>32.36</td><td>32.67</td><td>6.75</td><td>32.24</td><td>6.00</td><td>346</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2494.90	45.54	54.00	-8.46	32.36	32.67	6.75	32.24	6.00	346	334	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>96.04</td><td>-----</td><td>82.96</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>346</td><td>334</td><td>Average</td></tr><tr><td>2</td><td>2526.00</td><td>118.71</td><td>-----</td><td>97.57</td><td>32.60</td><td>6.79</td><td>32.25</td><td>6.00</td><td>346</td><td>334</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	96.04	-----	82.96	32.58	6.73	32.23	6.00	346	334	Average	2	2526.00	118.71	-----	97.57	32.60	6.79	32.25	6.00	346	334
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2494.90	45.54	54.00	-8.46	32.36	32.67	6.75	32.24	6.00	346	334	AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	2480.00	96.04	-----	82.96	32.58	6.73	32.23	6.00	346	334	Average																																																																																																			
2	2526.00	118.71	-----	97.57	32.60	6.79	32.25	6.00	346	334	Average																																																																																																			



Mode	64																																																																																																																													
	Co-location Harmonic																																																																																																																													
	Bluetooth-LE_CH39_2480MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.54</td><td>74.00</td><td>-32.46</td><td>59.09</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5309.20</td><td>63.26</td><td>74.00</td><td>-10.74</td><td>79.66</td><td>34.52</td><td>9.89</td><td>60.81</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.54	74.00	-32.46	59.09	34.00	9.61	61.16	0.00	---	PEAK	2	5309.20	63.26	74.00	-10.74	79.66	34.52	9.89	60.81	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.37</td><td>74.00</td><td>-32.63</td><td>58.92</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5308.00</td><td>58.57</td><td>74.00</td><td>-15.43</td><td>74.97</td><td>34.52</td><td>9.89</td><td>60.81</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.37	74.00	-32.63	58.92	34.00	9.61	61.16	0.00	---	PEAK	2	5308.00	58.57	74.00	-15.43	74.97	34.52	9.89	60.81	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.54	74.00	-32.46	59.09	34.00	9.61	61.16	0.00	---	PEAK																																																																																																																			
2	5309.20	63.26	74.00	-10.74	79.66	34.52	9.89	60.81	0.00	---	Peak																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.37	74.00	-32.63	58.92	34.00	9.61	61.16	0.00	---	PEAK																																																																																																																			
2	5308.00	58.57	74.00	-15.43	74.97	34.52	9.89	60.81	0.00	---	Peak																																																																																																																			

Note: #2 is WLAN 5G co-location fundamental signal.



		64																																																																																																																							
Mode	Co-location 802.11ax HE40_CH62 Band Edge																																																																																																																								
	Image																																																																																																																								
ANT	CDD 5+8																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																			
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5040.92</td><td>56.57</td><td>74.00</td><td>-17.43</td><td>44.83</td><td>34.00</td><td>9.69</td><td>31.95</td><td>0.00</td><td>103</td><td>312 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5040.92	56.57	74.00	-17.43	44.83	34.00	9.69	31.95	0.00	103	312 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>96.68</td><td>-----</td><td>89.59</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>103</td><td>312 Peak</td></tr><tr><td>2</td><td>2524.00</td><td>106.07</td><td>-----</td><td>98.93</td><td>32.60</td><td>6.79</td><td>32.25</td><td>0.00</td><td>103</td><td>312 Peak</td></tr><tr><td>3</td><td>5310.00</td><td>107.45</td><td>-----</td><td>94.85</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>103</td><td>312 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	96.68	-----	89.59	32.59	6.73	32.23	0.00	103	312 Peak	2	2524.00	106.07	-----	98.93	32.60	6.79	32.25	0.00	103	312 Peak	3	5310.00	107.45	-----	94.85	34.52	9.89	31.81	0.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5040.92	56.57	74.00	-17.43	44.83	34.00	9.69	31.95	0.00	103	312 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	2482.00	96.68	-----	89.59	32.59	6.73	32.23	0.00	103	312 Peak																																																																																																															
2	2524.00	106.07	-----	98.93	32.60	6.79	32.25	0.00	103	312 Peak																																																																																																															
3	5310.00	107.45	-----	94.85	34.52	9.89	31.81	0.00	103	312 PEAK																																																																																																															
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5051.46</td><td>49.28</td><td>54.00</td><td>-4.72</td><td>37.52</td><td>34.00</td><td>9.70</td><td>31.94</td><td>0.00</td><td>103</td><td>312 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5051.46	49.28	54.00	-4.72	37.52	34.00	9.70	31.94	0.00	103	312 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>93.88</td><td>-----</td><td>86.79</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>103</td><td>312 Average</td></tr><tr><td>2</td><td>2524.00</td><td>100.80</td><td>-----</td><td>93.66</td><td>32.60</td><td>6.79</td><td>32.25</td><td>0.00</td><td>103</td><td>312 Average</td></tr><tr><td>3</td><td>5308.00</td><td>99.27</td><td>-----</td><td>86.67</td><td>34.52</td><td>9.89</td><td>31.81</td><td>0.00</td><td>103</td><td>312 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	93.88	-----	86.79	32.59	6.73	32.23	0.00	103	312 Average	2	2524.00	100.80	-----	93.66	32.60	6.79	32.25	0.00	103	312 Average	3	5308.00	99.27	-----	86.67	34.52	9.89	31.81	0.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	5051.46	49.28	54.00	-4.72	37.52	34.00	9.70	31.94	0.00	103	312 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	2482.00	93.88	-----	86.79	32.59	6.73	32.23	0.00	103	312 Average																																																																																																															
2	2524.00	100.80	-----	93.66	32.60	6.79	32.25	0.00	103	312 Average																																																																																																															
3	5308.00	99.27	-----	86.67	34.52	9.89	31.81	0.00	103	312 Average																																																																																																															





Mode	64										
	Co-location 802.11ax HE40_CH62 Band Edge										
	Image										
ANT	CDD 5+8										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





		64										
Mode		Co-location 802.11ax HE40_CH62 Band Edge										
		Image										
ANT		CDD 5+8										
Pol.		Fundamental										
Peak	Vertical											
	</											



Mode	64																																																							
	Co-location 802.11ax HE40_CH62 Band Edge																																																							
	Image																																																							
ANT	CDD 5+8																																																							
Pol.	Vertical										Fundamental																																													
Peak											Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.10</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>41.73</td><td>34.75</td><td>9.98</td><td>31.74</td><td>0.00</td><td>105</td><td>29</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.10	54.72	74.00	-19.28	41.73	34.75	9.98	31.74	0.00	105	29
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5426.10	54.72	74.00	-19.28	41.73	34.75	9.98	31.74	0.00	105	29	PEAK																																												
Avg											Blank																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.60</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>33.89</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>105</td><td>29</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.60	46.91	54.00	-7.09	33.89	34.77	9.99	31.74	0.00	105	29
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5436.60	46.91	54.00	-7.09	33.89	34.77	9.99	31.74	0.00	105	29	AVERAGE																																												




		64																																																																																																																																																																
Mode	Co-location Harmonic																																																																																																																																																																	
	802.11ax HE40_CH62_5310MHz																																																																																																																																																																	
ANT	CDD 5+8																																																																																																																																																																	
Pol.	Horizontal											Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7080.30</td><td>53.39</td><td>68.20</td><td>-14.81</td><td>66.45</td><td>35.60</td><td>11.55</td><td>60.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 7577.50</td><td>57.52</td><td></td><td></td><td>70.89</td><td>35.70</td><td>11.93</td><td>61.00</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3 10620.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>54.56</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7080.30	53.39	68.20	-14.81	66.45	35.60	11.55	60.21	0.00	---	---	Peak	2 7577.50	57.52			70.89	35.70	11.93	61.00	0.00	---	---	Peak	3 10620.00	45.49	74.00	-28.51	54.56	37.88	14.31	61.26	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7080.30</td><td>48.06</td><td>68.20</td><td>-20.14</td><td>61.12</td><td>35.60</td><td>11.55</td><td>60.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 7577.50</td><td>57.37</td><td></td><td></td><td>70.74</td><td>35.70</td><td>11.93</td><td>61.00</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3 10103.10</td><td>46.94</td><td>68.20</td><td>-21.26</td><td>56.89</td><td>37.40</td><td>13.95</td><td>61.30</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4 10620.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>55.40</td><td>37.88</td><td>14.31</td><td>61.26</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7080.30	48.06	68.20	-20.14	61.12	35.60	11.55	60.21	0.00	---	---	Peak	2 7577.50	57.37			70.74	35.70	11.93	61.00	0.00	---	---	Peak	3 10103.10	46.94	68.20	-21.26	56.89	37.40	13.95	61.30	0.00	---	---	Peak	4 10620.00	46.33	74.00	-27.67	55.40	37.88	14.31	61.26	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1 7080.30	53.39	68.20	-14.81	66.45	35.60	11.55	60.21	0.00	---	---	Peak																																																																																																																																																							
2 7577.50	57.52			70.89	35.70	11.93	61.00	0.00	---	---	Peak																																																																																																																																																							
3 10620.00	45.49	74.00	-28.51	54.56	37.88	14.31	61.26	0.00	---	---	PEAK																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1 7080.30	48.06	68.20	-20.14	61.12	35.60	11.55	60.21	0.00	---	---	Peak																																																																																																																																																							
2 7577.50	57.37			70.74	35.70	11.93	61.00	0.00	---	---	Peak																																																																																																																																																							
3 10103.10	46.94	68.20	-21.26	56.89	37.40	13.95	61.30	0.00	---	---	Peak																																																																																																																																																							
4 10620.00	46.33	74.00	-27.67	55.40	37.88	14.31	61.26	0.00	---	---	PEAK																																																																																																																																																							

Note: #2 is the 3rd harmonic from 5G NR n7, the limit should be -25dBm and converted to field strength limit 70.2dBμV/m @3m distance, the test results is Pass.


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	84.06	1.688	0.592	0.62kHz
802.11ax HE20	84.13	1.405	0.712	0.75Hz
802.11ax HE40	83.43	0.730	1.370	1.5kHz
802.11ax HE80	83.13	0.552	1.812	2kHz
802.11ax HE160	83.31	0.554	1.805	2kHz
802.11ax HE20 RU26	93.85	5.035	0.199	0.2kHz
802.11ax HE20 RU52	85.23	5.080	0.197	0.2kHz
802.11ax HE20 RU106	86.65	4.770	0.210	0.4kHz


802.11a




802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE160






802.11ax HE20 RU 26



802.11ax HE20 RU 52





802.11ax HE20 RU 106

