












Mode	1																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																			
ANT	CDD 8+5																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>50.52</td><td>74.00</td><td>-23.48</td><td>41.87</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>47.49</td><td>34.96</td><td>10.98</td><td>37.29</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	50.52	74.00	-23.48	41.87	34.98	10.97	37.30	0.00	100	256 PEAK	2	5469.20	56.14	68.20	-12.06	47.49	34.96	10.98	37.29	0.00	100	256 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.28	50.52	74.00	-23.48	41.87	34.98	10.97	37.30	0.00	100	256 PEAK																																																									
2	5469.20	56.14	68.20	-12.06	47.49	34.96	10.98	37.29	0.00	100	256 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.26</td><td>-----</td><td>-----</td><td>98.62</td><td>34.91</td><td>11.01</td><td>37.28</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.26	-----	-----	98.62	34.91	11.01	37.28	0.00	100	256 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	107.26	-----	-----	98.62	34.91	11.01	37.28	0.00	100	256 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>39.24</td><td>54.00</td><td>-14.76</td><td>30.59</td><td>34.98</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>256 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	39.24	54.00	-14.76	30.59	34.98	10.97	37.30	0.00	100	256 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.92	39.24	54.00	-14.76	30.59	34.98	10.97	37.30	0.00	100	256 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.54</td><td>-----</td><td>-----</td><td>89.90</td><td>34.90</td><td>11.02</td><td>37.28</td><td>0.00</td><td>100</td><td>256 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.54	-----	-----	89.90	34.90	11.02	37.28	0.00	100	256 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	98.54	-----	-----	89.90	34.90	11.02	37.28	0.00	100	256 AVERAGE																																																									






Mode	1																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																							
ANT	CDD 8+5																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7699.60</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>63.50</td><td>36.60</td><td>13.15</td><td>67.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>58.52</td><td>38.20</td><td>15.76</td><td>66.80</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7699.60	45.47	74.00	-28.53	63.50	36.60	13.15	67.78	0.00	---	Peak	2	11000.00	45.68	74.00	-28.32	58.52	38.20	15.76	66.80	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7693.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>65.36</td><td>36.61</td><td>13.14</td><td>67.78</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11000.00</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>63.13</td><td>38.20</td><td>15.76</td><td>66.80</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>39.08</td><td>54.00</td><td>-14.92</td><td>51.92</td><td>38.20</td><td>15.76</td><td>66.80</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7693.00	47.33	74.00	-26.67	65.36	36.61	13.14	67.78	0.00	---	Peak	2	11000.00	50.29	74.00	-23.71	63.13	38.20	15.76	66.80	0.00	100	0 PEAK	3	11000.00	39.08	54.00	-14.92	51.92	38.20	15.76	66.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																															
1	7699.60	45.47	74.00	-28.53	63.50	36.60	13.15	67.78	0.00	---	Peak																																																																																																																													
2	11000.00	45.68	74.00	-28.32	58.52	38.20	15.76	66.80	0.00	---	PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																															
1	7693.00	47.33	74.00	-26.67	65.36	36.61	13.14	67.78	0.00	---	Peak																																																																																																																													
2	11000.00	50.29	74.00	-23.71	63.13	38.20	15.76	66.80	0.00	100	0 PEAK																																																																																																																													
3	11000.00	39.08	54.00	-14.92	51.92	38.20	15.76	66.80	0.00	100	0 AVERAGE																																																																																																																													




Mode	1																																																																																																													
	LF																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																													
ANT	CDD 8+5																																																																																																													
Pol.	Horizontal																																																																																																													
QP																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>22.65</td><td>40.00</td><td>-17.35</td><td>29.35</td><td>24.67</td><td>0.84</td><td>32.21</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>147.71</td><td>29.10</td><td>43.50</td><td>-14.40</td><td>42.12</td><td>17.19</td><td>1.85</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>286.32</td><td>27.46</td><td>46.00</td><td>-18.54</td><td>38.12</td><td>18.92</td><td>2.59</td><td>32.17</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>330.46</td><td>25.45</td><td>46.00</td><td>-20.55</td><td>35.13</td><td>19.66</td><td>2.77</td><td>32.11</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>568.84</td><td>28.61</td><td>46.00</td><td>-17.39</td><td>31.44</td><td>25.81</td><td>3.63</td><td>32.27</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>955.62</td><td>30.63</td><td>46.00</td><td>-15.37</td><td>26.04</td><td>30.55</td><td>4.70</td><td>30.66</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	22.65	40.00	-17.35	29.35	24.67	0.84	32.21	0.00	--- Peak	2	147.71	29.10	43.50	-14.40	42.12	17.19	1.85	32.06	0.00	--- Peak	3	286.32	27.46	46.00	-18.54	38.12	18.92	2.59	32.17	0.00	--- Peak	4	330.46	25.45	46.00	-20.55	35.13	19.66	2.77	32.11	0.00	--- Peak	5	568.84	28.61	46.00	-17.39	31.44	25.81	3.63	32.27	0.00	--- Peak	6	955.62	30.63	46.00	-15.37	26.04	30.55	4.70	30.66	0.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
	1	30.97	22.65	40.00	-17.35	29.35	24.67	0.84	32.21	0.00	--- Peak																																																																																																			
	2	147.71	29.10	43.50	-14.40	42.12	17.19	1.85	32.06	0.00	--- Peak																																																																																																			
	3	286.32	27.46	46.00	-18.54	38.12	18.92	2.59	32.17	0.00	--- Peak																																																																																																			
	4	330.46	25.45	46.00	-20.55	35.13	19.66	2.77	32.11	0.00	--- Peak																																																																																																			
	5	568.84	28.61	46.00	-17.39	31.44	25.81	3.63	32.27	0.00	--- Peak																																																																																																			
6	955.62	30.63	46.00	-15.37	26.04	30.55	4.70	30.66	0.00	--- Peak																																																																																																				
Vertical																																																																																																														
																																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>42.37</td><td>29.67</td><td>40.00</td><td>-10.33</td><td>42.58</td><td>18.29</td><td>0.99</td><td>32.19</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>96.69</td><td>26.86</td><td>43.50</td><td>-16.64</td><td>41.89</td><td>15.49</td><td>1.51</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>165.00</td><td>29.19</td><td>43.50</td><td>-14.31</td><td>43.55</td><td>15.75</td><td>1.96</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>271.32</td><td>31.93</td><td>46.00</td><td>-14.07</td><td>42.60</td><td>18.83</td><td>2.53</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>471.11</td><td>26.90</td><td>46.00</td><td>-19.10</td><td>32.42</td><td>23.39</td><td>3.31</td><td>32.22</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>804.55</td><td>28.58</td><td>46.00</td><td>-17.42</td><td>28.31</td><td>27.66</td><td>4.31</td><td>31.70</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	42.37	29.67	40.00	-10.33	42.58	18.29	0.99	32.19	0.00	--- Peak	2	96.69	26.86	43.50	-16.64	41.89	15.49	1.51	32.03	0.00	--- Peak	3	165.00	29.19	43.50	-14.31	43.55	15.75	1.96	32.07	0.00	--- Peak	4	271.32	31.93	46.00	-14.07	42.60	18.83	2.53	32.03	0.00	--- Peak	5	471.11	26.90	46.00	-19.10	32.42	23.39	3.31	32.22	0.00	--- Peak	6	804.55	28.58	46.00	-17.42	28.31	27.66	4.31	31.70	0.00	--- Peak	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	42.37	29.67	40.00	-10.33	42.58	18.29	0.99	32.19	0.00	--- Peak																																																																																																				
2	96.69	26.86	43.50	-16.64	41.89	15.49	1.51	32.03	0.00	--- Peak																																																																																																				
3	165.00	29.19	43.50	-14.31	43.55	15.75	1.96	32.07	0.00	--- Peak																																																																																																				
4	271.32	31.93	46.00	-14.07	42.60	18.83	2.53	32.03	0.00	--- Peak																																																																																																				
5	471.11	26.90	46.00	-19.10	32.42	23.39	3.31	32.22	0.00	--- Peak																																																																																																				
6	804.55	28.58	46.00	-17.42	28.31	27.66	4.31	31.70	0.00	--- Peak																																																																																																				








		2																																																																																																																																						
Mode		Band Edge - L																																																																																																																																						
		U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																						
ANT		CDD 8+5																																																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.40</td><td>50.09</td><td>68.20</td><td>-18.11</td><td>41.22</td><td>34.90</td><td>11.19</td><td>37.22</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.38</td><td>68.20</td><td>-21.82</td><td>37.52</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>3</td><td>5703.20</td><td>50.94</td><td>106.20</td><td>-55.26</td><td>42.19</td><td>34.91</td><td>11.30</td><td>37.46</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.37</td><td>110.90</td><td>-61.53</td><td>40.64</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.40	50.09	68.20	-18.11	41.22	34.90	11.19	37.22	0.00	100	301 PEAK	2	5650.00	46.38	68.20	-21.82	37.52	34.90	11.22	37.26	0.00	100	301 PEAK	3	5703.20	50.94	106.20	-55.26	42.19	34.91	11.30	37.46	0.00	100	301 PEAK	4	5720.00	49.37	110.90	-61.53	40.64	34.94	11.32	37.53	0.00	100	301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.02</td><td>-----</td><td>-----</td><td>102.31</td><td>35.09</td><td>11.44</td><td>37.82</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5785.00	111.02	-----	-----	102.31	35.09	11.44	37.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5630.40	50.09	68.20	-18.11	41.22	34.90	11.19	37.22	0.00	100	301 PEAK																																																																																																																													
2	5650.00	46.38	68.20	-21.82	37.52	34.90	11.22	37.26	0.00	100	301 PEAK																																																																																																																													
3	5703.20	50.94	106.20	-55.26	42.19	34.91	11.30	37.46	0.00	100	301 PEAK																																																																																																																													
4	5720.00	49.37	110.90	-61.53	40.64	34.94	11.32	37.53	0.00	100	301 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	5785.00	111.02	-----	-----	102.31	35.09	11.44	37.82	0.00	100	301 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>102.58</td><td>-----</td><td>-----</td><td>93.86</td><td>35.08</td><td>11.43</td><td>37.79</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5785.00	102.58	-----	-----	93.86	35.08	11.43	37.79	0.00	100	301 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	5785.00	102.58	-----	-----	93.86	35.08	11.43	37.79	0.00	100	301 AVERAGE																																																																																																																													




Mode	2																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																		
ANT	CDD 8+5																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>48.83</td><td>112.27</td><td>-63.44</td><td>39.99</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>49.82</td><td>105.47</td><td>-55.65</td><td>40.89</td><td>35.15</td><td>11.51</td><td>37.73</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.19</td><td>68.64</td><td>-20.45</td><td>39.00</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>48.93</td><td>68.20</td><td>-19.27</td><td>39.58</td><td>35.40</td><td>11.57</td><td>37.62</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	48.83	112.27	-63.44	39.99	35.11	11.49	37.76	0.00	100	301 PEAK	2	5874.40	49.82	105.47	-55.65	40.89	35.15	11.51	37.73	0.00	100	301 PEAK	3	5924.40	48.19	68.64	-20.45	39.00	35.30	11.55	37.66	0.00	100	301 PEAK	4	5948.80	48.93	68.20	-19.27	39.58	35.40	11.57	37.62	0.00	100	301 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	48.83	112.27	-63.44	39.99	35.11	11.49	37.76	0.00	100	301 PEAK																																																																								
2	5874.40	49.82	105.47	-55.65	40.89	35.15	11.51	37.73	0.00	100	301 PEAK																																																																								
3	5924.40	48.19	68.64	-20.45	39.00	35.30	11.55	37.66	0.00	100	301 PEAK																																																																								
4	5948.80	48.93	68.20	-19.27	39.58	35.40	11.57	37.62	0.00	100	301 PEAK																																																																								





	2																																																																																																																																								
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																								
ANT	CDD 8+5																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.00</td><td>48.79</td><td>68.20</td><td>-19.41</td><td>39.94</td><td>34.90</td><td>11.18</td><td>37.23</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.71</td><td>68.20</td><td>-21.49</td><td>37.85</td><td>34.90</td><td>11.22</td><td>37.26</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>47.77</td><td>105.86</td><td>-58.09</td><td>39.04</td><td>34.90</td><td>11.29</td><td>37.46</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>47.33</td><td>111.81</td><td>-64.48</td><td>38.60</td><td>34.94</td><td>11.32</td><td>37.53</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.00	48.79	68.20	-19.41	39.94	34.90	11.18	37.23	0.00	111	257 PEAK	2	5650.00	46.71	68.20	-21.49	37.85	34.90	11.22	37.26	0.00	111	257 PEAK	3	5702.00	47.77	105.86	-58.09	39.04	34.90	11.29	37.46	0.00	111	257 PEAK	4	5720.40	47.33	111.81	-64.48	38.60	34.94	11.32	37.53	0.00	111	257 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>109.03</td><td>-----</td><td>-----</td><td>100.31</td><td>35.08</td><td>11.43</td><td>37.79</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	109.03	-----	-----	100.31	35.08	11.43	37.79	0.00	111
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5620.00	48.79	68.20	-19.41	39.94	34.90	11.18	37.23	0.00	111	257 PEAK																																																																																																																														
2	5650.00	46.71	68.20	-21.49	37.85	34.90	11.22	37.26	0.00	111	257 PEAK																																																																																																																														
3	5702.00	47.77	105.86	-58.09	39.04	34.90	11.29	37.46	0.00	111	257 PEAK																																																																																																																														
4	5720.40	47.33	111.81	-64.48	38.60	34.94	11.32	37.53	0.00	111	257 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5785.00	109.03	-----	-----	100.31	35.08	11.43	37.79	0.00	111	257 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>99.16</td><td>-----</td><td>-----</td><td>90.44</td><td>35.08</td><td>11.43</td><td>37.79</td><td>0.00</td><td>111</td><td>257 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	99.16	-----	-----	90.44	35.08	11.43	37.79	0.00	111	257 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5785.00	99.16	-----	-----	90.44	35.08	11.43	37.79	0.00	111	257 AVERAGE																																																																																																																														






Mode	2																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																		
ANT	CDD 8+5																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>46.00</td><td>111.36</td><td>-65.36</td><td>37.16</td><td>35.11</td><td>11.49</td><td>37.76</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>47.91</td><td>106.47</td><td>-58.56</td><td>39.00</td><td>35.14</td><td>11.51</td><td>37.74</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>48.10</td><td>68.64</td><td>-20.54</td><td>38.91</td><td>35.30</td><td>11.55</td><td>37.66</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr><tr><td>4</td><td>5932.80</td><td>48.67</td><td>68.20</td><td>-19.53</td><td>39.43</td><td>35.33</td><td>11.56</td><td>37.65</td><td>0.00</td><td>111</td><td>257 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	46.00	111.36	-65.36	37.16	35.11	11.49	37.76	0.00	111	257 PEAK	2	5870.80	47.91	106.47	-58.56	39.00	35.14	11.51	37.74	0.00	111	257 PEAK	3	5924.40	48.10	68.64	-20.54	38.91	35.30	11.55	37.66	0.00	111	257 PEAK	4	5932.80	48.67	68.20	-19.53	39.43	35.33	11.56	37.65	0.00	111	257 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	46.00	111.36	-65.36	37.16	35.11	11.49	37.76	0.00	111	257 PEAK																																																																								
2	5870.80	47.91	106.47	-58.56	39.00	35.14	11.51	37.74	0.00	111	257 PEAK																																																																								
3	5924.40	48.10	68.64	-20.54	38.91	35.30	11.55	37.66	0.00	111	257 PEAK																																																																								
4	5932.80	48.67	68.20	-19.53	39.43	35.33	11.56	37.65	0.00	111	257 PEAK																																																																								



Mode	2																																																																																																										
	Harmonic																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																										
ANT	CDD 8+5																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.28</td><td>74.00</td><td>-29.72</td><td>56.27</td><td>38.40</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.28	74.00	-29.72	56.27	38.40	16.18	66.57	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>57.25</td><td>38.40</td><td>16.18</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.26	74.00	-28.74	57.25	38.40	16.18	66.57	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11570.00	44.28	74.00	-29.72	56.27	38.40	16.18	66.57	0.00	---	---	PEAK																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11570.00	45.26	74.00	-28.74	57.25	38.40	16.18	66.57	0.00	---	---	PEAK																																																																																															




Mode	2																																																																																																																																																																																																																			
	LF																																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz																																																																																																																																																																																																																			
ANT	CDD 8+5																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																		
QP	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>75.35</td><td>33.25</td><td>40.00</td><td>-6.75</td><td>51.06</td><td>12.85</td><td>1.32</td><td>31.98</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.29</td><td>34.23</td><td>43.50</td><td>-9.27</td><td>49.71</td><td>15.05</td><td>1.47</td><td>32.00</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>165.56</td><td>33.29</td><td>43.50</td><td>-10.21</td><td>47.63</td><td>15.77</td><td>1.96</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>295.30</td><td>24.39</td><td>46.00</td><td>-21.61</td><td>34.91</td><td>19.10</td><td>2.64</td><td>32.26</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>784.90</td><td>29.54</td><td>46.00</td><td>-16.46</td><td>29.17</td><td>27.84</td><td>4.26</td><td>31.73</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>972.11</td><td>31.36</td><td>54.00</td><td>-22.64</td><td>26.22</td><td>30.84</td><td>4.74</td><td>30.44</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	75.35	33.25	40.00	-6.75	51.06	12.85	1.32	31.98	0.00	---	Peak	2	93.29	34.23	43.50	-9.27	49.71	15.05	1.47	32.00	0.00	---	Peak	3	165.56	33.29	43.50	-10.21	47.63	15.77	1.96	32.07	0.00	---	Peak	4	295.30	24.39	46.00	-21.61	34.91	19.10	2.64	32.26	0.00	---	Peak	5	784.90	29.54	46.00	-16.46	29.17	27.84	4.26	31.73	0.00	---	Peak	6	972.11	31.36	54.00	-22.64	26.22	30.84	4.74	30.44	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31.68</td><td>29.59</td><td>40.00</td><td>-10.41</td><td>36.67</td><td>24.28</td><td>0.85</td><td>32.21</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>165.62</td><td>29.28</td><td>43.50</td><td>-14.22</td><td>43.64</td><td>15.75</td><td>1.96</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>271.33</td><td>31.95</td><td>46.00</td><td>-14.05</td><td>42.62</td><td>18.83</td><td>2.53</td><td>32.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>407.09</td><td>25.49</td><td>46.00</td><td>-20.51</td><td>32.55</td><td>22.03</td><td>3.08</td><td>32.17</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>777.22</td><td>28.55</td><td>46.00</td><td>-17.45</td><td>28.13</td><td>27.91</td><td>4.24</td><td>31.73</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>986.66</td><td>32.30</td><td>54.00</td><td>-21.70</td><td>27.15</td><td>30.62</td><td>4.77</td><td>30.24</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	31.68	29.59	40.00	-10.41	36.67	24.28	0.85	32.21	0.00	---	Peak	2	165.62	29.28	43.50	-14.22	43.64	15.75	1.96	32.07	0.00	---	Peak	3	271.33	31.95	46.00	-14.05	42.62	18.83	2.53	32.03	0.00	---	Peak	4	407.09	25.49	46.00	-20.51	32.55	22.03	3.08	32.17	0.00	---	Peak	5	777.22	28.55	46.00	-17.45	28.13	27.91	4.24	31.73	0.00	---	Peak	6	986.66	32.30	54.00	-21.70	27.15	30.62	4.77	30.24	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																										
1	75.35	33.25	40.00	-6.75	51.06	12.85	1.32	31.98	0.00	---	Peak																																																																																																																																																																																																									
2	93.29	34.23	43.50	-9.27	49.71	15.05	1.47	32.00	0.00	---	Peak																																																																																																																																																																																																									
3	165.56	33.29	43.50	-10.21	47.63	15.77	1.96	32.07	0.00	---	Peak																																																																																																																																																																																																									
4	295.30	24.39	46.00	-21.61	34.91	19.10	2.64	32.26	0.00	---	Peak																																																																																																																																																																																																									
5	784.90	29.54	46.00	-16.46	29.17	27.84	4.26	31.73	0.00	---	Peak																																																																																																																																																																																																									
6	972.11	31.36	54.00	-22.64	26.22	30.84	4.74	30.44	0.00	---	Peak																																																																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																										
1	31.68	29.59	40.00	-10.41	36.67	24.28	0.85	32.21	0.00	---	Peak																																																																																																																																																																																																									
2	165.62	29.28	43.50	-14.22	43.64	15.75	1.96	32.07	0.00	---	Peak																																																																																																																																																																																																									
3	271.33	31.95	46.00	-14.05	42.62	18.83	2.53	32.03	0.00	---	Peak																																																																																																																																																																																																									
4	407.09	25.49	46.00	-20.51	32.55	22.03	3.08	32.17	0.00	---	Peak																																																																																																																																																																																																									
5	777.22	28.55	46.00	-17.45	28.13	27.91	4.24	31.73	0.00	---	Peak																																																																																																																																																																																																									
6	986.66	32.30	54.00	-21.70	27.15	30.62	4.77	30.24	0.00	---	Peak																																																																																																																																																																																																									



Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.05	-	-	10Hz
802.11ax HE20	99.62	-	-	10Hz

802.11a



802.11ax HE20

