




















Date: 11.DEC.2025 14:28:09




Date: 11.DEC.2025 14:29:43











Date: 11.DEC.2025 14:30:40




Date: 11.DEC.2025 14:32:53











Small RU


In-Band Emissions



Test Result



Test Mode	Antenna	Freq (MHz)	RU Size	RU Index	Result	Limit	Verdict
11BE20MIMO	Ant7	5935	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant5	5935	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant7	5955	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant5	5955	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant7	6435	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant5	6435	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant7	6535	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant5	6535	52Tone+26Tone	RU38	See test graph	See test graph	PASS
			106Tone+26Tone	RU53	See test graph	See test graph	PASS
	Ant7	7095	52Tone+26Tone	RU39	See test graph	See test graph	PASS
			106Tone+26Tone	RU54	See test graph	See test graph	PASS
	Ant5	7095	52Tone+26Tone	RU39	See test graph	See test graph	PASS
			106Tone+26Tone	RU54	See test graph	See test graph	PASS
	Ant7	7115	52Tone+26Tone	RU39	See test graph	See test graph	PASS
			106Tone+26Tone	RU54	See test graph	See test graph	PASS
	Ant5	7115	52Tone+26Tone	RU39	See test graph	See test graph	PASS
			106Tone+26Tone	RU54	See test graph	See test graph	PASS







Test Graphs












































Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Maven	Relative Humidity :	52~56%
		Temperature :	22-25°C





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	6.875-7.125	A5+A7	802.11be EHT20	2	5935	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT20	2	5924.99	64.94	68.20	-3.26	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	2	11870.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic







Mode	1																																																						
	Band Edge																																																						
	U-NII-5_6.875-7.125_802.11be EHT20_CH2_5935MHz																																																						
ANT	A5+A7																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.77</td><td>72.14</td><td>88.20</td><td>-16.06</td><td>62.48</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>132 50 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.77	72.14	88.20	-16.06	62.48	35.10	11.55	36.99	0.00	132 50 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.77	72.14	88.20	-16.06	62.48	35.10	11.55	36.99	0.00	132 50 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>86.33</td><td>-----</td><td>-----</td><td>76.62</td><td>35.10</td><td>11.56</td><td>36.95</td><td>0.00</td><td>132 50 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	86.33	-----	-----	76.62	35.10	11.56	36.95	0.00	132 50 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5935.00	86.33	-----	-----	76.62	35.10	11.56	36.95	0.00	132 50 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.99</td><td>61.49</td><td>68.20</td><td>-6.71</td><td>51.83</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>132 50 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.99	61.49	68.20	-6.71	51.83	35.10	11.55	36.99	0.00	132 50 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.99	61.49	68.20	-6.71	51.83	35.10	11.55	36.99	0.00	132 50 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5935.00</td><td>75.44</td><td>-----</td><td>-----</td><td>65.73</td><td>35.10</td><td>11.56</td><td>36.95</td><td>0.00</td><td>132 50 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	75.44	-----	-----	65.73	35.10	11.56	36.95	0.00	132 50 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5935.00	75.44	-----	-----	65.73	35.10	11.56	36.95	0.00	132 50 AVERAGE																																													





Mode	1																																																					
	Band Edge																																																					
	U-NII-5_6.875-7.125_802.11be EHT20_CH2_5935MHz																																																					
ANT	A5+A7																																																					
Pol.	Horizontal																																																					
Peak	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.77</td><td>72.14</td><td>88.20</td><td>-16.06</td><td>62.48</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>132 50 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.77	72.14	88.20	-16.06	62.48	35.10	11.55	36.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5924.77	72.14	88.20	-16.06	62.48	35.10	11.55	36.99	0.00	132 50 PEAK																																												
Avg	Fundamental																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.99</td><td>61.49</td><td>68.20</td><td>-6.71</td><td>51.83</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>132 50 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.99	61.49	68.20	-6.71	51.83	35.10	11.55	36.99	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5924.99	61.49	68.20	-6.71	51.83	35.10	11.55	36.99	0.00	132 50 AVERAGE																																												





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_6.875-7.125_802.11be EHT20_CH2_5935MHz																																																																																																	
ANT	A5+A7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.88</td><td>73.91</td><td>88.20</td><td>-14.29</td><td>64.25</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>115 265 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.88	73.91	88.20	-14.29	64.25	35.10	11.55	36.99	0.00	115 265 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>86.16</td><td>-----</td><td>-----</td><td>76.45</td><td>35.10</td><td>11.56</td><td>36.95</td><td>0.00</td><td>115 265 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	86.16	-----	-----	76.45	35.10	11.56	36.95	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.88	73.91	88.20	-14.29	64.25	35.10	11.55	36.99	0.00	115 265 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5935.00	86.16	-----	-----	76.45	35.10	11.56	36.95	0.00	115 265 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.99</td><td>64.94</td><td>68.20</td><td>-3.26</td><td>55.28</td><td>35.10</td><td>11.55</td><td>36.99</td><td>0.00</td><td>115 265 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.99	64.94	68.20	-3.26	55.28	35.10	11.55	36.99	0.00	115 265 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5935.00</td><td>77.24</td><td>-----</td><td>-----</td><td>67.53</td><td>35.10</td><td>11.56</td><td>36.95</td><td>0.00</td><td>115 265 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5935.00	77.24	-----	-----	67.53	35.10	11.56	36.95	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5924.99	64.94	68.20	-3.26	55.28	35.10	11.55	36.99	0.00	115 265 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5935.00	77.24	-----	-----	67.53	35.10	11.56	36.95	0.00	115 265 AVERAGE																																																																																								



		1																																																									
Mode		Harmonic																																																									
		U-NII-5_6.875-7.125_802.11be EHT20_CH2_5935MHz																																																									
ANT		A5+A7																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11870.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>55.91</td><td>38.57</td><td>16.40</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11870.00	44.85	74.00	-29.15	55.91	38.57	16.40	66.03	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11870.00	44.85	74.00	-29.15	55.91	38.57	16.40	66.03	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11870.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>56.74</td><td>38.57</td><td>16.40</td><td>66.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11870.00	45.68	74.00	-28.32	56.74	38.57	16.40	66.03	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	11870.00	45.68	74.00	-28.32	56.74	38.57	16.40	66.03	0.00	---	---	PEAK																																															



Mode	1																																																																																																																			
	30M-1G																																																																																																																			
	U-NII-5_6.875-7.125_802.11be EHT20_CH2_5935MHz																																																																																																																			
ANT	A5+A7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>119.24</td><td>20.77</td><td>43.50</td><td>-22.73</td><td>33.77</td><td>17.51</td><td>1.52</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>200.72</td><td>20.81</td><td>43.50</td><td>-22.69</td><td>35.94</td><td>14.95</td><td>1.99</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>344.28</td><td>22.62</td><td>46.00</td><td>-23.38</td><td>31.95</td><td>20.18</td><td>2.61</td><td>32.12</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>751.68</td><td>26.02</td><td>46.00</td><td>-19.98</td><td>26.03</td><td>28.32</td><td>3.86</td><td>32.19</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>860.32</td><td>28.87</td><td>46.00</td><td>-17.13</td><td>26.85</td><td>29.50</td><td>4.15</td><td>31.63</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>967.99</td><td>30.02</td><td>54.00</td><td>-23.98</td><td>25.19</td><td>31.20</td><td>4.40</td><td>30.77</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	119.24	20.77	43.50	-22.73	33.77	17.51	1.52	32.03	0.00	---	---	Peak	2	200.72	20.81	43.50	-22.69	35.94	14.95	1.99	32.07	0.00	---	---	Peak	3	344.28	22.62	46.00	-23.38	31.95	20.18	2.61	32.12	0.00	---	---	Peak	4	751.68	26.02	46.00	-19.98	26.03	28.32	3.86	32.19	0.00	---	---	Peak	5	860.32	28.87	46.00	-17.13	26.85	29.50	4.15	31.63	0.00	---	---	Peak	6	967.99	30.02	54.00	-23.98	25.19	31.20	4.40	30.77	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	119.24	20.77	43.50	-22.73	33.77	17.51	1.52	32.03	0.00	---	---	Peak																																																																																																								
2	200.72	20.81	43.50	-22.69	35.94	14.95	1.99	32.07	0.00	---	---	Peak																																																																																																								
3	344.28	22.62	46.00	-23.38	31.95	20.18	2.61	32.12	0.00	---	---	Peak																																																																																																								
4	751.68	26.02	46.00	-19.98	26.03	28.32	3.86	32.19	0.00	---	---	Peak																																																																																																								
5	860.32	28.87	46.00	-17.13	26.85	29.50	4.15	31.63	0.00	---	---	Peak																																																																																																								
6	967.99	30.02	54.00	-23.98	25.19	31.20	4.40	30.77	0.00	---	---	Peak																																																																																																								
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>42.61</td><td>30.40</td><td>40.00</td><td>-9.60</td><td>43.59</td><td>18.25</td><td>0.65</td><td>32.09</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>94.02</td><td>23.04</td><td>43.50</td><td>-20.46</td><td>38.52</td><td>15.24</td><td>1.34</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>200.72</td><td>21.71</td><td>43.50</td><td>-21.79</td><td>36.84</td><td>14.95</td><td>1.99</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>416.06</td><td>20.91</td><td>46.00</td><td>-25.09</td><td>27.71</td><td>22.48</td><td>2.88</td><td>32.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>738.10</td><td>28.01</td><td>46.00</td><td>-17.99</td><td>28.28</td><td>28.13</td><td>3.83</td><td>32.23</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>913.67</td><td>30.24</td><td>46.00</td><td>-15.76</td><td>27.79</td><td>29.42</td><td>4.28</td><td>31.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	42.61	30.40	40.00	-9.60	43.59	18.25	0.65	32.09	0.00	---	---	Peak	2	94.02	23.04	43.50	-20.46	38.52	15.24	1.34	32.06	0.00	---	---	Peak	3	200.72	21.71	43.50	-21.79	36.84	14.95	1.99	32.07	0.00	---	---	Peak	4	416.06	20.91	46.00	-25.09	27.71	22.48	2.88	32.16	0.00	---	---	Peak	5	738.10	28.01	46.00	-17.99	28.28	28.13	3.83	32.23	0.00	---	---	Peak	6	913.67	30.24	46.00	-15.76	27.79	29.42	4.28	31.25	0.00	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	42.61	30.40	40.00	-9.60	43.59	18.25	0.65	32.09	0.00	---	---	Peak																																																																																																								
2	94.02	23.04	43.50	-20.46	38.52	15.24	1.34	32.06	0.00	---	---	Peak																																																																																																								
3	200.72	21.71	43.50	-21.79	36.84	14.95	1.99	32.07	0.00	---	---	Peak																																																																																																								
4	416.06	20.91	46.00	-25.09	27.71	22.48	2.88	32.16	0.00	---	---	Peak																																																																																																								
5	738.10	28.01	46.00	-17.99	28.28	28.13	3.83	32.23	0.00	---	---	Peak																																																																																																								
6	913.67	30.24	46.00	-15.76	27.79	29.42	4.28	31.25	0.00	---	---	Peak																																																																																																								



Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
802.11be EHT20	100	-	-	10Hz

802.11be EHT20
