
Measurement Protocol

Measurement Object	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
--------------------	--

Project	5N2126
Report Generation Date	25/12/01 15:32
Responsible Person	AC01-KS

Status Overview

SMD	Status	Single Value Description	Single Value	Object
Overall Receive Delay WB	Done	Delay (Cross) [ms]	167.5	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.1b Receive Volume Control Performance 2N WB	Ok	Speech Level [dB[SPL]]	81.63	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.33	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 315 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	33.90	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 400 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	35.61	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	40.05	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 630 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.66	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 800 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	38.46	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 1000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	38.44	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 1250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	30.43	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 1600 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	39.72	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 2000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	38.03	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 2500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	42.25	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 3150 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	42.22	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 4000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.28	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.2 RCV Distortion and Noise - 5000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	44.08	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
Report - Receive Distortion	Ok	Minimum SDNR [dB],	30.33	WLAN2.4GHz_802.11b

ACQUA Report
128kbps_Ch6_2N

Title: WLAN2.4GHz_802.11b 1Mbps_EVS WB

and Noise (Conversational Gain)		(occured at 250Hz)		1Mbps_EVS WB 128kbps_Ch6_2N
5.3 Frequency Response 2N FF	Ok	Min. dist. to tolerance scheme [dB], 4369.4 Hz	1.09	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N
5.3 Frequency Response 2N DF	Not Ok	Min. dist. to tolerance scheme [dB], 4369.4 Hz	-0.10	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_2N


ACQUA Report
128kbps_Ch6_2N

Title: WLAN2.4GHz_802.11b 1Mbps_EVS WB

Overall Receive Delay WB	6
5.1b Receive Volume Control Performance 2N WB	7
5.2 RCV Distortion and Noise - 250 Hz WB	8
5.2 RCV Distortion and Noise - 315 Hz WB	9
5.2 RCV Distortion and Noise - 400 Hz WB	10
5.2 RCV Distortion and Noise - 500 Hz WB	11
5.2 RCV Distortion and Noise - 630 Hz WB	12
5.2 RCV Distortion and Noise - 800 Hz WB	13
5.2 RCV Distortion and Noise - 1000 Hz WB	14
5.2 RCV Distortion and Noise - 1250 Hz WB	15
5.2 RCV Distortion and Noise - 1600 Hz WB	16
5.2 RCV Distortion and Noise - 2000 Hz WB	17
5.2 RCV Distortion and Noise - 2500 Hz WB	18
5.2 RCV Distortion and Noise - 3150 Hz WB	19
5.2 RCV Distortion and Noise - 4000 Hz WB	20
5.2 RCV Distortion and Noise - 5000 Hz WB	21
Report - Receive Distortion and Noise (Conversational Gain)	22
5.3 Frequency Response 2N FF	23
5.3 Frequency Response 2N DF	24

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Delay (Cross): 167.5 ms

25/12/01 15:24 ACQUA 5.1.200

5.1b Receive Volume Control Performance 2N WB

TIA-5050 (2018-01) \ Measurements \ Wideband




Speech Level RCV: 81.63 dB[SPL], Act.: 82.59% Ok

Ok

25/12/01 15:25 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 30.33 dB (3.04%) Ok

Ok

25/12/01 15:25 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 315 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 33.90 dB (2.02%) Ok

Ok

25/12/01 15:26 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 400 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 35.61 dB (1.66%) Ok

Ok

25/12/01 15:26 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 40.05 dB (0.99%) Ok

Ok

25/12/01 15:27 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 630 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 44.66 dB (0.58%) Ok

Ok

25/12/01 15:27 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 800 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 38.46 dB (1.19%) Ok

Ok

25/12/01 15:28 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 1000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 38.44 dB (1.20%) Ok

Ok

25/12/01 15:28 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 1250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 30.43 dB (3.01%) Ok

Ok

25/12/01 15:28 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 1600 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 39.72 dB (1.03%) Ok

Ok

25/12/01 15:29 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 2000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 38.03 dB (1.25%) Ok

Ok

25/12/01 15:29 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 2500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 42.25 dB (0.77%) Ok

Ok

25/12/01 15:30 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 3150 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 42.22 dB (0.77%) Ok

Ok

25/12/01 15:30 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 4000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N




Distortion (Noise) RCV (packed): 44.28 dB (0.61%) Ok

Ok

25/12/01 15:31 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 5000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N



Distortion (Noise) RCV (packed): 44.08 dB (0.62%) Ok

Ok

25/12/01 15:31 ACQUA 5.1.200

Report - Receive Distortion and Noise (Conversational Gain)

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 2N

Region	Frequency	SDNR
1	250Hz	30.33 dB
2	315Hz	33.90 dB
3	400Hz	35.61 dB
4	500Hz	40.05 dB
5	630Hz	44.66 dB
6	800Hz	38.46 dB
7	1000Hz	38.44 dB
8	1250Hz	30.43 dB
9	1600Hz	39.72 dB
10	2000Hz	38.03 dB
11	2500Hz	42.25 dB
12	3150Hz	42.22 dB
13	4000Hz	44.28 dB
14	5000Hz	44.08 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 30.33dB at 250Hz.

25/12/01 15:31 ACQUA

5.3 Frequency Response 2N FF

TIA-5050 (2018-01) \ Measurements \ Wideband




Absolute minimal distance
1.09 dB at 4369.4 Hz Ok

Ok

25/12/01 15:32 ACQUA 5.1.200

5.3 Frequency Response 2N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance
-0.10 dB at 4369.4 Hz Not Ok

Not Ok

25/12/01 15:32 ACQUA 5.1.200

Measurement Protocol

Measurement Object	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
--------------------	--

Project	5N2126
Report Generation Date	25/12/01 15:47
Responsible Person	AC01-KS

Status Overview

SMD	Status	Single Value Description	Single Value	Object
Overall Receive Delay WB	Done	Delay (Cross) [ms]	128.6	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.1a Receive Volume Control Performance 8N WB	Ok	Speech Level [dB[SPL]]	86.24	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	31.98	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 315 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	34.61	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 400 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	36.28	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	40.57	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 630 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	47.02	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 800 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	51.20	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 1000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	49.95	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 1250 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	35.10	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 1600 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	53.24	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 2000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	52.50	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 2500 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	54.87	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 3150 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	55.77	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 4000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	57.20	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.2 RCV Distortion and Noise - 5000 Hz WB	Ok	Distortion (Noise) [dB], 0.0 dB	59.73	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
Report - Receive Distortion	Ok	Minimum SDNR [dB],	31.98	WLAN2.4GHz_802.11b

ACQUA Report
128kbps_Ch6_8N

Title: WLAN2.4GHz_802.11b 1Mbps_EVS WB

and Noise (Conversational Gain)		(occured at 250Hz)		1Mbps_EVS WB 128kbps_Ch6_8N
5.3 Frequency Response 8N FF	Ok	Min. dist. to tolerance scheme [dB], 5443.6 Hz	2.13	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N
5.3 Frequency Response 8N DF	Ok	Min. dist. to tolerance scheme [dB], 4369.4 Hz	1.16	WLAN2.4GHz_802.11b 1Mbps_EVS WB 128kbps_Ch6_8N


ACQUA Report
128kbps_Ch6_8N

Title: WLAN2.4GHz_802.11b 1Mbps_EVS WB

Overall Receive Delay WB	6
5.1a Receive Volume Control Performance 8N WB	7
5.2 RCV Distortion and Noise - 250 Hz WB	8
5.2 RCV Distortion and Noise - 315 Hz WB	9
5.2 RCV Distortion and Noise - 400 Hz WB	10
5.2 RCV Distortion and Noise - 500 Hz WB	11
5.2 RCV Distortion and Noise - 630 Hz WB	12
5.2 RCV Distortion and Noise - 800 Hz WB	13
5.2 RCV Distortion and Noise - 1000 Hz WB	14
5.2 RCV Distortion and Noise - 1250 Hz WB	15
5.2 RCV Distortion and Noise - 1600 Hz WB	16
5.2 RCV Distortion and Noise - 2000 Hz WB	17
5.2 RCV Distortion and Noise - 2500 Hz WB	18
5.2 RCV Distortion and Noise - 3150 Hz WB	19
5.2 RCV Distortion and Noise - 4000 Hz WB	20
5.2 RCV Distortion and Noise - 5000 Hz WB	21
Report - Receive Distortion and Noise (Conversational Gain)	22
5.3 Frequency Response 8N FF	23
5.3 Frequency Response 8N DF	24

Overall Receive Delay WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ Preparation - Delay measurement




Delay (Cross): 128.6 ms

25/12/01 15:35 ACQUA 5.1.200

5.1a Receive Volume Control Performance 8N WB

TIA-5050 (2018-01) \ Measurements \ Wideband




Speech Level RCV: 86.24 dB[SPL], Act.: 83.18% Ok

Ok

25/12/01 15:35 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 31.98 dB (2.52%) Ok

Ok

25/12/01 15:36 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 315 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 34.61 dB (1.86%) Ok

Ok

25/12/01 15:36 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 400 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 36.28 dB (1.54%) Ok

Ok

25/12/01 15:36 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 40.57 dB (0.94%) Ok

Ok

25/12/01 15:37 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 630 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 47.02 dB (0.45%) Ok

Ok

25/12/01 15:37 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 800 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 51.20 dB (0.28%) Ok

Ok

25/12/01 15:38 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 1000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 49.95 dB (0.32%) Ok

Ok

25/12/01 15:38 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 1250 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 35.10 dB (1.76%) Ok

Ok

25/12/01 15:39 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 1600 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 53.24 dB (0.22%) Ok

Ok

25/12/01 15:39 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 2000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 52.50 dB (0.24%) Ok

Ok

25/12/01 15:40 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 2500 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 54.87 dB (0.18%) Ok

Ok

25/12/01 15:40 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 3150 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 55.77 dB (0.16%) Ok

Ok

25/12/01 15:41 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 4000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N




Distortion (Noise) RCV (packed): 57.20 dB (0.14%) Ok

Ok

25/12/01 15:41 ACQUA 5.1.200

5.2 RCV Distortion and Noise - 5000 Hz WB

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N



Distortion (Noise) RCV (packed): 59.73 dB (0.10%) Ok

Ok

25/12/01 15:42 ACQUA 5.1.200

Report - Receive Distortion and Noise (Conversational Gain)

TIA-5050 (2018-01) \ Measurements \ Wideband \ 5.2 Receive Distortion and Noise 8N

Region	Frequency	SDNR
1	250Hz	31.98 dB
2	315Hz	34.61 dB
3	400Hz	36.28 dB
4	500Hz	40.57 dB
5	630Hz	47.02 dB
6	800Hz	51.20 dB
7	1000Hz	49.95 dB
8	1250Hz	35.10 dB
9	1600Hz	53.24 dB
10	2000Hz	52.50 dB
11	2500Hz	54.87 dB
12	3150Hz	55.77 dB
13	4000Hz	57.20 dB
14	5000Hz	59.73 dB


All SDNRs were greater than 20.0 dB, requirement was met.

Smallest SDNR was 31.98dB at 250Hz.

25/12/01 15:46 ACQUA

5.3 Frequency Response 8N FF

TIA-5050 (2018-01) \ Measurements \ Wideband




Absolute minimal distance
2.13 dB at 5443.6 Hz Ok

Ok

25/12/01 15:46 ACQUA 5.1.200

5.3 Frequency Response 8N DF

TIA-5050 (2018-01) \ Measurements \ Wideband



Absolute minimal distance
1.16 dB at 4369.4 Hz Ok

Ok

25/12/01 15:46 ACQUA 5.1.200

ACQUA Report
NB 4.75kbps_Ch518598_2N

Title: 03_FR1 n41_100M_QPSK_1RB_1Offset_AMR

Measurement Protocol

Measurement Object	FR1 n41_100M_QPSK_1RB_1Offset_AMR NB 4.75kbps_Ch518598_2N
--------------------	---

Project	5N2126
Report Generation Date	25/12/01 15:51
Responsible Person	AC01-KS

Status Overview

SMD	Status	Single Value Description	Single Value	Object
Overall Receive Delay NB	Done	Delay (Cross) [ms]	166.5	FR1 n41_100M_QPSK_1RB_1Offset_AMR NB 4.75kbps_Ch518598_2N
5.1b Receive Volume Control Performance 2N NB	Ok	Speech Level [dB[SPL]]	79.31	FR1 n41_100M_QPSK_1RB_1Offset_AMR NB 4.75kbps_Ch518598_2N

ACQUA Report
NB 4.75kbps_Ch518598_2N

Title: FR1 n41_100M_QPSK_1RB_1Offset_AMR


Overall Receive Delay NB	5
5.1b Receive Volume Control Performance 2N NB	6

ACQUA Report
NB 4.75kbps_Ch518598_2N

Title: FR1 n41_100M_QPSK_1RB_1Offset_AMR

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Delay (Cross): 166.5 ms

25/12/01 15:51 ACQUA 5.1.200

5.1b Receive Volume Control Performance 2N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Speech Level RCV: 79.31 dB[SPL], Act.: 79.92% Ok

Ok

25/12/01 15:51 ACQUA 5.1.200

ACQUA Report
NB 4.75kbps_Ch518598_8N

Title: 04_FR1 n41_100M_QPSK_1RB_1Offset_AMR

Measurement Protocol

Measurement Object	FR1 n41_100M_QPSK_1RB_1Offset_AMR NB 4.75kbps_Ch518598_8N
--------------------	---

Project	5N2126
Report Generation Date	25/12/01 15:53
Responsible Person	AC01-KS

Status Overview

SMD	Status	Single Value Description	Single Value	Object
Overall Receive Delay NB	Done	Delay (Cross) [ms]	166.8	FR1 n41_100M_QPSK_1RB_1Offset_AMR NB 4.75kbps_Ch518598_8N
5.1a Receive Volume Control Performance 8N NB	Ok	Speech Level [dB[SPL]]	84.32	FR1 n41_100M_QPSK_1RB_1Offset_AMR NB 4.75kbps_Ch518598_8N

ACQUA Report
NB 4.75kbps_Ch518598_8N

Title: FR1 n41_100M_QPSK_1RB_1Offset_AMR


Overall Receive Delay NB	5
5.1a Receive Volume Control Performance 8N NB	6

ACQUA Report
NB 4.75kbps_Ch518598_8N

Title: FR1 n41_100M_QPSK_1RB_1Offset_AMR

Overall Receive Delay NB

TIA-5050 (2018-01) \ Measurements \ Narrowband \ Preparation - Delay measurement




Delay (Cross): 166.8 ms

25/12/01 15:53 ACQUA 5.1.200

5.1a Receive Volume Control Performance 8N NB

TIA-5050 (2018-01) \ Measurements \ Narrowband



Speech Level RCV: 84.32 dB[SPL], Act.: 80.03% Ok

Ok

25/12/01 15:53 ACQUA 5.1.200