




	Ant5	5745	106Tone	RU54	7.83	≤11.00	PASS
			26Tone	RU0	5.41	≤30.00	PASS
			52Tone	RU37	5.72	≤30.00	PASS
	Ant4	5745	106Tone	RU53	5.56	≤30.00	PASS
			26Tone	RU0	4.86	≤30.00	PASS
			52Tone	RU37	4.6	≤30.00	PASS
	total	5745	106Tone	RU53	4.8	≤30.00	PASS
			26Tone	RU0	8.15	≤30.00	PASS
			52Tone	RU37	8.21	≤30.00	PASS
	Ant5	5825	106Tone	RU53	8.21	≤30.00	PASS
			26Tone	RU8	4.75	≤30.00	PASS
			52Tone	RU40	4.9	≤30.00	PASS
	Ant4	5825	106Tone	RU54	4.67	≤30.00	PASS
			26Tone	RU8	4.53	≤30.00	PASS
			52Tone	RU40	4.49	≤30.00	PASS
	total	5825	106Tone	RU54	4.44	≤30.00	PASS
			26Tone	RU8	7.65	≤30.00	PASS
			52Tone	RU40	7.71	≤30.00	PASS
	total	5825	106Tone	RU54	7.57	≤30.00	PASS
			26Tone	RU8	7.65	≤30.00	PASS
			52Tone	RU40	7.71	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs

































































For Small RU

Maximum power spectral density

Test Result


Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20 MIMO	Ant5	5180	52Tone+26Tone	RU38+RU1	4.14	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	5.13	≤11.00	PASS
	Ant4	5180	52Tone+26Tone	RU38+RU1	3.5	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	4.45	≤11.00	PASS
	total	5180	52Tone+26Tone	RU38+RU1	6.84	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	7.81	≤11.00	PASS
	Ant5	5320	52Tone+26Tone	RU39+RU7	3.71	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.79	≤11.00	PASS
	Ant4	5320	52Tone+26Tone	RU39+RU7	2.67	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.25	≤11.00	PASS
	total	5320	52Tone+26Tone	RU39+RU7	6.23	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	7.54	≤11.00	PASS
	Ant5	5500	52Tone+26Tone	RU38+RU1	3.8	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	4.86	≤11.00	PASS
	Ant4	5500	52Tone+26Tone	RU38+RU1	2.47	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	3.43	≤11.00	PASS
	total	5500	52Tone+26Tone	RU38+RU1	6.20	≤11.00	PASS
			106Tone+26Tone	RU53+RU4	7.21	≤11.00	PASS
	Ant5	5700	52Tone+26Tone	RU39+RU7	3.35	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	4.11	≤11.00	PASS
	Ant4	5700	52Tone+26Tone	RU39+RU7	2.73	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	3.84	≤11.00	PASS
	total	5700	52Tone+26Tone	RU39+RU7	6.06	≤11.00	PASS
			106Tone+26Tone	RU54+RU4	6.99	≤11.00	PASS
	Ant5	5745	52Tone+26Tone	RU38+RU1	3.93	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	4.76	≤30.00	PASS
	Ant4	5745	52Tone+26Tone	RU38+RU1	2.55	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	3.89	≤30.00	PASS
	total	5745	52Tone+26Tone	RU38+RU1	6.30	≤30.00	PASS
			106Tone+26Tone	RU53+RU4	7.36	≤30.00	PASS
	Ant5	5825	52Tone+26Tone	RU39+RU7	2.96	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	3.88	≤30.00	PASS
	Ant4	5825	52Tone+26Tone	RU39+RU7	2.18	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	3.58	≤30.00	PASS
	total	5825	52Tone+26Tone	RU39+RU7	5.60	≤30.00	PASS
			106Tone+26Tone	RU54+RU4	6.74	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs











































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.189	46.20	-17.86	64.06	35.50	0.24	10.46	QP
2	0.189	27.90	-26.16	54.06	17.20	0.24	10.46	Average
3 *	0.567	40.94	-15.06	56.00	30.21	0.35	10.38	QP
4	0.567	28.94	-17.06	46.00	18.21	0.35	10.38	Average
5	0.634	38.93	-17.07	56.00	28.20	0.37	10.36	QP
6	0.634	25.93	-20.07	46.00	15.20	0.37	10.36	Average
7	1.878	36.83	-19.47	56.00	25.90	0.39	10.24	QP
8	1.878	25.23	-20.77	46.00	14.60	0.39	10.24	Average
9	6.878	38.20	-21.80	60.00	27.60	0.41	10.19	QP
10	6.878	32.20	-17.80	50.00	21.60	0.41	10.19	Average
11	8.776	38.81	-21.19	60.00	28.19	0.40	10.22	QP
12	8.776	32.51	-17.49	50.00	21.89	0.40	10.22	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	46~48%
		Temperature :	26.2~27.5℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	5+4	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	5+4	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	5+4	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	5+4	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	5+4	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	5+4	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	5+4	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.85	5+4	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.85	5+4	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	5+4	802.11be EHT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	5+4	802.11be EHT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	5+4	802.11be EHT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	52	5280	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	5+4	802.11be EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	5+4	802.11be EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	5+4	802.11be EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	5+4	802.11be EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	5+4	802.11be EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.85	5+4	802.11be EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	5+4	802.11be EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	5+4	802.11be EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	5+4	802.11be EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	5+4	802.11be EHT80	106	5530	MCS0	Full	-
Mode 29	U-NII-2C	5.47-5.85	5+4	802.11be EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	5+4	802.11a	149	5745	6Mbps	-	-
Mode 33	U-NII-3	5.725-5.85	5+4	802.11a	157	5785	6Mbps	-	-
Mode 34	U-NII-3	5.725-5.85	5+4	802.11a	165	5825	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	5+4	802.11be EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	5+4	802.11be EHT20	157	5785	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	5+4	802.11be EHT20	165	5825	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	5+4	802.11be EHT40	151	5755	MCS0	Full	-



Mode 39	U-NII-3	5.725-5.85	5+4	802.11be EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Full	-
Mode 42	U-NII-2C	5.47-5.85	5+4	802.11a	144	5720	6Mbps	-	-
Mode 43	U-NII-2C	5.47-5.85	5+4	802.11be EHT20	144	5720	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.85	5+4	802.11be EHT40	142	5710	MCS0	Full	-
Mode 45	U-NII-2C	5.47-5.85	5+4	802.11be EHT80	138	5690	MCS0	Full	-
Mode 46	U-NII-1	5.15-5.25	5+4	802.11be EHT20	36	5180	MCS0	26/0	-
Mode 47	U-NII-1	5.15-5.25	5+4	802.11be EHT20	36	5180	MCS0	52/37	-
Mode 48	U-NII-1	5.15-5.25	5+4	802.11be EHT20	36	5180	MCS0	106/53	-
Mode 49	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	64	5320	MCS0	26/8	-
Mode 50	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	64	5320	MCS0	52/40	-
Mode 51	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	64	5320	MCS0	106/54	-
Mode 52	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	100	5500	MCS0	26/0	-
Mode 53	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	100	5500	MCS0	52/37	-
Mode 54	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	100	5500	MCS0	106/53	-
Mode 55	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	140	5700	MCS0	26/8	-
Mode 56	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	140	5700	MCS0	52/40	-
Mode 57	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	140	5700	MCS0	106/54	-
Mode 58	U-NII-3	5.725-5.85	5+4	802.11be EHT20	149	5745	MCS0	26/0	-
Mode 59	U-NII-3	5.725-5.85	5+4	802.11be EHT20	149	5745	MCS0	52/37	-
Mode 60	U-NII-3	5.725-5.85	5+4	802.11be EHT20	149	5745	MCS0	106/53	-
Mode 61	U-NII-3	5.725-5.85	5+4	802.11be EHT20	165	5825	MCS0	26/8	-
Mode 62	U-NII-3	5.725-5.85	5+4	802.11be EHT20	165	5825	MCS0	52/40	-
Mode 63	U-NII-3	5.725-5.85	5+4	802.11be EHT20	165	5825	MCS0	106/54	-
Mode 64	U-NII-1	5.15-5.25	5+4	802.11be EHT20	36	5180	MCS0	Index 37+2	-
Mode 65	U-NII-1	5.15-5.25	5+4	802.11be EHT20	36	5180	MCS0	Index 53+4	-
Mode 66	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	64	5320	MCS0	Index 40+6	-
Mode 67	U-NII-2A	5.25-5.35	5+4	802.11be EHT20	64	5320	MCS0	Index 54+4	-
Mode 68	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	100	5500	MCS0	Index 37+2	-
Mode 69	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	100	5500	MCS0	Index 53+4	-
Mode 70	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	140	5700	MCS0	Index 40+6	-
Mode 71	U-NII-2C	5.47-5.725	5+4	802.11be EHT20	140	5700	MCS0	Index 54+4	-
Mode 72	U-NII-3	5.725-5.85	5+4	802.11be EHT20	149	5745	MCS0	Index 37+2	-
Mode 73	U-NII-3	5.725-5.85	5+4	802.11be EHT20	149	5745	MCS0	Index 53+4	-
Mode 74	U-NII-3	5.725-5.85	5+4	802.11be EHT20	165	5825	MCS0	Index 40+6	-
Mode 75	U-NII-3	5.725-5.85	5+4	802.11be EHT20	165	5825	MCS0	Index 54+4	-
Mode 76	U-NII-1	5.15-5.25	5+4	802.11be EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 77	U-NII-2A	5.25-5.35	5+4	802.11be EHT80	58	5290	MCS0	Puncturing 20M ①	-
Mode 78	U-NII-2C	5.47-5.725	5+4	802.11be EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 79	U-NII-2C	5.47-5.85	5+4	802.11be EHT80	122	5610	MCS0	Puncturing 20M ①	-
Mode 80	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Puncturing 40M ④	-
Mode 81	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Puncturing 40M ①	-
Mode 82	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Puncturing 40M ④	-



Mode 83	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Puncturing 40M ①	-
Mode 84	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 85	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 86	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Puncturing 20M ①	-
Mode 87	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 88	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Puncturing 20M ①	-
Mode 89	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Puncturing 20M ④	-
Mode 90	U-NII-1	5.15-5.25	5+4	802.11be EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 91	U-NII-2A	5.25-5.35	5+4	802.11be EHT80	58	5290	MCS0	Large RU 484+242 ②	-
Mode 92	U-NII-2C	5.47-5.725	5+4	802.11be EHT80	106	5530	MCS0	Large RU 484+242 ④	-
Mode 93	U-NII-2C	5.47-5.85	5+4	802.11be EHT80	122	5610	MCS0	Large RU 484+242 ②	
Mode 94	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ④	
Mode 95	U-NII-2A	5.25-5.35	5+4	802.11be EHT160	50	5250	MCS0	Large RU 996+484 ③	
Mode 96	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ④	
Mode 97	U-NII-2C	5.47-5.725	5+4	802.11be EHT160	114	5570	MCS0	Large RU 996+484 ③	
Mode 98	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ④	-
Mode 99	U-NII-3	5.725-5.85	5+4	802.11be EHT80	155	5775	MCS0	Large RU 484+242 ②	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.74	47.92	54.00	-6.08	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.80	68.20	-22.40	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.41	68.20	-21.79	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	44.86	68.20	-23.34	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10560.00	44.82	68.20	-23.38	H	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	45.29	68.20	-22.91	V	PEAK	Pass	Harmonic
6	802.11a	64	5350.00	48.74	54.00	-5.26	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	45.12	74.00	-28.88	H	PEAK	Pass	Harmonic
7	802.11a	100	5465.13	62.42	68.20	-5.78	H	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	45.38	74.00	-28.62	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.26	74.00	-28.74	H	PEAK	Pass	Harmonic
9	802.11a	140	5734.24	62.58	68.20	-5.62	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	45.31	74.00	-28.69	H	PEAK	Pass	Harmonic
10	802.11be EHT20	36	5141.21	49.03	54.00	-4.97	H	AVERAGE	Pass	Band Edge
10	802.11be EHT20	36	10360.00	47.11	68.20	-21.09	H	PEAK	Pass	Harmonic
11	802.11be EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	44	10440.00	45.08	68.20	-23.12	H	PEAK	Pass	Harmonic
12	802.11be EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11be EHT20	48	10480.00	44.75	68.20	-23.45	H	PEAK	Pass	Harmonic
13	802.11be EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11be EHT20	52	10560.00	45.33	68.20	-22.87	V	PEAK	Pass	Harmonic
14	802.11be EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT20	60	10600.00	45.00	68.20	-23.20	V	PEAK	Pass	Harmonic
15	802.11be EHT20	64	5354.33	49.96	54.00	-4.04	H	AVERAGE	Pass	Band Edge
15	802.11be EHT20	64	10640.00	44.93	74.00	-29.07	H	PEAK	Pass	Harmonic
16	802.11be EHT20	100	5462.09	63.77	68.20	-4.43	H	PEAK	Pass	Band Edge
16	802.11be EHT20	100	11000.00	46.10	74.00	-27.90	V	PEAK	Pass	Harmonic
17	802.11be EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT20	116	11160.00	45.04	74.00	-28.96	H	PEAK	Pass	Harmonic
18	802.11be EHT20	140	5725.36	62.29	68.20	-5.91	H	PEAK	Pass	Band Edge
18	802.11be EHT20	140	11400.00	45.33	74.00	-28.67	H	PEAK	Pass	Harmonic
19	802.11be EHT40	38	5148.70	48.86	54.00	-5.14	H	AVERAGE	Pass	Band Edge
19	802.11be EHT40	38	10380.00	45.50	68.20	-22.70	H	PEAK	Pass	Harmonic
20	802.11be EHT40	46	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	46	10460.00	46.38	68.20	-21.82	H	PEAK	Pass	Harmonic
21	802.11be EHT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	54	10540.00	45.00	68.20	-23.20	H	PEAK	Pass	Harmonic
22	802.11be EHT40	62	5350.00	49.79	54.00	-4.21	H	AVERAGE	Pass	Band Edge
22	802.11be EHT40	62	10620.00	44.77	74.00	-29.23	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11be EHT40	102	5464.81	62.73	68.20	-5.47	H	PEAK	Pass	Band Edge
23	802.11be EHT40	102	11020.00	45.07	74.00	-28.93	V	PEAK	Pass	Harmonic
24	802.11be EHT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11be EHT40	110	11100.00	46.24	74.00	-27.76	H	PEAK	Pass	Harmonic
25	802.11be EHT40	134	5729.28	64.80	68.20	-3.40	H	PEAK	Pass	Band Edge
25	802.11be EHT40	134	11340.00	45.23	74.00	-28.77	H	PEAK	Pass	Harmonic
26	802.11be EHT80	42	5147.09	49.68	54.00	-4.32	H	AVERAGE	Pass	Band Edge
26	802.11be EHT80	42	10420.00	45.61	68.20	-22.59	H	PEAK	Pass	Harmonic
27	802.11be EHT80	58	5362.25	49.25	54.00	-4.75	H	AVERAGE	Pass	Band Edge
27	802.11be EHT80	58	10580.00	45.39	68.20	-22.81	V	PEAK	Pass	Harmonic
28	802.11be EHT80	106	5459.98	51.03	54.00	-3.07	H	AVERAGE	Pass	Band Edge
28	802.11be EHT80	106	11060.00	45.97	74.00	-28.03	V	PEAK	Pass	Harmonic
29	802.11be EHT80	122	5447.83	47.35	54.00	-6.65	H	AVERAGE	Pass	Band Edge
29	802.11be EHT80	122	11220.00	45.96	74.00	-28.04	H	PEAK	Pass	Harmonic
30	802.11be EHT160	50	5389.72	50.65	54.00	-3.35	H	AVERAGE	Pass	Band Edge
30	802.11be EHT160	50	10500.00	45.17	68.20	-23.03	V	PEAK	Pass	Harmonic
31	802.11be EHT160	114	5459.99	49.55	54.00	-4.45	H	AVERAGE	Pass	Band Edge
31	802.11be EHT160	114	11140.00	45.40	74.00	-28.60	H	PEAK	Pass	Harmonic
32	802.11a	149	5644.80	55.78	68.20	-12.42	V	PEAK	Pass	Band Edge
32	802.11a	149	11490.00	45.41	74.00	-28.59	V	PEAK	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	11570.00	46.31	74.00	-27.69	V	PEAK	Pass	Harmonic
34	802.11a	165	5935.60	56.57	68.20	-11.63	H	PEAK	Pass	Band Edge
34	802.11a	165	11650.00	46.66	74.00	-27.34	V	PEAK	Pass	Harmonic
35	802.11be EHT20	149	5610.00	56.23	68.20	-11.97	V	PEAK	Pass	Band Edge
35	802.11be EHT20	149	11490.00	45.56	74.00	-28.44	V	PEAK	Pass	Harmonic
36	802.11be EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT20	157	11570.00	45.91	74.00	-28.09	V	PEAK	Pass	Harmonic
37	802.11be EHT20	165	5970.80	56.12	68.20	-12.08	H	PEAK	Pass	Band Edge
37	802.11be EHT20	165	11650.00	46.74	74.00	-27.26	V	PEAK	Pass	Harmonic
38	802.11be EHT40	151	5640.46	62.44	68.20	-5.76	V	PEAK	Pass	Band Edge
38	802.11be EHT40	151	11510.00	45.48	74.00	-28.52	V	PEAK	Pass	Harmonic
39	802.11be EHT40	159	5960.80	56.64	68.20	-11.56	H	PEAK	Pass	Band Edge
39	802.11be EHT40	159	11590.00	46.51	74.00	-27.49	H	PEAK	Pass	Harmonic
40	802.11be EHT80	155	5648.00	64.69	68.20	-3.51	H	PEAK	Pass	Band Edge
40	802.11be EHT80	155	11550.00	45.61	74.00	-28.39	H	PEAK	Pass	Harmonic
42	802.11a	144	-	-	-	-	-	-	-	Band Edge
42	802.11a	144	11440.00	46.47	74.00	-27.53	H	PEAK	Pass	Harmonic
43	802.11be EHT20	144	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT20	144	11440.00	46.34	74.00	-27.66	V	PEAK	Pass	Harmonic
44	802.11be EHT40	142	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT40	142	11420.00	45.98	74.00	-28.02	V	PEAK	Pass	Harmonic
45	802.11be EHT80	138	-	-	-	-	-	-	-	Band Edge
45	802.11be EHT80	138	11380.00	44.63	74.00	-29.37	V	PEAK	Pass	Harmonic
46	802.11be EHT20	36	5149.05	47.14	54.00	-6.86	H	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
46	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
47	802.11be EHT20	36	5109.55	45.60	54.00	-8.40	H	AVERAGE	Pass	Band Edge
47	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
48	802.11be EHT20	36	5149.25	48.98	54.00	-5.02	V	AVERAGE	Pass	Band Edge
48	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
49	802.11be EHT20	64	5353.95	45.58	54.00	-8.42	V	AVERAGE	Pass	Band Edge
49	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
50	802.11be EHT20	64	5396.55	43.65	54.00	-10.35	H	AVERAGE	Pass	Band Edge
50	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
51	802.11be EHT20	64	5350.00	49.19	54.00	-4.81	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	100	5468.01	60.46	68.20	-7.74	H	PEAK	Pass	Band Edge
52	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
53	802.11be EHT20	100	5456.49	45.49	54.00	-8.51	V	AVERAGE	Pass	Band Edge
53	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	100	5465.61	61.18	68.20	-7.02	H	PEAK	Pass	Band Edge
54	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	140	5726.80	57.59	68.20	-10.61	V	PEAK	Pass	Band Edge
55	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	140	5733.52	55.87	68.20	-12.33	V	PEAK	Pass	Band Edge
56	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT20	140	5735.75	56.11	68.20	-12.09	V	PEAK	Pass	Band Edge
57	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT20	149	5603.60	55.74	68.20	-12.46	H	PEAK	Pass	Band Edge
58	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	149	5613.60	53.15	68.20	-15.05	V	PEAK	Pass	Band Edge
59	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT20	149	5624.00	53.68	68.20	-14.52	V	PEAK	Pass	Band Edge
60	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT20	165	5930.80	53.27	68.20	-14.93	H	PEAK	Pass	Band Edge
61	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT20	165	5986.21	55.22	68.20	-12.98	V	PEAK	Pass	Band Edge
62	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT20	165	5936.80	54.73	68.20	-13.47	V	PEAK	Pass	Band Edge
63	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT20	36	5138.10	41.56	54.00	-12.44	H	AVERAGE	Pass	Band Edge
64	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT20	36	5149.80	41.79	54.00	-12.21	H	AVERAGE	Pass	Band Edge
65	802.11be EHT20	36	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT20	64	5359.30	40.11	54.00	-13.89	H	AVERAGE	Pass	Band Edge
66	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT20	64	5350.20	41.24	54.00	-12.76	H	AVERAGE	Pass	Band Edge
67	802.11be EHT20	64	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT20	100	5459.92	40.15	54.00	-13.85	H	AVERAGE	Pass	Band Edge
68	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
69	802.11be EHT20	100	5458.48	41.59	54.00	-12.41	H	AVERAGE	Pass	Band Edge
69	802.11be EHT20	100	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT20	140	5728.20	54.05	68.20	-14.15	H	PEAK	Pass	Band Edge
70	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
71	802.11be EHT20	140	5727.72	54.65	68.20	-13.55	H	PEAK	Pass	Band Edge
71	802.11be EHT20	140	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT20	149	5627.20	51.58	68.20	-16.62	V	PEAK	Pass	Band Edge
72	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT20	149	5650.00	52.36	68.20	-15.84	H	PEAK	Pass	Band Edge
73	802.11be EHT20	149	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT20	165	5934.80	54.78	68.20	-13.42	H	PEAK	Pass	Band Edge
74	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT20	165	5923.60	53.58	69.23	-15.65	V	PEAK	Pass	Band Edge
75	802.11be EHT20	165	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT80	42	5148.64	41.98	54.00	-12.02	H	AVERAGE	Pass	Band Edge
76	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT80	58	5350.00	45.97	54.00	-8.03	H	AVERAGE	Pass	Band Edge
77	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT80	106	5454.00	45.33	54.00	-8.67	H	AVERAGE	Pass	Band Edge
78	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT80	122	5456.40	42.04	54.00	-11.96	H	AVERAGE	Pass	Band Edge
79	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT160	50	5350.17	43.71	54.00	-10.29	H	AVERAGE	Pass	Band Edge
80	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT160	50	5351.85	46.72	54.00	-7.28	H	AVERAGE	Pass	Band Edge
81	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT160	114	5455.38	43.37	54.00	-10.63	H	AVERAGE	Pass	Band Edge
82	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
83	802.11be EHT160	114	5726.39	58.90	68.20	-9.30	H	PEAK	Pass	Band Edge
83	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
84	802.11be EHT160	50	5370.96	48.39	54.00	-5.61	H	AVERAGE	Pass	Band Edge
84	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
85	802.11be EHT160	50	5351.01	46.05	54.00	-7.95	H	AVERAGE	Pass	Band Edge
85	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
86	802.11be EHT160	114	5450.98	48.05	54.00	-5.95	V	AVERAGE	Pass	Band Edge
86	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
87	802.11be EHT160	114	5456.04	46.99	54.00	-7.01	H	AVERAGE	Pass	Band Edge
87	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
88	802.11be EHT80	155	5649.20	57.81	68.20	-10.39	H	PEAK	Pass	Band Edge
88	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
89	802.11be EHT80	155	5644.80	59.46	68.20	-8.74	H	PEAK	Pass	Band Edge
89	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
90	802.11be EHT80	42	5144.64	44.57	54.00	-9.43	H	AVERAGE	Pass	Band Edge
90	802.11be EHT80	42	-	-	-	-	-	-	-	Harmonic
91	802.11be EHT80	58	5376.30	42.65	54.00	-11.35	V	AVERAGE	Pass	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
91	802.11be EHT80	58	-	-	-	-	-	-	-	Harmonic
92	802.11be EHT80	106	5459.92	47.77	54.00	-6.23	H	AVERAGE	Pass	Band Edge
92	802.11be EHT80	106	-	-	-	-	-	-	-	Harmonic
93	802.11be EHT80	122	5757.64	57.26	68.20	-10.94	H	PEAK	Pass	Band Edge
93	802.11be EHT80	122	-	-	-	-	-	-	-	Harmonic
94	802.11be EHT160	50	5352.69	44.29	54.00	-9.71	H	AVERAGE	Pass	Band Edge
94	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
95	802.11be EHT160	50	5398.47	46.11	54.00	-7.89	H	AVERAGE	Pass	Band Edge
95	802.11be EHT160	50	-	-	-	-	-	-	-	Harmonic
96	802.11be EHT160	114	5459.78	46.13	54.00	-7.87	H	AVERAGE	Pass	Band Edge
96	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
97	802.11be EHT160	114	5442.62	46.99	54.00	-7.01	H	AVERAGE	Pass	Band Edge
97	802.11be EHT160	114	-	-	-	-	-	-	-	Harmonic
98	802.11be EHT80	155	5648.80	59.13	68.20	-9.07	H	PEAK	Pass	Band Edge
98	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic
99	802.11be EHT80	155	5646.40	63.35	68.20	-4.85	H	PEAK	Pass	Band Edge
99	802.11be EHT80	155	-	-	-	-	-	-	-	Harmonic



Co-location





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
100	2400-2483.5	2400-2483.5	6+3	Bluetooth-LE_GSKF	76	2478	2Mbps	Full	-
	U-NII-2C	5.47-5.725	5+4	802.11BE EHT80	106	5530	MCS0	Full	-
	Part 96 LTE B48 BW=20M								
101	2400-2483.5	2400-2483.5	6+3	802.11BE EHT40	6	2437	MCS0	Full	-
	U-NII-2C	5.47-5.725	5+4	802.11BE EHT80	106	5530	MCS0	Full	-
	Part 96 LTE B48 BW=20M								
102	2400-2483.5	2400-2483.5	6+3	802.11BE EHT40	6	2437	MCS0	Full	-
	U-NII-2C	5.47-5.725	5+4	802.11BE EHT80	106	5530	MCS0	Full	-
	Part 96 LTE B48 BW=20M								
	UWB CH9-12-1-127-ANT 7								





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
100	Bluetooth-LE_GSKF	76	2484.22	48.07	54.00	-5.93	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	76	7436.00	43.30	74.00	-30.70	V	PEAK	Pass	Harmonic
	802.11BE EHT80	106	5459.92	44.04	54.00	-9.96	V	AVERAGE	Pass	Band Edge
	802.11BE EHT80	106	11060.00	45.81	74.00	-28.19	H	PEAK	Pass	Harmonic
101	802.11BE EHT40	6	2483.44	50.00	54.00	-4.00	H	AVERAGE	Pass	Band Edge
	802.11BE EHT40	6	7311.00	43.48	74.00	-30.52	V	PEAK	Pass	Harmonic
	802.11BE EHT80	106	5459.92	50.74	54.00	-3.26	V	AVERAGE	Pass	Band Edge
	802.11BE EHT80	106	11060.00	45.29	74.00	-28.71	H	PEAK	Pass	Harmonic
102	802.11BE EHT40	6	2483.50	50.20	54.00	-3.80	H	AVERAGE	Pass	Band Edge
	802.11BE EHT40	6	7311.00	43.30	74.00	-30.70	H	PEAK	Pass	Harmonic
	802.11BE EHT80	106	5454.96	49.40	54.00	-4.60	H	AVERAGE	Pass	Band Edge
	802.11BE EHT80	106	11060.00	45.28	74.00	-28.72	H	PEAK	Pass	Harmonic





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	5+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.45</td><td>59.50</td><td>74.00</td><td>-14.50</td><td>44.43</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.45	59.50	74.00	-14.50	44.43	34.40	11.91	31.24	0.00	100	120	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.39</td><td>-----</td><td>-----</td><td>93.25</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.39	-----	-----	93.25	34.45	11.93	31.24	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5142.45	59.50	74.00	-14.50	44.43	34.40	11.91	31.24	0.00	100	120	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	108.39	-----	-----	93.25	34.45	11.93	31.24	0.00	100	120	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.74</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>32.85</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.74	47.92	54.00	-6.08	32.85	34.40	11.91	31.24	0.00	100	120	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.83</td><td>-----</td><td>-----</td><td>84.69</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.83	-----	-----	84.69	34.45	11.93	31.24	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.74	47.92	54.00	-6.08	32.85	34.40	11.91	31.24	0.00	100	120	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	99.83	-----	-----	84.69	34.45	11.93	31.24	0.00	100	120	AVERAGE																																																																																							





Mode	1																																																																																															
	Band Edge																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																															
ANT	5+4																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.95</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>41.21</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>306</td><td>77 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.95	56.28	74.00	-17.72	41.21	34.40	11.91	31.24	0.00	306	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>104.16</td><td>-----</td><td>-----</td><td>89.02</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>306</td><td>77 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.16	-----	-----	89.02	34.45	11.93	31.24	0.00	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5146.95	56.28	74.00	-17.72	41.21	34.40	11.91	31.24	0.00	306	77 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	104.16	-----	-----	89.02	34.45	11.93	31.24	0.00	306	77 PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.32</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>30.69</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>306</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	45.76	54.00	-8.24	30.69	34.40	11.91	31.24	0.00	306	77 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.09</td><td>-----</td><td>-----</td><td>80.93</td><td>34.46</td><td>11.94</td><td>31.24</td><td>0.00</td><td>306</td><td>77 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.09	-----	-----	80.93	34.46	11.94	31.24	0.00	306
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5148.32	45.76	54.00	-8.24	30.69	34.40	11.91	31.24	0.00	306	77 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	96.09	-----	-----	80.93	34.46	11.94	31.24	0.00	306	77 AVERAGE																																																																																					





Mode	1																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																				
ANT	5+4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>44.76</td><td>68.20</td><td>-23.44</td><td>57.57</td><td>37.37</td><td>16.86</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	44.76	68.20	-23.44	57.57	37.37	16.86	67.04	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>45.80</td><td>68.20</td><td>-22.40</td><td>58.60</td><td>37.37</td><td>16.86</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	45.80	68.20	-22.40	58.60	37.37	16.86	67.03	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10360.00	44.76	68.20	-23.44	57.57	37.37	16.86	67.04	0.00	---	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10360.00	45.80	68.20	-22.40	58.60	37.37	16.86	67.03	0.00	---	---	PEAK																																																																																										





Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																								
ANT	5+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.37</td><td>68.20</td><td>-22.83</td><td>58.03</td><td>37.47</td><td>16.93</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.37	68.20	-22.83	58.03	37.47	16.93	67.06	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>59.02</td><td>37.50</td><td>16.95</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	46.41	68.20	-21.79	59.02	37.50	16.95	67.06	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10440.00	45.37	68.20	-22.83	58.03	37.47	16.93	67.06	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10440.00	46.41	68.20	-21.79	59.02	37.50	16.95	67.06	0.00	---	---	PEAK																																																																																													



Mode	3																																																																							
	Harmonic																																																																							
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																							
ANT	5+4																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1 10480.00</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>57.02</td><td>37.56</td><td>16.98</td><td>67.07</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1 10480.00	44.49	68.20	-23.71	57.02	37.56	16.98	67.07	0.00	---	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td>1 10480.00</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>57.38</td><td>37.57</td><td>16.99</td><td>67.08</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1 10480.00	44.86	68.20	-23.34	57.38	37.57	16.99	67.08	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 10480.00	44.49	68.20	-23.71	57.02	37.56	16.98	67.07	0.00	---																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																															
1 10480.00	44.86	68.20	-23.34	57.38	37.57	16.99	67.08	0.00	---																																																															
PEAK						PEAK																																																																		



Mode	4																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																				
ANT	5+4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10560.00</td><td>44.82</td><td>68.20</td><td>-23.38</td><td>57.13</td><td>37.66</td><td>17.06</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10560.00	44.82	68.20	-23.38	57.13	37.66	17.06	67.03	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10560.00</td><td>44.32</td><td>68.20</td><td>-23.88</td><td>56.64</td><td>37.65</td><td>17.06</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10560.00	44.32	68.20	-23.88	56.64	37.65	17.06	67.03	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10560.00	44.82	68.20	-23.38	57.13	37.66	17.06	67.03	0.00	---	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10560.00	44.32	68.20	-23.88	56.64	37.65	17.06	67.03	0.00	---	---	PEAK																																																																																										



Mode	5										
	Harmonic										
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz										
ANT	5+4										
Pol.	Horizontal										
Peak	Vertical										
	Horizontal										
	Vertical										
Avg	Horizontal										
Vertical											





Peak																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10600.00</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>56.78</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.59	68.20	-23.61	56.78	37.70	17.10	66.99	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	10600.00	44.59	68.20	-23.61	56.78	37.70	17.10	66.99	0.00	---																																													

Avg																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10600.00</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>56.78</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.59	68.20	-23.61	56.78	37.70	17.10	66.99	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	10600.00	44.59	68.20	-23.61	56.78	37.70	17.10	66.99	0.00	---																																													





Peak																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10600.00</td><td>45.29</td><td>68.20</td><td>-22.91</td><td>57.48</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	45.29	68.20	-22.91	57.48	37.70	17.10	66.99	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	10600.00	45.29	68.20	-22.91	57.48	37.70	17.10	66.99	0.00	---																																													

Avg																																																							
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10600.00</td><td>45.29</td><td>68.20</td><td>-22.91</td><td>57.48</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	45.29	68.20	-22.91	57.48	37.70	17.10	66.99	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	10600.00	45.29	68.20	-22.91	57.48	37.70	17.10	66.99	0.00	---																																													





Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	5+4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.35</td><td>60.72</td><td>74.00</td><td>-13.28</td><td>45.33</td><td>34.52</td><td>12.12</td><td>31.25</td><td>0.00</td><td>103</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.35	60.72	74.00	-13.28	45.33	34.52	12.12	31.25	0.00	103	121	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.19</td><td>-----</td><td>-----</td><td>91.84</td><td>34.50</td><td>12.09</td><td>31.24</td><td>0.00</td><td>103</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.19	-----	-----	91.84	34.50	12.09	31.24	0.00	103	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5355.35	60.72	74.00	-13.28	45.33	34.52	12.12	31.25	0.00	103	121	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	107.19	-----	-----	91.84	34.50	12.09	31.24	0.00	103	121	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>48.74</td><td>54.00</td><td>-5.26</td><td>33.38</td><td>34.50</td><td>12.11</td><td>31.25</td><td>0.00</td><td>103</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.74	54.00	-5.26	33.38	34.50	12.11	31.25	0.00	103	121	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.84</td><td>-----</td><td>-----</td><td>84.49</td><td>34.50</td><td>12.09</td><td>31.24</td><td>0.00</td><td>103</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.84	-----	-----	84.49	34.50	12.09	31.24	0.00	103	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	48.74	54.00	-5.26	33.38	34.50	12.11	31.25	0.00	103	121	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	99.84	-----	-----	84.49	34.50	12.09	31.24	0.00	103	121	AVERAGE																																																																																							







Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	5+4																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.85</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>40.88</td><td>34.53</td><td>12.12</td><td>31.25</td><td>0.00</td><td>326</td><td>102</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.85	56.28	74.00	-17.72	40.88	34.53	12.12	31.25	0.00	326	102	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.86</td><td>-----</td><td>-----</td><td>89.52</td><td>34.50</td><td>12.08</td><td>31.24</td><td>0.00</td><td>326</td><td>102</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.86	-----	-----	89.52	34.50	12.08	31.24	0.00	326	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5357.85	56.28	74.00	-17.72	40.88	34.53	12.12	31.25	0.00	326	102	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	104.86	-----	-----	89.52	34.50	12.08	31.24	0.00	326	102	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.85</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>30.35</td><td>34.51</td><td>12.12</td><td>31.25</td><td>0.00</td><td>326</td><td>102</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.85	45.73	54.00	-8.27	30.35	34.51	12.12	31.25	0.00	326	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.64</td><td>-----</td><td>-----</td><td>81.30</td><td>34.50</td><td>12.08</td><td>31.24</td><td>0.00</td><td>326</td><td>102</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.64	-----	-----	81.30	34.50	12.08	31.24	0.00	326	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5352.85	45.73	54.00	-8.27	30.35	34.51	12.12	31.25	0.00	326	102	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	96.64	-----	-----	81.30	34.50	12.08	31.24	0.00	326	102	AVERAGE																																																																																																			







Mode	6																																																																																																		
	Harmonic																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	5+4																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>57.26</td><td>37.66</td><td>17.15</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.12	74.00	-28.88	57.26	37.66	17.15	66.95	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>56.31</td><td>37.66</td><td>17.15</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	44.17	74.00	-29.83	56.31	37.66	17.15	66.95	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10640.00	45.12	74.00	-28.88	57.26	37.66	17.15	66.95	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10640.00	44.17	74.00	-29.83	56.31	37.66	17.15	66.95	0.00	---	---	PEAK																																																																																							





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	5+4																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.09</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>41.27</td><td>34.78</td><td>12.23</td><td>31.25</td><td>0.00</td><td>109</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5465.13</td><td>62.42</td><td>68.20</td><td>-5.78</td><td>46.66</td><td>34.77</td><td>12.24</td><td>31.25</td><td>0.00</td><td>109</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	57.03	74.00	-16.97	41.27	34.78	12.23	31.25	0.00	109	119	PEAK	2	5465.13	62.42	68.20	-5.78	46.66	34.77	12.24	31.25	0.00	109	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.86</td><td>-----</td><td>-----</td><td>93.12</td><td>34.72</td><td>12.27</td><td>31.25</td><td>0.00</td><td>109</td><td>119</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.86	-----	-----	93.12	34.72	12.27	31.25	0.00	109	119	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.09	57.03	74.00	-16.97	41.27	34.78	12.23	31.25	0.00	109	119	PEAK																																																																																																					
2	5465.13	62.42	68.20	-5.78	46.66	34.77	12.24	31.25	0.00	109	119	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	108.86	-----	-----	93.12	34.72	12.27	31.25	0.00	109	119	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.09</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>31.02</td><td>34.78</td><td>12.23</td><td>31.25</td><td>0.00</td><td>109</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	46.78	54.00	-7.22	31.02	34.78	12.23	31.25	0.00	109	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.89</td><td>-----</td><td>-----</td><td>85.15</td><td>34.71</td><td>12.28</td><td>31.25</td><td>0.00</td><td>109</td><td>119</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.89	-----	-----	85.15	34.71	12.28	31.25	0.00	109	119	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.09	46.78	54.00	-7.22	31.02	34.78	12.23	31.25	0.00	109	119	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	100.89	-----	-----	85.15	34.71	12.28	31.25	0.00	109	119	AVERAGE																																																																																																					





Mode	7																																																																				
	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																				
ANT	5+4																																																																				
Pol.	Vertical						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.01</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>39.64</td><td>34.00</td><td>12.23</td><td>31.25</td><td>0.00</td><td>339</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5468.49</td><td>57.71</td><td>68.20</td><td>-10.49</td><td>41.95</td><td>34.76</td><td>12.25</td><td>31.25</td><td>0.00</td><td>339</td><td>101</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.01	55.42	74.00	-18.58	39.64	34.00	12.23	31.25	0.00	339	101	PEAK	2	5468.49	57.71	68.20	-10.49	41.95	34.76	12.25	31.25	0.00	339	101	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5452.01	55.42	74.00	-18.58	39.64	34.00	12.23	31.25	0.00	339	101	PEAK																																																									
2	5468.49	57.71	68.20	-10.49	41.95	34.76	12.25	31.25	0.00	339	101	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.09</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.77</td><td>34.78</td><td>12.23</td><td>31.25</td><td>0.00</td><td>339</td><td>101</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	44.53	54.00	-9.47	28.77	34.78	12.23	31.25	0.00	339	101	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5458.09	44.53	54.00	-9.47	28.77	34.78	12.23	31.25	0.00	339	101	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>105.95</td><td>-----</td><td>-----</td><td>90.21</td><td>34.72</td><td>12.27</td><td>31.25</td><td>0.00</td><td>339</td><td>101</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.95	-----	-----	90.21	34.72	12.27	31.25	0.00	339	101	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	105.95	-----	-----	90.21	34.72	12.27	31.25	0.00	339	101	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.74</td><td>-----</td><td>-----</td><td>82.00</td><td>34.71</td><td>12.28</td><td>31.25</td><td>0.00</td><td>339</td><td>101</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.74	-----	-----	82.00	34.71	12.28	31.25	0.00	339	101	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5500.00	97.74	-----	-----	82.00	34.71	12.28	31.25	0.00	339	101	AVERAGE																																																									






		7																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																									
ANT		5+4																																																									
Pol.		Horizontal																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>56.59</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.38	74.00	-28.62	56.59	37.90	17.52	66.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11000.00	45.38	74.00	-28.62	56.59	37.90	17.52	66.63	0.00	---	---	PEAK																																															
		Vertical																																																									
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>56.48</td><td>37.90</td><td>17.52</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.27	74.00	-28.73	56.48	37.90	17.52	66.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11000.00	45.27	74.00	-28.73	56.48	37.90	17.52	66.63	0.00	---	---	PEAK																																															



Mode	8																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH116_5580MHz																																																																																																					
ANT	5+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>56.34</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	45.26	74.00	-28.74	56.34	37.90	17.63	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>55.47</td><td>37.90</td><td>17.63</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	44.39	74.00	-29.61	55.47	37.90	17.63	66.61	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11160.00	45.26	74.00	-28.74	56.34	37.90	17.63	66.61	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11160.00	44.39	74.00	-29.61	55.47	37.90	17.63	66.61	0.00	---	---	PEAK																																																																																											





Mode	9																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																			
ANT	5+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5734.24</td><td>62.58</td><td>68.20</td><td>-5.62</td><td>46.45</td><td>34.87</td><td>12.52</td><td>31.26</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.24	62.58	68.20	-5.62	46.45	34.87	12.52	31.26	0.00	100	119	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5689.20</td><td>107.89</td><td>68.20</td><td>39.69</td><td>91.89</td><td>34.78</td><td>12.48</td><td>31.26</td><td>0.00</td><td>100</td><td>119</td><td></td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5689.20	107.89	68.20	39.69	91.89	34.78	12.48	31.26	0.00	100	119	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5734.24	62.58	68.20	-5.62	46.45	34.87	12.52	31.26	0.00	100	119	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5689.20	107.89	68.20	39.69	91.89	34.78	12.48	31.26	0.00	100	119																																																																																									
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.90</td><td>-----</td><td>-----</td><td>84.90</td><td>34.78</td><td>12.48</td><td>31.26</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.90	-----	-----	84.90	34.78	12.48	31.26	0.00	100	119	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	100.90	-----	-----	84.90	34.78	12.48	31.26	0.00	100	119	AVERAGE																																																																																								







Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																	
ANT	5+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5732.88</td><td>61.16</td><td>68.20</td><td>-7.04</td><td>45.03</td><td>34.87</td><td>12.52</td><td>31.26</td><td>0.00</td><td>306</td><td>98</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5732.88	61.16	68.20	-7.04	45.03	34.87	12.52	31.26	0.00	306	98	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>107.78</td><td>-----</td><td>-----</td><td>91.76</td><td>34.79</td><td>12.49</td><td>31.26</td><td>0.00</td><td>306</td><td>98</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	107.78	-----	-----	91.76	34.79	12.49	31.26	0.00	306	98	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5732.88	61.16	68.20	-7.04	45.03	34.87	12.52	31.26	0.00	306	98	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	107.78	-----	-----	91.76	34.79	12.49	31.26	0.00	306	98	PEAK																																																																																							
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>99.19</td><td>-----</td><td>-----</td><td>83.16</td><td>34.80</td><td>12.49</td><td>31.26</td><td>0.00</td><td>306</td><td>98</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.19	-----	-----	83.16	34.80	12.49	31.26	0.00	306	98	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1 5700.00	99.19	-----	-----	83.16	34.80	12.49	31.26	0.00	306	98	AVERAGE																																																																																							







Mode	9																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																		
ANT	5+4																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>56.10</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.31	74.00	-28.69	56.10	38.00	17.80	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>56.08</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	45.29	74.00	-28.71	56.08	38.00	17.80	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11400.00	45.31	74.00	-28.69	56.10	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11400.00	45.29	74.00	-28.71	56.08	38.00	17.80	66.59	0.00	---	---	PEAK																																																																																							





Mode	10																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																			
ANT	5+4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.25</td><td>62.14</td><td>74.00</td><td>-11.86</td><td>47.07</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>102</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.25	62.14	74.00	-11.86	47.07	34.40	11.91	31.24	0.00	102	118	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.76</td><td>-----</td><td>-----</td><td>93.62</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>102</td><td>118</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.76	-----	-----	93.62	34.45	11.93	31.24	0.00	102	118	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5142.25	62.14	74.00	-11.86	47.07	34.40	11.91	31.24	0.00	102	118	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	108.76	-----	-----	93.62	34.45	11.93	31.24	0.00	102	118	PEAK																																																																																								
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.21</td><td>49.03</td><td>54.00</td><td>-4.97</td><td>33.96</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>102</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.21	49.03	54.00	-4.97	33.96	34.40	11.91	31.24	0.00	102	118	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.04</td><td>-----</td><td>-----</td><td>84.90</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>102</td><td>118</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.04	-----	-----	84.90	34.45	11.93	31.24	0.00	102	118	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5141.21	49.03	54.00	-4.97	33.96	34.40	11.91	31.24	0.00	102	118	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	100.04	-----	-----	84.90	34.45	11.93	31.24	0.00	102	118	AVERAGE																																																																																								





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																		
ANT	5+4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.85</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>43.53</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>307</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.85	58.60	74.00	-15.40	43.53	34.40	11.91	31.24	0.00	307	85	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.30</td><td>-----</td><td>-----</td><td>90.16</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>307</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.30	-----	-----	90.16	34.45	11.93	31.24	0.00	307	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5137.85	58.60	74.00	-15.40	43.53	34.40	11.91	31.24	0.00	307	85	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	105.30	-----	-----	90.16	34.45	11.93	31.24	0.00	307	85	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>47.86</td><td>54.00</td><td>-6.14</td><td>32.79</td><td>34.40</td><td>11.91</td><td>31.24</td><td>0.00</td><td>307</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	47.86	54.00	-6.14	32.79	34.40	11.91	31.24	0.00	307	85	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.84</td><td>-----</td><td>-----</td><td>80.70</td><td>34.45</td><td>11.93</td><td>31.24</td><td>0.00</td><td>307</td><td>85</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.84	-----	-----	80.70	34.45	11.93	31.24	0.00	307	85
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.99	47.86	54.00	-6.14	32.79	34.40	11.91	31.24	0.00	307	85	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	95.84	-----	-----	80.70	34.45	11.93	31.24	0.00	307	85	AVERAGE																																																																																							





Mode	10																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Full_5180MHz																																																																																																					
ANT	5+4																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10360.00</td><td>47.11</td><td>68.20</td><td>-21.09</td><td>59.93</td><td>37.36</td><td>16.85</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	47.11	68.20	-21.09	59.93	37.36	16.85	67.03	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 10360.00</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>57.68</td><td>37.36</td><td>16.85</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	44.86	68.20	-23.34	57.68	37.36	16.85	67.03	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 10360.00	47.11	68.20	-21.09	59.93	37.36	16.85	67.03	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 10360.00	44.86	68.20	-23.34	57.68	37.36	16.85	67.03	0.00	---	---	PEAK																																																																																											





Mode	11																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11be EHT20_CH44_Full_5220MHz																																																																																																								
ANT	5+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>57.74</td><td>37.47</td><td>16.93</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.08	68.20	-23.12	57.74	37.47	16.93	67.06	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.81</td><td>68.20</td><td>-23.39</td><td>57.47</td><td>37.47</td><td>16.93</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	44.81	68.20	-23.39	57.47	37.47	16.93	67.06	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10440.00	45.08	68.20	-23.12	57.74	37.47	16.93	67.06	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10440.00	44.81	68.20	-23.39	57.47	37.47	16.93	67.06	0.00	---	---	PEAK																																																																																													





Mode	12																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT20_CH48_Full_5240MHz																																																																																																		
ANT	5+4																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.75</td><td>68.20</td><td>-23.45</td><td>57.28</td><td>37.56</td><td>16.98</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.75	68.20	-23.45	57.28	37.56	16.98	67.07	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.52</td><td>68.20</td><td>-23.68</td><td>57.04</td><td>37.57</td><td>16.98</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.52	68.20	-23.68	57.04	37.57	16.98	67.07	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	44.75	68.20	-23.45	57.28	37.56	16.98	67.07	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	44.52	68.20	-23.68	57.04	37.57	16.98	67.07	0.00	---	---	PEAK																																																																																							







Mode	13																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11be EHT20_CH52_Full_5280MHz																																																																																																				
ANT	5+4																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10560.00</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>57.22</td><td>37.66</td><td>17.06</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10560.00	44.92	68.20	-23.28	57.22	37.66	17.06	67.02	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10560.00</td><td>45.33</td><td>68.20</td><td>-22.87</td><td>57.64</td><td>37.66</td><td>17.06</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10560.00	45.33	68.20	-22.87	57.64	37.66	17.06	67.03	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10560.00	44.92	68.20	-23.28	57.22	37.66	17.06	67.02	0.00	---	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 10560.00	45.33	68.20	-22.87	57.64	37.66	17.06	67.03	0.00	---	---	PEAK																																																																																										



Mode	14																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11be EHT20_CH60_Full_5300MHz																																																																																																																								
ANT	5+4																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10600.00</td><td>44.02</td><td>68.20</td><td>-24.18</td><td>56.21</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.02	68.20	-24.18	56.21	37.70	17.10	66.99	0.00	---											PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10600.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>57.19</td><td>37.70</td><td>17.10</td><td>66.99</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	45.00	68.20	-23.20	57.19	37.70	17.10	66.99	0.00	---										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10600.00	44.02	68.20	-24.18	56.21	37.70	17.10	66.99	0.00	---																																																																																																															
										PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10600.00	45.00	68.20	-23.20	57.19	37.70	17.10	66.99	0.00	---																																																																																																															
										PEAK																																																																																																															



Mode	15																																																																																																
	Band Edge																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Full_5320MHz																																																																																																
ANT	5+4																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5355.15</td><td>63.44</td><td>74.00</td><td>-10.56</td><td>48.05</td><td>34.52</td><td>12.12</td><td>31.25</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5355.15	63.44	74.00	-10.56	48.05	34.52	12.12	31.25	0.00	100	118	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.34</td><td>-----</td><td>-----</td><td>93.01</td><td>34.50</td><td>12.07</td><td>31.24</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	108.34	-----	-----	93.01	34.50	12.07	31.24	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5355.15	63.44	74.00	-10.56	48.05	34.52	12.12	31.25	0.00	100	118	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5320.00	108.34	-----	-----	93.01	34.50	12.07	31.24	0.00	100	118	PEAK																																																																																					
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.33</td><td>49.96</td><td>54.00</td><td>-4.04</td><td>34.57</td><td>34.52</td><td>12.12</td><td>31.25</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5354.33	49.96	54.00	-4.04	34.57	34.52	12.12	31.25	0.00	100	118	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>99.52</td><td>-----</td><td>-----</td><td>84.18</td><td>34.50</td><td>12.08</td><td>31.24</td><td>0.00</td><td>100</td><td>118</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	99.52	-----	-----	84.18	34.50	12.08	31.24	0.00	100	118
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5354.33	49.96	54.00	-4.04	34.57	34.52	12.12	31.25	0.00	100	118	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5320.00	99.52	-----	-----	84.18	34.50	12.08	31.24	0.00	100	118	AVERAGE																																																																																					