









Mode	88																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①_5775MHz																																																																																																																						
ANT	5+4																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>47.26</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.39</td><td>68.20</td><td>-10.81</td><td>46.85</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>66.00</td><td>105.97</td><td>-39.17</td><td>56.15</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.86</td><td>110.90</td><td>-44.04</td><td>56.19</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5649.20	57.81	68.20	-10.39	47.26	34.50	12.35	36.30	0.00	100	262 PEAK	2	5650.00	57.39	68.20	-10.81	46.85	34.50	12.35	36.31	0.00	100	262 PEAK	3	5702.40	66.00	105.97	-39.17	56.15	34.60	12.40	36.35	0.00	100	262 PEAK	4	5720.00	66.86	110.90	-44.04	56.19	34.64	12.42	36.39	0.00	100	262 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>107.33</td><td>-----</td><td>-----</td><td>96.43</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	107.33	-----	-----	96.43	34.93	12.48	36.51	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5649.20	57.81	68.20	-10.39	47.26	34.50	12.35	36.30	0.00	100	262 PEAK																																																																																																												
2	5650.00	57.39	68.20	-10.81	46.85	34.50	12.35	36.31	0.00	100	262 PEAK																																																																																																												
3	5702.40	66.00	105.97	-39.17	56.15	34.60	12.40	36.35	0.00	100	262 PEAK																																																																																																												
4	5720.00	66.86	110.90	-44.04	56.19	34.64	12.42	36.39	0.00	100	262 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5775.00	107.33	-----	-----	96.43	34.93	12.48	36.51	0.00	100	262 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.58</td><td>-----</td><td>-----</td><td>85.78</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>100</td><td>262 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	96.58	-----	-----	85.78	34.82	12.46	36.48	0.00	100	262 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5775.00	96.58	-----	-----	85.78	34.82	12.46	36.48	0.00	100	262 AVERAGE																																																																																																												




Mode	88																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①_5775MHz																																																																																
ANT	5+4																																																																																
Pol.	Horizontal						Fundamental																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5851.60</td><td>71.60</td><td>118.65</td><td>-47.05</td><td>60.55</td><td>35.11</td><td>12.56</td><td>36.62</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>63.91</td><td>106.59</td><td>-42.68</td><td>52.80</td><td>35.18</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.29</td><td>68.64</td><td>-15.35</td><td>42.15</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>54.99</td><td>68.20</td><td>-13.21</td><td>43.87</td><td>35.30</td><td>12.67</td><td>36.85</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5851.60	71.60	118.65	-47.05	60.55	35.11	12.56	36.62	0.00	100	262 PEAK	2	5870.40	63.91	106.59	-42.68	52.80	35.18	12.59	36.66	0.00	100	262 PEAK	3	5924.40	53.29	68.64	-15.35	42.15	35.30	12.66	36.82	0.00	100	262 PEAK	4	5930.00	54.99	68.20	-13.21	43.87	35.30	12.67	36.85	0.00	100	262 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																							
1	5851.60	71.60	118.65	-47.05	60.55	35.11	12.56	36.62	0.00	100	262 PEAK																																																																						
2	5870.40	63.91	106.59	-42.68	52.80	35.18	12.59	36.66	0.00	100	262 PEAK																																																																						
3	5924.40	53.29	68.64	-15.35	42.15	35.30	12.66	36.82	0.00	100	262 PEAK																																																																						
4	5930.00	54.99	68.20	-13.21	43.87	35.30	12.67	36.85	0.00	100	262 PEAK																																																																						






Mode	88																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①_5775MHz																																																																																							
ANT	5+4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.00</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>46.47</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>281 92 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>57.06</td><td>69.09</td><td>-12.03</td><td>46.51</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>281 92 PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>67.61</td><td>109.67</td><td>-42.06</td><td>56.95</td><td>34.63</td><td>12.41</td><td>36.38</td><td>0.00</td><td>281 92 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.31</td><td>110.90</td><td>-43.59</td><td>56.64</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>281 92 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	57.02	68.20	-11.18	46.47	34.50	12.34	36.29	0.00	281 92 PEAK	2	5651.20	57.06	69.09	-12.03	46.51	34.50	12.36	36.31	0.00	281 92 PEAK	3	5715.60	67.61	109.67	-42.06	56.95	34.63	12.41	36.38	0.00	281 92 PEAK	4	5720.00	67.31	110.90	-43.59	56.64	34.64	12.42	36.39	0.00	281 92 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5634.00	57.02	68.20	-11.18	46.47	34.50	12.34	36.29	0.00	281 92 PEAK																																																																														
2	5651.20	57.06	69.09	-12.03	46.51	34.50	12.36	36.31	0.00	281 92 PEAK																																																																														
3	5715.60	67.61	109.67	-42.06	56.95	34.63	12.41	36.38	0.00	281 92 PEAK																																																																														
4	5720.00	67.31	110.90	-43.59	56.64	34.64	12.42	36.39	0.00	281 92 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.63</td><td>-----</td><td>-----</td><td>85.73</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>281 92 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.63	-----	-----	85.73	34.93	12.48	36.51	0.00	281 92 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5775.00	96.63	-----	-----	85.73	34.93	12.48	36.51	0.00	281 92 AVERAGE																																																																														




Mode	88																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①_5775MHz																																																																														
ANT	5+4																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>66.56</td><td>111.36</td><td>-44.80</td><td>55.51</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>281 92 PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>65.96</td><td>107.15</td><td>-41.19</td><td>54.86</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>281 92 PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>55.73</td><td>69.83</td><td>-14.10</td><td>44.58</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>281 92 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>44.91</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>281 92 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	66.56	111.36	-44.80	55.51	35.12	12.56	36.63	0.00	281 92 PEAK	2	5868.40	65.96	107.15	-41.19	54.86	35.17	12.58	36.65	0.00	281 92 PEAK	3	5922.80	55.73	69.83	-14.10	44.58	35.30	12.66	36.81	0.00	281 92 PEAK	4	5926.40	56.04	68.20	-12.16	44.91	35.30	12.66	36.83	0.00	281 92 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.80	66.56	111.36	-44.80	55.51	35.12	12.56	36.63	0.00	281 92 PEAK																																																																					
2	5868.40	65.96	107.15	-41.19	54.86	35.17	12.58	36.65	0.00	281 92 PEAK																																																																					
3	5922.80	55.73	69.83	-14.10	44.58	35.30	12.66	36.81	0.00	281 92 PEAK																																																																					
4	5926.40	56.04	68.20	-12.16	44.91	35.30	12.66	36.83	0.00	281 92 PEAK																																																																					





Mode	89																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④_5775MHz																																																																																																																																								
ANT	5+4																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with several peaks. A red line indicates the limit. The x-axis ranges from 5600 to 6000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. Four peaks are labeled with numbers 1, 2, 3, and 4. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5644.00</td><td>59.46</td><td>68.20</td><td>-8.74</td><td>48.91</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>47.09</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>70.04</td><td>107.43</td><td>-37.39</td><td>59.37</td><td>34.62</td><td>12.41</td><td>36.36</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>67.06</td><td>111.81</td><td>-44.75</td><td>56.39</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	59.46	68.20	-8.74	48.91	34.50	12.35	36.30	0.00	100	262 PEAK	2	5650.00	57.63	68.20	-10.57	47.09	34.50	12.35	36.31	0.00	100	262 PEAK	3	5707.60	70.04	107.43	-37.39	59.37	34.62	12.41	36.36	0.00	100	262 PEAK	4	5720.40	67.06	111.81	-44.75	56.39	34.64	12.42	36.39	0.00	100	262 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a single sharp peak at 5775 MHz. A red line indicates the limit. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.13</td><td>-----</td><td>-----</td><td>95.33</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.13	-----	-----	95.33	34.82	12.46	36.48	0.00	100	262 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5644.00	59.46	68.20	-8.74	48.91	34.50	12.35	36.30	0.00	100	262 PEAK																																																																																																																														
2	5650.00	57.63	68.20	-10.57	47.09	34.50	12.35	36.31	0.00	100	262 PEAK																																																																																																																														
3	5707.60	70.04	107.43	-37.39	59.37	34.62	12.41	36.36	0.00	100	262 PEAK																																																																																																																														
4	5720.40	67.06	111.81	-44.75	56.39	34.64	12.42	36.39	0.00	100	262 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	106.13	-----	-----	95.33	34.82	12.46	36.48	0.00	100	262 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a blue signal line with a single sharp peak at 5775 MHz. A red line indicates the limit. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 130 dBuV/m. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.36</td><td>-----</td><td>-----</td><td>85.64</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>100</td><td>262 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.36	-----	-----	85.64	34.71	12.45	36.44	0.00	100	262 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	96.36	-----	-----	85.64	34.71	12.45	36.44	0.00	100	262 AVERAGE																																																																																																																														




Mode	89																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④_5775MHz																																																																																											
ANT	5+4																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>58.95</td><td>111.36</td><td>-52.41</td><td>47.90</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>62.83</td><td>107.93</td><td>-45.10</td><td>51.74</td><td>35.16</td><td>12.58</td><td>36.65</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.97</td><td>68.35</td><td>-15.38</td><td>41.83</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr><tr><td>4</td><td>5939.20</td><td>53.22</td><td>68.20</td><td>-14.98</td><td>42.13</td><td>35.30</td><td>12.68</td><td>36.89</td><td>0.00</td><td>100</td><td>262 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	58.95	111.36	-52.41	47.90	35.12	12.56	36.63	0.00	100	262 PEAK	2	5865.60	62.83	107.93	-45.10	51.74	35.16	12.58	36.65	0.00	100	262 PEAK	3	5924.80	52.97	68.35	-15.38	41.83	35.30	12.66	36.82	0.00	100	262 PEAK	4	5939.20	53.22	68.20	-14.98	42.13	35.30	12.68	36.89	0.00	100	262 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.80	58.95	111.36	-52.41	47.90	35.12	12.56	36.63	0.00	100	262 PEAK																																																																																	
2	5865.60	62.83	107.93	-45.10	51.74	35.16	12.58	36.65	0.00	100	262 PEAK																																																																																	
3	5924.80	52.97	68.35	-15.38	41.83	35.30	12.66	36.82	0.00	100	262 PEAK																																																																																	
4	5939.20	53.22	68.20	-14.98	42.13	35.30	12.68	36.89	0.00	100	262 PEAK																																																																																	







Mode	89																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ④_5775MHz																																																																																							
ANT	5+4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.20</td><td>58.01</td><td>68.20</td><td>-10.19</td><td>47.46</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr><tr><td>2 5651.60</td><td>56.51</td><td>69.39</td><td>-12.88</td><td>45.96</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr><tr><td>3 5717.20</td><td>74.65</td><td>110.12</td><td>-35.47</td><td>63.98</td><td>34.63</td><td>12.42</td><td>36.38</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr><tr><td>4 5720.00</td><td>72.22</td><td>110.90</td><td>-38.68</td><td>61.55</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5629.20	58.01	68.20	-10.19	47.46	34.50	12.34	36.29	0.00	280	93 PEAK	2 5651.60	56.51	69.39	-12.88	45.96	34.50	12.36	36.31	0.00	280	93 PEAK	3 5717.20	74.65	110.12	-35.47	63.98	34.63	12.42	36.38	0.00	280	93 PEAK	4 5720.00	72.22	110.90	-38.68	61.55	34.64	12.42	36.39	0.00	280	93 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5629.20	58.01	68.20	-10.19	47.46	34.50	12.34	36.29	0.00	280	93 PEAK																																																																														
2 5651.60	56.51	69.39	-12.88	45.96	34.50	12.36	36.31	0.00	280	93 PEAK																																																																														
3 5717.20	74.65	110.12	-35.47	63.98	34.63	12.42	36.38	0.00	280	93 PEAK																																																																														
4 5720.00	72.22	110.90	-38.68	61.55	34.64	12.42	36.39	0.00	280	93 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>105.13</td><td>-----</td><td>-----</td><td>94.27</td><td>34.89</td><td>12.47</td><td>36.50</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	105.13	-----	-----	94.27	34.89	12.47	36.50	0.00	280	93 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	105.13	-----	-----	94.27	34.89	12.47	36.50	0.00	280	93 PEAK																																																																														





Mode	89																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Puncturing 20M ①_5775MHz																																																																																		
ANT	5+4																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>63.57</td><td>114.09</td><td>-50.52</td><td>52.53</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr><tr><td>2</td><td>5868.00</td><td>58.95</td><td>107.03</td><td>-48.00</td><td>47.04</td><td>35.18</td><td>12.58</td><td>36.65</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.69</td><td>68.35</td><td>-15.66</td><td>41.55</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>52.94</td><td>68.20</td><td>-15.26</td><td>41.81</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>280</td><td>93 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	63.57	114.09	-50.52	52.53	35.11	12.56	36.63	0.00	280	93 PEAK	2	5868.00	58.95	107.03	-48.00	47.04	35.18	12.58	36.65	0.00	280	93 PEAK	3	5924.00	52.69	68.35	-15.66	41.55	35.30	12.66	36.82	0.00	280	93 PEAK	4	5926.00	52.94	68.20	-15.26	41.81	35.30	12.66	36.83	0.00	280	93 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5853.60	63.57	114.09	-50.52	52.53	35.11	12.56	36.63	0.00	280	93 PEAK																																																																								
2	5868.00	58.95	107.03	-48.00	47.04	35.18	12.58	36.65	0.00	280	93 PEAK																																																																								
3	5924.00	52.69	68.35	-15.66	41.55	35.30	12.66	36.82	0.00	280	93 PEAK																																																																								
4	5926.00	52.94	68.20	-15.26	41.81	35.30	12.66	36.83	0.00	280	93 PEAK																																																																								







Mode	90																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ①_5210MHz																																																																																																																		
ANT	5+4																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.60</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>48.14</td><td>34.09</td><td>11.80</td><td>37.02</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.60	57.01	74.00	-16.99	48.14	34.09	11.80	37.02	0.00	100	117	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.87</td><td>-----</td><td>-----</td><td>91.89</td><td>34.28</td><td>11.84</td><td>37.14</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.87	-----	-----	91.89	34.28	11.84	37.14	0.00	100	117
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5145.60	57.01	74.00	-16.99	48.14	34.09	11.80	37.02	0.00	100	117	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5210.00	100.87	-----	-----	91.89	34.28	11.84	37.14	0.00	100	117	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.64</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>35.71</td><td>34.09</td><td>11.79</td><td>37.02</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.64	44.57	54.00	-9.43	35.71	34.09	11.79	37.02	0.00	100	117	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.32</td><td>-----</td><td>-----</td><td>82.40</td><td>34.18</td><td>11.82</td><td>37.00</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.32	-----	-----	82.40	34.18	11.82	37.00	0.00	100	117
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5144.64	44.57	54.00	-9.43	35.71	34.09	11.79	37.02	0.00	100	117	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	5210.00	91.32	-----	-----	82.40	34.18	11.82	37.00	0.00	100	117	AVERAGE																																																																																																							





Mode	90																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ①_5210MHz																																														
ANT	5+4																																														
Pol.	Horizontal	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.36</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>41.04</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.36	51.10	74.00	-22.90	41.04	34.60	11.97	36.51	0.00	100	117 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5355.36	51.10	74.00	-22.90	41.04	34.60	11.97	36.51	0.00	100	117 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.64</td><td>40.77</td><td>54.00</td><td>-13.23</td><td>30.68</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.64	40.77	54.00	-13.23	30.68	34.60	11.98	36.49	0.00	100	117 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5363.64	40.77	54.00	-13.23	30.68	34.60	11.98	36.49	0.00	100	117 AVERAGE																																				







		90																																																				
Mode		Band Edge - L																																																				
		U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ①_5210MHz																																																				
ANT		5+4																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>55.06</td><td>74.00</td><td>-18.94</td><td>46.19</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>382 10 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	55.06	74.00	-18.94	46.19	34.10	11.80	37.03	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5148.64	55.06	74.00	-18.94	46.19	34.10	11.80	37.03	0.00	382 10 PEAK																																												
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>44.08</td><td>54.00</td><td>-9.92</td><td>35.21</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>382 10 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	44.08	54.00	-9.92	35.21	34.10	11.80	37.03	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.92	44.08	54.00	-9.92	35.21	34.10	11.80	37.03	0.00	382 10 AVERAGE																																												
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.14</td><td>-----</td><td>-----</td><td>91.19</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>382 10 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.14	-----	-----	91.19	34.23	11.83	37.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	100.14	-----	-----	91.19	34.23	11.83	37.11	0.00	382 10 PEAK																																												
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>91.04</td><td>-----</td><td>-----</td><td>82.09</td><td>34.23</td><td>11.83</td><td>37.11</td><td>0.00</td><td>382 10 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	91.04	-----	-----	82.09	34.23	11.83	37.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5210.00	91.04	-----	-----	82.09	34.23	11.83	37.11	0.00	382 10 AVERAGE																																												





Mode	90																																														
	Band Edge - R																																														
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ①_5210MHz																																														
ANT	5+4																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.66</td><td>50.96</td><td>74.00</td><td>-23.04</td><td>40.87</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>382</td><td>10 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.66	50.96	74.00	-23.04	40.87	34.60	11.98	36.49	0.00	382	10 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5361.66	50.96	74.00	-23.04	40.87	34.60	11.98	36.49	0.00	382	10 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5363.64</td><td>39.81</td><td>54.00</td><td>-14.19</td><td>29.72</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>382</td><td>10 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.64	39.81	54.00	-14.19	29.72	34.60	11.98	36.49	0.00	382	10 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5363.64	39.81	54.00	-14.19	29.72	34.60	11.98	36.49	0.00	382	10 AVERAGE																																				







Mode	91																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ②_5290MHz																																																																																																						
ANT	5+4																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.76</td><td>52.60</td><td>74.00</td><td>-21.40</td><td>43.74</td><td>34.04</td><td>11.77</td><td>36.95</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.76	52.60	74.00	-21.40	43.74	34.04	11.77	36.95	0.00	100	222	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>101.98</td><td>-----</td><td>-----</td><td>92.17</td><td>34.58</td><td>11.92</td><td>36.69</td><td>0.00</td><td>100</td><td>222</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	101.98	-----	-----	92.17	34.58	11.92	36.69	0.00	100	222
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5117.76	52.60	74.00	-21.40	43.74	34.04	11.77	36.95	0.00	100	222	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	101.98	-----	-----	92.17	34.58	11.92	36.69	0.00	100	222	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.32</td><td>40.64</td><td>54.00</td><td>-13.36</td><td>31.77</td><td>34.07</td><td>11.79</td><td>36.99</td><td>0.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.32	40.64	54.00	-13.36	31.77	34.07	11.79	36.99	0.00	100	222	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.27</td><td>-----</td><td>-----</td><td>81.75</td><td>34.51</td><td>11.89</td><td>36.88</td><td>0.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.27	-----	-----	81.75	34.51	11.89	36.88	0.00	100	222
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5136.32	40.64	54.00	-13.36	31.77	34.07	11.79	36.99	0.00	100	222	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5290.00	91.27	-----	-----	81.75	34.51	11.89	36.88	0.00	100	222	AVERAGE																																																																																											



Mode	91																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ②_5290MHz																																																							
ANT	5+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.70</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>42.65</td><td>34.60</td><td>12.00</td><td>36.43</td><td>0.00</td><td>100</td><td>222 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.70	52.82	74.00	-21.18	42.65	34.60	12.00	36.43	0.00	100	222 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5385.70	52.82	74.00	-21.18	42.65	34.60	12.00	36.43	0.00	100	222 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.90</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>31.82</td><td>34.60</td><td>12.00</td><td>36.44</td><td>0.00</td><td>100</td><td>222 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.90	41.98	54.00	-12.02	31.82	34.60	12.00	36.44	0.00	100	222 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5384.90	41.98	54.00	-12.02	31.82	34.60	12.00	36.44	0.00	100	222 AVERAGE																																													







Mode	91																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ②_5290MHz																																																																																																	
ANT	5+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5106.56</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>42.87</td><td>34.01</td><td>11.76</td><td>36.92</td><td>0.00</td><td>289 107 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.56	51.72	74.00	-22.28	42.87	34.01	11.76	36.92	0.00	289 107 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>99.67</td><td>-----</td><td>-----</td><td>89.70</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>289 107 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.67	-----	-----	89.70	34.60	11.95	36.58	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5106.56	51.72	74.00	-22.28	42.87	34.01	11.76	36.92	0.00	289 107 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	99.67	-----	-----	89.70	34.60	11.95	36.58	0.00	289 107 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.32</td><td>40.04</td><td>54.00</td><td>-13.96</td><td>31.17</td><td>34.07</td><td>11.79</td><td>36.99</td><td>0.00</td><td>289 107 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.32	40.04	54.00	-13.96	31.17	34.07	11.79	36.99	0.00	289 107 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.23</td><td>-----</td><td>-----</td><td>81.26</td><td>34.60</td><td>11.95</td><td>36.58</td><td>0.00</td><td>289 107 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.23	-----	-----	81.26	34.60	11.95	36.58	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5136.32	40.04	54.00	-13.96	31.17	34.07	11.79	36.99	0.00	289 107 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	91.23	-----	-----	81.26	34.60	11.95	36.58	0.00	289 107 AVERAGE																																																																																								




Mode	91																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Large RU 484+242 ②_5290MHz																																													
ANT	5+4																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.90</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>46.19</td><td>34.60</td><td>11.98</td><td>36.49</td><td>0.00</td><td>289 107 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.90	56.28	74.00	-17.72	46.19	34.60	11.98	36.49	0.00	289 107 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5362.90	56.28	74.00	-17.72	46.19	34.60	11.98	36.49	0.00	289 107 PEAK																																				
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.30</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>32.52</td><td>34.60</td><td>11.99</td><td>36.46</td><td>0.00</td><td>289 107 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.30	42.65	54.00	-11.35	32.52	34.60	11.99	36.46	0.00	289 107 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5376.30	42.65	54.00	-11.35	32.52	34.60	11.99	36.46	0.00	289 107 AVERAGE																																				







Mode	92																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242 ①_5530MHz																																																																																																							
ANT	5+4																																																																																																							
Pol.	Horizontal	Fundamental																																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>58.09</td><td>74.00</td><td>-15.91</td><td>47.76</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>216 PEAK</td></tr><tr><td>2</td><td>5463.12</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>48.48</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>216 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	58.09	74.00	-15.91	47.76	34.67	12.10	36.44	0.00	100	216 PEAK	2	5463.12	58.79	68.20	-9.41	48.48	34.65	12.10	36.44	0.00	100	216 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>100.60</td><td>-----</td><td>-----</td><td>90.37</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>100</td><td>216 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.60	-----	-----	90.37	34.45	12.20	36.42	0.00	100	216 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5457.04	58.09	74.00	-15.91	47.76	34.67	12.10	36.44	0.00	100	216 PEAK																																																																																													
2	5463.12	58.79	68.20	-9.41	48.48	34.65	12.10	36.44	0.00	100	216 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5530.00	100.60	-----	-----	90.37	34.45	12.20	36.42	0.00	100	216 PEAK																																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>37.45</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>216 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	47.77	54.00	-6.23	37.45	34.66	12.10	36.44	0.00	100	216 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.90</td><td>-----</td><td>-----</td><td>79.67</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>100</td><td>216 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.90	-----	-----	79.67	34.44	12.20	36.41	0.00	100	216 AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.92	47.77	54.00	-6.23	37.45	34.66	12.10	36.44	0.00	100	216 AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5530.00	89.90	-----	-----	79.67	34.44	12.20	36.41	0.00	100	216 AVERAGE																																																																																													



Mode	92																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_ Large RU 484+242 ①_5530MHz																																																							
ANT	5+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.08</td><td>52.02</td><td>68.20</td><td>-16.18</td><td>41.28</td><td>34.75</td><td>12.45</td><td>36.46</td><td>0.00</td><td>100</td><td>216</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.08	52.02	68.20	-16.18	41.28	34.75	12.45	36.46	0.00	100	216	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.08	52.02	68.20	-16.18	41.28	34.75	12.45	36.46	0.00	100	216	PEAK																																												







Mode	92																																																																		
	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Large RU 484+242 ④_5530MHz																																																																		
ANT	5+4																																																																		
Pol.	Vertical																																																																		
Peak	Fundamental																																																																		
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>47.23</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>47.08</td><td>34.65</td><td>12.11</td><td>36.44</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	57.56	74.00	-16.44	47.23	34.67	12.10	36.44	0.00	300	95 PEAK	2	5463.44	57.40	68.20	-10.80	47.08	34.65	12.11	36.44	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5458.32	57.56	74.00	-16.44	47.23	34.67	12.10	36.44	0.00	300	95 PEAK																																																								
2	5463.44	57.40	68.20	-10.80	47.08	34.65	12.11	36.44	0.00	300	95 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>35.41</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>95 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	45.73	54.00	-8.27	35.41	34.66	12.10	36.44	0.00	300	95 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	45.73	54.00	-8.27	35.41	34.66	12.10	36.44	0.00	300	95 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.51</td><td>-----</td><td>-----</td><td>87.29</td><td>34.48</td><td>12.18</td><td>36.44</td><td>0.00</td><td>300</td><td>95 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.51	-----	-----	87.29	34.48	12.18	36.44	0.00	300	95 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	97.51	-----	-----	87.29	34.48	12.18	36.44	0.00	300	95 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>88.33</td><td>-----</td><td>-----</td><td>78.07</td><td>34.40</td><td>12.23</td><td>36.37</td><td>0.00</td><td>300</td><td>95 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.33	-----	-----	78.07	34.40	12.23	36.37	0.00	300	95 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5530.00	88.33	-----	-----	78.07	34.40	12.23	36.37	0.00	300	95 AVERAGE																																																								



Mode	92																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_ Large RU 484+242 ①_5530MHz																																																						
ANT	5+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.20</td><td>51.67</td><td>68.20</td><td>-16.53</td><td>40.98</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>300</td><td>95</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.20	51.67	68.20	-16.53	40.98	34.67	12.43	36.41	0.00	300	95	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5734.20	51.67	68.20	-16.53	40.98	34.67	12.43	36.41	0.00	300	95	PEAK																																											







Mode	93																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-2C_5.47-5.85_802.11be EHT80_CH122_Large RU 484+242 ②_5610MHz																																																																																																																																
ANT	5+4																																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																																										
Peak																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5406.00</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>41.70</td><td>34.61</td><td>12.02</td><td>36.40</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5465.84</td><td>53.78</td><td>68.20</td><td>-14.42</td><td>43.48</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.00	51.93	74.00	-22.07	41.70	34.61	12.02	36.40	0.00	100	264	PEAK	2	5465.84	53.78	68.20	-14.42	43.48	34.64	12.11	36.45	0.00	100	264	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.83</td><td>-----</td><td>-----</td><td>94.28</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.83	-----	-----	94.28	34.50	12.33	36.28	0.00	100	264	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5406.00	51.93	74.00	-22.07	41.70	34.61	12.02	36.40	0.00	100	264	PEAK																																																																																																																					
2	5465.84	53.78	68.20	-14.42	43.48	34.64	12.11	36.45	0.00	100	264	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5610.00	104.83	-----	-----	94.28	34.50	12.33	36.28	0.00	100	264	PEAK																																																																																																																					
Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.92</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>31.29</td><td>34.70</td><td>12.00</td><td>36.43</td><td>0.00</td><td>100</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.92	41.64	54.00	-12.36	31.29	34.70	12.00	36.43	0.00	100	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.14</td><td>-----</td><td>-----</td><td>84.59</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>100</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.14	-----	-----	84.59	34.50	12.33	36.28	0.00	100	264	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5447.92	41.64	54.00	-12.36	31.29	34.70	12.00	36.43	0.00	100	264	AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5610.00	95.14	-----	-----	84.59	34.50	12.33	36.28	0.00	100	264	AVERAGE																																																																																																																					



Mode	93																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.85_802.11be EHT80_CH122_Large RU 484+242 ②_5610MHz																																																						
ANT	5+4																																																						
Pol.	Horizontal						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.64</td><td>57.26</td><td>68.20</td><td>-10.94</td><td>46.51</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>264</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.64	57.26	68.20	-10.94	46.51	34.75	12.45	36.45	0.00	100	264	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5757.64	57.26	68.20	-10.94	46.51	34.75	12.45	36.45	0.00	100	264	PEAK																																											







Mode	93																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.85_802.11be EHT80_CH122_Large RU 484+242 ②_5610MHz																																																																																																																
ANT	5+4																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5429.68</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>42.38</td><td>34.66</td><td>12.05</td><td>36.42</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>53.07</td><td>68.20</td><td>-15.13</td><td>42.77</td><td>34.64</td><td>12.11</td><td>36.45</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.68	52.67	74.00	-21.33	42.38	34.66	12.05	36.42	0.00	300	105 PEAK	2	5466.00	53.07	68.20	-15.13	42.77	34.64	12.11	36.45	0.00	300	105 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.33</td><td>-----</td><td>-----</td><td>92.78</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>300</td><td>105 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.33	-----	-----	92.78	34.50	12.35	36.30	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5429.68	52.67	74.00	-21.33	42.38	34.66	12.05	36.42	0.00	300	105 PEAK																																																																																																						
2	5466.00	53.07	68.20	-15.13	42.77	34.64	12.11	36.45	0.00	300	105 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	103.33	-----	-----	92.78	34.50	12.35	36.30	0.00	300	105 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>41.32</td><td>54.00</td><td>-12.68</td><td>31.00</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	41.32	54.00	-12.68	31.00	34.66	12.10	36.44	0.00	300	105 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.12</td><td>-----</td><td>-----</td><td>83.57</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.12	-----	-----	83.57	34.50	12.35	36.30	0.00	300	105 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	41.32	54.00	-12.68	31.00	34.66	12.10	36.44	0.00	300	105 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	94.12	-----	-----	83.57	34.50	12.35	36.30	0.00	300	105 AVERAGE																																																																																																						



Mode	93																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.85_802.11be EHT80_CH122_Large RU 484+242 ②_5610MHz																																																							
ANT	5+4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.04</td><td>55.29</td><td>68.20</td><td>-12.91</td><td>44.60</td><td>34.68</td><td>12.43</td><td>36.42</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.04	55.29	68.20	-12.91	44.60	34.68	12.43	36.42	0.00	300	105	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.04	55.29	68.20	-12.91	44.60	34.68	12.43	36.42	0.00	300	105	PEAK																																												







Mode	94																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																																																																					
ANT	5+4																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5130.25</td><td>59.28</td><td>74.00</td><td>-14.72</td><td>50.42</td><td>34.06</td><td>11.78</td><td>36.98</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.25	59.28	74.00	-14.72	50.42	34.06	11.78	36.98	0.00	100	117 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>98.16</td><td>-----</td><td>-----</td><td>89.05</td><td>34.35</td><td>11.86</td><td>37.10</td><td>0.00</td><td>100</td><td>117 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.16	-----	-----	89.05	34.35	11.86	37.10	0.00	100	117 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5130.25	59.28	74.00	-14.72	50.42	34.06	11.78	36.98	0.00	100	117 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5250.00	98.16	-----	-----	89.05	34.35	11.86	37.10	0.00	100	117 PEAK																																																																																											
Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.25</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>35.42</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.25	44.29	54.00	-9.71	35.42	34.10	11.80	37.03	0.00	100	117 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>88.10</td><td>-----</td><td>-----</td><td>78.81</td><td>34.42</td><td>11.87</td><td>37.00</td><td>0.00</td><td>100</td><td>117 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	88.10	-----	-----	78.81	34.42	11.87	37.00	0.00	100	117 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5149.25	44.29	54.00	-9.71	35.42	34.10	11.80	37.03	0.00	100	117 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5250.00	88.10	-----	-----	78.81	34.42	11.87	37.00	0.00	100	117 AVERAGE																																																																																											



Mode	94																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																													
ANT	5+4																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.74</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>45.73</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>100</td><td>117</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.74	55.79	74.00	-18.21	45.73	34.60	11.97	36.51	0.00	100	117	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5353.74	55.79	74.00	-18.21	45.73	34.60	11.97	36.51	0.00	100	117	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.69</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>34.23</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>100</td><td>117</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.69	44.29	54.00	-9.71	34.23	34.60	11.97	36.51	0.00	100	117	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5352.69	44.29	54.00	-9.71	34.23	34.60	11.97	36.51	0.00	100	117	AVERAGE																																		







Mode	94																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																																																																																	
ANT	5+4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.75</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>42.48</td><td>34.08</td><td>11.79</td><td>37.00</td><td>0.00</td><td>315 101 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.75	51.35	74.00	-22.65	42.48	34.08	11.79	37.00	0.00	315 101 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>96.06</td><td>-----</td><td>-----</td><td>86.29</td><td>34.57</td><td>11.92</td><td>36.72</td><td>0.00</td><td>315 101 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.06	-----	-----	86.29	34.57	11.92	36.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5138.75	51.35	74.00	-22.65	42.48	34.08	11.79	37.00	0.00	315 101 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	96.06	-----	-----	86.29	34.57	11.92	36.72	0.00	315 101 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.25</td><td>40.60</td><td>54.00</td><td>-13.40</td><td>31.73</td><td>34.07</td><td>11.79</td><td>36.99</td><td>0.00</td><td>315 101 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.25	40.60	54.00	-13.40	31.73	34.07	11.79	36.99	0.00	315 101 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>86.61</td><td>-----</td><td>-----</td><td>76.84</td><td>34.57</td><td>11.92</td><td>36.72</td><td>0.00</td><td>315 101 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	86.61	-----	-----	76.84	34.57	11.92	36.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5136.25	40.60	54.00	-13.40	31.73	34.07	11.79	36.99	0.00	315 101 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	86.61	-----	-----	76.84	34.57	11.92	36.72	0.00	315 101 AVERAGE																																																																																								



Mode	94																																													
	Band Edge - R																																													
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ①_5250MHz																																													
ANT	5+4																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.22</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>42.66</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>315</td><td>101</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.22	52.71	74.00	-21.29	42.66	34.60	11.97	36.52	0.00	315	101	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5351.22	52.71	74.00	-21.29	42.66	34.60	11.97	36.52	0.00	315	101	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.59</td><td>41.48</td><td>54.00</td><td>-12.52</td><td>31.43</td><td>34.60</td><td>11.97</td><td>36.52</td><td>0.00</td><td>315</td><td>101</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.59	41.48	54.00	-12.52	31.43	34.60	11.97	36.52	0.00	315	101	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5350.59	41.48	54.00	-12.52	31.43	34.60	11.97	36.52	0.00	315	101	AVERAGE																																		







Mode	95																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																																																																																	
ANT	5+4																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.50</td><td>59.35</td><td>74.00</td><td>-14.65</td><td>50.49</td><td>34.08</td><td>11.79</td><td>37.01</td><td>0.00</td><td>100 120 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.50	59.35	74.00	-14.65	50.49	34.08	11.79	37.01	0.00	100 120 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>98.27</td><td>-----</td><td>-----</td><td>89.04</td><td>34.40</td><td>11.87</td><td>37.04</td><td>0.00</td><td>100 120 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	98.27	-----	-----	89.04	34.40	11.87	37.04	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.50	59.35	74.00	-14.65	50.49	34.08	11.79	37.01	0.00	100 120 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	98.27	-----	-----	89.04	34.40	11.87	37.04	0.00	100 120 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.25</td><td>45.75</td><td>54.00</td><td>-8.25</td><td>36.88</td><td>34.07</td><td>11.79</td><td>36.99</td><td>0.00</td><td>100 120 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.25	45.75	54.00	-8.25	36.88	34.07	11.79	36.99	0.00	100 120 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>88.54</td><td>-----</td><td>-----</td><td>79.07</td><td>34.49</td><td>11.89</td><td>36.91</td><td>0.00</td><td>100 120 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	88.54	-----	-----	79.07	34.49	11.89	36.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5136.25	45.75	54.00	-8.25	36.88	34.07	11.79	36.99	0.00	100 120 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5250.00	88.54	-----	-----	79.07	34.49	11.89	36.91	0.00	100 120 AVERAGE																																																																																								





Mode	95																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																																							
ANT	5+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5399.73</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>47.10</td><td>34.60</td><td>12.01</td><td>36.40</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.73	57.31	74.00	-16.69	47.10	34.60	12.01	36.40	0.00	100	120	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5399.73	57.31	74.00	-16.69	47.10	34.60	12.01	36.40	0.00	100	120	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.47</td><td>46.11</td><td>54.00</td><td>-7.89</td><td>35.90</td><td>34.60</td><td>12.01</td><td>36.40</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.47	46.11	54.00	-7.89	35.90	34.60	12.01	36.40	0.00	100	120	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5398.47	46.11	54.00	-7.89	35.90	34.60	12.01	36.40	0.00	100	120	AVERAGE																																												







Mode	95																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																																						
ANT	5+4																																																						
Pol.	Vertical																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5138.25</td><td>54.41</td><td>74.00</td><td>-19.59</td><td>45.54</td><td>34.08</td><td>11.79</td><td>37.00</td><td>0.00</td><td>324 105 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.25	54.41	74.00	-19.59	45.54	34.08	11.79	37.00	0.00	324 105 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5138.25	54.41	74.00	-19.59	45.54	34.08	11.79	37.00	0.00	324 105 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.75</td><td>44.10</td><td>54.00</td><td>-9.90</td><td>35.23</td><td>34.10</td><td>11.80</td><td>37.03</td><td>0.00</td><td>324 105 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.75	44.10	54.00	-9.90	35.23	34.10	11.80	37.03	0.00	324 105 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.75	44.10	54.00	-9.90	35.23	34.10	11.80	37.03	0.00	324 105 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>96.32</td><td>-----</td><td>-----</td><td>86.43</td><td>34.60</td><td>11.93</td><td>36.64</td><td>0.00</td><td>324 105 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.32	-----	-----	86.43	34.60	11.93	36.64	0.00	324 105 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	96.32	-----	-----	86.43	34.60	11.93	36.64	0.00	324 105 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5250.00</td><td>87.37</td><td>-----</td><td>-----</td><td>77.48</td><td>34.60</td><td>11.93</td><td>36.64</td><td>0.00</td><td>324 105 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.37	-----	-----	77.48	34.60	11.93	36.64	0.00	324 105 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5250.00	87.37	-----	-----	77.48	34.60	11.93	36.64	0.00	324 105 AVERAGE																																													




Mode	95																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT160_CH50_Large RU 996+484 ③_5250MHz																																																					
ANT	5+4																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.33</td><td>55.68</td><td>74.00</td><td>-18.32</td><td>45.35</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>324 105 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.33	55.68	74.00	-18.32	45.35	34.68	12.09	36.44	0.00	324 105 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5454.33	55.68	74.00	-18.32	45.35	34.68	12.09	36.44	0.00	324 105 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.96</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>34.44</td><td>34.63</td><td>12.03</td><td>36.41</td><td>0.00</td><td>324 105 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.96	44.69	54.00	-9.31	34.44	34.63	12.03	36.41	0.00	324 105 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5412.96	44.69	54.00	-9.31	34.44	34.63	12.03	36.41	0.00	324 105 AVERAGE																																												







Mode	96																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																																																																																
ANT	5+4																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.24</td><td>58.09</td><td>74.00</td><td>-15.91</td><td>47.76</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>2</td><td>5463.96</td><td>56.65</td><td>68.20</td><td>-11.55</td><td>46.34</td><td>34.64</td><td>12.11</td><td>36.44</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.24	58.09	74.00	-15.91	47.76	34.67	12.10	36.44	0.00	100	213 PEAK	2	5463.96	56.65	68.20	-11.55	46.34	34.64	12.11	36.44	0.00	100	213 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>101.91</td><td>-----</td><td>-----</td><td>91.69</td><td>34.46</td><td>12.19</td><td>36.43</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.91	-----	-----	91.69	34.46	12.19	36.43	0.00	100	213 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.24	58.09	74.00	-15.91	47.76	34.67	12.10	36.44	0.00	100	213 PEAK																																																																																																						
2	5463.96	56.65	68.20	-11.55	46.34	34.64	12.11	36.44	0.00	100	213 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	101.91	-----	-----	91.69	34.46	12.19	36.43	0.00	100	213 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.78</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>35.81</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.78	46.13	54.00	-7.87	35.81	34.66	12.10	36.44	0.00	100	213 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>90.86</td><td>-----</td><td>-----</td><td>80.47</td><td>34.44</td><td>12.27</td><td>36.32</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.86	-----	-----	80.47	34.44	12.27	36.32	0.00	100	213 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.78	46.13	54.00	-7.87	35.81	34.66	12.10	36.44	0.00	100	213 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	90.86	-----	-----	80.47	34.44	12.27	36.32	0.00	100	213 AVERAGE																																																																																																						




Mode	96																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ④_5570MHz																																																						
ANT	5+4																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.89</td><td>53.23</td><td>68.20</td><td>-14.97</td><td>42.51</td><td>34.72</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>213</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.89	53.23	68.20	-14.97	42.51	34.72	12.45	36.45	0.00	100	213	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5753.89	53.23	68.20	-14.97	42.51	34.72	12.45	36.45	0.00	100	213	PEAK																																											





Mode	96																																																																					
	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ①_5570MHz																																																																					
ANT	5+4																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.20</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>44.90</td><td>34.68</td><td>12.07</td><td>36.43</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>44.72</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.20	55.22	74.00	-18.78	44.90	34.68	12.07	36.43	0.00	300	105	PEAK	2	5469.68	55.00	68.20	-13.20	44.72	34.62	12.11	36.45	0.00	300	105	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5440.20	55.22	74.00	-18.78	44.90	34.68	12.07	36.43	0.00	300	105	PEAK																																																										
2	5469.68	55.00	68.20	-13.20	44.72	34.62	12.11	36.45	0.00	300	105	PEAK																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>99.52</td><td>-----</td><td>-----</td><td>89.29</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.52	-----	-----	89.29	34.45	12.20	36.42	0.00	300	105	PEAK													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5570.00	99.52	-----	-----	89.29	34.45	12.20	36.42	0.00	300	105	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.52</td><td>44.85</td><td>54.00</td><td>-9.15</td><td>34.51</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>300</td><td>105</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.52	44.85	54.00	-9.15	34.51	34.69	12.09	36.44	0.00	300	105	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5452.52	44.85	54.00	-9.15	34.51	34.69	12.09	36.44	0.00	300	105	AVERAGE																																																										
AVERAGE																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>90.55</td><td>-----</td><td>-----</td><td>80.29</td><td>34.42</td><td>12.22</td><td>36.38</td><td>0.00</td><td>300</td><td>105</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.55	-----	-----	80.29	34.42	12.22	36.38	0.00	300	105	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5570.00	90.55	-----	-----	80.29	34.42	12.22	36.38	0.00	300	105	AVERAGE																																																										




Mode	96																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ④_5570MHz																																																						
ANT	5+4																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.85</td><td>52.03</td><td>68.20</td><td>-16.17</td><td>41.33</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>300</td><td>105</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.85	52.03	68.20	-16.17	41.33	34.68	12.44	36.42	0.00	300	105	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5739.85	52.03	68.20	-16.17	41.33	34.68	12.44	36.42	0.00	300	105	PEAK																																											



Mode	97																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ③_5570MHz																																																																			
ANT	5+4																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.18</td><td>62.17</td><td>74.00</td><td>-11.83</td><td>52.11</td><td>34.60</td><td>11.97</td><td>36.51</td><td>0.00</td><td>301</td><td>214 PEAK</td></tr><tr><td>2</td><td>5462.86</td><td>58.31</td><td>68.20</td><td>-9.89</td><td>48.00</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>301</td><td>214 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.18	62.17	74.00	-11.83	52.11	34.60	11.97	36.51	0.00	301	214 PEAK	2	5462.86	58.31	68.20	-9.89	48.00	34.65	12.10	36.44	0.00	301	214 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5354.18	62.17	74.00	-11.83	52.11	34.60	11.97	36.51	0.00	301	214 PEAK																																																									
2	5462.86	58.31	68.20	-9.89	48.00	34.65	12.10	36.44	0.00	301	214 PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.49</td><td>-----</td><td>-----</td><td>90.24</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>301</td><td>214 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.49	-----	-----	90.24	34.43	12.21	36.39	0.00	301	214 PEAK													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	100.49	-----	-----	90.24	34.43	12.21	36.39	0.00	301	214 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.62</td><td>46.99</td><td>54.00</td><td>-7.01</td><td>36.66</td><td>34.69</td><td>12.07</td><td>36.43</td><td>0.00</td><td>301</td><td>214 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.62	46.99	54.00	-7.01	36.66	34.69	12.07	36.43	0.00	301	214 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5442.62	46.99	54.00	-7.01	36.66	34.69	12.07	36.43	0.00	301	214 AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.46</td><td>-----</td><td>-----</td><td>81.21</td><td>34.43</td><td>12.21</td><td>36.39</td><td>0.00</td><td>301</td><td>214 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.46	-----	-----	81.21	34.43	12.21	36.39	0.00	301	214 AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5570.00	91.46	-----	-----	81.21	34.43	12.21	36.39	0.00	301	214 AVERAGE																																																									




Mode	97																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ③_5570MHz																																																								
ANT	5+4																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.90</td><td>60.21</td><td>68.20</td><td>-7.99</td><td>49.52</td><td>34.68</td><td>12.43</td><td>36.42</td><td>0.00</td><td>301</td><td>214 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5737.90	60.21	68.20	-7.99	49.52	34.68	12.43	36.42	0.00	301	214 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5737.90	60.21	68.20	-7.99	49.52	34.68	12.43	36.42	0.00	301	214 PEAK																																														






Mode	97																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ③_5570MHz																																																																																																																			
ANT	5+4																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.80</td><td>57.59</td><td>74.00</td><td>-16.41</td><td>47.29</td><td>34.67</td><td>12.06</td><td>36.43</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5463.52</td><td>55.54</td><td>68.20</td><td>-12.66</td><td>45.22</td><td>34.65</td><td>12.11</td><td>36.44</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.80	57.59	74.00	-16.41	47.29	34.67	12.06	36.43	0.00	300	102	PEAK	2	5463.52	55.54	68.20	-12.66	45.22	34.65	12.11	36.44	0.00	300	102	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>99.94</td><td>-----</td><td>-----</td><td>89.61</td><td>34.42</td><td>12.25</td><td>36.34</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.94	-----	-----	89.61	34.42	12.25	36.34	0.00	300	102	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5435.80	57.59	74.00	-16.41	47.29	34.67	12.06	36.43	0.00	300	102	PEAK																																																																																																								
2	5463.52	55.54	68.20	-12.66	45.22	34.65	12.11	36.44	0.00	300	102	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	99.94	-----	-----	89.61	34.42	12.25	36.34	0.00	300	102	PEAK																																																																																																								
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.86</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>35.79</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>300</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.86	46.13	54.00	-7.87	35.79	34.69	12.09	36.44	0.00	300	102	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.69</td><td>-----</td><td>-----</td><td>80.43</td><td>34.42</td><td>12.22</td><td>36.38</td><td>0.00</td><td>300</td><td>102</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.69	-----	-----	80.43	34.42	12.22	36.38	0.00	300	102	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5451.86	46.13	54.00	-7.87	35.79	34.69	12.09	36.44	0.00	300	102	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	90.69	-----	-----	80.43	34.42	12.22	36.38	0.00	300	102	AVERAGE																																																																																																								




Mode	97																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT160_CH114_Large RU 996+484 ③_5570MHz																																													
ANT	5+4																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.21</td><td>60.92</td><td>68.20</td><td>-7.28</td><td>50.22</td><td>34.70</td><td>12.44</td><td>36.44</td><td>0.00</td><td>300</td><td>102</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5749.21	60.92	68.20	-7.28	50.22	34.70	12.44	36.44	0.00	300	102	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5749.21	60.92	68.20	-7.28	50.22	34.70	12.44	36.44	0.00	300	102	PEAK																																		





Mode	98																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																																																																													
ANT	5+4																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.80</td><td>59.13</td><td>68.20</td><td>-9.07</td><td>48.58</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>104</td><td>260</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>56.46</td><td>68.00</td><td>-12.34</td><td>45.91</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>104</td><td>260</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>68.24</td><td>107.09</td><td>-38.85</td><td>57.58</td><td>34.61</td><td>12.41</td><td>36.36</td><td>0.00</td><td>104</td><td>260</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>66.90</td><td>110.90</td><td>-44.00</td><td>56.23</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>104</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.80	59.13	68.20	-9.07	48.58	34.50	12.35	36.30	0.00	104	260	PEAK	2	5650.80	56.46	68.00	-12.34	45.91	34.50	12.36	36.31	0.00	104	260	PEAK	3	5706.40	68.24	107.09	-38.85	57.58	34.61	12.41	36.36	0.00	104	260	PEAK	4	5720.00	66.90	110.90	-44.00	56.23	34.64	12.42	36.39	0.00	104	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.72</td><td>-----</td><td>95.82</td><td>34.93</td><td>12.48</td><td>36.51</td><td>0.00</td><td>104</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.72	-----	95.82	34.93	12.48	36.51	0.00	104	260	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5648.80	59.13	68.20	-9.07	48.58	34.50	12.35	36.30	0.00	104	260	PEAK																																																																																																																																		
2	5650.80	56.46	68.00	-12.34	45.91	34.50	12.36	36.31	0.00	104	260	PEAK																																																																																																																																		
3	5706.40	68.24	107.09	-38.85	57.58	34.61	12.41	36.36	0.00	104	260	PEAK																																																																																																																																		
4	5720.00	66.90	110.90	-44.00	56.23	34.64	12.42	36.39	0.00	104	260	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5775.00	106.72	-----	95.82	34.93	12.48	36.51	0.00	104	260	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.78</td><td>-----</td><td>86.06</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>104</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.78	-----	86.06	34.71	12.45	36.44	0.00	104	260	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5775.00	96.78	-----	86.06	34.71	12.45	36.44	0.00	104	260	AVERAGE																																																																																																																																			




Mode	98																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																		
ANT	5+4																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.21</td><td>111.36</td><td>-55.15</td><td>45.16</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>104</td><td>260 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>56.01</td><td>106.14</td><td>-50.13</td><td>44.89</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>104</td><td>260 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.88</td><td>68.94</td><td>-16.06</td><td>41.74</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>104</td><td>260 PEAK</td></tr><tr><td>4</td><td>5928.80</td><td>54.48</td><td>68.20</td><td>-13.72</td><td>43.36</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>104</td><td>260 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.21	111.36	-55.15	45.16	35.12	12.56	36.63	0.00	104	260 PEAK	2	5872.00	56.01	106.14	-50.13	44.89	35.19	12.59	36.66	0.00	104	260 PEAK	3	5924.00	52.88	68.94	-16.06	41.74	35.30	12.66	36.82	0.00	104	260 PEAK	4	5928.80	54.48	68.20	-13.72	43.36	35.30	12.66	36.84	0.00	104	260 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	56.21	111.36	-55.15	45.16	35.12	12.56	36.63	0.00	104	260 PEAK																																																																								
2	5872.00	56.01	106.14	-50.13	44.89	35.19	12.59	36.66	0.00	104	260 PEAK																																																																								
3	5924.00	52.88	68.94	-16.06	41.74	35.30	12.66	36.82	0.00	104	260 PEAK																																																																								
4	5928.80	54.48	68.20	-13.72	43.36	35.30	12.66	36.84	0.00	104	260 PEAK																																																																								






Mode	98																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																											
ANT	5+4																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.20</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>46.46</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.65</td><td>68.20</td><td>-14.55</td><td>43.11</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>65.61</td><td>105.86</td><td>-40.25</td><td>54.96</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.32</td><td>110.90</td><td>-47.58</td><td>52.65</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.20	57.01	68.20	-11.19	46.46	34.50	12.34	36.29	0.00	275	94 PEAK	2	5650.00	53.65	68.20	-14.55	43.11	34.50	12.35	36.31	0.00	275	94 PEAK	3	5702.00	65.61	105.86	-40.25	54.96	34.60	12.40	36.35	0.00	275	94 PEAK	4	5720.00	63.32	110.90	-47.58	52.65	34.64	12.42	36.39	0.00	275	94 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5637.20	57.01	68.20	-11.19	46.46	34.50	12.34	36.29	0.00	275	94 PEAK																																																																																	
2	5650.00	53.65	68.20	-14.55	43.11	34.50	12.35	36.31	0.00	275	94 PEAK																																																																																	
3	5702.00	65.61	105.86	-40.25	54.96	34.60	12.40	36.35	0.00	275	94 PEAK																																																																																	
4	5720.00	63.32	110.90	-47.58	52.65	34.64	12.42	36.39	0.00	275	94 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>95.70</td><td>-----</td><td>-----</td><td>84.90</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>275</td><td>94 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	95.70	-----	-----	84.90	34.82	12.46	36.48	0.00	275	94 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5775.00	95.70	-----	-----	84.90	34.82	12.46	36.48	0.00	275	94 AVERAGE																																																																																	




Mode	98																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ①_5775MHz																																																																																											
ANT	5+4																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>57.21</td><td>112.27</td><td>-55.06</td><td>46.16</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>56.37</td><td>106.03</td><td>-49.66</td><td>45.25</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.63</td><td>69.53</td><td>-14.90</td><td>43.48</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>53.89</td><td>68.20</td><td>-14.31</td><td>42.77</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>275</td><td>94 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.21	112.27	-55.06	46.16	35.12	12.56	36.63	0.00	275	94 PEAK	2	5872.40	56.37	106.03	-49.66	45.25	35.19	12.59	36.66	0.00	275	94 PEAK	3	5923.20	54.63	69.53	-14.90	43.48	35.30	12.66	36.81	0.00	275	94 PEAK	4	5928.40	53.89	68.20	-14.31	42.77	35.30	12.66	36.84	0.00	275	94 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	57.21	112.27	-55.06	46.16	35.12	12.56	36.63	0.00	275	94 PEAK																																																																																	
2	5872.40	56.37	106.03	-49.66	45.25	35.19	12.59	36.66	0.00	275	94 PEAK																																																																																	
3	5923.20	54.63	69.53	-14.90	43.48	35.30	12.66	36.81	0.00	275	94 PEAK																																																																																	
4	5928.40	53.89	68.20	-14.31	42.77	35.30	12.66	36.84	0.00	275	94 PEAK																																																																																	





		99																																																																																										
Mode		Band Edge - L																																																																																										
		U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ②_5775MHz																																																																																										
ANT		5+4																																																																																										
Pol.		Horizontal																																																																																										
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.40</td><td>63.35</td><td>68.20</td><td>-4.85</td><td>52.80</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5679.20</td><td>73.05</td><td>89.91</td><td>-16.86</td><td>62.44</td><td>34.56</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>74.78</td><td>110.34</td><td>-35.56</td><td>64.10</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>72.36</td><td>118.20</td><td>-45.84</td><td>61.68</td><td>34.65</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.40	63.35	68.20	-4.85	52.80	34.50	12.35	36.30	0.00	100	111 PEAK	2	5679.20	73.05	89.91	-16.86	62.44	34.56	12.38	36.33	0.00	100	111 PEAK	3	5718.00	74.78	110.34	-35.56	64.10	34.64	12.42	36.38	0.00	100	111 PEAK	4	5723.20	72.36	118.20	-45.84	61.68	34.65	12.42	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5646.40	63.35	68.20	-4.85	52.80	34.50	12.35	36.30	0.00	100	111 PEAK																																																																																	
2	5679.20	73.05	89.91	-16.86	62.44	34.56	12.38	36.33	0.00	100	111 PEAK																																																																																	
3	5718.00	74.78	110.34	-35.56	64.10	34.64	12.42	36.38	0.00	100	111 PEAK																																																																																	
4	5723.20	72.36	118.20	-45.84	61.68	34.65	12.42	36.39	0.00	100	111 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.63</td><td>-----</td><td>-----</td><td>93.91</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.63	-----	-----	93.91	34.71	12.45	36.44	0.00	100	111 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	104.63	-----	-----	93.91	34.71	12.45	36.44	0.00	100	111 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>95.04</td><td>-----</td><td>-----</td><td>84.32</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.04	-----	-----	84.32	34.71	12.45	36.44	0.00	100	111 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5775.00	95.04	-----	-----	84.32	34.71	12.45	36.44	0.00	100	111 AVERAGE																																																																																	




Mode	99																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ②_5775MHz																																																																																											
ANT	5+4																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>70.01</td><td>111.36</td><td>-41.35</td><td>58.96</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>70.01</td><td>105.36</td><td>-35.35</td><td>58.88</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>59.20</td><td>70.42</td><td>-11.22</td><td>48.06</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>57.91</td><td>68.20</td><td>-10.29</td><td>46.78</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	70.01	111.36	-41.35	58.96	35.12	12.56	36.63	0.00	100	111 PEAK	2	5874.00	70.01	105.36	-35.35	58.88	35.20	12.59	36.66	0.00	100	111 PEAK	3	5922.00	59.20	70.42	-11.22	48.06	35.30	12.65	36.81	0.00	100	111 PEAK	4	5927.60	57.91	68.20	-10.29	46.78	35.30	12.66	36.83	0.00	100	111 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	70.01	111.36	-41.35	58.96	35.12	12.56	36.63	0.00	100	111 PEAK																																																																																	
2	5874.00	70.01	105.36	-35.35	58.88	35.20	12.59	36.66	0.00	100	111 PEAK																																																																																	
3	5922.00	59.20	70.42	-11.22	48.06	35.30	12.65	36.81	0.00	100	111 PEAK																																																																																	
4	5927.60	57.91	68.20	-10.29	46.78	35.30	12.66	36.83	0.00	100	111 PEAK																																																																																	







Mode	99																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ②_5775MHz																																																																																							
ANT	5+4																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.00</td><td>61.71</td><td>68.20</td><td>-6.49</td><td>51.16</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>320 88 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>58.54</td><td>69.09</td><td>-10.55</td><td>47.99</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>320 88 PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>70.58</td><td>106.65</td><td>-36.07</td><td>59.93</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>320 88 PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>62.92</td><td>110.90</td><td>-47.98</td><td>52.25</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>320 88 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.00	61.71	68.20	-6.49	51.16	34.50	12.35	36.30	0.00	320 88 PEAK	2	5651.20	58.54	69.09	-10.55	47.99	34.50	12.36	36.31	0.00	320 88 PEAK	3	5704.80	70.58	106.65	-36.07	59.93	34.61	12.40	36.36	0.00	320 88 PEAK	4	5728.00	62.92	110.90	-47.98	52.25	34.64	12.42	36.39	0.00	320 88 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5646.00	61.71	68.20	-6.49	51.16	34.50	12.35	36.30	0.00	320 88 PEAK																																																																														
2	5651.20	58.54	69.09	-10.55	47.99	34.50	12.36	36.31	0.00	320 88 PEAK																																																																														
3	5704.80	70.58	106.65	-36.07	59.93	34.61	12.40	36.36	0.00	320 88 PEAK																																																																														
4	5728.00	62.92	110.90	-47.98	52.25	34.64	12.42	36.39	0.00	320 88 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.98</td><td>-----</td><td>-----</td><td>94.01</td><td>35.01</td><td>12.50</td><td>36.54</td><td>0.00</td><td>320 88 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.98	-----	-----	94.01	35.01	12.50	36.54	0.00	320 88 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5775.00	104.98	-----	-----	94.01	35.01	12.50	36.54	0.00	320 88 PEAK																																																																														







Mode	99																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Large RU 484+242 ②_5775MHz																																																																																							
ANT	5+4																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.40</td><td>63.08</td><td>112.27</td><td>-49.19</td><td>52.03</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>320</td><td>88 PEAK</td></tr><tr><td>2 5872.40</td><td>65.97</td><td>106.03</td><td>-40.06</td><td>54.85</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>320</td><td>88 PEAK</td></tr><tr><td>3 5924.00</td><td>57.01</td><td>68.94</td><td>-11.93</td><td>45.87</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>320</td><td>88 PEAK</td></tr><tr><td>4 5929.20</td><td>59.59</td><td>68.20</td><td>-8.61</td><td>48.47</td><td>35.30</td><td>12.66</td><td>36.84</td><td>0.00</td><td>320</td><td>88 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	63.08	112.27	-49.19	52.03	35.12	12.56	36.63	0.00	320	88 PEAK	2 5872.40	65.97	106.03	-40.06	54.85	35.19	12.59	36.66	0.00	320	88 PEAK	3 5924.00	57.01	68.94	-11.93	45.87	35.30	12.66	36.82	0.00	320	88 PEAK	4 5929.20	59.59	68.20	-8.61	48.47	35.30	12.66	36.84	0.00	320	88 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	63.08	112.27	-49.19	52.03	35.12	12.56	36.63	0.00	320	88 PEAK																																																																														
2 5872.40	65.97	106.03	-40.06	54.85	35.19	12.59	36.66	0.00	320	88 PEAK																																																																														
3 5924.00	57.01	68.94	-11.93	45.87	35.30	12.66	36.82	0.00	320	88 PEAK																																																																														
4 5929.20	59.59	68.20	-8.61	48.47	35.30	12.66	36.84	0.00	320	88 PEAK																																																																														



Co-location

		100																																																																																																	
Mode		Band Edge																																																																																																	
		2400-2483.5_2400-2483.5 Bluetooth-LE_GSKF_CH76_Full_2478MHz																																																																																																	
ANT		6+3																																																																																																	
Pol.		Horizontal					Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>46.73</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>208</td><td>135</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	56.34	74.00	-17.66	46.73	32.56	8.10	37.05	6.00	208	135	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>105.04</td><td>-----</td><td>-----</td><td>95.37</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>208</td><td>135</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	105.04	-----	-----	95.37	32.62	8.09	37.04	6.00	208	135	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.34	56.34	74.00	-17.66	46.73	32.56	8.10	37.05	6.00	208	135	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2478.00	105.04	-----	-----	95.37	32.62	8.09	37.04	6.00	208	135	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>48.07</td><td>54.00</td><td>-5.93</td><td>38.46</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>208</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.22	48.07	54.00	-5.93	38.46	32.56	8.10	37.05	6.00	208	135	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>102.58</td><td>-----</td><td>-----</td><td>92.91</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>208</td><td>135</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2478.00	102.58	-----	-----	92.91	32.62	8.09	37.04	6.00	208	135
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2484.22	48.07	54.00	-5.93	38.46	32.56	8.10	37.05	6.00	208	135	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2478.00	102.58	-----	-----	92.91	32.62	8.09	37.04	6.00	208	135	AVERAGE																																																																																							





Mode	100																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5 Bluetooth-LE_GSKF_CH76_Full_2478MHz																																																						
ANT	6+3																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>55.66</td><td>74.00</td><td>-18.34</td><td>46.06</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>350 56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	55.66	74.00	-18.34	46.06	32.55	8.10	37.05	6.00	350 56 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.52	55.66	74.00	-18.34	46.06	32.55	8.10	37.05	6.00	350 56 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>103.07</td><td>-----</td><td>-----</td><td>93.40</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>350 56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.07	-----	-----	93.40	32.62	8.09	37.04	6.00	350 56 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2478.00	103.07	-----	-----	93.40	32.62	8.09	37.04	6.00	350 56 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.22</td><td>47.38</td><td>54.00</td><td>-6.62</td><td>37.77</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>350 56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	47.38	54.00	-6.62	37.77	32.56	8.10	37.05	6.00	350 56 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.22	47.38	54.00	-6.62	37.77	32.56	8.10	37.05	6.00	350 56 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.67</td><td>-----</td><td>-----</td><td>91.00</td><td>32.62</td><td>8.09</td><td>37.04</td><td>6.00</td><td>350 56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.67	-----	-----	91.00	32.62	8.09	37.04	6.00	350 56 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2478.00	100.67	-----	-----	91.00	32.62	8.09	37.04	6.00	350 56 AVERAGE																																													




Mode	100																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH76_Full_2478MHz																																																																																																																																																						
ANT	6+3																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.70</td><td>74.00</td><td>-33.30</td><td>60.63</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>61.67</td><td>74.00</td><td>-12.33</td><td>80.43</td><td>34.44</td><td>12.20</td><td>65.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7436.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>59.20</td><td>35.80</td><td>14.23</td><td>66.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.70	74.00	-33.30	60.63	33.91	11.59	65.43	0.00	---	PEAK	2	5530.00	61.67	74.00	-12.33	80.43	34.44	12.20	65.40	0.00	---	Peak	3	7436.00	42.97	74.00	-31.03	59.20	35.80	14.23	66.26	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>60.40</td><td>33.91</td><td>11.59</td><td>65.43</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>59.32</td><td>74.00</td><td>-14.68</td><td>78.08</td><td>34.44</td><td>12.20</td><td>65.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7436.00</td><td>43.30</td><td>74.00</td><td>-30.70</td><td>59.53</td><td>35.80</td><td>14.23</td><td>66.26</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	40.47	74.00	-33.53	60.40	33.91	11.59	65.43	0.00	---	PEAK	2	5530.00	59.32	74.00	-14.68	78.08	34.44	12.20	65.40	0.00	---	Peak	3	7436.00	43.30	74.00	-30.70	59.53	35.80	14.23	66.26	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4956.00	40.70	74.00	-33.30	60.63	33.91	11.59	65.43	0.00	---	PEAK																																																																																																																																												
2	5530.00	61.67	74.00	-12.33	80.43	34.44	12.20	65.40	0.00	---	Peak																																																																																																																																												
3	7436.00	42.97	74.00	-31.03	59.20	35.80	14.23	66.26	0.00	---	PEAK																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	4956.00	40.47	74.00	-33.53	60.40	33.91	11.59	65.43	0.00	---	PEAK																																																																																																																																												
2	5530.00	59.32	74.00	-14.68	78.08	34.44	12.20	65.40	0.00	---	Peak																																																																																																																																												
3	7436.00	43.30	74.00	-30.70	59.53	35.80	14.23	66.26	0.00	---	PEAK																																																																																																																																												







Mode	100																																																																
	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																
ANT	5+4																																																																
Pol.	Horizontal																																																																
Peak	Fundamental																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>43.12</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>305 196 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>52.65</td><td>68.20</td><td>-15.55</td><td>42.33</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>305 196 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.32	53.45	74.00	-20.55	43.12	34.67	12.10	36.44	0.00	305 196 PEAK	2	5460.40	52.65	68.20	-15.55	42.33	34.66	12.10	36.44	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5458.32	53.45	74.00	-20.55	43.12	34.67	12.10	36.44	0.00	305 196 PEAK																																																							
2	5460.40	52.65	68.20	-15.55	42.33	34.66	12.10	36.44	0.00	305 196 PEAK																																																							
Avg	Fundamental																																																																
																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.72</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>33.13</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>305 196 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.72	43.46	54.00	-10.54	33.13	34.67	12.10	36.44	0.00	305 196 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5456.72	43.46	54.00	-10.54	33.13	34.67	12.10	36.44	0.00	305 196 AVERAGE																																																							




Mode	100																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	5+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.88</td><td>52.86</td><td>68.20</td><td>-15.34</td><td>42.17</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>305</td><td>196</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.88	52.86	68.20	-15.34	42.17	34.67	12.43	36.41	0.00	305	196	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.88	52.86	68.20	-15.34	42.17	34.67	12.43	36.41	0.00	305	196	PEAK																																												





Mode	100																																																																											
	Band Edge - L																																																																											
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																											
ANT	5+4																																																																											
Pol.	Vertical																																																																											
Peak																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>44.40</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>2</td><td>5464.24</td><td>55.52</td><td>68.20</td><td>-12.68</td><td>45.21</td><td>34.64</td><td>12.11</td><td>36.44</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	54.72	74.00	-19.28	44.40	34.66	12.10	36.44	0.00	300	9 PEAK	2	5464.24	55.52	68.20	-12.68	45.21	34.64	12.11	36.44	0.00	300	9 PEAK								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	5459.92	54.72	74.00	-19.28	44.40	34.66	12.10	36.44	0.00	300	9 PEAK																																																																	
2	5464.24	55.52	68.20	-12.68	45.21	34.64	12.11	36.44	0.00	300	9 PEAK																																																																	
Fundamental																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.00</td><td>90.92</td><td>-----</td><td>87.23</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>2</td><td>3616.00</td><td>111.63</td><td>-----</td><td>105.51</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr><tr><td>3</td><td>5530.00</td><td>101.20</td><td>-----</td><td>90.97</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>300</td><td>9 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	90.92	-----	87.23	32.64	8.09	37.04	0.00	300	9 PEAK	2	3616.00	111.63	-----	105.51	33.13	9.78	36.79	0.00	300	9 PEAK	3	5530.00	101.20	-----	90.97	34.44	12.20	36.41	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	2476.00	90.92	-----	87.23	32.64	8.09	37.04	0.00	300	9 PEAK																																																																		
2	3616.00	111.63	-----	105.51	33.13	9.78	36.79	0.00	300	9 PEAK																																																																		
3	5530.00	101.20	-----	90.97	34.44	12.20	36.41	0.00	300	9 PEAK																																																																		
Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>44.04</td><td>54.00</td><td>-9.96</td><td>33.72</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	44.04	54.00	-9.96	33.72	34.66	12.10	36.44	0.00	300	9 AVERAGE																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	5459.92	44.04	54.00	-9.96	33.72	34.66	12.10	36.44	0.00	300	9 AVERAGE																																																																	
Fundamental																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.00</td><td>88.78</td><td>-----</td><td>85.09</td><td>32.64</td><td>8.09</td><td>37.04</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr><tr><td>2</td><td>3616.00</td><td>108.26</td><td>-----</td><td>102.14</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr><tr><td>3</td><td>5530.00</td><td>92.28</td><td>-----</td><td>82.05</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>300</td><td>9 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	88.78	-----	85.09	32.64	8.09	37.04	0.00	300	9 AVERAGE	2	3616.00	108.26	-----	102.14	33.13	9.78	36.79	0.00	300	9 AVERAGE	3	5530.00	92.28	-----	82.05	34.44	12.20	36.41	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1	2476.00	88.78	-----	85.09	32.64	8.09	37.04	0.00	300	9 AVERAGE																																																																		
2	3616.00	108.26	-----	102.14	33.13	9.78	36.79	0.00	300	9 AVERAGE																																																																		
3	5530.00	92.28	-----	82.05	34.44	12.20	36.41	0.00	300	9 AVERAGE																																																																		







Mode	100																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	5+4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.52</td><td>53.21</td><td>68.20</td><td>-14.99</td><td>42.43</td><td>34.79</td><td>12.46</td><td>36.47</td><td>0.00</td><td>300</td><td>9</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.52	53.21	68.20	-14.99	42.43	34.79	12.46	36.47	0.00	300	9	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5764.52	53.21	68.20	-14.99	42.43	34.79	12.46	36.47	0.00	300	9	PEAK																																												



Mode	100																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																																														
ANT	5+4																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>56.97</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.81	74.00	-28.19	56.97	37.90	17.56	66.62	0.00	---	---												PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>56.64</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	45.48	74.00	-28.52	56.64	37.90	17.56	66.62	0.00	---	---												PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11060.00	45.81	74.00	-28.19	56.97	37.90	17.56	66.62	0.00	---	---																																																																																																																				
											PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11060.00	45.48	74.00	-28.52	56.64	37.90	17.56	66.62	0.00	---	---																																																																																																																				
											PEAK																																																																																																																				







Mode	101																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																																																				
ANT	6+3																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>46.46</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>115</td><td>137 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	55.67	74.00	-18.33	46.46	32.24	7.96	36.99	6.00	115	137 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>109.10</td><td>-----</td><td>-----</td><td>99.30</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>115</td><td>137 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	109.10	-----	-----	99.30	32.78	8.04	37.02	6.00	115	137 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.82	55.67	74.00	-18.33	46.46	32.24	7.96	36.99	6.00	115	137 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	109.10	-----	-----	99.30	32.78	8.04	37.02	6.00	115	137 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>33.68</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>115</td><td>137 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	42.89	54.00	-11.11	33.68	32.24	7.96	36.99	6.00	115	137 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>98.57</td><td>-----</td><td>-----</td><td>88.77</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>115</td><td>137 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	98.57	-----	-----	88.77	32.78	8.04	37.02	6.00	115	137 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	42.89	54.00	-11.11	33.68	32.24	7.96	36.99	6.00	115	137 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	98.57	-----	-----	88.77	32.78	8.04	37.02	6.00	115	137 AVERAGE																																																																																										





Mode	101																																																							
	Band Edge - R																																																							
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																							
ANT	6+3																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>63.83</td><td>74.00</td><td>-10.17</td><td>54.22</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>115</td><td>137 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	63.83	74.00	-10.17	54.22	32.56	8.10	37.05	6.00	115	137 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.62	63.83	74.00	-10.17	54.22	32.56	8.10	37.05	6.00	115	137 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.44</td><td>50.00</td><td>54.00</td><td>-4.00</td><td>40.38</td><td>32.57</td><td>8.10</td><td>37.05</td><td>6.00</td><td>115</td><td>137 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.44	50.00	54.00	-4.00	40.38	32.57	8.10	37.05	6.00	115	137 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.44	50.00	54.00	-4.00	40.38	32.57	8.10	37.05	6.00	115	137 AVERAGE																																													





Mode	101																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																																																				
ANT	6+3																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>43.13</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>371</td><td>46 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.34	74.00	-21.66	43.13	32.24	7.96	36.99	6.00	371	46 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>107.16</td><td>-----</td><td>-----</td><td>97.46</td><td>32.68</td><td>8.03</td><td>37.01</td><td>6.00</td><td>371</td><td>46 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	107.16	-----	-----	97.46	32.68	8.03	37.01	6.00	371	46 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	52.34	74.00	-21.66	43.13	32.24	7.96	36.99	6.00	371	46 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	107.16	-----	-----	97.46	32.68	8.03	37.01	6.00	371	46 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>40.51</td><td>54.00</td><td>-13.49</td><td>31.30</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>371</td><td>46 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	40.51	54.00	-13.49	31.30	32.24	7.96	36.99	6.00	371	46 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>95.39</td><td>-----</td><td>-----</td><td>85.77</td><td>32.61</td><td>8.02</td><td>37.01</td><td>6.00</td><td>371</td><td>46 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	95.39	-----	-----	85.77	32.61	8.02	37.01	6.00	371	46 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	40.51	54.00	-13.49	31.30	32.24	7.96	36.99	6.00	371	46 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2437.00	95.39	-----	-----	85.77	32.61	8.02	37.01	6.00	371	46 AVERAGE																																																																																										







Mode	101																																																							
	Band Edge - R																																																							
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																							
ANT	6+3																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.76</td><td>54.87</td><td>74.00</td><td>-19.13</td><td>45.27</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>371</td><td>46 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.76	54.87	74.00	-19.13	45.27	32.55	8.10	37.05	6.00	371	46 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.76	54.87	74.00	-19.13	45.27	32.55	8.10	37.05	6.00	371	46 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>32.72</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>371</td><td>46 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.33	54.00	-11.67	32.72	32.56	8.10	37.05	6.00	371	46 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	42.33	54.00	-11.67	32.72	32.56	8.10	37.05	6.00	371	46 AVERAGE																																													




Mode	101																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																																																																																															
ANT	6+3																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.79</td><td>74.00</td><td>-33.21</td><td>60.97</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>81.08</td><td>34.44</td><td>12.20</td><td>65.40</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>7311.00</td><td>43.27</td><td>74.00</td><td>-30.73</td><td>59.32</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.79	74.00	-33.21	60.97	33.90	11.47	65.55	0.00	--- PEAK	2	5530.00	62.32	74.00	-11.68	81.08	34.44	12.20	65.40	0.00	--- Peak	3	7311.00	43.27	74.00	-30.73	59.32	35.80	14.13	65.98	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.87</td><td>74.00</td><td>-33.13</td><td>61.05</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>58.27</td><td>74.00</td><td>-15.73</td><td>77.03</td><td>34.44</td><td>12.20</td><td>65.40</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>7311.00</td><td>43.48</td><td>74.00</td><td>-30.52</td><td>59.53</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	40.87	74.00	-33.13	61.05	33.90	11.47	65.55	0.00	--- PEAK	2	5530.00	58.27	74.00	-15.73	77.03	34.44	12.20	65.40	0.00	--- Peak	3	7311.00	43.48	74.00	-30.52	59.53	35.80	14.13	65.98	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4874.00	40.79	74.00	-33.21	60.97	33.90	11.47	65.55	0.00	--- PEAK																																																																																																																																						
2	5530.00	62.32	74.00	-11.68	81.08	34.44	12.20	65.40	0.00	--- Peak																																																																																																																																						
3	7311.00	43.27	74.00	-30.73	59.32	35.80	14.13	65.98	0.00	--- PEAK																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	4874.00	40.87	74.00	-33.13	61.05	33.90	11.47	65.55	0.00	--- PEAK																																																																																																																																						
2	5530.00	58.27	74.00	-15.73	77.03	34.44	12.20	65.40	0.00	--- Peak																																																																																																																																						
3	7311.00	43.48	74.00	-30.52	59.53	35.80	14.13	65.98	0.00	--- PEAK																																																																																																																																						







Mode	101																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																																																														
ANT	5+4																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>60.62</td><td>74.00</td><td>-13.38</td><td>50.30</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>62.47</td><td>68.20</td><td>-5.73</td><td>52.18</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.28	60.62	74.00	-13.38	50.30	34.66	12.10	36.44	0.00	103	115	PEAK	2	5468.08	62.47	68.20	-5.73	52.18	34.63	12.11	36.45	0.00	103	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2428.00</td><td>104.21</td><td>-----</td><td>-----</td><td>100.56</td><td>32.64</td><td>8.02</td><td>37.01</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>3616.00</td><td>109.05</td><td>-----</td><td>-----</td><td>102.93</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5530.00</td><td>99.23</td><td>-----</td><td>-----</td><td>89.00</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2428.00	104.21	-----	-----	100.56	32.64	8.02	37.01	0.00	103	115	PEAK	2	3616.00	109.05	-----	-----	102.93	33.13	9.78	36.79	0.00	103	115	PEAK	3	5530.00	99.23	-----	-----	89.00	34.44	12.20	36.41	0.00	103	115	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5459.28	60.62	74.00	-13.38	50.30	34.66	12.10	36.44	0.00	103	115	PEAK																																																																																																																																			
2	5468.08	62.47	68.20	-5.73	52.18	34.63	12.11	36.45	0.00	103	115	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2428.00	104.21	-----	-----	100.56	32.64	8.02	37.01	0.00	103	115	PEAK																																																																																																																																			
2	3616.00	109.05	-----	-----	102.93	33.13	9.78	36.79	0.00	103	115	PEAK																																																																																																																																			
3	5530.00	99.23	-----	-----	89.00	34.44	12.20	36.41	0.00	103	115	PEAK																																																																																																																																			
Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.56</td><td>49.41</td><td>54.00</td><td>-4.59</td><td>39.09</td><td>34.67</td><td>12.09</td><td>36.44</td><td>0.00</td><td>103</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.56	49.41	54.00	-4.59	39.09	34.67	12.09	36.44	0.00	103	115	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>93.70</td><td>-----</td><td>-----</td><td>89.95</td><td>32.74</td><td>8.03</td><td>37.02</td><td>0.00</td><td>103</td><td>115</td><td>AVERAGE</td></tr><tr><td>2</td><td>3616.00</td><td>106.00</td><td>-----</td><td>-----</td><td>99.96</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>103</td><td>115</td><td>AVERAGE</td></tr><tr><td>3</td><td>5530.00</td><td>90.49</td><td>-----</td><td>-----</td><td>80.26</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>103</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	93.70	-----	-----	89.95	32.74	8.03	37.02	0.00	103	115	AVERAGE	2	3616.00	106.00	-----	-----	99.96	33.13	9.78	36.79	0.00	103	115	AVERAGE	3	5530.00	90.49	-----	-----	80.26	34.44	12.20	36.41	0.00	103	115	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5456.56	49.41	54.00	-4.59	39.09	34.67	12.09	36.44	0.00	103	115	AVERAGE																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	2437.00	93.70	-----	-----	89.95	32.74	8.03	37.02	0.00	103	115	AVERAGE																																																																																																																																			
2	3616.00	106.00	-----	-----	99.96	33.13	9.78	36.79	0.00	103	115	AVERAGE																																																																																																																																			
3	5530.00	90.49	-----	-----	80.26	34.44	12.20	36.41	0.00	103	115	AVERAGE																																																																																																																																			




Mode	101																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	5+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.12</td><td>54.42</td><td>68.20</td><td>-13.78</td><td>43.73</td><td>34.68</td><td>12.44</td><td>36.43</td><td>0.00</td><td>103</td><td>115</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.12	54.42	68.20	-13.78	43.73	34.68	12.44	36.43	0.00	103	115	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5742.12	54.42	68.20	-13.78	43.73	34.68	12.44	36.43	0.00	103	115	PEAK																																												





Mode	101																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																																																										
ANT	5+4																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.24</td><td>63.57</td><td>74.00</td><td>-10.43</td><td>53.24</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>51.51</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	63.57	74.00	-10.43	53.24	34.68	12.09	36.44	0.00	300	100	PEAK	2	5460.72	61.83	68.20	-6.37	51.51	34.66	12.10	36.44	0.00	300	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>94.08</td><td>-----</td><td>90.33</td><td>32.74</td><td>8.03</td><td>37.02</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>3616.00</td><td>113.61</td><td>-----</td><td>107.49</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5530.00</td><td>99.92</td><td>-----</td><td>89.69</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	94.08	-----	90.33	32.74	8.03	37.02	0.00	300	100	PEAK	2	3616.00	113.61	-----	107.49	33.13	9.78	36.79	0.00	300	100	PEAK	3	5530.00	99.92	-----	89.69	34.44	12.20	36.41	0.00	300	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5456.24	63.57	74.00	-10.43	53.24	34.68	12.09	36.44	0.00	300	100	PEAK																																																																																																																															
2	5460.72	61.83	68.20	-6.37	51.51	34.66	12.10	36.44	0.00	300	100	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	2437.00	94.08	-----	90.33	32.74	8.03	37.02	0.00	300	100	PEAK																																																																																																																																
2	3616.00	113.61	-----	107.49	33.13	9.78	36.79	0.00	300	100	PEAK																																																																																																																																
3	5530.00	99.92	-----	89.69	34.44	12.20	36.41	0.00	300	100	PEAK																																																																																																																																
Avg																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>40.42</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.74	54.00	-3.26	40.42	34.66	12.10	36.44	0.00	300	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2446.00</td><td>85.40</td><td>-----</td><td>81.52</td><td>32.85</td><td>8.05</td><td>37.02</td><td>0.00</td><td>300</td><td>100</td><td>AVERAGE</td></tr><tr><td>2</td><td>3616.00</td><td>109.82</td><td>-----</td><td>103.70</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>300</td><td>100</td><td>AVERAGE</td></tr><tr><td>3</td><td>5530.00</td><td>90.73</td><td>-----</td><td>80.50</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>300</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2446.00	85.40	-----	81.52	32.85	8.05	37.02	0.00	300	100	AVERAGE	2	3616.00	109.82	-----	103.70	33.13	9.78	36.79	0.00	300	100	AVERAGE	3	5530.00	90.73	-----	80.50	34.44	12.20	36.41	0.00	300	100	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5459.92	50.74	54.00	-3.26	40.42	34.66	12.10	36.44	0.00	300	100	AVERAGE																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	2446.00	85.40	-----	81.52	32.85	8.05	37.02	0.00	300	100	AVERAGE																																																																																																																																
2	3616.00	109.82	-----	103.70	33.13	9.78	36.79	0.00	300	100	AVERAGE																																																																																																																																
3	5530.00	90.73	-----	80.50	34.44	12.20	36.41	0.00	300	100	AVERAGE																																																																																																																																







Mode	101																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	5+4																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.00</td><td>52.20</td><td>68.20</td><td>-16.00</td><td>41.53</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>300</td><td>100</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.00	52.20	68.20	-16.00	41.53	34.65	12.42	36.40	0.00	300	100	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.00	52.20	68.20	-16.00	41.53	34.65	12.42	36.40	0.00	300	100	PEAK																																												



Mode	101																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																								
ANT	5+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>56.45</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.29	74.00	-28.71	56.45	37.90	17.56	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.13</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	44.97	74.00	-29.03	56.13	37.90	17.56	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	11060.00	45.29	74.00	-28.71	56.45	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11060.00	44.97	74.00	-29.03	56.13	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																													







Mode	102																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																																																																						
ANT	6+3																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2389.82</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>46.44</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>114</td><td>136 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2389.82	55.65	74.00	-18.35	46.44	32.24	7.96	36.99	6.00	114	136 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2437.00</td><td>108.62</td><td>-----</td><td>-----</td><td>98.84</td><td>32.76</td><td>8.04</td><td>37.02</td><td>6.00</td><td>114</td><td>136 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2437.00	108.62	-----	-----	98.84	32.76	8.04	37.02	6.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2389.82	55.65	74.00	-18.35	46.44	32.24	7.96	36.99	6.00	114	136 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2437.00	108.62	-----	-----	98.84	32.76	8.04	37.02	6.00	114	136 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2389.95</td><td>43.75</td><td>54.00</td><td>-10.25</td><td>34.54</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>114</td><td>136 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2389.95	43.75	54.00	-10.25	34.54	32.24	7.96	36.99	6.00	114	136 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>2437.00</td><td>98.23</td><td>-----</td><td>-----</td><td>88.43</td><td>32.78</td><td>8.04</td><td>37.02</td><td>6.00</td><td>114</td><td>136 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	2437.00	98.23	-----	-----	88.43	32.78	8.04	37.02	6.00	114
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2389.95	43.75	54.00	-10.25	34.54	32.24	7.96	36.99	6.00	114	136 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	2437.00	98.23	-----	-----	88.43	32.78	8.04	37.02	6.00	114	136 AVERAGE																																																																																																												



Mode	102																																																																									
	Band Edge - R																																																																									
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																									
ANT	6+3																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2484.40</td><td>64.63</td><td>74.00</td><td>-9.37</td><td>55.02</td><td>32.56</td><td>8.10</td><td>37.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>114</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>136</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.40	64.63	74.00	-9.37	55.02	32.56	8.10	37.05								6.00	114									136									PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	2484.40	64.63	74.00	-9.37	55.02	32.56	8.10	37.05																																																																		
							6.00	114																																																																		
								136																																																																		
								PEAK																																																																		
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2483.50</td><td>50.20</td><td>54.00</td><td>-3.80</td><td>40.58</td><td>32.57</td><td>8.10</td><td>37.05</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>6.00</td><td>114</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>136</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.50	50.20	54.00	-3.80	40.58	32.57	8.10	37.05								6.00	114									136									AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	2483.50	50.20	54.00	-3.80	40.58	32.57	8.10	37.05																																																																		
							6.00	114																																																																		
								136																																																																		
								AVERAGE																																																																		



Mode	102																																																																																											
	Band Edge - L																																																																																											
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																																											
ANT	6+3																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.26</td><td>53.38</td><td>74.00</td><td>-20.62</td><td>44.39</td><td>32.07</td><td>7.92</td><td>37.00</td><td>6.00</td><td>369</td><td>44 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.26	53.38	74.00	-20.62	44.39	32.07	7.92	37.00	6.00	369	44 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>106.22</td><td>-----</td><td>-----</td><td>96.63</td><td>32.59</td><td>8.01</td><td>37.01</td><td>6.00</td><td>369</td><td>44 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.22	-----	-----	96.63	32.59	8.01	37.01	6.00	369	44 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2362.26	53.38	74.00	-20.62	44.39	32.07	7.92	37.00	6.00	369	44 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2437.00	106.22	-----	-----	96.63	32.59	8.01	37.01	6.00	369	44 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>31.58</td><td>32.24</td><td>7.96</td><td>36.99</td><td>6.00</td><td>369</td><td>44 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	40.79	54.00	-13.21	31.58	32.24	7.96	36.99	6.00	369	44 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>95.28</td><td>-----</td><td>-----</td><td>85.66</td><td>32.61</td><td>8.02</td><td>37.01</td><td>6.00</td><td>369</td><td>44 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	95.28	-----	-----	85.66	32.61	8.02	37.01	6.00	369	44 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2389.95	40.79	54.00	-13.21	31.58	32.24	7.96	36.99	6.00	369	44 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2437.00	95.28	-----	-----	85.66	32.61	8.02	37.01	6.00	369	44 AVERAGE																																																																																	







Mode	102																																																			
	Band Edge - R																																																			
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																			
ANT	6+3																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2484.40</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>47.40</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>369</td><td>44</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2484.40	57.01	74.00	-16.99	47.40	32.56	8.10	37.05	6.00	369	44	PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																												
1	2484.40	57.01	74.00	-16.99	47.40	32.56	8.10	37.05	6.00	369	44	PEAK																																								
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2483.50</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>34.09</td><td>32.56</td><td>8.10</td><td>37.05</td><td>6.00</td><td>369</td><td>44</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2483.50	43.70	54.00	-10.30	34.09	32.56	8.10	37.05	6.00	369	44	AVERAGE	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																												
1	2483.50	43.70	54.00	-10.30	34.09	32.56	8.10	37.05	6.00	369	44	AVERAGE																																								




Mode	102																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_2400-2483.5_802.11BE EHT40_CH6_Full_2437MHz																																																																																																																																																						
ANT	6+3																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.74</td><td>74.00</td><td>-33.26</td><td>60.92</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>81.08</td><td>34.44</td><td>12.20</td><td>65.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>43.30</td><td>74.00</td><td>-30.70</td><td>59.35</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.74	74.00	-33.26	60.92	33.90	11.47	65.55	0.00	---	PEAK	2	5530.00	62.32	74.00	-11.68	81.08	34.44	12.20	65.40	0.00	---	Peak	3	7311.00	43.30	74.00	-30.70	59.35	35.80	14.13	65.98	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>41.23</td><td>74.00</td><td>-32.77</td><td>61.41</td><td>33.90</td><td>11.47</td><td>65.55</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5530.00</td><td>58.27</td><td>74.00</td><td>-15.73</td><td>77.03</td><td>34.44</td><td>12.20</td><td>65.40</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7311.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>59.23</td><td>35.80</td><td>14.13</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	41.23	74.00	-32.77	61.41	33.90	11.47	65.55	0.00	---	PEAK	2	5530.00	58.27	74.00	-15.73	77.03	34.44	12.20	65.40	0.00	---	Peak	3	7311.00	43.18	74.00	-30.82	59.23	35.80	14.13	65.98	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4874.00	40.74	74.00	-33.26	60.92	33.90	11.47	65.55	0.00	---	PEAK																																																																																																																																												
2	5530.00	62.32	74.00	-11.68	81.08	34.44	12.20	65.40	0.00	---	Peak																																																																																																																																												
3	7311.00	43.30	74.00	-30.70	59.35	35.80	14.13	65.98	0.00	---	PEAK																																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	4874.00	41.23	74.00	-32.77	61.41	33.90	11.47	65.55	0.00	---	PEAK																																																																																																																																												
2	5530.00	58.27	74.00	-15.73	77.03	34.44	12.20	65.40	0.00	---	Peak																																																																																																																																												
3	7311.00	43.18	74.00	-30.82	59.23	35.80	14.13	65.98	0.00	---	PEAK																																																																																																																																												







Mode	102																																																																																																																																						
	Band Edge - L																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																																																						
ANT	5+4																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.28</td><td>62.19</td><td>74.00</td><td>-11.81</td><td>51.85</td><td>34.69</td><td>12.09</td><td>36.44</td><td>0.00</td><td>261</td><td>206 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>61.03</td><td>68.20</td><td>-7.17</td><td>50.75</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>261</td><td>206 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.28	62.19	74.00	-11.81	51.85	34.69	12.09	36.44	0.00	261	206 PEAK	2	5470.00	61.03	68.20	-7.17	50.75	34.62	12.11	36.45	0.00	261	206 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2446.00</td><td>101.14</td><td>-----</td><td>97.26</td><td>32.85</td><td>8.05</td><td>37.02</td><td>0.00</td><td>261</td><td>206 PEAK</td></tr><tr><td>2</td><td>3616.00</td><td>110.61</td><td>-----</td><td>104.49</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>261</td><td>206 PEAK</td></tr><tr><td>3</td><td>5530.00</td><td>102.83</td><td>-----</td><td>92.60</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>261</td><td>206 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2446.00	101.14	-----	97.26	32.85	8.05	37.02	0.00	261	206 PEAK	2	3616.00	110.61	-----	104.49	33.13	9.78	36.79	0.00	261	206 PEAK	3	5530.00	102.83	-----	92.60	34.44	12.20	36.41	0.00	261	206 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5451.28	62.19	74.00	-11.81	51.85	34.69	12.09	36.44	0.00	261	206 PEAK																																																																																																																												
2	5470.00	61.03	68.20	-7.17	50.75	34.62	12.11	36.45	0.00	261	206 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	2446.00	101.14	-----	97.26	32.85	8.05	37.02	0.00	261	206 PEAK																																																																																																																													
2	3616.00	110.61	-----	104.49	33.13	9.78	36.79	0.00	261	206 PEAK																																																																																																																													
3	5530.00	102.83	-----	92.60	34.44	12.20	36.41	0.00	261	206 PEAK																																																																																																																													
Avg																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.96</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>39.07</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>261</td><td>206 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.96	49.40	54.00	-4.60	39.07	34.68	12.09	36.44	0.00	261	206 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>92.13</td><td>-----</td><td>88.33</td><td>32.78</td><td>8.04</td><td>37.02</td><td>0.00</td><td>261</td><td>206 AVERAGE</td></tr><tr><td>2</td><td>3616.00</td><td>100.99</td><td>-----</td><td>94.87</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>261</td><td>206 AVERAGE</td></tr><tr><td>3</td><td>5530.00</td><td>92.05</td><td>-----</td><td>81.82</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>261</td><td>206 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2440.00	92.13	-----	88.33	32.78	8.04	37.02	0.00	261	206 AVERAGE	2	3616.00	100.99	-----	94.87	33.13	9.78	36.79	0.00	261	206 AVERAGE	3	5530.00	92.05	-----	81.82	34.44	12.20	36.41	0.00	261	206 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5454.96	49.40	54.00	-4.60	39.07	34.68	12.09	36.44	0.00	261	206 AVERAGE																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	2440.00	92.13	-----	88.33	32.78	8.04	37.02	0.00	261	206 AVERAGE																																																																																																																													
2	3616.00	100.99	-----	94.87	33.13	9.78	36.79	0.00	261	206 AVERAGE																																																																																																																													
3	5530.00	92.05	-----	81.82	34.44	12.20	36.41	0.00	261	206 AVERAGE																																																																																																																													




Mode	102																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																							
ANT	5+4																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.44</td><td>52.64</td><td>68.20</td><td>-15.56</td><td>41.97</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>261</td><td>206</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5726.44	52.64	68.20	-15.56	41.97	34.65	12.42	36.40	0.00	261	206	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	5726.44	52.64	68.20	-15.56	41.97	34.65	12.42	36.40	0.00	261	206	PEAK																																												





		102																																																																																																																																										
Mode		Band Edge - L																																																																																																																																										
		U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																																																										
ANT		5+4																																																																																																																																										
Pol.		Vertical					Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>60.44</td><td>74.00</td><td>-13.56</td><td>50.11</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>389</td><td>11 PEAK</td></tr><tr><td>2</td><td>5460.56</td><td>59.74</td><td>68.20</td><td>-8.46</td><td>49.42</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>389</td><td>11 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.04	60.44	74.00	-13.56	50.11	34.67	12.10	36.44	0.00	389	11 PEAK	2	5460.56	59.74	68.20	-8.46	49.42	34.66	12.10	36.44	0.00	389	11 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2428.00</td><td>97.17</td><td>-----</td><td>-----</td><td>93.52</td><td>32.64</td><td>8.02</td><td>37.01</td><td>0.00</td><td>389</td><td>11 PEAK</td></tr><tr><td>2</td><td>3616.00</td><td>112.51</td><td>-----</td><td>-----</td><td>106.39</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>389</td><td>11 PEAK</td></tr><tr><td>3</td><td>5530.00</td><td>100.05</td><td>-----</td><td>-----</td><td>89.82</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>389</td><td>11 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2428.00	97.17	-----	-----	93.52	32.64	8.02	37.01	0.00	389	11 PEAK	2	3616.00	112.51	-----	-----	106.39	33.13	9.78	36.79	0.00	389	11 PEAK	3	5530.00	100.05	-----	-----	89.82	34.44	12.20	36.41	0.00	389
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5457.04	60.44	74.00	-13.56	50.11	34.67	12.10	36.44	0.00	389	11 PEAK																																																																																																																																	
2	5460.56	59.74	68.20	-8.46	49.42	34.66	12.10	36.44	0.00	389	11 PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	2428.00	97.17	-----	-----	93.52	32.64	8.02	37.01	0.00	389	11 PEAK																																																																																																																																	
2	3616.00	112.51	-----	-----	106.39	33.13	9.78	36.79	0.00	389	11 PEAK																																																																																																																																	
3	5530.00	100.05	-----	-----	89.82	34.44	12.20	36.41	0.00	389	11 PEAK																																																																																																																																	
Avg																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>38.40</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>389</td><td>11 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.76	48.72	54.00	-5.28	38.40	34.66	12.10	36.44	0.00	389	11 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2428.00</td><td>88.37</td><td>-----</td><td>-----</td><td>84.72</td><td>32.64</td><td>8.02</td><td>37.01</td><td>0.00</td><td>389</td><td>11 AVERAGE</td></tr><tr><td>2</td><td>3616.00</td><td>108.48</td><td>-----</td><td>-----</td><td>102.36</td><td>33.13</td><td>9.78</td><td>36.79</td><td>0.00</td><td>389</td><td>11 AVERAGE</td></tr><tr><td>3</td><td>5530.00</td><td>91.23</td><td>-----</td><td>-----</td><td>81.00</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>389</td><td>11 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2428.00	88.37	-----	-----	84.72	32.64	8.02	37.01	0.00	389	11 AVERAGE	2	3616.00	108.48	-----	-----	102.36	33.13	9.78	36.79	0.00	389	11 AVERAGE	3	5530.00	91.23	-----	-----	81.00	34.44	12.20	36.41	0.00	389	11 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5459.76	48.72	54.00	-5.28	38.40	34.66	12.10	36.44	0.00	389	11 AVERAGE																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	2428.00	88.37	-----	-----	84.72	32.64	8.02	37.01	0.00	389	11 AVERAGE																																																																																																																																	
2	3616.00	108.48	-----	-----	102.36	33.13	9.78	36.79	0.00	389	11 AVERAGE																																																																																																																																	
3	5530.00	91.23	-----	-----	81.00	34.44	12.20	36.41	0.00	389	11 AVERAGE																																																																																																																																	



Mode	102																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																					
ANT	5+4																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>41.25</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>309</td><td>11 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	51.92	68.20	-16.28	41.25	34.65	12.42	36.40	0.00	309	11 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5725.40	51.92	68.20	-16.28	41.25	34.65	12.42	36.40	0.00	309	11 PEAK																																											




Mode	102																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																			
ANT	5+4																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>56.44</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.28	74.00	-28.72	56.44	37.90	17.56	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>56.22</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.06	74.00	-28.94	56.22	37.90	17.56	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	45.28	74.00	-28.72	56.44	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	45.06	74.00	-28.94	56.22	37.90	17.56	66.62	0.00	---	---	PEAK																																																																																								

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
MIMO Ant. 5 + 4	802.11a	99.33	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT20	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT40	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT80	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT160	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT20 Single RU RU26	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT20 Single RU RU52	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT20 Single RU RU106	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT20 Small RU 52+26	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT20 Small RU 106+26	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT80 Puncturing20M	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT80 Large RU 484+242	98.23	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT160 Puncturing20M	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT160 Puncturing40M	100	-	-	10Hz
MIMO Ant. 5 + 4	802.11be EHT160 Large RU996+484	98.10	-	-	10Hz



802.11a




802.11be EHT20







802.11be EHT40




802.11be EHT80




802.11be EHT160




802.11be EHT80 Large RU 484+242



802.11be EHT80 Puncturing20M




802.11be EHT160 Large RU996+484






802.11be EHT160 Puncturing20M




802.11be EHT160 Puncturing40M






802.11be EHT20 Single RU 26




802.11be EHT20 Single RU 52






802.11be EHT20 Single RU 106



802.11be EHT20 Small RU 52+26





802.11be EHT20 Small RU 106+26

