






















































11AX40MIMO_total_5670






















































<Single RU>


Min emission bandwidth


Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	6db BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20 MIMO	Ant5	5745	26Tone	RU0	2.04	5735.48	5737.52	0.5	PASS
	Ant7	5745	26Tone	RU0	2.08	5735.48	5737.56	0.5	PASS
	Ant5	5825	26Tone	RU8	2.04	5832.44	5834.48	0.5	PASS
	Ant7	5825	26Tone	RU8	2.08	5832.44	5834.52	0.5	PASS




Test Graphs






Date: 25.AUG.2025 10:44:52

11AX20MIMO_Ant5_5825_26Tone_RU8



Date: 25.AUG.2025 11:00:21

11AX20MIMO_Ant7_5825_26Tone_RU8





Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant5	5180	26Tone	RU0	6.23	≤11.00	PASS
			52Tone	RU37	6.66	≤11.00	PASS
			106Tone	RU53	6.80	≤11.00	PASS
	Ant7	5180	26Tone	RU0	3.19	≤11.00	PASS
			52Tone	RU37	4.28	≤11.00	PASS
			106Tone	RU53	4.64	≤11.00	PASS
	total	5180	26Tone	RU0	7.98	≤11.00	PASS
			52Tone	RU37	8.60	≤11.00	PASS
			106Tone	RU53	8.42	≤11.00	PASS
	Ant5	5320	26Tone	RU8	5.53	≤11.00	PASS
			52Tone	RU40	5.20	≤11.00	PASS
			106Tone	RU54	5.72	≤11.00	PASS
	Ant7	5320	26Tone	RU8	5.16	≤11.00	PASS
			52Tone	RU40	4.97	≤11.00	PASS
			106Tone	RU54	4.79	≤11.00	PASS
	total	5320	26Tone	RU8	8.36	≤11.00	PASS
			52Tone	RU40	7.87	≤11.00	PASS
			106Tone	RU54	8.29	≤11.00	PASS
	Ant5	5500	26Tone	RU0	5.63	≤11.00	PASS
			52Tone	RU37	6.00	≤11.00	PASS
			106Tone	RU53	5.89	≤11.00	PASS
	Ant7	5500	26Tone	RU0	4.47	≤11.00	PASS
			52Tone	RU37	4.52	≤11.00	PASS
			106Tone	RU53	4.36	≤11.00	PASS
	total	5500	26Tone	RU0	8.10	≤11.00	PASS
			52Tone	RU37	8.31	≤11.00	PASS
			106Tone	RU53	8.16	≤11.00	PASS
	Ant5	5700	26Tone	RU8	5.26	≤11.00	PASS
			52Tone	RU40	5.00	≤11.00	PASS
			106Tone	RU54	5.37	≤11.00	PASS
	Ant7	5700	26Tone	RU8	3.62	≤11.00	PASS
			52Tone	RU40	3.33	≤11.00	PASS
			106Tone	RU54	3.47	≤11.00	PASS






	total	5700	26Tone	RU8	7.52	≤11.00	PASS
			52Tone	RU40	7.19	≤11.00	PASS
			106Tone	RU54	7.46	≤11.00	PASS
	Ant5	5745	26Tone	RU0	4.30	≤30.00	PASS
			52Tone	RU37	4.55	≤30.00	PASS
			106Tone	RU53	3.99	≤30.00	PASS
	Ant7	5745	26Tone	RU0	3.25	≤30.00	PASS
			52Tone	RU37	3.26	≤30.00	PASS
			106Tone	RU53	2.85	≤30.00	PASS
	total	5745	26Tone	RU0	6.82	≤30.00	PASS
			52Tone	RU37	6.96	≤30.00	PASS
			106Tone	RU53	6.47	≤30.00	PASS
	Ant5	5825	26Tone	RU8	2.72	≤30.00	PASS
			52Tone	RU40	2.54	≤30.00	PASS
			106Tone	RU54	1.81	≤30.00	PASS
	Ant7	5825	26Tone	RU8	2.03	≤30.00	PASS
			52Tone	RU40	1.78	≤30.00	PASS
			106Tone	RU54	2.71	≤30.00	PASS
	total	5825	26Tone	RU8	5.40	≤30.00	PASS
			52Tone	RU40	5.19	≤30.00	PASS
			106Tone	RU54	5.29	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs

















11AX20MIMO_total_5180_52Tone_RU37





11AX20MIMO_total_5180_106Tone_RU53














11AX20MIMO_total_5320_26Tone_RU8







11AX20MIMO_total_5320_52Tone_RU40



















11AX20MIMO_total_5500_52Tone_RU37






11AX20MIMO_total_5500_106Tone_RU53



































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.169	41.20	-23.79	64.99	30.50	0.25	10.45	QP
2	0.169	33.70	-21.29	54.99	23.00	0.25	10.45	Average
3	0.474	33.29	-23.16	56.45	22.50	0.36	10.43	QP
4	0.474	26.59	-19.86	46.45	15.80	0.36	10.43	Average
5	0.582	33.65	-22.35	56.00	22.90	0.37	10.38	QP
6	0.582	25.65	-20.35	46.00	14.90	0.37	10.38	Average
7	0.739	38.51	-17.49	56.00	27.80	0.38	10.33	QP
8 *	0.739	30.61	-15.39	46.00	19.90	0.38	10.33	Average
9	0.779	37.00	-19.00	56.00	26.29	0.39	10.32	QP
10	0.779	27.90	-18.10	46.00	17.19	0.39	10.32	Average
11	1.970	33.76	-22.24	56.00	23.10	0.42	10.24	QP
12	1.970	25.66	-20.34	46.00	15.00	0.42	10.24	Average