











Mode	31																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	CDD 5+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.48</td><td>58.07</td><td>68.20</td><td>-10.13</td><td>47.40</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.48	58.07	68.20	-10.13	47.40	34.65	12.42	36.40	0.00	100	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.75</td><td>-----</td><td>-----</td><td>90.10</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.75	-----	-----	90.10	34.61	12.40	36.36	0.00	100	115
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.48	58.07	68.20	-10.13	47.40	34.65	12.42	36.40	0.00	100	115	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	100.75	-----	-----	90.10	34.61	12.40	36.36	0.00	100	115	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.17</td><td>-----</td><td>-----</td><td>82.52</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>115</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.17	-----	-----	82.52	34.61	12.40	36.36	0.00	100	115	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	93.17	-----	-----	82.52	34.61	12.40	36.36	0.00	100	115	AVERAGE																																																																																							







Mode	31																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																						
ANT	CDD 5+7																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.92</td><td>64.38</td><td>68.20</td><td>-3.82</td><td>53.69</td><td>34.66</td><td>12.43</td><td>36.40</td><td>0.00</td><td>107</td><td>302</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.92	64.38	68.20	-3.82	53.69	34.66	12.43	36.40	0.00	107	302	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.33</td><td>-----</td><td>-----</td><td>97.68</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>107</td><td>302</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	108.33	-----	-----	97.68	34.60	12.40	36.35	0.00	107	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5728.92	64.38	68.20	-3.82	53.69	34.66	12.43	36.40	0.00	107	302	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	108.33	-----	-----	97.68	34.60	12.40	36.35	0.00	107	302	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.29</td><td>-----</td><td>-----</td><td>88.64</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>107</td><td>302</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.29	-----	-----	88.64	34.60	12.40	36.35	0.00	107	302	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	99.29	-----	-----	88.64	34.60	12.40	36.35	0.00	107	302	AVERAGE																																																																																											




		31																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																										
ANT		CDD 5+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>56.42</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	45.63	74.00	-28.37	56.42	38.00	17.80	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11400.00	45.63	74.00	-28.37	56.42	38.00	17.80	66.59	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>56.26</td><td>38.00</td><td>17.80</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	45.47	74.00	-28.53	56.26	38.00	17.80	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11400.00	45.47	74.00	-28.53	56.26	38.00	17.80	66.59	0.00	---	---	PEAK																																																







Mode	32																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																
ANT	CDD 5+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.20</td><td>58.42</td><td>74.00</td><td>-15.58</td><td>48.09</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>60.38</td><td>68.20</td><td>-7.82</td><td>50.06</td><td>34.65</td><td>12.11</td><td>36.44</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	58.42	74.00	-15.58	48.09	34.67	12.10	36.44	0.00	100	154 PEAK	2	5463.44	60.38	68.20	-7.82	50.06	34.65	12.11	36.44	0.00	100	154 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>102.31</td><td>-----</td><td>-----</td><td>92.11</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>100</td><td>154 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.31	-----	-----	92.11	34.49	12.17	36.46	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.20	58.42	74.00	-15.58	48.09	34.67	12.10	36.44	0.00	100	154 PEAK																																																																																																						
2	5463.44	60.38	68.20	-7.82	50.06	34.65	12.11	36.44	0.00	100	154 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	102.31	-----	-----	92.11	34.49	12.17	36.46	0.00	100	154 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>47.10</td><td>54.00</td><td>-6.90</td><td>36.78</td><td>34.67</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>154 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	47.10	54.00	-6.90	36.78	34.67	12.09	36.44	0.00	100	154 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.28</td><td>-----</td><td>-----</td><td>83.08</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>100</td><td>154 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	93.28	-----	-----	83.08	34.49	12.17	36.46	0.00	100	154 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.40	47.10	54.00	-6.90	36.78	34.67	12.09	36.44	0.00	100	154 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	93.28	-----	-----	83.08	34.49	12.17	36.46	0.00	100	154 AVERAGE																																																																																																						




Mode	32																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.56</td><td>53.54</td><td>68.20</td><td>-14.66</td><td>42.86</td><td>34.66</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>154</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.56	53.54	68.20	-14.66	42.86	34.66	12.43	36.41	0.00	100	154	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5731.56	53.54	68.20	-14.66	42.86	34.66	12.43	36.41	0.00	100	154	PEAK																																												





Mode	32																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																			
ANT	CDD 5+7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.20</td><td>59.36</td><td>74.00</td><td>-14.64</td><td>49.03</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>103</td><td>307 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>63.95</td><td>68.20</td><td>-4.25</td><td>53.66</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>103</td><td>307 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	59.36	74.00	-14.64	49.03	34.67	12.10	36.44	0.00	103	307 PEAK	2	5468.08	63.95	68.20	-4.25	53.66	34.63	12.11	36.45	0.00	103	307 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5457.20	59.36	74.00	-14.64	49.03	34.67	12.10	36.44	0.00	103	307 PEAK																																																									
2	5468.08	63.95	68.20	-4.25	53.66	34.63	12.11	36.45	0.00	103	307 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.70</td><td>-----</td><td>-----</td><td>96.50</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>103</td><td>307 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.70	-----	-----	96.50	34.49	12.17	36.46	0.00	103	307 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	106.70	-----	-----	96.50	34.49	12.17	36.46	0.00	103	307 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.68</td><td>49.29</td><td>54.00</td><td>-4.71</td><td>38.96</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>103</td><td>307 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	49.29	54.00	-4.71	38.96	34.67	12.10	36.44	0.00	103	307 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5457.68	49.29	54.00	-4.71	38.96	34.67	12.10	36.44	0.00	103	307 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>97.97</td><td>-----</td><td>-----</td><td>87.77</td><td>34.49</td><td>12.17</td><td>36.46</td><td>0.00</td><td>103</td><td>307 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.97	-----	-----	87.77	34.49	12.17	36.46	0.00	103	307 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	97.97	-----	-----	87.77	34.49	12.17	36.46	0.00	103	307 AVERAGE																																																									





Mode	32																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																						
ANT	CDD 5+7																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.88</td><td>53.71</td><td>68.20</td><td>-14.49</td><td>43.01</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>103</td><td>307</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.88	53.71	68.20	-14.49	43.01	34.68	12.44	36.42	0.00	103	307	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5739.88	53.71	68.20	-14.49	43.01	34.68	12.44	36.42	0.00	103	307	PEAK																																											







Mode	32																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																						
ANT	CDD 5+7																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>55.57</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	44.37	74.00	-29.63	55.57	37.90	17.53	66.63	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>56.20</td><td>37.90</td><td>17.53</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.00	74.00	-29.00	56.20	37.90	17.53	66.63	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11020.00	44.37	74.00	-29.63	55.57	37.90	17.53	66.63	0.00	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11020.00	45.00	74.00	-29.00	56.20	37.90	17.53	66.63	0.00	---	PEAK																																																																																												




Mode	33																																																																														
	Harmonic																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																														
ANT	CDD 5+7																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1 11100.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>55.78</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11100.00	44.65	74.00	-29.35	55.78	37.90	17.59	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1 11100.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>55.81</td><td>37.90</td><td>17.59</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11100.00	44.68	74.00	-29.32	55.81	37.90	17.59	66.62	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
1 11100.00	44.65	74.00	-29.35	55.78	37.90	17.59	66.62	0.00	---	---	PEAK																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
1 11100.00	44.68	74.00	-29.32	55.81	37.90	17.59	66.62	0.00	---	---	PEAK																																																																				







Mode	34																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5436.40</td><td>52.38</td><td>74.00</td><td>-21.62</td><td>42.08</td><td>34.67</td><td>12.06</td><td>36.43</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>52.15</td><td>68.20</td><td>-16.05</td><td>41.86</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5436.40	52.38	74.00	-21.62	42.08	34.67	12.06	36.43	0.00	100	116 PEAK	2	5467.28	52.15	68.20	-16.05	41.86	34.63	12.11	36.45	0.00	100	116 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5670.00</td><td>101.44</td><td>-----</td><td>-----</td><td>90.84</td><td>34.55</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5670.00	101.44	-----	-----	90.84	34.55	12.38	36.33	0.00	100	116 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
1	5436.40	52.38	74.00	-21.62	42.08	34.67	12.06	36.43	0.00	100	116 PEAK																																																																																	
2	5467.28	52.15	68.20	-16.05	41.86	34.63	12.11	36.45	0.00	100	116 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
1	5670.00	101.44	-----	-----	90.84	34.55	12.38	36.33	0.00	100	116 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5455.60</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>30.61</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5455.60	40.94	54.00	-13.06	30.61	34.68	12.09	36.44	0.00	100	116 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>5670.00</td><td>92.60</td><td>-----</td><td>-----</td><td>82.00</td><td>34.55</td><td>12.38</td><td>36.33</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5670.00	92.60	-----	-----	82.00	34.55	12.38	36.33	0.00	100	116 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
1	5455.60	40.94	54.00	-13.06	30.61	34.68	12.09	36.44	0.00	100	116 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
1	5670.00	92.60	-----	-----	82.00	34.55	12.38	36.33	0.00	100	116 AVERAGE																																																																																	




Mode	34																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																					
ANT	CDD 5+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.52</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>45.91</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.52	56.58	68.20	-11.62	45.91	34.65	12.42	36.40	0.00	100	116 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5726.52	56.58	68.20	-11.62	45.91	34.65	12.42	36.40	0.00	100	116 PEAK																																											





Mode	34																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																												
ANT	CDD 5+7																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.08</td><td>51.61</td><td>74.00</td><td>-22.39</td><td>41.28</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>105 303 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>51.88</td><td>68.20</td><td>-16.32</td><td>41.59</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>105 303 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.08	51.61	74.00	-22.39	41.28	34.68	12.09	36.44	0.00	105 303 PEAK	2	5466.00	51.88	68.20	-16.32	41.59	34.63	12.11	36.45	0.00	105 303 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.07</td><td>-----</td><td>-----</td><td>95.48</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>105 303 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.07	-----	-----	95.48	34.54	12.37	36.32	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.08	51.61	74.00	-22.39	41.28	34.68	12.09	36.44	0.00	105 303 PEAK																																																																																																			
2	5466.00	51.88	68.20	-16.32	41.59	34.63	12.11	36.45	0.00	105 303 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	106.07	-----	-----	95.48	34.54	12.37	36.32	0.00	105 303 PEAK																																																																																																			
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.72</td><td>40.96</td><td>54.00</td><td>-13.04</td><td>30.63</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>105 303 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	40.96	54.00	-13.04	30.63	34.67	12.10	36.44	0.00	105 303 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.04</td><td>-----</td><td>-----</td><td>87.45</td><td>34.54</td><td>12.37</td><td>36.32</td><td>0.00</td><td>105 303 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.04	-----	-----	87.45	34.54	12.37	36.32	0.00	105 303 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.72	40.96	54.00	-13.04	30.63	34.67	12.10	36.44	0.00	105 303 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5670.00	98.04	-----	-----	87.45	34.54	12.37	36.32	0.00	105 303 AVERAGE																																																																																																			







Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.56</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>51.15</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>105</td><td>303</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.56	61.83	68.20	-6.37	51.15	34.66	12.42	36.40	0.00	105	303	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.56	61.83	68.20	-6.37	51.15	34.66	12.42	36.40	0.00	105	303	PEAK																																												




Mode	34																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																					
ANT	CDD 5+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11340.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>56.02</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	45.12	74.00	-28.88	56.02	37.94	17.76	66.60	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11340.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>55.77</td><td>37.94</td><td>17.76</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11340.00	44.87	74.00	-29.13	55.77	37.94	17.76	66.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11340.00	45.12	74.00	-28.88	56.02	37.94	17.76	66.60	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11340.00	44.87	74.00	-29.13	55.77	37.94	17.76	66.60	0.00	---	---	PEAK																																																																																											







Mode	35																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 5+7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.28</td><td>60.54</td><td>74.00</td><td>-13.46</td><td>50.21</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>152 PEAK</td></tr><tr><td>2</td><td>5467.12</td><td>61.06</td><td>68.20</td><td>-7.14</td><td>50.77</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>152 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.28	60.54	74.00	-13.46	50.21	34.68	12.09	36.44	0.00	100	152 PEAK	2	5467.12	61.06	68.20	-7.14	50.77	34.63	12.11	36.45	0.00	100	152 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.84</td><td>-----</td><td>-----</td><td>87.61</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>100</td><td>152 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.84	-----	-----	87.61	34.45	12.20	36.42	0.00	100	152 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.28	60.54	74.00	-13.46	50.21	34.68	12.09	36.44	0.00	100	152 PEAK																																																																																																						
2	5467.12	61.06	68.20	-7.14	50.77	34.63	12.11	36.45	0.00	100	152 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	97.84	-----	-----	87.61	34.45	12.20	36.42	0.00	100	152 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.56</td><td>48.34</td><td>54.00</td><td>-5.66</td><td>38.02</td><td>34.67</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>152 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	48.34	54.00	-5.66	38.02	34.67	12.09	36.44	0.00	100	152 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.68</td><td>-----</td><td>-----</td><td>79.45</td><td>34.45</td><td>12.20</td><td>36.42</td><td>0.00</td><td>100</td><td>152 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.68	-----	-----	79.45	34.45	12.20	36.42	0.00	100	152 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5456.56	48.34	54.00	-5.66	38.02	34.67	12.09	36.44	0.00	100	152 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	89.68	-----	-----	79.45	34.45	12.20	36.42	0.00	100	152 AVERAGE																																																																																																						




Mode	35																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																					
ANT	CDD 5+7																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.84</td><td>52.94</td><td>68.20</td><td>-15.26</td><td>42.21</td><td>34.73</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>152 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.84	52.94	68.20	-15.26	42.21	34.73	12.45	36.45	0.00	100	152 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5754.84	52.94	68.20	-15.26	42.21	34.73	12.45	36.45	0.00	100	152 PEAK																																											





		35																																																																																																							
Mode		Band Edge - L																																																																																																							
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																							
ANT		CDD 5+7																																																																																																							
Pol.		Vertical						Fundamental																																																																																																	
Peak																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	62.59	74.00	-11.41	52.26	34.67	12.10	36.44	0.00	100	308	PEAK	2	5469.20	62.47	68.20	-5.73	52.19	34.62	12.11	36.45	0.00	100	308	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.76</td><td>-----</td><td>-----</td><td>92.53</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>100</td><td>308</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.76	-----	-----	92.53	34.44	12.20	36.41	0.00	100	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5458.00	62.59	74.00	-11.41	52.26	34.67	12.10	36.44	0.00	100	308	PEAK																																																																																													
2	5469.20	62.47	68.20	-5.73	52.19	34.62	12.11	36.45	0.00	100	308	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5530.00	102.76	-----	-----	92.53	34.44	12.20	36.41	0.00	100	308	PEAK																																																																																													
Avg																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	50.18	54.00	-3.82	39.85	34.67	12.10	36.44	0.00	100	308	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.88</td><td>-----</td><td>-----</td><td>83.65</td><td>34.44</td><td>12.20</td><td>36.41</td><td>0.00</td><td>100</td><td>308</td><td>AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.88	-----	-----	83.65	34.44	12.20	36.41	0.00	100	308	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5457.68	50.18	54.00	-3.82	39.85	34.67	12.10	36.44	0.00	100	308	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5530.00	93.88	-----	-----	83.65	34.44	12.20	36.41	0.00	100	308	AVERAGE																																																																																													







Mode	35																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.20</td><td>54.61</td><td>68.20</td><td>-13.59</td><td>43.83</td><td>34.79</td><td>12.46</td><td>36.47</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.20	54.61	68.20	-13.59	43.83	34.79	12.46	36.47	0.00	100	300	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5764.20	54.61	68.20	-13.59	43.83	34.79	12.46	36.47	0.00	100	300	PEAK																																												




Mode	35																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																					
ANT	CDD 5+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>55.61</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.45	74.00	-29.55	55.61	37.90	17.56	66.62	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>56.04</td><td>37.90</td><td>17.56</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.88	74.00	-29.12	56.04	37.90	17.56	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11060.00	44.45	74.00	-29.55	55.61	37.90	17.56	66.62	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11060.00	44.88	74.00	-29.12	56.04	37.90	17.56	66.62	0.00	---	PEAK																																																																																											







Mode	36																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																				
ANT	CDD 5+7																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.96</td><td>51.29</td><td>74.00</td><td>-22.71</td><td>40.96</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>42.82</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	51.29	74.00	-22.71	40.96	34.68	12.09	36.44	0.00	100	248	PEAK	2	5470.00	53.10	68.20	-15.10	42.82	34.62	12.11	36.45	0.00	100	248	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>98.74</td><td>-----</td><td>-----</td><td>88.19</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	98.74	-----	-----	88.19	34.50	12.32	36.27	0.00	100	248	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5454.96	51.29	74.00	-22.71	40.96	34.68	12.09	36.44	0.00	100	248	PEAK																																																																																																									
2	5470.00	53.10	68.20	-15.10	42.82	34.62	12.11	36.45	0.00	100	248	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	98.74	-----	-----	88.19	34.50	12.32	36.27	0.00	100	248	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>41.61</td><td>54.00</td><td>-12.39</td><td>31.29</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	41.61	54.00	-12.39	31.29	34.66	12.10	36.44	0.00	100	248	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>90.48</td><td>-----</td><td>-----</td><td>79.93</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>248</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.48	-----	-----	79.93	34.50	12.32	36.27	0.00	100	248	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5458.00	41.61	54.00	-12.39	31.29	34.66	12.10	36.44	0.00	100	248	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	90.48	-----	-----	79.93	34.50	12.32	36.27	0.00	100	248	AVERAGE																																																																																																									




Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.64</td><td>54.62</td><td>68.20</td><td>-13.58</td><td>43.92</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>248</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.64	54.62	68.20	-13.58	43.92	34.68	12.44	36.42	0.00	100	248	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.64	54.62	68.20	-13.58	43.92	34.68	12.44	36.42	0.00	100	248	PEAK																																												





		36																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																															
ANT	CDD 5+7																																																																																																															
Pol.	Vertical					Fundamental																																																																																																										
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.84</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>43.22</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>55.06</td><td>68.20</td><td>-13.14</td><td>44.77</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	53.55	74.00	-20.45	43.22	34.67	12.10	36.44	0.00	100	302 PEAK	2	5467.60	55.06	68.20	-13.14	44.77	34.63	12.11	36.45	0.00	100	302 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.81</td><td>-----</td><td>-----</td><td>95.26</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.81	-----	-----	95.26	34.50	12.32	36.27	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.84	53.55	74.00	-20.45	43.22	34.67	12.10	36.44	0.00	100	302 PEAK																																																																																																					
2	5467.60	55.06	68.20	-13.14	44.77	34.63	12.11	36.45	0.00	100	302 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	105.81	-----	-----	95.26	34.50	12.32	36.27	0.00	100	302 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.64</td><td>43.22</td><td>54.00</td><td>-10.78</td><td>32.89</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>302 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	43.22	54.00	-10.78	32.89	34.67	12.10	36.44	0.00	100	302 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>96.52</td><td>-----</td><td>-----</td><td>85.97</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>302 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.52	-----	-----	85.97	34.50	12.32	36.27	0.00	100	302 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.64	43.22	54.00	-10.78	32.89	34.67	12.10	36.44	0.00	100	302 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	96.52	-----	-----	85.97	34.50	12.32	36.27	0.00	100	302 AVERAGE																																																																																																					







Mode	36																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																					
ANT	CDD 5+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.84</td><td>57.61</td><td>68.20</td><td>-10.59</td><td>46.94</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.84	57.61	68.20	-10.59	46.94	34.65	12.42	36.40	0.00	100	302 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5726.84	57.61	68.20	-10.59	46.94	34.65	12.42	36.40	0.00	100	302 PEAK																																											




		36																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																								
ANT		CDD 5+7																																																								
Pol.		Horizontal																																																								
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>55.62</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	44.58	74.00	-29.42	55.62	37.90	17.67	66.61	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11220.00	44.58	74.00	-29.42	55.62	37.90	17.67	66.61	0.00	---	PEAK																																															
		Vertical																																																								
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>56.19</td><td>37.90</td><td>17.67</td><td>66.61</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.15	74.00	-28.85	56.19	37.90	17.67	66.61	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	11220.00	45.15	74.00	-28.85	56.19	37.90	17.67	66.61	0.00	---	PEAK																																															







		37																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																				
ANT		CDD 5+7																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.66	59.96	74.00	-14.04	49.67	34.66	12.05	36.42	0.00	100	173 PEAK	2	5465.72	58.85	68.20	-9.35	48.55	34.64	12.11	36.45	0.00	100	173 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>94.99</td><td>-----</td><td>-----</td><td>84.63</td><td>34.43</td><td>12.26</td><td>36.33</td><td>0.00</td><td>100</td><td>173 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	94.99	-----	-----	84.63	34.43	12.26	36.33	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5427.66	59.96	74.00	-14.04	49.67	34.66	12.05	36.42	0.00	100	173 PEAK																																																																																											
2	5465.72	58.85	68.20	-9.35	48.55	34.64	12.11	36.45	0.00	100	173 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	94.99	-----	-----	84.63	34.43	12.26	36.33	0.00	100	173 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.12	48.44	54.00	-5.56	38.16	34.65	12.05	36.42	0.00	100	173 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>85.82</td><td>-----</td><td>-----</td><td>75.46</td><td>34.43</td><td>12.26</td><td>36.33</td><td>0.00</td><td>100</td><td>173 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	85.82	-----	-----	75.46	34.43	12.26	36.33	0.00	100	173 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5426.12	48.44	54.00	-5.56	38.16	34.65	12.05	36.42	0.00	100	173 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5570.00	85.82	-----	-----	75.46	34.43	12.26	36.33	0.00	100	173 AVERAGE																																																																																											




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.76</td><td>56.45</td><td>68.20</td><td>-11.75</td><td>45.77</td><td>34.66</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>173</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.76	56.45	68.20	-11.75	45.77	34.66	12.42	36.40	0.00	100	173	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.76	56.45	68.20	-11.75	45.77	34.66	12.42	36.40	0.00	100	173	PEAK																																												





		37																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																								
ANT		CDD 5+7																																																																																																								
Pol.		Fundamental																																																																																																								
Peak	Vertical	Fundamental																																																																																																								
	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5419.08</td><td>60.09</td><td>74.00</td><td>-13.91</td><td>49.82</td><td>34.64</td><td>12.04</td><td>36.41</td><td>0.00</td><td>101</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>5468.14</td><td>58.63</td><td>68.20</td><td>-9.57</td><td>48.34</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>101</td><td>301</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5419.08	60.09	74.00	-13.91	49.82	34.64	12.04	36.41	0.00	101	301	PEAK	2	5468.14	58.63	68.20	-9.57	48.34	34.63	12.11	36.45	0.00	101	301	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>99.06</td><td>-----</td><td>-----</td><td>88.70</td><td>34.43</td><td>12.26</td><td>36.33</td><td>0.00</td><td>101</td><td>301</td><td>PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.06	-----	-----	88.70	34.43	12.26	36.33	0.00	101	301
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5419.08	60.09	74.00	-13.91	49.82	34.64	12.04	36.41	0.00	101	301	PEAK																																																																																														
2	5468.14	58.63	68.20	-9.57	48.34	34.63	12.11	36.45	0.00	101	301	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5570.00	99.06	-----	-----	88.70	34.43	12.26	36.33	0.00	101	301	PEAK																																																																																														
Avg	Vertical	Fundamental																																																																																																								
	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5427.66</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>40.36</td><td>34.66</td><td>12.05</td><td>36.42</td><td>0.00</td><td>101</td><td>301</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5427.66	50.65	54.00	-3.35	40.36	34.66	12.05	36.42	0.00	101	301	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.12</td><td>-----</td><td>-----</td><td>80.76</td><td>34.43</td><td>12.26</td><td>36.33</td><td>0.00</td><td>101</td><td>301</td><td>AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.12	-----	-----	80.76	34.43	12.26	36.33	0.00	101	301	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5427.66	50.65	54.00	-3.35	40.36	34.66	12.05	36.42	0.00	101	301	AVERAGE																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5570.00	91.12	-----	-----	80.76	34.43	12.26	36.33	0.00	101	301	AVERAGE																																																																																														







Mode	37																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																					
ANT	CDD 5+7																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.37</td><td>61.26</td><td>68.20</td><td>-6.94</td><td>50.59</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>101</td><td>301 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.37	61.26	68.20	-6.94	50.59	34.65	12.42	36.40	0.00	101	301 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.37	61.26	68.20	-6.94	50.59	34.65	12.42	36.40	0.00	101	301 PEAK																																											







Mode	37																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																									
ANT	CDD 5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>56.46</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	45.36	74.00	-28.64	56.46	37.90	17.62	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>57.33</td><td>37.90</td><td>17.62</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11140.00	46.23	74.00	-27.77	57.33	37.90	17.62	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11140.00	45.36	74.00	-28.64	56.46	37.90	17.62	66.62	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11140.00	46.23	74.00	-27.77	57.33	37.90	17.62	66.62	0.00	---	---	PEAK																																																																																														






Mode	38																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																																																		
ANT	CDD 5+7																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5429.04</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>42.05</td><td>34.66</td><td>12.05</td><td>36.42</td><td>0.00</td><td>252</td><td>182 PEAK</td></tr><tr><td>2</td><td>5461.04</td><td>51.74</td><td>68.20</td><td>-16.46</td><td>41.43</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>252</td><td>182 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5429.04	52.34	74.00	-21.66	42.05	34.66	12.05	36.42	0.00	252	182 PEAK	2	5461.04	51.74	68.20	-16.46	41.43	34.65	12.10	36.44	0.00	252	182 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>97.84</td><td>-----</td><td>-----</td><td>87.64</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>252</td><td>182 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	97.84	-----	-----	87.64	34.52	12.15	36.47	0.00	252
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5429.04	52.34	74.00	-21.66	42.05	34.66	12.05	36.42	0.00	252	182 PEAK																																																																																																																								
2	5461.04	51.74	68.20	-16.46	41.43	34.65	12.10	36.44	0.00	252	182 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5500.00	97.84	-----	-----	87.64	34.52	12.15	36.47	0.00	252	182 PEAK																																																																																																																								
Avg																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.00</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>30.69</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>252</td><td>182 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5458.00	41.01	54.00	-12.99	30.69	34.66	12.10	36.44	0.00	252	182 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>91.46</td><td>-----</td><td>-----</td><td>81.23</td><td>34.55</td><td>12.14</td><td>36.46</td><td>0.00</td><td>252</td><td>182 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	91.46	-----	-----	81.23	34.55	12.14	36.46	0.00	252	182 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5458.00	41.01	54.00	-12.99	30.69	34.66	12.10	36.44	0.00	252	182 AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5500.00	91.46	-----	-----	81.23	34.55	12.14	36.46	0.00	252	182 AVERAGE																																																																																																																								



Mode	38																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU26/0_5500MHz																																																																																																															
ANT	CDD 5+7																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.96</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>42.06</td><td>34.65</td><td>12.04</td><td>36.42</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>51.31</td><td>68.20</td><td>-16.89</td><td>41.02</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.96	52.33	74.00	-21.67	42.06	34.65	12.04	36.42	0.00	300	52 PEAK	2	5466.64	51.31	68.20	-16.89	41.02	34.63	12.11	36.45	0.00	300	52 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.00</td><td>-----</td><td>-----</td><td>90.60</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.00	-----	-----	90.60	34.52	12.15	36.47	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5422.96	52.33	74.00	-21.67	42.06	34.65	12.04	36.42	0.00	300	52 PEAK																																																																																																					
2	5466.64	51.31	68.20	-16.89	41.02	34.63	12.11	36.45	0.00	300	52 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	100.00	-----	-----	90.60	34.52	12.15	36.47	0.00	300	52 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.28</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>30.74</td><td>34.66</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>52 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	41.06	54.00	-12.94	30.74	34.66	12.10	36.44	0.00	300	52 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.25</td><td>-----</td><td>-----</td><td>85.05</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>300</td><td>52 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.25	-----	-----	85.05	34.52	12.15	36.47	0.00	300	52 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.28	41.06	54.00	-12.94	30.74	34.66	12.10	36.44	0.00	300	52 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	95.25	-----	-----	85.05	34.52	12.15	36.47	0.00	300	52 AVERAGE																																																																																																					







Mode	39																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																																	
ANT	CDD 5+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5761.00</td><td>53.32</td><td>68.20</td><td>-14.88</td><td>42.56</td><td>34.77</td><td>12.45</td><td>36.46</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5761.00	53.32	68.20	-14.88	42.56	34.77	12.45	36.46	0.00	100	298	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.87</td><td>-----</td><td>-----</td><td>92.21</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.87	-----	-----	92.21	34.62	12.41	36.37	0.00	100	298	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5761.00	53.32	68.20	-14.88	42.56	34.77	12.45	36.46	0.00	100	298	PEAK																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	102.87	-----	-----	92.21	34.62	12.41	36.37	0.00	100	298	PEAK																																																																																						
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.78</td><td>-----</td><td>-----</td><td>83.12</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.78	-----	-----	83.12	34.62	12.41	36.37	0.00	100	298	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	93.78	-----	-----	83.12	34.62	12.41	36.37	0.00	100	298	AVERAGE																																																																																						



Mode	39																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU26/8_5700MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5763.32</td><td>53.11</td><td>68.20</td><td>-15.09</td><td>42.33</td><td>34.78</td><td>12.46</td><td>36.46</td><td>0.00</td><td>170</td><td>32 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.32	53.11	68.20	-15.09	42.33	34.78	12.46	36.46	0.00	170	32 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.71</td><td>-----</td><td>-----</td><td>96.05</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>170</td><td>32 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.71	-----	-----	96.05	34.62	12.41	36.37	0.00	170	32 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5763.32	53.11	68.20	-15.09	42.33	34.78	12.46	36.46	0.00	170	32 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	106.71	-----	-----	96.05	34.62	12.41	36.37	0.00	170	32 PEAK																																																																																	
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.17</td><td>-----</td><td>-----</td><td>88.51</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>170</td><td>32 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.17	-----	-----	88.51	34.62	12.41	36.37	0.00	170	32 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	99.17	-----	-----	88.51	34.62	12.41	36.37	0.00	170	32 AVERAGE																																																																																	






Mode	40																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																																																																			
ANT	CDD 5+7																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5393.84</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>42.48</td><td>34.60</td><td>12.01</td><td>36.41</td><td>0.00</td><td>100</td><td>196 PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>41.33</td><td>34.63</td><td>12.11</td><td>36.45</td><td>0.00</td><td>100</td><td>196 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5393.84	52.68	74.00	-21.32	42.48	34.60	12.01	36.41	0.00	100	196 PEAK	2	5466.64	51.62	68.20	-16.58	41.33	34.63	12.11	36.45	0.00	100	196 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5500.00</td><td>99.91</td><td>-----</td><td>-----</td><td>89.71</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>196 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	99.91	-----	-----	89.71	34.52	12.15	36.47	0.00	100	196 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5393.84	52.68	74.00	-21.32	42.48	34.60	12.01	36.41	0.00	100	196 PEAK																																																																																																									
2	5466.64	51.62	68.20	-16.58	41.33	34.63	12.11	36.45	0.00	100	196 PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5500.00	99.91	-----	-----	89.71	34.52	12.15	36.47	0.00	100	196 PEAK																																																																																																									
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5457.84</td><td>41.04</td><td>54.00</td><td>-12.96</td><td>30.71</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>100</td><td>196 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.84	41.04	54.00	-12.96	30.71	34.67	12.10	36.44	0.00	100	196 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5500.00</td><td>92.58</td><td>-----</td><td>-----</td><td>82.38</td><td>34.52</td><td>12.15</td><td>36.47</td><td>0.00</td><td>100</td><td>196 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	92.58	-----	-----	82.38	34.52	12.15	36.47	0.00	100	196 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5457.84	41.04	54.00	-12.96	30.71	34.67	12.10	36.44	0.00	100	196 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5500.00	92.58	-----	-----	82.38	34.52	12.15	36.47	0.00	100	196 AVERAGE																																																																																																									






Mode	40																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU52/37_5500MHz																																																																			
ANT	CDD 5+7																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5374.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>42.32</td><td>34.60</td><td>11.99</td><td>36.46</td><td>0.00</td><td>301</td><td>54 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>51.22</td><td>68.20</td><td>-16.98</td><td>40.94</td><td>34.62</td><td>12.11</td><td>36.45</td><td>0.00</td><td>301</td><td>54 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5374.00	52.45	74.00	-21.55	42.32	34.60	11.99	36.46	0.00	301	54 PEAK	2	5469.52	51.22	68.20	-16.98	40.94	34.62	12.11	36.45	0.00	301	54 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5374.00	52.45	74.00	-21.55	42.32	34.60	11.99	36.46	0.00	301	54 PEAK																																																									
2	5469.52	51.22	68.20	-16.98	40.94	34.62	12.11	36.45	0.00	301	54 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.14</td><td>-----</td><td>-----</td><td>91.91</td><td>34.55</td><td>12.14</td><td>36.46</td><td>0.00</td><td>301</td><td>54 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.14	-----	-----	91.91	34.55	12.14	36.46	0.00	301	54 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	102.14	-----	-----	91.91	34.55	12.14	36.46	0.00	301	54 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>41.15</td><td>54.00</td><td>-12.85</td><td>30.82</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>301</td><td>54 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	41.15	54.00	-12.85	30.82	34.67	12.10	36.44	0.00	301	54 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5458.00	41.15	54.00	-12.85	30.82	34.67	12.10	36.44	0.00	301	54 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.29</td><td>-----</td><td>-----</td><td>85.06</td><td>34.55</td><td>12.14</td><td>36.46</td><td>0.00</td><td>301</td><td>54 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.29	-----	-----	85.06	34.55	12.14	36.46	0.00	301	54 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	95.29	-----	-----	85.06	34.55	12.14	36.46	0.00	301	54 AVERAGE																																																									







Mode	41																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																				
ANT	CDD 5+7																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.24</td><td>54.85</td><td>68.20</td><td>-13.35</td><td>44.18</td><td>34.65</td><td>12.42</td><td>36.40</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.24	54.85	68.20	-13.35	44.18	34.65	12.42	36.40	0.00	100	298 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.47</td><td>-----</td><td>-----</td><td>91.81</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.47	-----	-----	91.81	34.62	12.41	36.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5727.24	54.85	68.20	-13.35	44.18	34.65	12.42	36.40	0.00	100	298 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	102.47	-----	-----	91.81	34.62	12.41	36.37	0.00	100	298 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.29</td><td>-----</td><td>-----</td><td>82.63</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>298 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.29	-----	-----	82.63	34.62	12.41	36.37	0.00	100	298 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5700.00	93.29	-----	-----	82.63	34.62	12.41	36.37	0.00	100	298 AVERAGE																																																																																										



Mode	41																																																																																																					
	Band Edge																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU52/40_5700MHz																																																																																																					
ANT	CDD 5+7																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5747.88</td><td>53.75</td><td>68.20</td><td>-14.45</td><td>43.05</td><td>34.70</td><td>12.44</td><td>36.44</td><td>0.00</td><td>100</td><td>19 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5747.88	53.75	68.20	-14.45	43.05	34.70	12.44	36.44	0.00	100	19 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.57</td><td>-----</td><td>-----</td><td>96.91</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>19 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	107.57	-----	-----	96.91	34.62	12.41	36.37	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5747.88	53.75	68.20	-14.45	43.05	34.70	12.44	36.44	0.00	100	19 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	107.57	-----	-----	96.91	34.62	12.41	36.37	0.00	100	19 PEAK																																																																																											
Avg	Blank																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.46</td><td>-----</td><td>-----</td><td>87.81</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>19 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.46	-----	-----	87.81	34.61	12.40	36.36	0.00	100	19 AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	98.46	-----	-----	87.81	34.61	12.40	36.36	0.00	100	19 AVERAGE																																																																																											






		42																																																																					
Mode		Band Edge																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																					
ANT		CDD 5+7																																																																					
Pol.		Horizontal																																																																					
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5454.48</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>42.13</td><td>34.68</td><td>12.09</td><td>36.44</td><td>0.00</td><td>300</td><td>211 PEAK</td></tr><tr><td>2</td><td>5462.96</td><td>52.17</td><td>68.20</td><td>-16.03</td><td>41.86</td><td>34.65</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>211 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5454.48	52.46	74.00	-21.54	42.13	34.68	12.09	36.44	0.00	300	211 PEAK	2	5462.96	52.17	68.20	-16.03	41.86	34.65	12.10	36.44	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5454.48	52.46	74.00	-21.54	42.13	34.68	12.09	36.44	0.00	300	211 PEAK																																																												
2	5462.96	52.17	68.20	-16.03	41.86	34.65	12.10	36.44	0.00	300	211 PEAK																																																												
Fundamental																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>103.50</td><td>-----</td><td>-----</td><td>93.31</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>300</td><td>211 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	103.50	-----	-----	93.31	34.50	12.16	36.47	0.00	300	211 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5500.00	103.50	-----	-----	93.31	34.50	12.16	36.47	0.00	300	211 PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.64</td><td>41.12</td><td>54.00</td><td>-12.88</td><td>30.79</td><td>34.67</td><td>12.10</td><td>36.44</td><td>0.00</td><td>300</td><td>211 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5458.64	41.12	54.00	-12.88	30.79	34.67	12.10	36.44	0.00	300	211 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5458.64	41.12	54.00	-12.88	30.79	34.67	12.10	36.44	0.00	300	211 AVERAGE																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>94.71</td><td>-----</td><td>-----</td><td>84.52</td><td>34.50</td><td>12.16</td><td>36.47</td><td>0.00</td><td>300</td><td>211 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	94.71	-----	-----	84.52	34.50	12.16	36.47	0.00	300	211 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	5500.00	94.71	-----	-----	84.52	34.50	12.16	36.47	0.00	300	211 AVERAGE																																																												



		42									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz										
ANT	CDD 5+7										
Pol.	Fundamental										
Peak	Vertical										
	Fundamental										
Avg	Vertical										
	Fundamental										



Mode	43																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																	
ANT	CDD 5+7																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5739.32</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>50.71</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>298 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.32	61.41	68.20	-6.79	50.71	34.68	12.44	36.42	0.00	100	298 Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.87</td><td>-----</td><td>-----</td><td>90.21</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.87	-----	-----	90.21	34.62	12.41	36.37	0.00	100	298 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5739.32	61.41	68.20	-6.79	50.71	34.68	12.44	36.42	0.00	100	298 Peak																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	100.87	-----	-----	90.21	34.62	12.41	36.37	0.00	100	298 PEAK																																																																																							
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>91.91</td><td>-----</td><td>-----</td><td>81.25</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>298 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	91.91	-----	-----	81.25	34.62	12.41	36.37	0.00	100	298 AVERAGE																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	91.91	-----	-----	81.25	34.62	12.41	36.37	0.00	100	298 AVERAGE																																																																																							





Mode	43																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																
ANT	CDD 5+7																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5736.76</td><td>64.39</td><td>68.20</td><td>-3.81</td><td>53.71</td><td>34.67</td><td>12.43</td><td>36.42</td><td>0.00</td><td>100</td><td>21 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.76	64.39	68.20	-3.81	53.71	34.67	12.43	36.42	0.00	100	21 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.87</td><td>-----</td><td>-----</td><td>96.22</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>21 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.87	-----	-----	96.22	34.61	12.40	36.36	0.00	100	21 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5736.76	64.39	68.20	-3.81	53.71	34.67	12.43	36.42	0.00	100	21 PEAK																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	106.87	-----	-----	96.22	34.61	12.40	36.36	0.00	100	21 PEAK																																																																																						
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.60</td><td>-----</td><td>-----</td><td>86.94</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.60	-----	-----	86.94	34.62	12.41	36.37	0.00	100	21 AVERAGE																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	97.60	-----	-----	86.94	34.62	12.41	36.37	0.00	100	21 AVERAGE																																																																																						







Mode	20	
	18G-40G	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz	
ANT	CDD 5+7	
Pol.	Horizontal	Vertical
Peak Avg		






Mode	20																																																																																																												
	30-1G																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																												
ANT	CDD 5+7																																																																																																												
Pol.	Horizontal																																																																																																												
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.24</td><td>21.72</td><td>40.00</td><td>-18.28</td><td>28.94</td><td>25.23</td><td>0.36</td><td>32.81</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>114.15</td><td>19.20</td><td>43.50</td><td>-24.30</td><td>33.68</td><td>17.13</td><td>1.05</td><td>32.66</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>199.27</td><td>19.41</td><td>43.50</td><td>-24.09</td><td>35.69</td><td>14.99</td><td>1.49</td><td>32.76</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>263.77</td><td>18.26</td><td>46.00</td><td>-27.74</td><td>29.20</td><td>20.23</td><td>1.71</td><td>32.88</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>560.35</td><td>24.80</td><td>46.00</td><td>-21.20</td><td>29.01</td><td>26.58</td><td>2.45</td><td>33.24</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>830.25</td><td>28.71</td><td>46.00</td><td>-17.29</td><td>30.31</td><td>28.14</td><td>3.01</td><td>32.75</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.24	21.72	40.00	-18.28	28.94	25.23	0.36	32.81	0.00	--- Peak	2	114.15	19.20	43.50	-24.30	33.68	17.13	1.05	32.66	0.00	--- Peak	3	199.27	19.41	43.50	-24.09	35.69	14.99	1.49	32.76	0.00	--- Peak	4	263.77	18.26	46.00	-27.74	29.20	20.23	1.71	32.88	0.00	--- Peak	5	560.35	24.80	46.00	-21.20	29.01	26.58	2.45	33.24	0.00	--- Peak	6	830.25	28.71	46.00	-17.29	30.31	28.14	3.01	32.75	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	30.24	21.72	40.00	-18.28	28.94	25.23	0.36	32.81	0.00	--- Peak																																																																																																			
2	114.15	19.20	43.50	-24.30	33.68	17.13	1.05	32.66	0.00	--- Peak																																																																																																			
3	199.27	19.41	43.50	-24.09	35.69	14.99	1.49	32.76	0.00	--- Peak																																																																																																			
4	263.77	18.26	46.00	-27.74	29.20	20.23	1.71	32.88	0.00	--- Peak																																																																																																			
5	560.35	24.80	46.00	-21.20	29.01	26.58	2.45	33.24	0.00	--- Peak																																																																																																			
6	830.25	28.71	46.00	-17.29	30.31	28.14	3.01	32.75	0.00	--- Peak																																																																																																			
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>24.71</td><td>40.00</td><td>-15.29</td><td>44.48</td><td>12.15</td><td>0.80</td><td>32.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>89.66</td><td>20.47</td><td>43.50</td><td>-23.03</td><td>37.47</td><td>14.69</td><td>1.00</td><td>32.69</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>168.23</td><td>18.05</td><td>43.50</td><td>-25.45</td><td>33.71</td><td>15.71</td><td>1.36</td><td>32.73</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>249.95</td><td>21.26</td><td>46.00</td><td>-24.74</td><td>33.80</td><td>18.70</td><td>1.65</td><td>32.89</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>565.44</td><td>24.91</td><td>46.00</td><td>-21.09</td><td>29.17</td><td>26.51</td><td>2.48</td><td>33.25</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>779.57</td><td>28.10</td><td>46.00</td><td>-17.90</td><td>29.69</td><td>28.59</td><td>2.91</td><td>33.09</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	58.13	24.71	40.00	-15.29	44.48	12.15	0.80	32.72	0.00	--- Peak	2	89.66	20.47	43.50	-23.03	37.47	14.69	1.00	32.69	0.00	--- Peak	3	168.23	18.05	43.50	-25.45	33.71	15.71	1.36	32.73	0.00	--- Peak	4	249.95	21.26	46.00	-24.74	33.80	18.70	1.65	32.89	0.00	--- Peak	5	565.44	24.91	46.00	-21.09	29.17	26.51	2.48	33.25	0.00	--- Peak	6	779.57	28.10	46.00	-17.90	29.69	28.59	2.91	33.09	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	58.13	24.71	40.00	-15.29	44.48	12.15	0.80	32.72	0.00	--- Peak																																																																																																			
2	89.66	20.47	43.50	-23.03	37.47	14.69	1.00	32.69	0.00	--- Peak																																																																																																			
3	168.23	18.05	43.50	-25.45	33.71	15.71	1.36	32.73	0.00	--- Peak																																																																																																			
4	249.95	21.26	46.00	-24.74	33.80	18.70	1.65	32.89	0.00	--- Peak																																																																																																			
5	565.44	24.91	46.00	-21.09	29.17	26.51	2.48	33.25	0.00	--- Peak																																																																																																			
6	779.57	28.10	46.00	-17.90	29.69	28.59	2.91	33.09	0.00	--- Peak																																																																																																			





		49																																																																																										
Mode		Band Edge																																																																																										
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																										
ANT		CDD 5+7																																																																																										
Pol.		Horizontal																																																																																										
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.40</td><td>52.61</td><td>68.20</td><td>-15.59</td><td>42.06</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>50.26</td><td>69.39</td><td>-19.13</td><td>39.71</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>59.00</td><td>110.90</td><td>-51.90</td><td>48.33</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5723.20</td><td>62.54</td><td>118.20</td><td>-55.66</td><td>51.86</td><td>34.65</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>305 Peak</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.40	52.61	68.20	-15.59	42.06	34.50	12.34	36.29	0.00	100	305 PEAK	2	5651.60	50.26	69.39	-19.13	39.71	34.50	12.36	36.31	0.00	100	305 PEAK	3	5720.00	59.00	110.90	-51.90	48.33	34.64	12.42	36.39	0.00	100	305 PEAK	4	5723.20	62.54	118.20	-55.66	51.86	34.65	12.42	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5632.40	52.61	68.20	-15.59	42.06	34.50	12.34	36.29	0.00	100	305 PEAK																																																																																	
2	5651.60	50.26	69.39	-19.13	39.71	34.50	12.36	36.31	0.00	100	305 PEAK																																																																																	
3	5720.00	59.00	110.90	-51.90	48.33	34.64	12.42	36.39	0.00	100	305 PEAK																																																																																	
4	5723.20	62.54	118.20	-55.66	51.86	34.65	12.42	36.39	0.00	100	305 Peak																																																																																	
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.63</td><td>-----</td><td>-----</td><td>90.93</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.63	-----	-----	90.93	34.69	12.44	36.43	0.00	100	305 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	101.63	-----	-----	90.93	34.69	12.44	36.43	0.00	100	305 PEAK																																																																																	
Avg																																																																																												
	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.46</td><td>-----</td><td>-----</td><td>84.76</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	95.46	-----	-----	84.76	34.69	12.44	36.43	0.00	100	305 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	95.46	-----	-----	84.76	34.69	12.44	36.43	0.00	100	305 AVERAGE																																																																																	





	49																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	CDD 5+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.60</td><td>52.51</td><td>68.20</td><td>-15.69</td><td>41.96</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>50.18</td><td>69.09</td><td>-18.91</td><td>39.63</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr><tr><td>3</td><td>5712.40</td><td>60.08</td><td>108.77</td><td>-48.69</td><td>49.42</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>62.62</td><td>111.81</td><td>-49.19</td><td>51.95</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.60	52.51	68.20	-15.69	41.96	34.50	12.33	36.28	0.00	100	47 PEAK	2	5651.20	50.18	69.09	-18.91	39.63	34.50	12.36	36.31	0.00	100	47 PEAK	3	5712.40	60.08	108.77	-48.69	49.42	34.62	12.41	36.37	0.00	100	47 PEAK	4	5720.40	62.62	111.81	-49.19	51.95	34.64	12.42	36.39	0.00	100	47 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.76</td><td>-----</td><td>-----</td><td>97.06</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>47 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.76	-----	-----	97.06	34.69	12.44	36.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5617.60	52.51	68.20	-15.69	41.96	34.50	12.33	36.28	0.00	100	47 PEAK																																																																																																																														
2	5651.20	50.18	69.09	-18.91	39.63	34.50	12.36	36.31	0.00	100	47 PEAK																																																																																																																														
3	5712.40	60.08	108.77	-48.69	49.42	34.62	12.41	36.37	0.00	100	47 PEAK																																																																																																																														
4	5720.40	62.62	111.81	-49.19	51.95	34.64	12.42	36.39	0.00	100	47 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	107.76	-----	-----	97.06	34.69	12.44	36.43	0.00	100	47 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.36</td><td>-----</td><td>-----</td><td>89.66</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>47 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	100.36	-----	-----	89.66	34.68	12.44	36.42	0.00	100	47 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	100.36	-----	-----	89.66	34.68	12.44	36.42	0.00	100	47 AVERAGE																																																																																																																														






		49																																																										
Mode		Harmonic																																																										
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																										
ANT		CDD 5+7																																																										
Pol.		Horizontal																																																										
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>56.65</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.02	74.00	-27.98	56.65	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11490.00	46.02	74.00	-27.98	56.65	38.09	17.86	66.58	0.00	---	---	PEAK																																																
		Vertical																																																										
Peak Avg																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>55.77</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	45.14	74.00	-28.86	55.77	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11490.00	45.14	74.00	-28.86	55.77	38.09	17.86	66.58	0.00	---	---	PEAK																																																





Mode	50																																																																																																														
	Harmonic																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																														
ANT	CDD 5+7																																																																																																														
Pol.	Horizontal						Vertical																																																																																																								
Peak Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7712.80</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>60.94</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>---</td></tr><tr><td>2</td><td>11570.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>56.16</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7712.80	44.99	74.00	-29.01	60.94	36.15	14.48	66.58	0.00	---	2	11570.00	45.72	74.00	-28.28	56.16	38.17	17.92	66.53	0.00	---	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.16</td><td>74.00</td><td>-28.84</td><td>55.60</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.16	74.00	-28.84	55.60	38.17	17.92	66.53	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7712.80	44.99	74.00	-29.01	60.94	36.15	14.48	66.58	0.00	---																																																																																																					
2	11570.00	45.72	74.00	-28.28	56.16	38.17	17.92	66.53	0.00	---																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	11570.00	45.16	74.00	-28.84	55.60	38.17	17.92	66.53	0.00	---																																																																																																					





	51																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	CDD 5+7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>57.53</td><td>112.27</td><td>-54.74</td><td>46.48</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>52.69</td><td>105.47</td><td>-52.78</td><td>41.56</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.63</td><td>68.64</td><td>-16.01</td><td>41.49</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>4</td><td>5933.60</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>42.17</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	57.53	112.27	-54.74	46.48	35.12	12.56	36.63	0.00	100	250 PEAK	2	5874.40	52.69	105.47	-52.78	41.56	35.20	12.59	36.66	0.00	100	250 PEAK	3	5924.40	52.63	68.64	-16.01	41.49	35.30	12.66	36.82	0.00	100	250 PEAK	4	5933.60	53.28	68.20	-14.92	42.17	35.30	12.67	36.86	0.00	100	250 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.79</td><td>-----</td><td>-----</td><td>92.79</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.79	-----	-----	92.79	35.05	12.52	36.57	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.40	57.53	112.27	-54.74	46.48	35.12	12.56	36.63	0.00	100	250 PEAK																																																																																																																														
2	5874.40	52.69	105.47	-52.78	41.56	35.20	12.59	36.66	0.00	100	250 PEAK																																																																																																																														
3	5924.40	52.63	68.64	-16.01	41.49	35.30	12.66	36.82	0.00	100	250 PEAK																																																																																																																														
4	5933.60	53.28	68.20	-14.92	42.17	35.30	12.67	36.86	0.00	100	250 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	103.79	-----	-----	92.79	35.05	12.52	36.57	0.00	100	250 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.49</td><td>-----</td><td>-----</td><td>84.49</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>250 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.49	-----	-----	84.49	35.05	12.52	36.57	0.00	100	250 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	95.49	-----	-----	84.49	35.05	12.52	36.57	0.00	100	250 AVERAGE																																																																																																																														






Mode	51																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5852.40</td><td>64.20</td><td>116.83</td><td>-52.63</td><td>53.15</td><td>35.11</td><td>12.56</td><td>36.62</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>53.06</td><td>105.80</td><td>-52.74</td><td>41.94</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>52.11</td><td>68.64</td><td>-16.53</td><td>40.97</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>4</td><td>5980.00</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>43.30</td><td>35.30</td><td>12.73</td><td>37.07</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.40	64.20	116.83	-52.63	53.15	35.11	12.56	36.62	0.00	100	48 PEAK	2	5873.20	53.06	105.80	-52.74	41.94	35.19	12.59	36.66	0.00	100	48 PEAK	3	5924.40	52.11	68.64	-16.53	40.97	35.30	12.66	36.82	0.00	100	48 PEAK	4	5980.00	54.26	68.20	-13.94	43.30	35.30	12.73	37.07	0.00	100	48 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5852.40	64.20	116.83	-52.63	53.15	35.11	12.56	36.62	0.00	100	48 PEAK																																																																																	
2	5873.20	53.06	105.80	-52.74	41.94	35.19	12.59	36.66	0.00	100	48 PEAK																																																																																	
3	5924.40	52.11	68.64	-16.53	40.97	35.30	12.66	36.82	0.00	100	48 PEAK																																																																																	
4	5980.00	54.26	68.20	-13.94	43.30	35.30	12.73	37.07	0.00	100	48 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.99</td><td>-----</td><td>-----</td><td>96.99</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.99	-----	-----	96.99	35.05	12.52	36.57	0.00	100	48 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	107.99	-----	-----	96.99	35.05	12.52	36.57	0.00	100	48 PEAK																																																																																	






Mode	51																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																												
ANT	CDD 5+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.33</td><td>45.93</td><td>68.20</td><td>-22.27</td><td>61.72</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>55.89</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.33	45.93	68.20	-22.27	61.72	36.30	14.54	66.63	0.00	---	Peak	2	11650.00	45.70	74.00	-28.30	55.89	38.30	17.98	66.47	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7766.33</td><td>45.34</td><td>68.20</td><td>-22.86</td><td>61.13</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>55.89</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7766.33	45.34	68.20	-22.86	61.13	36.30	14.54	66.63	0.00	---	Peak	2	11650.00	45.70	74.00	-28.30	55.89	38.30	17.98	66.47	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7766.33	45.93	68.20	-22.27	61.72	36.30	14.54	66.63	0.00	---	Peak																																																																																																																		
2	11650.00	45.70	74.00	-28.30	55.89	38.30	17.98	66.47	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7766.33	45.34	68.20	-22.86	61.13	36.30	14.54	66.63	0.00	---	Peak																																																																																																																		
2	11650.00	45.70	74.00	-28.30	55.89	38.30	17.98	66.47	0.00	---	PEAK																																																																																																																		





		52																																																																																										
Mode		Band Edge																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																										
ANT		CDD 5+7																																																																																										
Pol.		Horizontal																																																																																										
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5634.00</td><td>52.33</td><td>68.20</td><td>-15.87</td><td>41.78</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>51.62</td><td>69.39</td><td>-17.77</td><td>41.07</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>58.19</td><td>108.44</td><td>-50.25</td><td>47.53</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.14</td><td>110.90</td><td>-51.76</td><td>48.47</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.00	52.33	68.20	-15.87	41.78	34.50	12.34	36.29	0.00	100	305 PEAK	2	5651.60	51.62	69.39	-17.77	41.07	34.50	12.36	36.31	0.00	100	305 PEAK	3	5711.20	58.19	108.44	-50.25	47.53	34.62	12.41	36.37	0.00	100	305 PEAK	4	5720.00	59.14	110.90	-51.76	48.47	34.64	12.42	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5634.00	52.33	68.20	-15.87	41.78	34.50	12.34	36.29	0.00	100	305 PEAK																																																																																	
2	5651.60	51.62	69.39	-17.77	41.07	34.50	12.36	36.31	0.00	100	305 PEAK																																																																																	
3	5711.20	58.19	108.44	-50.25	47.53	34.62	12.41	36.37	0.00	100	305 PEAK																																																																																	
4	5720.00	59.14	110.90	-51.76	48.47	34.64	12.42	36.39	0.00	100	305 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.24</td><td>-----</td><td>-----</td><td>92.54</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.24	-----	-----	92.54	34.69	12.44	36.43	0.00	100	305 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	103.24	-----	-----	92.54	34.69	12.44	36.43	0.00	100	305 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>95.01</td><td>-----</td><td>-----</td><td>84.31</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	95.01	-----	-----	84.31	34.69	12.44	36.43	0.00	100	305 AVERAGE																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5745.00	95.01	-----	-----	84.31	34.69	12.44	36.43	0.00	100	305 AVERAGE																																																																																	



		52																																																																																									
Mode		Band Edge																																																																																									
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																									
ANT		CDD 5+7																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.00</td><td>51.66</td><td>68.20</td><td>-16.54</td><td>41.11</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>52 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>51.10</td><td>69.99</td><td>-18.89</td><td>40.55</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>52 PEAK</td></tr><tr><td>3</td><td>5710.40</td><td>62.18</td><td>108.21</td><td>-46.03</td><td>51.52</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>52 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>66.31</td><td>112.72</td><td>-46.41</td><td>55.64</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>52 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.00	51.66	68.20	-16.54	41.11	34.50	12.32	36.27	0.00	100	52 PEAK	2	5652.40	51.10	69.99	-18.89	40.55	34.50	12.36	36.31	0.00	100	52 PEAK	3	5710.40	62.18	108.21	-46.03	51.52	34.62	12.41	36.37	0.00	100	52 PEAK	4	5720.80	66.31	112.72	-46.41	55.64	34.64	12.42	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5608.00	51.66	68.20	-16.54	41.11	34.50	12.32	36.27	0.00	100	52 PEAK																																																																																
2	5652.40	51.10	69.99	-18.89	40.55	34.50	12.36	36.31	0.00	100	52 PEAK																																																																																
3	5710.40	62.18	108.21	-46.03	51.52	34.62	12.41	36.37	0.00	100	52 PEAK																																																																																
4	5720.80	66.31	112.72	-46.41	55.64	34.64	12.42	36.39	0.00	100	52 PEAK																																																																																
Avg																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.06</td><td>-----</td><td>-----</td><td>96.16</td><td>34.69</td><td>12.44</td><td>36.43</td><td>0.00</td><td>100</td><td>52 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.06	-----	-----	96.16	34.69	12.44	36.43	0.00	100	52 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	106.06	-----	-----	96.16	34.69	12.44	36.43	0.00	100	52 PEAK																																																																																
Blank																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.76</td><td>-----</td><td>-----</td><td>88.06</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>52 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.76	-----	-----	88.06	34.68	12.44	36.42	0.00	100	52 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	98.76	-----	-----	88.06	34.68	12.44	36.42	0.00	100	52 AVERAGE																																																																																






Mode	52																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																									
ANT	CDD 5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>56.94</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	46.31	74.00	-27.69	56.94	38.09	17.86	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.81</td><td>74.00</td><td>-29.19</td><td>55.44</td><td>38.09</td><td>17.86</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.81	74.00	-29.19	55.44	38.09	17.86	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	46.31	74.00	-27.69	56.94	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.81	74.00	-29.19	55.44	38.09	17.86	66.58	0.00	---	---	PEAK																																																																																														





Mode	53																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																															
ANT	CDD 5+7																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.53</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>61.44</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>56.97</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.53	45.49	74.00	-28.51	61.44	36.15	14.48	66.58	0.00	---	Peak	2	11570.00	46.53	74.00	-27.47	56.97	38.17	17.92	66.53	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7713.53</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>60.58</td><td>36.15</td><td>14.48</td><td>66.58</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11570.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>55.87</td><td>38.17</td><td>17.92</td><td>66.53</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7713.53	44.63	74.00	-29.37	60.58	36.15	14.48	66.58	0.00	---	Peak	2	11570.00	45.43	74.00	-28.57	55.87	38.17	17.92	66.53	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7713.53	45.49	74.00	-28.51	61.44	36.15	14.48	66.58	0.00	---	Peak																																																																																																																					
2	11570.00	46.53	74.00	-27.47	56.97	38.17	17.92	66.53	0.00	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	7713.53	44.63	74.00	-29.37	60.58	36.15	14.48	66.58	0.00	---	Peak																																																																																																																					
2	11570.00	45.43	74.00	-28.57	55.87	38.17	17.92	66.53	0.00	---	PEAK																																																																																																																					





Mode	54																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																							
ANT	CDD 5+7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5853.60</td><td>64.71</td><td>114.09</td><td>-49.38</td><td>53.67</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>139 PEAK</td></tr><tr><td>2 5868.40</td><td>59.20</td><td>109.39</td><td>-50.19</td><td>48.13</td><td>35.14</td><td>12.57</td><td>36.64</td><td>0.00</td><td>100</td><td>139 PEAK</td></tr><tr><td>3 5924.40</td><td>51.35</td><td>68.64</td><td>-17.29</td><td>40.21</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>139 PEAK</td></tr><tr><td>4 5983.60</td><td>53.64</td><td>68.20</td><td>-14.56</td><td>42.69</td><td>35.30</td><td>12.74</td><td>37.09</td><td>0.00</td><td>100</td><td>139 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.60	64.71	114.09	-49.38	53.67	35.11	12.56	36.63	0.00	100	139 PEAK	2 5868.40	59.20	109.39	-50.19	48.13	35.14	12.57	36.64	0.00	100	139 PEAK	3 5924.40	51.35	68.64	-17.29	40.21	35.30	12.66	36.82	0.00	100	139 PEAK	4 5983.60	53.64	68.20	-14.56	42.69	35.30	12.74	37.09	0.00	100	139 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5853.60	64.71	114.09	-49.38	53.67	35.11	12.56	36.63	0.00	100	139 PEAK																																																																														
2 5868.40	59.20	109.39	-50.19	48.13	35.14	12.57	36.64	0.00	100	139 PEAK																																																																														
3 5924.40	51.35	68.64	-17.29	40.21	35.30	12.66	36.82	0.00	100	139 PEAK																																																																														
4 5983.60	53.64	68.20	-14.56	42.69	35.30	12.74	37.09	0.00	100	139 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.58</td><td>-----</td><td>-----</td><td>92.58</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>139 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.58	-----	-----	92.58	35.05	12.52	36.57	0.00	100	139 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	103.58	-----	-----	92.58	35.05	12.52	36.57	0.00	100	139 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>94.62</td><td>-----</td><td>-----</td><td>83.62</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>139 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	94.62	-----	-----	83.62	35.05	12.52	36.57	0.00	100	139 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	94.62	-----	-----	83.62	35.05	12.52	36.57	0.00	100	139 AVERAGE																																																																														






Mode	54																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>62.51</td><td>114.09</td><td>-51.58</td><td>51.47</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>50 PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>62.04</td><td>108.71</td><td>-46.67</td><td>50.96</td><td>35.15</td><td>12.57</td><td>36.64</td><td>0.00</td><td>100</td><td>50 PEAK</td></tr><tr><td>3</td><td>5922.40</td><td>53.36</td><td>70.12</td><td>-16.76</td><td>42.21</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>50 PEAK</td></tr><tr><td>4</td><td>5990.00</td><td>52.82</td><td>68.20</td><td>-15.38</td><td>41.89</td><td>35.30</td><td>12.75</td><td>37.12</td><td>0.00</td><td>100</td><td>50 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	62.51	114.09	-51.58	51.47	35.11	12.56	36.63	0.00	100	50 PEAK	2	5862.80	62.04	108.71	-46.67	50.96	35.15	12.57	36.64	0.00	100	50 PEAK	3	5922.40	53.36	70.12	-16.76	42.21	35.30	12.66	36.81	0.00	100	50 PEAK	4	5990.00	52.82	68.20	-15.38	41.89	35.30	12.75	37.12	0.00	100	50 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5853.60	62.51	114.09	-51.58	51.47	35.11	12.56	36.63	0.00	100	50 PEAK																																																																																	
2	5862.80	62.04	108.71	-46.67	50.96	35.15	12.57	36.64	0.00	100	50 PEAK																																																																																	
3	5922.40	53.36	70.12	-16.76	42.21	35.30	12.66	36.81	0.00	100	50 PEAK																																																																																	
4	5990.00	52.82	68.20	-15.38	41.89	35.30	12.75	37.12	0.00	100	50 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.36</td><td>-----</td><td>-----</td><td>87.36</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>50 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.36	-----	-----	87.36	35.05	12.52	36.57	0.00	100	50 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	98.36	-----	-----	87.36	35.05	12.52	36.57	0.00	100	50 AVERAGE																																																																																	




Mode	54																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																							
ANT	CDD 5+7																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7766.33</td><td>46.82</td><td>68.20</td><td>-21.38</td><td>62.61</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>56.32</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	7766.33	46.82	68.20	-21.38	62.61	36.30	14.54	66.63	0.00	---	---	Peak	2	11650.00	46.13	74.00	-27.87	56.32	38.30	17.98	66.47	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7766.33</td><td>43.70</td><td>68.20</td><td>-24.50</td><td>59.49</td><td>36.30</td><td>14.54</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11650.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>56.19</td><td>38.30</td><td>17.98</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	1	7766.33	43.70	68.20	-24.50	59.49	36.30	14.54	66.63	0.00	---	---	Peak	2	11650.00	46.00	74.00	-28.00	56.19	38.30	17.98	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
1	7766.33	46.82	68.20	-21.38	62.61	36.30	14.54	66.63	0.00	---	---	Peak																																																																																												
2	11650.00	46.13	74.00	-27.87	56.32	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																															
1	7766.33	43.70	68.20	-24.50	59.49	36.30	14.54	66.63	0.00	---	---	Peak																																																																																												
2	11650.00	46.00	74.00	-28.00	56.19	38.30	17.98	66.47	0.00	---	---	PEAK																																																																																												






		55																																																																																										
Mode	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.40</td><td>55.55</td><td>68.20</td><td>-12.65</td><td>45.00</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>51.16</td><td>68.25</td><td>-17.09</td><td>40.61</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>3</td><td>5718.27</td><td>73.68</td><td>110.42</td><td>-36.74</td><td>63.00</td><td>34.64</td><td>12.42</td><td>36.38</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>4</td><td>5720.28</td><td>72.37</td><td>111.54</td><td>-39.17</td><td>61.70</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.40	55.55	68.20	-12.65	45.00	34.50	12.34	36.29	0.00	100	240 PEAK	2	5650.07	51.16	68.25	-17.09	40.61	34.50	12.36	36.31	0.00	100	240 PEAK	3	5718.27	73.68	110.42	-36.74	63.00	34.64	12.42	36.38	0.00	100	240 PEAK	4	5720.28	72.37	111.54	-39.17	61.70	34.64	12.42	36.39	0.00	100	240 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5632.40	55.55	68.20	-12.65	45.00	34.50	12.34	36.29	0.00	100	240 PEAK																																																																																	
2	5650.07	51.16	68.25	-17.09	40.61	34.50	12.36	36.31	0.00	100	240 PEAK																																																																																	
3	5718.27	73.68	110.42	-36.74	63.00	34.64	12.42	36.38	0.00	100	240 PEAK																																																																																	
4	5720.28	72.37	111.54	-39.17	61.70	34.64	12.42	36.39	0.00	100	240 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>100.64</td><td>-----</td><td>-----</td><td>89.89</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.64	-----	-----	89.89	34.75	12.45	36.45	0.00	100	240 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	100.64	-----	-----	89.89	34.75	12.45	36.45	0.00	100	240 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>91.72</td><td>-----</td><td>-----</td><td>80.97</td><td>34.75</td><td>12.45</td><td>36.45</td><td>0.00</td><td>100</td><td>240 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	91.72	-----	-----	80.97	34.75	12.45	36.45	0.00	100	240 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5755.00	91.72	-----	-----	80.97	34.75	12.45	36.45	0.00	100	240 AVERAGE																																																																																	




Mode	55																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																
ANT	CDD 5+7																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.87</td><td>54.30</td><td>113.49</td><td>-59.19</td><td>43.25</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5873.76</td><td>52.46</td><td>105.65</td><td>-53.19</td><td>41.33</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>3</td><td>5922.12</td><td>53.47</td><td>70.33</td><td>-16.86</td><td>42.33</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>4</td><td>5933.23</td><td>55.08</td><td>68.20</td><td>-13.12</td><td>43.97</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.87	54.30	113.49	-59.19	43.25	35.12	12.56	36.63	0.00	100	240	PEAK	2	5873.76	52.46	105.65	-53.19	41.33	35.20	12.59	36.66	0.00	100	240	PEAK	3	5922.12	53.47	70.33	-16.86	42.33	35.30	12.65	36.81	0.00	100	240	PEAK	4	5933.23	55.08	68.20	-13.12	43.97	35.30	12.67	36.86	0.00	100	240	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5853.87	54.30	113.49	-59.19	43.25	35.12	12.56	36.63	0.00	100	240	PEAK																																																																																					
2	5873.76	52.46	105.65	-53.19	41.33	35.20	12.59	36.66	0.00	100	240	PEAK																																																																																					
3	5922.12	53.47	70.33	-16.86	42.33	35.30	12.65	36.81	0.00	100	240	PEAK																																																																																					
4	5933.23	55.08	68.20	-13.12	43.97	35.30	12.67	36.86	0.00	100	240	PEAK																																																																																					





	55																																																																																																																																							
Mode	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																							
ANT	CDD 5+7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.83</td><td>54.97</td><td>68.20</td><td>-13.23</td><td>44.42</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>102</td><td>49 PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>52.26</td><td>68.59</td><td>-16.33</td><td>41.71</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>102</td><td>49 PEAK</td></tr><tr><td>3</td><td>5719.97</td><td>77.10</td><td>110.89</td><td>-33.79</td><td>66.43</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>102</td><td>49 PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>76.01</td><td>112.60</td><td>-36.59</td><td>65.34</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>102</td><td>49 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.83	54.97	68.20	-13.23	44.42	34.50	12.35	36.30	0.00	102	49 PEAK	2	5650.53	52.26	68.59	-16.33	41.71	34.50	12.36	36.31	0.00	102	49 PEAK	3	5719.97	77.10	110.89	-33.79	66.43	34.64	12.42	36.39	0.00	102	49 PEAK	4	5720.75	76.01	112.60	-36.59	65.34	34.64	12.42	36.39	0.00	102	49 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.62</td><td>-----</td><td>-----</td><td>95.90</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>102</td><td>49 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.62	-----	-----	95.90	34.71	12.45	36.44	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5648.83	54.97	68.20	-13.23	44.42	34.50	12.35	36.30	0.00	102	49 PEAK																																																																																																																													
2	5650.53	52.26	68.59	-16.33	41.71	34.50	12.36	36.31	0.00	102	49 PEAK																																																																																																																													
3	5719.97	77.10	110.89	-33.79	66.43	34.64	12.42	36.39	0.00	102	49 PEAK																																																																																																																													
4	5720.75	76.01	112.60	-36.59	65.34	34.64	12.42	36.39	0.00	102	49 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	106.62	-----	-----	95.90	34.71	12.45	36.44	0.00	102	49 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.90</td><td>-----</td><td>-----</td><td>87.18</td><td>34.71</td><td>12.45</td><td>36.44</td><td>0.00</td><td>102</td><td>49 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.90	-----	-----	87.18	34.71	12.45	36.44	0.00	102	49 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	97.90	-----	-----	87.18	34.71	12.45	36.44	0.00	102	49 AVERAGE																																																																																																																													






Mode	55																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																							
ANT	CDD 5+7																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>52.72</td><td>111.71</td><td>-58.99</td><td>41.67</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>102 49 PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>53.95</td><td>105.92</td><td>-51.97</td><td>42.83</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>102 49 PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>53.43</td><td>69.18</td><td>-15.75</td><td>42.29</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>102 49 PEAK</td></tr><tr><td>4</td><td>5927.77</td><td>53.31</td><td>68.20</td><td>-14.89</td><td>42.18</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>102 49 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.65	52.72	111.71	-58.99	41.67	35.12	12.56	36.63	0.00	102 49 PEAK	2	5872.78	53.95	105.92	-51.97	42.83	35.19	12.59	36.66	0.00	102 49 PEAK	3	5923.68	53.43	69.18	-15.75	42.29	35.30	12.66	36.82	0.00	102 49 PEAK	4	5927.77	53.31	68.20	-14.89	42.18	35.30	12.66	36.83	0.00	102 49 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.65	52.72	111.71	-58.99	41.67	35.12	12.56	36.63	0.00	102 49 PEAK																																																																														
2	5872.78	53.95	105.92	-51.97	42.83	35.19	12.59	36.66	0.00	102 49 PEAK																																																																														
3	5923.68	53.43	69.18	-15.75	42.29	35.30	12.66	36.82	0.00	102 49 PEAK																																																																														
4	5927.77	53.31	68.20	-14.89	42.18	35.30	12.66	36.83	0.00	102 49 PEAK																																																																														




Mode	55																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																									
ANT	CDD 5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>56.01</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.43	74.00	-28.57	56.01	38.11	17.88	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>55.87</td><td>38.11</td><td>17.88</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.29	74.00	-28.71	55.87	38.11	17.88	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	45.43	74.00	-28.57	56.01	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	45.29	74.00	-28.71	55.87	38.11	17.88	66.57	0.00	---	---	PEAK																																																																																														






Mode	56																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.20</td><td>52.41</td><td>68.20</td><td>-15.79</td><td>41.86</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>49.89</td><td>68.50</td><td>-18.61</td><td>39.34</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>50.95</td><td>105.30</td><td>-54.35</td><td>40.30</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.85</td><td>111.81</td><td>-59.96</td><td>41.18</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5643.20	52.41	68.20	-15.79	41.86	34.50	12.35	36.30	0.00	100	305 PEAK	2	5650.40	49.89	68.50	-18.61	39.34	34.50	12.36	36.31	0.00	100	305 PEAK	3	5700.00	50.95	105.30	-54.35	40.30	34.60	12.40	36.35	0.00	100	305 PEAK	4	5720.40	51.85	111.81	-59.96	41.18	34.64	12.42	36.39	0.00	100	305 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5643.20	52.41	68.20	-15.79	41.86	34.50	12.35	36.30	0.00	100	305 PEAK																																																																																	
2	5650.40	49.89	68.50	-18.61	39.34	34.50	12.36	36.31	0.00	100	305 PEAK																																																																																	
3	5700.00	50.95	105.30	-54.35	40.30	34.60	12.40	36.35	0.00	100	305 PEAK																																																																																	
4	5720.40	51.85	111.81	-59.96	41.18	34.64	12.42	36.39	0.00	100	305 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.28</td><td>-----</td><td>-----</td><td>90.36</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.28	-----	-----	90.36	34.96	12.48	36.52	0.00	100	305 PEAK																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5795.00	101.28	-----	-----	90.36	34.96	12.48	36.52	0.00	100	305 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>92.52</td><td>-----</td><td>-----</td><td>81.60</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	92.52	-----	-----	81.60	34.96	12.48	36.52	0.00	100	305 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5795.00	92.52	-----	-----	81.60	34.96	12.48	36.52	0.00	100	305 AVERAGE																																																																																	




Mode	56										
	Band Edge - R										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz										
ANT	CDD 5+7										
Pol.	Horizontal						Fundamental				
Peak							Blank				
		Freq	Limit Level	Over Line	Read Limit	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos Factor	TPos
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5854.40	61.43	112.27	-50.84	50.38	35.12	12.56	36.63	0.00	100	305 PEAK
2	5862.40	56.88	108.83	-51.95	45.88	35.15	12.57	36.64	0.00	100	305 PEAK
3	5924.80	50.84	68.35	-17.51	39.70	35.30	12.66	36.82	0.00	100	305 PEAK
4	5932.40	53.29	68.20	-14.91	42.18	35.30	12.67	36.86	0.00	100	305 PEAK





		56																																																																																									
Mode	Band Edge - L																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																										
ANT	CDD 5+7																																																																																										
Pol.	Vertical																																																																																										
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue trace with peaks at 5633.60, 5651.60, 5700.80, and 5720.40 MHz. The label 'U-NII-3' is present in the plot area.																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5633.60</td><td>52.98</td><td>68.20</td><td>-15.22</td><td>42.43</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>50.88</td><td>69.39</td><td>-18.51</td><td>40.33</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>54.13</td><td>105.52</td><td>-51.39</td><td>43.48</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>55.19</td><td>111.81</td><td>-56.62</td><td>44.52</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5633.60	52.98	68.20	-15.22	42.43	34.50	12.34	36.29	0.00	100	36 PEAK	2	5651.60	50.88	69.39	-18.51	40.33	34.50	12.36	36.31	0.00	100	36 PEAK	3	5700.80	54.13	105.52	-51.39	43.48	34.60	12.40	36.35	0.00	100	36 PEAK	4	5720.40	55.19	111.81	-56.62	44.52	34.64	12.42	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5633.60	52.98	68.20	-15.22	42.43	34.50	12.34	36.29	0.00	100	36 PEAK																																																																																
2	5651.60	50.88	69.39	-18.51	40.33	34.50	12.36	36.31	0.00	100	36 PEAK																																																																																
3	5700.80	54.13	105.52	-51.39	43.48	34.60	12.40	36.35	0.00	100	36 PEAK																																																																																
4	5720.40	55.19	111.81	-56.62	44.52	34.64	12.42	36.39	0.00	100	36 PEAK																																																																																
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5795.00 MHz. The label 'U-NII-3' is present in the plot area.																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>105.80</td><td>-----</td><td>-----</td><td>94.88</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.80	-----	-----	94.88	34.96	12.48	36.52	0.00	100	36 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5795.00	105.80	-----	-----	94.88	34.96	12.48	36.52	0.00	100	36 PEAK																																																																																
Avg	Blank																																																																																										
	 Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue trace with a peak at 5795.00 MHz. The label 'U-NII-3(AVG)' is present in the plot area.																																																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>96.76</td><td>-----</td><td>-----</td><td>85.84</td><td>34.96</td><td>12.48</td><td>36.52</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.76	-----	-----	85.84	34.96	12.48	36.52	0.00	100	36 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5795.00	96.76	-----	-----	85.84	34.96	12.48	36.52	0.00	100	36 AVERAGE																																																																																






Mode	56																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>61.95</td><td>113.18</td><td>-51.23</td><td>50.90</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>59.47</td><td>107.48</td><td>-48.01</td><td>48.37</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.13</td><td>68.35</td><td>-16.22</td><td>40.99</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>54.25</td><td>68.20</td><td>-13.95</td><td>43.17</td><td>35.30</td><td>12.68</td><td>36.90</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	61.95	113.18	-51.23	50.90	35.12	12.56	36.63	0.00	100	36 PEAK	2	5867.20	59.47	107.48	-48.01	48.37	35.17	12.58	36.65	0.00	100	36 PEAK	3	5924.80	52.13	68.35	-16.22	40.99	35.30	12.66	36.82	0.00	100	36 PEAK	4	5942.00	54.25	68.20	-13.95	43.17	35.30	12.68	36.90	0.00	100	36 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	61.95	113.18	-51.23	50.90	35.12	12.56	36.63	0.00	100	36 PEAK																																																																																	
2	5867.20	59.47	107.48	-48.01	48.37	35.17	12.58	36.65	0.00	100	36 PEAK																																																																																	
3	5924.80	52.13	68.35	-16.22	40.99	35.30	12.66	36.82	0.00	100	36 PEAK																																																																																	
4	5942.00	54.25	68.20	-13.95	43.17	35.30	12.68	36.90	0.00	100	36 PEAK																																																																																	




Mode	56																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																														
ANT	CDD 5+7																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.73</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>62.42</td><td>36.21</td><td>14.50</td><td>66.59</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>56.23</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.73	46.54	74.00	-27.46	62.42	36.21	14.50	66.59	0.00	---	Peak	2	11590.00	45.83	74.00	-28.17	56.23	38.19	17.93	66.52	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7726.73</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>59.77</td><td>36.21</td><td>14.50</td><td>66.59</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11590.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>55.39</td><td>38.19</td><td>17.93</td><td>66.52</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.73	43.89	74.00	-30.11	59.77	36.21	14.50	66.59	0.00	---	Peak	2	11590.00	44.99	74.00	-29.01	55.39	38.19	17.93	66.52	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7726.73	46.54	74.00	-27.46	62.42	36.21	14.50	66.59	0.00	---	Peak																																																																																																																				
2	11590.00	45.83	74.00	-28.17	56.23	38.19	17.93	66.52	0.00	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7726.73	43.89	74.00	-30.11	59.77	36.21	14.50	66.59	0.00	---	Peak																																																																																																																				
2	11590.00	44.99	74.00	-29.01	55.39	38.19	17.93	66.52	0.00	---	PEAK																																																																																																																				






	57																																																																																																																											
Mode	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																											
ANT	CDD 5+7																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.80</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>46.50</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>56.86</td><td>69.99</td><td>-13.13</td><td>46.31</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>5784.80</td><td>67.83</td><td>106.65</td><td>-38.82</td><td>57.18</td><td>34.61</td><td>12.40</td><td>36.36</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>67.60</td><td>111.81</td><td>-44.21</td><td>56.93</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5642.80	57.05	68.20	-11.15	46.50	34.50	12.35	36.30	0.00	100	305	PEAK	2	5652.40	56.86	69.99	-13.13	46.31	34.50	12.36	36.31	0.00	100	305	PEAK	3	5784.80	67.83	106.65	-38.82	57.18	34.61	12.40	36.36	0.00	100	305	PEAK	4	5720.40	67.60	111.81	-44.21	56.93	34.64	12.42	36.39	0.00	100	305	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.21</td><td>-----</td><td>-----</td><td>88.37</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	99.21	-----	-----	88.37	34.86	12.47	36.49	0.00	100	305
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5642.80	57.05	68.20	-11.15	46.50	34.50	12.35	36.30	0.00	100	305	PEAK																																																																																																																
2	5652.40	56.86	69.99	-13.13	46.31	34.50	12.36	36.31	0.00	100	305	PEAK																																																																																																																
3	5784.80	67.83	106.65	-38.82	57.18	34.61	12.40	36.36	0.00	100	305	PEAK																																																																																																																
4	5720.40	67.60	111.81	-44.21	56.93	34.64	12.42	36.39	0.00	100	305	PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5775.00	99.21	-----	-----	88.37	34.86	12.47	36.49	0.00	100	305	PEAK																																																																																																																
Avg	Blank																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.02</td><td>-----</td><td>-----</td><td>79.18</td><td>34.86</td><td>12.47</td><td>36.49</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5775.00	90.02	-----	-----	79.18	34.86	12.47	36.49	0.00	100	305	AVERAGE																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5775.00	90.02	-----	-----	79.18	34.86	12.47	36.49	0.00	100	305	AVERAGE																																																																																																																




Mode	57																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>64.73</td><td>111.36</td><td>-46.63</td><td>53.68</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>59.95</td><td>105.58</td><td>-45.63</td><td>48.82</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>51.47</td><td>68.35</td><td>-16.88</td><td>40.33</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5932.40</td><td>52.88</td><td>68.20</td><td>-15.32</td><td>41.77</td><td>35.30</td><td>12.67</td><td>36.86</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	64.73	111.36	-46.63	53.68	35.12	12.56	36.63	0.00	100	305 PEAK	2	5874.00	59.95	105.58	-45.63	48.82	35.20	12.59	36.66	0.00	100	305 PEAK	3	5924.80	51.47	68.35	-16.88	40.33	35.30	12.66	36.82	0.00	100	305 PEAK	4	5932.40	52.88	68.20	-15.32	41.77	35.30	12.67	36.86	0.00	100	305 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	64.73	111.36	-46.63	53.68	35.12	12.56	36.63	0.00	100	305 PEAK																																																																																	
2	5874.00	59.95	105.58	-45.63	48.82	35.20	12.59	36.66	0.00	100	305 PEAK																																																																																	
3	5924.80	51.47	68.35	-16.88	40.33	35.30	12.66	36.82	0.00	100	305 PEAK																																																																																	
4	5932.40	52.88	68.20	-15.32	41.77	35.30	12.67	36.86	0.00	100	305 PEAK																																																																																	





Mode	57																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																								
ANT	CDD 5+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.80</td><td>60.47</td><td>68.20</td><td>-7.73</td><td>49.92</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>58.91</td><td>69.09</td><td>-10.18</td><td>48.36</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>3</td><td>5710.80</td><td>74.70</td><td>108.33</td><td>-33.63</td><td>64.04</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>73.92</td><td>111.81</td><td>-37.89</td><td>63.25</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.80	60.47	68.20	-7.73	49.92	34.50	12.35	36.30	0.00	100	48 PEAK	2	5651.20	58.91	69.09	-10.18	48.36	34.50	12.36	36.31	0.00	100	48 PEAK	3	5710.80	74.70	108.33	-33.63	64.04	34.62	12.41	36.37	0.00	100	48 PEAK	4	5720.40	73.92	111.81	-37.89	63.25	34.64	12.42	36.39	0.00	100	48 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>103.63</td><td>-----</td><td>-----</td><td>92.83</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	103.63	-----	-----	92.83	34.82	12.46	36.48	0.00	100	48 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5648.80	60.47	68.20	-7.73	49.92	34.50	12.35	36.30	0.00	100	48 PEAK																																																																																																																														
2	5651.20	58.91	69.09	-10.18	48.36	34.50	12.36	36.31	0.00	100	48 PEAK																																																																																																																														
3	5710.80	74.70	108.33	-33.63	64.04	34.62	12.41	36.37	0.00	100	48 PEAK																																																																																																																														
4	5720.40	73.92	111.81	-37.89	63.25	34.64	12.42	36.39	0.00	100	48 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	103.63	-----	-----	92.83	34.82	12.46	36.48	0.00	100	48 PEAK																																																																																																																														
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.75</td><td>-----</td><td>-----</td><td>83.95</td><td>34.82</td><td>12.46</td><td>36.48</td><td>0.00</td><td>100</td><td>48 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	94.75	-----	-----	83.95	34.82	12.46	36.48	0.00	100	48 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5775.00	94.75	-----	-----	83.95	34.82	12.46	36.48	0.00	100	48 AVERAGE																																																																																																																														







Mode	57																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>62.74</td><td>112.27</td><td>-49.53</td><td>51.69</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>2</td><td>5860.00</td><td>67.30</td><td>109.50</td><td>-42.20</td><td>56.23</td><td>35.14</td><td>12.57</td><td>36.64</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.23</td><td>68.35</td><td>-16.12</td><td>41.09</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>53.60</td><td>68.20</td><td>-14.60</td><td>42.50</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>100</td><td>48 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	62.74	112.27	-49.53	51.69	35.12	12.56	36.63	0.00	100	48 PEAK	2	5860.00	67.30	109.50	-42.20	56.23	35.14	12.57	36.64	0.00	100	48 PEAK	3	5924.80	52.23	68.35	-16.12	41.09	35.30	12.66	36.82	0.00	100	48 PEAK	4	5937.60	53.60	68.20	-14.60	42.50	35.30	12.68	36.88	0.00	100	48 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	62.74	112.27	-49.53	51.69	35.12	12.56	36.63	0.00	100	48 PEAK																																																																																	
2	5860.00	67.30	109.50	-42.20	56.23	35.14	12.57	36.64	0.00	100	48 PEAK																																																																																	
3	5924.80	52.23	68.35	-16.12	41.09	35.30	12.66	36.82	0.00	100	48 PEAK																																																																																	
4	5937.60	53.60	68.20	-14.60	42.50	35.30	12.68	36.88	0.00	100	48 PEAK																																																																																	






Mode	57																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																														
ANT	CDD 5+7																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7699.60</td><td>44.89</td><td>74.00</td><td>-29.11</td><td>60.90</td><td>36.10</td><td>14.46</td><td>66.57</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>55.89</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7699.60	44.89	74.00	-29.11	60.90	36.10	14.46	66.57	0.00	---	Peak	2	11550.00	45.41	74.00	-28.59	55.89	38.15	17.91	66.54	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7700.33</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>59.37</td><td>36.10</td><td>14.47</td><td>66.57</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11550.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>56.11</td><td>38.15</td><td>17.91</td><td>66.54</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7700.33	43.37	74.00	-30.63	59.37	36.10	14.47	66.57	0.00	---	Peak	2	11550.00	45.63	74.00	-28.37	56.11	38.15	17.91	66.54	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7699.60	44.89	74.00	-29.11	60.90	36.10	14.46	66.57	0.00	---	Peak																																																																																																																				
2	11550.00	45.41	74.00	-28.59	55.89	38.15	17.91	66.54	0.00	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7700.33	43.37	74.00	-30.63	59.37	36.10	14.47	66.57	0.00	---	Peak																																																																																																																				
2	11550.00	45.63	74.00	-28.37	56.11	38.15	17.91	66.54	0.00	---	PEAK																																																																																																																				






	58																																																																																																																											
Mode	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																											
ANT	CDD 5+7																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.40</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>41.54</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.81</td><td>68.20</td><td>-17.39</td><td>40.27</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>52.31</td><td>105.75</td><td>-53.44</td><td>41.66</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.69</td><td>110.90</td><td>-61.21</td><td>39.02</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5608.40	52.09	68.20	-16.11	41.54	34.50	12.32	36.27	0.00	100	160	PEAK	2	5650.00	50.81	68.20	-17.39	40.27	34.50	12.35	36.31	0.00	100	160	PEAK	3	5701.60	52.31	105.75	-53.44	41.66	34.60	12.40	36.35	0.00	100	160	PEAK	4	5720.00	49.69	110.90	-61.21	39.02	34.64	12.42	36.39	0.00	100	160	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.00</td><td>-----</td><td>-----</td><td>90.39</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	101.00	-----	-----	90.39	34.67	12.43	36.41	0.00	100	160
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5608.40	52.09	68.20	-16.11	41.54	34.50	12.32	36.27	0.00	100	160	PEAK																																																																																																																
2	5650.00	50.81	68.20	-17.39	40.27	34.50	12.35	36.31	0.00	100	160	PEAK																																																																																																																
3	5701.60	52.31	105.75	-53.44	41.66	34.60	12.40	36.35	0.00	100	160	PEAK																																																																																																																
4	5720.00	49.69	110.90	-61.21	39.02	34.64	12.42	36.39	0.00	100	160	PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5745.00	101.00	-----	-----	90.39	34.67	12.43	36.41	0.00	100	160	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.79</td><td>-----</td><td>-----</td><td>83.10</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	93.79	-----	-----	83.10	34.67	12.43	36.41	0.00	100	160	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.79</td><td>-----</td><td>-----</td><td>83.10</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5745.00	93.79	-----	-----	83.10	34.67	12.43	36.41	0.00	100	160	AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5745.00	93.79	-----	-----	83.10	34.67	12.43	36.41	0.00	100	160	AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5745.00	93.79	-----	-----	83.10	34.67	12.43	36.41	0.00	100	160	AVERAGE																																																																																																																





Mode	58																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																							
ANT	CDD 5+7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.40</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>41.74</td><td>34.50</td><td>12.35</td><td>36.30</td><td>0.00</td><td>332</td><td>64 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>49.20</td><td>68.20</td><td>-19.00</td><td>38.66</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>332</td><td>64 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>50.59</td><td>105.52</td><td>-54.93</td><td>39.94</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>332</td><td>64 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.38</td><td>111.81</td><td>-60.43</td><td>40.71</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>332</td><td>64 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.40	52.29	68.20	-15.91	41.74	34.50	12.35	36.30	0.00	332	64 PEAK	2	5650.00	49.20	68.20	-19.00	38.66	34.50	12.35	36.31	0.00	332	64 PEAK	3	5700.00	50.59	105.52	-54.93	39.94	34.60	12.40	36.35	0.00	332	64 PEAK	4	5720.40	51.38	111.81	-60.43	40.71	34.64	12.42	36.39	0.00	332	64 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.73</td><td>-----</td><td>-----</td><td>95.04</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>332</td><td>64 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.73	-----	-----	95.04	34.67	12.43	36.41	0.00	332
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5644.40	52.29	68.20	-15.91	41.74	34.50	12.35	36.30	0.00	332	64 PEAK																																																																																																																													
2	5650.00	49.20	68.20	-19.00	38.66	34.50	12.35	36.31	0.00	332	64 PEAK																																																																																																																													
3	5700.00	50.59	105.52	-54.93	39.94	34.60	12.40	36.35	0.00	332	64 PEAK																																																																																																																													
4	5720.40	51.38	111.81	-60.43	40.71	34.64	12.42	36.39	0.00	332	64 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	105.73	-----	-----	95.04	34.67	12.43	36.41	0.00	332	64 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.38</td><td>-----</td><td>-----</td><td>86.69</td><td>34.67</td><td>12.43</td><td>36.41</td><td>0.00</td><td>332</td><td>64 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.38	-----	-----	86.69	34.67	12.43	36.41	0.00	332	64 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	97.38	-----	-----	86.69	34.67	12.43	36.41	0.00	332	64 AVERAGE																																																																																																																													






		59																																																																																																																																										
Mode			Band Edge																																																																																																																																									
			U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																									
ANT			CDD 5+7																																																																																																																																									
Pol.	Horizontal					Fundamental																																																																																																																																						
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>53.30</td><td>112.27</td><td>-58.97</td><td>42.25</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>53.65</td><td>106.70</td><td>-53.05</td><td>42.55</td><td>35.18</td><td>12.58</td><td>36.66</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>53.57</td><td>69.23</td><td>-15.66</td><td>42.43</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>52.98</td><td>68.20</td><td>-15.22</td><td>41.90</td><td>35.30</td><td>12.69</td><td>36.91</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	53.30	112.27	-58.97	42.25	35.12	12.56	36.63	0.00	100	300	PEAK	2	5870.00	53.65	106.70	-53.05	42.55	35.18	12.58	36.66	0.00	100	300	PEAK	3	5923.60	53.57	69.23	-15.66	42.43	35.30	12.66	36.82	0.00	100	300	PEAK	4	5945.20	52.98	68.20	-15.22	41.90	35.30	12.69	36.91	0.00	100	300	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.80</td><td>-----</td><td>-----</td><td>91.78</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.80	-----	-----	91.78	35.07	12.54	36.59	0.00	100	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5854.40	53.30	112.27	-58.97	42.25	35.12	12.56	36.63	0.00	100	300	PEAK																																																																																																																																
2	5870.00	53.65	106.70	-53.05	42.55	35.18	12.58	36.66	0.00	100	300	PEAK																																																																																																																																
3	5923.60	53.57	69.23	-15.66	42.43	35.30	12.66	36.82	0.00	100	300	PEAK																																																																																																																																
4	5945.20	52.98	68.20	-15.22	41.90	35.30	12.69	36.91	0.00	100	300	PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	102.80	-----	-----	91.78	35.07	12.54	36.59	0.00	100	300	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.60</td><td>-----</td><td>-----</td><td>83.58</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.60	-----	-----	83.58	35.07	12.54	36.59	0.00	100	300	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	94.60	-----	-----	83.58	35.07	12.54	36.59	0.00	100	300	AVERAGE																																																																																																																																







Mode	59																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>53.08</td><td>113.18</td><td>-60.10</td><td>42.03</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>122</td><td>53 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>53.46</td><td>105.58</td><td>-52.12</td><td>42.33</td><td>35.20</td><td>12.59</td><td>36.66</td><td>0.00</td><td>122</td><td>53 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>53.58</td><td>68.64</td><td>-15.06</td><td>42.44</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>122</td><td>53 PEAK</td></tr><tr><td>4</td><td>5956.40</td><td>52.77</td><td>68.20</td><td>-15.43</td><td>41.73</td><td>35.30</td><td>12.70</td><td>36.96</td><td>0.00</td><td>122</td><td>53 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.08	113.18	-60.10	42.03	35.12	12.56	36.63	0.00	122	53 PEAK	2	5874.00	53.46	105.58	-52.12	42.33	35.20	12.59	36.66	0.00	122	53 PEAK	3	5924.40	53.58	68.64	-15.06	42.44	35.30	12.66	36.82	0.00	122	53 PEAK	4	5956.40	52.77	68.20	-15.43	41.73	35.30	12.70	36.96	0.00	122	53 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	53.08	113.18	-60.10	42.03	35.12	12.56	36.63	0.00	122	53 PEAK																																																																																	
2	5874.00	53.46	105.58	-52.12	42.33	35.20	12.59	36.66	0.00	122	53 PEAK																																																																																	
3	5924.40	53.58	68.64	-15.06	42.44	35.30	12.66	36.82	0.00	122	53 PEAK																																																																																	
4	5956.40	52.77	68.20	-15.43	41.73	35.30	12.70	36.96	0.00	122	53 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.62</td><td>-----</td><td>-----</td><td>88.60</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>122</td><td>53 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.62	-----	-----	88.60	35.07	12.54	36.59	0.00	122	53 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	99.62	-----	-----	88.60	35.07	12.54	36.59	0.00	122	53 AVERAGE																																																																																	





Mode	60																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																									
ANT	CDD 5+7																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.00</td><td>51.99</td><td>68.20</td><td>-16.21</td><td>41.44</td><td>34.50</td><td>12.31</td><td>36.26</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.24</td><td>68.00</td><td>-18.56</td><td>39.69</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>51.55</td><td>105.30</td><td>-53.75</td><td>40.90</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.87</td><td>110.90</td><td>-60.03</td><td>40.20</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5602.00	51.99	68.20	-16.21	41.44	34.50	12.31	36.26	0.00	100	213 PEAK	2	5650.00	50.24	68.00	-18.56	39.69	34.50	12.36	36.31	0.00	100	213 PEAK	3	5700.00	51.55	105.30	-53.75	40.90	34.60	12.40	36.35	0.00	100	213 PEAK	4	5720.00	50.87	110.90	-60.03	40.20	34.64	12.42	36.39	0.00	100	213 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.48</td><td>-----</td><td>-----</td><td>92.78</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.48	-----	-----	92.78	34.68	12.44	36.42	0.00	100	213 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5602.00	51.99	68.20	-16.21	41.44	34.50	12.31	36.26	0.00	100	213 PEAK																																																																																																																															
2	5650.00	50.24	68.00	-18.56	39.69	34.50	12.36	36.31	0.00	100	213 PEAK																																																																																																																															
3	5700.00	51.55	105.30	-53.75	40.90	34.60	12.40	36.35	0.00	100	213 PEAK																																																																																																																															
4	5720.00	50.87	110.90	-60.03	40.20	34.64	12.42	36.39	0.00	100	213 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	103.48	-----	-----	92.78	34.68	12.44	36.42	0.00	100	213 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.91</td><td>-----</td><td>-----</td><td>84.21</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.91	-----	-----	84.21	34.68	12.44	36.42	0.00	100	213 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	94.91	-----	-----	84.21	34.68	12.44	36.42	0.00	100	213 AVERAGE																																																																																																																															





Mode	60																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																								
ANT	CDD 5+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>52.23</td><td>68.20</td><td>-15.97</td><td>41.68</td><td>34.50</td><td>12.34</td><td>36.29</td><td>0.00</td><td>102</td><td>51 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>50.56</td><td>69.39</td><td>-18.83</td><td>40.01</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>102</td><td>51 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>51.75</td><td>105.52</td><td>-53.77</td><td>41.10</td><td>34.60</td><td>12.40</td><td>36.35</td><td>0.00</td><td>102</td><td>51 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.67</td><td>110.90</td><td>-62.23</td><td>38.00</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>102</td><td>51 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.00	52.23	68.20	-15.97	41.68	34.50	12.34	36.29	0.00	102	51 PEAK	2	5651.60	50.56	69.39	-18.83	40.01	34.50	12.36	36.31	0.00	102	51 PEAK	3	5700.00	51.75	105.52	-53.77	41.10	34.60	12.40	36.35	0.00	102	51 PEAK	4	5720.00	48.67	110.90	-62.23	38.00	34.64	12.42	36.39	0.00	102	51 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.50</td><td>-----</td><td>-----</td><td>94.80</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>102</td><td>51 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.50	-----	-----	94.80	34.68	12.44	36.42	0.00	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5632.00	52.23	68.20	-15.97	41.68	34.50	12.34	36.29	0.00	102	51 PEAK																																																																																																																														
2	5651.60	50.56	69.39	-18.83	40.01	34.50	12.36	36.31	0.00	102	51 PEAK																																																																																																																														
3	5700.00	51.75	105.52	-53.77	41.10	34.60	12.40	36.35	0.00	102	51 PEAK																																																																																																																														
4	5720.00	48.67	110.90	-62.23	38.00	34.64	12.42	36.39	0.00	102	51 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	105.50	-----	-----	94.80	34.68	12.44	36.42	0.00	102	51 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.53</td><td>-----</td><td>-----</td><td>87.83</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>102</td><td>51 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.53	-----	-----	87.83	34.68	12.44	36.42	0.00	102	51 AVERAGE																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	98.53	-----	-----	87.83	34.68	12.44	36.42	0.00	102	51 AVERAGE																																																																																																																														







Mode	61																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																											
ANT	CDD 5+7																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>53.16</td><td>111.36</td><td>-58.20</td><td>42.11</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>53.62</td><td>105.80</td><td>-52.18</td><td>42.50</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>3</td><td>5922.00</td><td>52.67</td><td>70.42</td><td>-17.75</td><td>41.53</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr><tr><td>4</td><td>5979.20</td><td>54.69</td><td>68.20</td><td>-13.51</td><td>43.73</td><td>35.30</td><td>12.73</td><td>37.07</td><td>0.00</td><td>100</td><td>305 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	53.16	111.36	-58.20	42.11	35.12	12.56	36.63	0.00	100	305 PEAK	2	5873.20	53.62	105.80	-52.18	42.50	35.19	12.59	36.66	0.00	100	305 PEAK	3	5922.00	52.67	70.42	-17.75	41.53	35.30	12.65	36.81	0.00	100	305 PEAK	4	5979.20	54.69	68.20	-13.51	43.73	35.30	12.73	37.07	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	53.16	111.36	-58.20	42.11	35.12	12.56	36.63	0.00	100	305 PEAK																																																																																	
2	5873.20	53.62	105.80	-52.18	42.50	35.19	12.59	36.66	0.00	100	305 PEAK																																																																																	
3	5922.00	52.67	70.42	-17.75	41.53	35.30	12.65	36.81	0.00	100	305 PEAK																																																																																	
4	5979.20	54.69	68.20	-13.51	43.73	35.30	12.73	37.07	0.00	100	305 PEAK																																																																																	
Avg	Blank																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>94.58</td><td>-----</td><td>-----</td><td>83.56</td><td>35.07</td><td>12.54</td><td>36.59</td><td>0.00</td><td>100</td><td>305 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.58	-----	-----	83.56	35.07	12.54	36.59	0.00	100	305 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	94.58	-----	-----	83.56	35.07	12.54	36.59	0.00	100	305 AVERAGE																																																																																	






		61																																																																																										
Mode		Band Edge																																																																																										
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																										
ANT		CDD 5+7																																																																																										
Pol.		Fundamental																																																																																										
Peak	Vertical																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>50.44</td><td>111.36</td><td>-60.92</td><td>39.39</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>125</td><td>52 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>53.44</td><td>106.14</td><td>-52.70</td><td>42.32</td><td>35.19</td><td>12.59</td><td>36.66</td><td>0.00</td><td>125</td><td>52 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.14</td><td>68.94</td><td>-15.80</td><td>42.00</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>125</td><td>52 PEAK</td></tr><tr><td>4</td><td>5946.00</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>43.75</td><td>35.30</td><td>12.69</td><td>36.92</td><td>0.00</td><td>125</td><td>52 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	50.44	111.36	-60.92	39.39	35.12	12.56	36.63	0.00	125	52 PEAK	2	5872.00	53.44	106.14	-52.70	42.32	35.19	12.59	36.66	0.00	125	52 PEAK	3	5924.00	53.14	68.94	-15.80	42.00	35.30	12.66	36.82	0.00	125	52 PEAK	4	5946.00	54.82	68.20	-13.38	43.75	35.30	12.69	36.92	0.00	125	52 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	50.44	111.36	-60.92	39.39	35.12	12.56	36.63	0.00	125	52 PEAK																																																																																	
2	5872.00	53.44	106.14	-52.70	42.32	35.19	12.59	36.66	0.00	125	52 PEAK																																																																																	
3	5924.00	53.14	68.94	-15.80	42.00	35.30	12.66	36.82	0.00	125	52 PEAK																																																																																	
4	5946.00	54.82	68.20	-13.38	43.75	35.30	12.69	36.92	0.00	125	52 PEAK																																																																																	
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.52</td><td>-----</td><td>-----</td><td>98.51</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>125</td><td>52 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.52	-----	-----	98.51	35.06	12.53	36.58	0.00	125	52 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	109.52	-----	-----	98.51	35.06	12.53	36.58	0.00	125	52 PEAK																																																																																	
Avg	Blank																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.32</td><td>-----</td><td>-----</td><td>89.31</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>125</td><td>52 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.32	-----	-----	89.31	35.06	12.53	36.58	0.00	125	52 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	100.32	-----	-----	89.31	35.06	12.53	36.58	0.00	125	52 AVERAGE																																																																																	
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.32</td><td>-----</td><td>-----</td><td>89.31</td><td>35.06</td><td>12.53</td><td>36.58</td><td>0.00</td><td>125</td><td>52 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.32	-----	-----	89.31	35.06	12.53	36.58	0.00	125	52 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	100.32	-----	-----	89.31	35.06	12.53	36.58	0.00	125	52 AVERAGE																																																																																	






		62																																																																																													
Mode		Band Edge																																																																																													
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																													
ANT		CDD 5+7																																																																																													
Pol.		Horizontal																																																																																													
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>41.37</td><td>34.50</td><td>12.32</td><td>36.27</td><td>0.00</td><td>119</td><td>208 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>50.62</td><td>68.50</td><td>-17.88</td><td>40.07</td><td>34.50</td><td>12.36</td><td>36.31</td><td>0.00</td><td>119</td><td>208 PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>69.88</td><td>109.78</td><td>-39.90</td><td>59.22</td><td>34.63</td><td>12.41</td><td>36.38</td><td>0.00</td><td>119</td><td>208 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>64.25</td><td>113.64</td><td>-49.39</td><td>53.58</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>119</td><td>208 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	51.92	68.20	-16.28	41.37	34.50	12.32	36.27	0.00	119	208 PEAK	2	5650.40	50.62	68.50	-17.88	40.07	34.50	12.36	36.31	0.00	119	208 PEAK	3	5716.00	69.88	109.78	-39.90	59.22	34.63	12.41	36.38	0.00	119	208 PEAK	4	5721.20	64.25	113.64	-49.39	53.58	34.64	12.42	36.39	0.00	119
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	51.92	68.20	-16.28	41.37	34.50	12.32	36.27	0.00	119	208 PEAK																																																																																				
2	5650.40	50.62	68.50	-17.88	40.07	34.50	12.36	36.31	0.00	119	208 PEAK																																																																																				
3	5716.00	69.88	109.78	-39.90	59.22	34.63	12.41	36.38	0.00	119	208 PEAK																																																																																				
4	5721.20	64.25	113.64	-49.39	53.58	34.64	12.42	36.39	0.00	119	208 PEAK																																																																																				
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.13</td><td>-----</td><td>-----</td><td>93.43</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>119</td><td>208 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	104.13	-----	-----	93.43	34.68	12.44	36.42	0.00	119	208 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5745.00	104.13	-----	-----	93.43	34.68	12.44	36.42	0.00	119	208 PEAK																																																																																				
Avg																																																																																															
																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>95.01</td><td>-----</td><td>-----</td><td>84.31</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>119</td><td>208 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	95.01	-----	-----	84.31	34.68	12.44	36.42	0.00	119	208 AVERAGE																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5745.00	95.01	-----	-----	84.31	34.68	12.44	36.42	0.00	119	208 AVERAGE																																																																																				






Mode	62																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	CDD 5+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>41.37</td><td>34.50</td><td>12.33</td><td>36.28</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.41</td><td>68.20</td><td>-16.79</td><td>40.87</td><td>34.50</td><td>12.35</td><td>36.31</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>3</td><td>5711.20</td><td>74.36</td><td>108.44</td><td>-34.08</td><td>63.70</td><td>34.62</td><td>12.41</td><td>36.37</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>66.11</td><td>111.81</td><td>-45.70</td><td>55.44</td><td>34.64</td><td>12.42</td><td>36.39</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.40	51.92	68.20	-16.28	41.37	34.50	12.33	36.28	0.00	100	20 PEAK	2	5650.00	51.41	68.20	-16.79	40.87	34.50	12.35	36.31	0.00	100	20 PEAK	3	5711.20	74.36	108.44	-34.08	63.70	34.62	12.41	36.37	0.00	100	20 PEAK	4	5720.40	66.11	111.81	-45.70	55.44	34.64	12.42	36.39	0.00	100	20 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.87</td><td>-----</td><td>-----</td><td>98.17</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.87	-----	-----	98.17	34.68	12.44	36.42	0.00	100	20 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5624.40	51.92	68.20	-16.28	41.37	34.50	12.33	36.28	0.00	100	20 PEAK																																																																																																																														
2	5650.00	51.41	68.20	-16.79	40.87	34.50	12.35	36.31	0.00	100	20 PEAK																																																																																																																														
3	5711.20	74.36	108.44	-34.08	63.70	34.62	12.41	36.37	0.00	100	20 PEAK																																																																																																																														
4	5720.40	66.11	111.81	-45.70	55.44	34.64	12.42	36.39	0.00	100	20 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	108.87	-----	-----	98.17	34.68	12.44	36.42	0.00	100	20 PEAK																																																																																																																														
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.92</td><td>-----</td><td>-----</td><td>89.22</td><td>34.68</td><td>12.44</td><td>36.42</td><td>0.00</td><td>100</td><td>20 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.92	-----	-----	89.22	34.68	12.44	36.42	0.00	100	20 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	99.92	-----	-----	89.22	34.68	12.44	36.42	0.00	100	20 AVERAGE																																																																																																																														





		63																																																																																											
Mode		Band Edge																																																																																											
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																											
ANT		CDD 5+7																																																																																											
Pol.		Horizontal																																																																																											
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>66.15</td><td>111.36</td><td>-45.21</td><td>55.10</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>62.86</td><td>110.84</td><td>-47.98</td><td>51.81</td><td>35.12</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>50.67</td><td>68.35</td><td>-17.68</td><td>39.53</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>53.52</td><td>68.20</td><td>-14.68</td><td>42.39</td><td>35.30</td><td>12.66</td><td>36.83</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	66.15	111.36	-45.21	55.10	35.12	12.56	36.63	0.00	100	242 PEAK	2	5855.20	62.86	110.84	-47.98	51.81	35.12	12.56	36.63	0.00	100	242 PEAK	3	5924.80	50.67	68.35	-17.68	39.53	35.30	12.66	36.82	0.00	100	242 PEAK	4	5926.00	53.52	68.20	-14.68	42.39	35.30	12.66	36.83	0.00	100	242 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	66.15	111.36	-45.21	55.10	35.12	12.56	36.63	0.00	100	242 PEAK																																																																																		
2	5855.20	62.86	110.84	-47.98	51.81	35.12	12.56	36.63	0.00	100	242 PEAK																																																																																		
3	5924.80	50.67	68.35	-17.68	39.53	35.30	12.66	36.82	0.00	100	242 PEAK																																																																																		
4	5926.00	53.52	68.20	-14.68	42.39	35.30	12.66	36.83	0.00	100	242 PEAK																																																																																		
Fundamental																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.20</td><td>-----</td><td>-----</td><td>92.21</td><td>35.04</td><td>12.51</td><td>36.56</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.20	-----	-----	92.21	35.04	12.51	36.56	0.00	100	242 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	103.20	-----	-----	92.21	35.04	12.51	36.56	0.00	100	242 PEAK																																																																																		
Avg	Blank																																																																																												
																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.97</td><td>-----</td><td>-----</td><td>82.98</td><td>35.04</td><td>12.51</td><td>36.56</td><td>0.00</td><td>100</td><td>242 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.97	-----	-----	82.98	35.04	12.51	36.56	0.00	100	242 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5825.00	93.97	-----	-----	82.98	35.04	12.51	36.56	0.00	100	242 AVERAGE																																																																																		





Mode	63																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																								
ANT	CDD 5+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>58.42</td><td>115.00</td><td>-56.58</td><td>47.38</td><td>35.11</td><td>12.56</td><td>36.63</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>59.30</td><td>107.93</td><td>-48.63</td><td>48.21</td><td>35.16</td><td>12.58</td><td>36.65</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>52.12</td><td>69.53</td><td>-17.41</td><td>40.97</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>53.79</td><td>68.20</td><td>-14.41</td><td>42.69</td><td>35.30</td><td>12.68</td><td>36.88</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	58.42	115.00	-56.58	47.38	35.11	12.56	36.63	0.00	100	20 PEAK	2	5865.60	59.30	107.93	-48.63	48.21	35.16	12.58	36.65	0.00	100	20 PEAK	3	5923.20	52.12	69.53	-17.41	40.97	35.30	12.66	36.81	0.00	100	20 PEAK	4	5937.60	53.79	68.20	-14.41	42.69	35.30	12.68	36.88	0.00	100	20 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.22</td><td>-----</td><td>-----</td><td>97.22</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>20 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	108.22	-----	-----	97.22	35.05	12.52	36.57	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5853.20	58.42	115.00	-56.58	47.38	35.11	12.56	36.63	0.00	100	20 PEAK																																																																																																																														
2	5865.60	59.30	107.93	-48.63	48.21	35.16	12.58	36.65	0.00	100	20 PEAK																																																																																																																														
3	5923.20	52.12	69.53	-17.41	40.97	35.30	12.66	36.81	0.00	100	20 PEAK																																																																																																																														
4	5937.60	53.79	68.20	-14.41	42.69	35.30	12.68	36.88	0.00	100	20 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	108.22	-----	-----	97.22	35.05	12.52	36.57	0.00	100	20 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.90</td><td>-----</td><td>-----</td><td>88.90</td><td>35.05</td><td>12.52</td><td>36.57</td><td>0.00</td><td>100</td><td>20 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.90	-----	-----	88.90	35.05	12.52	36.57	0.00	100	20 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	99.90	-----	-----	88.90	35.05	12.52	36.57	0.00	100	20 AVERAGE																																																																																																																														





Mode	57	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 5+7	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	57																																																																																																												
	30-1G																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																												
ANT	CDD 5+7																																																																																																												
Pol.	Horizontal																																																																																																												
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.73</td><td>20.70</td><td>40.00</td><td>-19.30</td><td>28.16</td><td>24.98</td><td>0.36</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>114.15</td><td>18.60</td><td>43.50</td><td>-24.90</td><td>33.00</td><td>17.13</td><td>1.05</td><td>32.66</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>196.60</td><td>19.60</td><td>43.50</td><td>-23.90</td><td>35.96</td><td>14.91</td><td>1.49</td><td>32.76</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>400.06</td><td>20.66</td><td>46.00</td><td>-25.34</td><td>29.60</td><td>21.96</td><td>2.13</td><td>33.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>567.38</td><td>25.22</td><td>46.00</td><td>-20.78</td><td>29.54</td><td>26.44</td><td>2.49</td><td>33.25</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>851.11</td><td>29.01</td><td>46.00</td><td>-16.99</td><td>29.84</td><td>28.70</td><td>3.04</td><td>32.57</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.73	20.70	40.00	-19.30	28.16	24.98	0.36	32.00	0.00	--- Peak	2	114.15	18.60	43.50	-24.90	33.00	17.13	1.05	32.66	0.00	--- Peak	3	196.60	19.60	43.50	-23.90	35.96	14.91	1.49	32.76	0.00	--- Peak	4	400.06	20.66	46.00	-25.34	29.60	21.96	2.13	33.03	0.00	--- Peak	5	567.38	25.22	46.00	-20.78	29.54	26.44	2.49	33.25	0.00	--- Peak	6	851.11	29.01	46.00	-16.99	29.84	28.70	3.04	32.57	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	30.73	20.70	40.00	-19.30	28.16	24.98	0.36	32.00	0.00	--- Peak																																																																																																			
2	114.15	18.60	43.50	-24.90	33.00	17.13	1.05	32.66	0.00	--- Peak																																																																																																			
3	196.60	19.60	43.50	-23.90	35.96	14.91	1.49	32.76	0.00	--- Peak																																																																																																			
4	400.06	20.66	46.00	-25.34	29.60	21.96	2.13	33.03	0.00	--- Peak																																																																																																			
5	567.38	25.22	46.00	-20.78	29.54	26.44	2.49	33.25	0.00	--- Peak																																																																																																			
6	851.11	29.01	46.00	-16.99	29.84	28.70	3.04	32.57	0.00	--- Peak																																																																																																			
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>25.48</td><td>40.00</td><td>-14.52</td><td>45.25</td><td>12.15</td><td>0.80</td><td>32.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>88.69</td><td>21.51</td><td>43.50</td><td>-21.99</td><td>38.65</td><td>14.56</td><td>1.00</td><td>32.70</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>249.95</td><td>19.56</td><td>46.00</td><td>-26.44</td><td>32.10</td><td>18.70</td><td>1.65</td><td>32.89</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>383.08</td><td>20.49</td><td>46.00</td><td>-25.51</td><td>30.18</td><td>21.21</td><td>2.07</td><td>32.97</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>566.17</td><td>24.85</td><td>46.00</td><td>-21.15</td><td>29.13</td><td>26.48</td><td>2.49</td><td>33.25</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>810.61</td><td>28.45</td><td>46.00</td><td>-17.55</td><td>30.25</td><td>28.14</td><td>2.98</td><td>32.92</td><td>0.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	58.13	25.48	40.00	-14.52	45.25	12.15	0.80	32.72	0.00	--- Peak	2	88.69	21.51	43.50	-21.99	38.65	14.56	1.00	32.70	0.00	--- Peak	3	249.95	19.56	46.00	-26.44	32.10	18.70	1.65	32.89	0.00	--- Peak	4	383.08	20.49	46.00	-25.51	30.18	21.21	2.07	32.97	0.00	--- Peak	5	566.17	24.85	46.00	-21.15	29.13	26.48	2.49	33.25	0.00	--- Peak	6	810.61	28.45	46.00	-17.55	30.25	28.14	2.98	32.92	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	58.13	25.48	40.00	-14.52	45.25	12.15	0.80	32.72	0.00	--- Peak																																																																																																			
2	88.69	21.51	43.50	-21.99	38.65	14.56	1.00	32.70	0.00	--- Peak																																																																																																			
3	249.95	19.56	46.00	-26.44	32.10	18.70	1.65	32.89	0.00	--- Peak																																																																																																			
4	383.08	20.49	46.00	-25.51	30.18	21.21	2.07	32.97	0.00	--- Peak																																																																																																			
5	566.17	24.85	46.00	-21.15	29.13	26.48	2.49	33.25	0.00	--- Peak																																																																																																			
6	810.61	28.45	46.00	-17.55	30.25	28.14	2.98	32.92	0.00	--- Peak																																																																																																			





Mode	44																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																									
ANT	CDD 5+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>57.18</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.46	74.00	-27.54	57.18	38.04	17.83	66.59	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>56.64</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.92	74.00	-28.08	56.64	38.04	17.83	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	46.46	74.00	-27.54	57.18	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11440.00	45.92	74.00	-28.08	56.64	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																														





Mode	45																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																								
ANT	CDD 5+7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>56.92</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.20	74.00	-27.80	56.92	38.04	17.83	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.60</td><td>74.00</td><td>-27.40</td><td>57.32</td><td>38.04</td><td>17.83</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.60	74.00	-27.40	57.32	38.04	17.83	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	46.20	74.00	-27.80	56.92	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	46.60	74.00	-27.40	57.32	38.04	17.83	66.59	0.00	---	---	PEAK																																																																																													







		46																																																									
Mode		Harmonic																																																									
		U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																									
ANT		CDD 5+7																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
																																																											
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>56.30</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.54	74.00	-28.46	56.30	38.02	17.81	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11420.00	45.54	74.00	-28.46	56.30	38.02	17.81	66.59	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>56.26</td><td>38.02</td><td>17.81</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	45.50	74.00	-28.50	56.26	38.02	17.81	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11420.00	45.50	74.00	-28.50	56.26	38.02	17.81	66.59	0.00	---	---	PEAK																																															







Mode	47																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																	
ANT	CDD 5+7																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>55.76</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11380.00	44.94	74.00	-29.06	55.76	37.98	17.79	66.59	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>55.72</td><td>37.98</td><td>17.79</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11380.00	44.90	74.00	-29.10	55.72	37.98	17.79	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	11380.00	44.94	74.00	-29.06	55.76	37.98	17.79	66.59	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	11380.00	44.90	74.00	-29.10	55.72	37.98	17.79	66.59	0.00	---	---	PEAK																																																																						





Mode	65																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.61</td><td>74.00</td><td>-23.39</td><td>42.05</td><td>32.43</td><td>7.33</td><td>37.20</td><td>6.00</td><td>172 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.61	74.00	-23.39	42.05	32.43	7.33	37.20	6.00	172 360 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.45</td><td>-----</td><td>-----</td><td>88.91</td><td>32.42</td><td>7.32</td><td>37.20</td><td>6.00</td><td>172 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.45	-----	-----	88.91	32.42	7.32	37.20	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	50.61	74.00	-23.39	42.05	32.43	7.33	37.20	6.00	172 360 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	97.45	-----	-----	88.91	32.42	7.32	37.20	6.00	172 360 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>36.90</td><td>32.43</td><td>7.33</td><td>37.20</td><td>6.00</td><td>172 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.46	54.00	-8.54	36.90	32.43	7.33	37.20	6.00	172 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.96</td><td>-----</td><td>-----</td><td>87.42</td><td>32.42</td><td>7.32</td><td>37.20</td><td>6.00</td><td>172 360 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.96	-----	-----	87.42	32.42	7.32	37.20	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	45.46	54.00	-8.54	36.90	32.43	7.33	37.20	6.00	172 360 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	95.96	-----	-----	87.42	32.42	7.32	37.20	6.00	172 360 AVERAGE																																																																																									







Mode	65																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>49.41</td><td>74.00</td><td>-24.59</td><td>40.81</td><td>32.46</td><td>7.34</td><td>37.20</td><td>6.00</td><td>328</td><td>287 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	49.41	74.00	-24.59	40.81	32.46	7.34	37.20	6.00	328	287 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.98</td><td>-----</td><td>-----</td><td>89.44</td><td>32.42</td><td>7.32</td><td>37.20</td><td>6.00</td><td>328</td><td>287 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.98	-----	-----	89.44	32.42	7.32	37.20	6.00	328
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	49.41	74.00	-24.59	40.81	32.46	7.34	37.20	6.00	328	287 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	97.98	-----	-----	89.44	32.42	7.32	37.20	6.00	328	287 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>37.13</td><td>32.43</td><td>7.33</td><td>37.20</td><td>6.00</td><td>328</td><td>287 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.69	54.00	-8.31	37.13	32.43	7.33	37.20	6.00	328	287 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.52</td><td>-----</td><td>-----</td><td>87.98</td><td>32.42</td><td>7.32</td><td>37.20</td><td>6.00</td><td>328</td><td>287 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.52	-----	-----	87.98	32.42	7.32	37.20	6.00	328
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	45.69	54.00	-8.31	37.13	32.43	7.33	37.20	6.00	328	287 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	96.52	-----	-----	87.98	32.42	7.32	37.20	6.00	328	287 AVERAGE																																																																																										



Mode	65																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.33</td><td>74.00</td><td>-34.67</td><td>60.17</td><td>34.76</td><td>10.44</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.33	74.00	-34.67	60.17	34.76	10.44	66.04	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>61.25</td><td>34.76</td><td>10.44</td><td>66.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.41	74.00	-33.59	61.25	34.76	10.44	66.04	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4960.00	39.33	74.00	-34.67	60.17	34.76	10.44	66.04	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	4960.00	40.41	74.00	-33.59	61.25	34.76	10.44	66.04	0.00	---	PEAK																																																																																											







Mode	65																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.15-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																														
ANT	CDD 5+7																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.56</td><td>49.65</td><td>74.00</td><td>-24.35</td><td>41.85</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>109</td><td>164 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.56	49.65	74.00	-24.35	41.85	34.60	10.64	37.44	0.00	109	164 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>85.95</td><td>-----</td><td>83.39</td><td>32.43</td><td>7.33</td><td>37.20</td><td>0.00</td><td>109</td><td>164 Peak</td></tr><tr><td>2</td><td>5310.00</td><td>101.94</td><td>-----</td><td>93.79</td><td>34.72</td><td>10.80</td><td>37.37</td><td>0.00</td><td>109</td><td>164 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	85.95	-----	83.39	32.43	7.33	37.20	0.00	109	164 Peak	2	5310.00	101.94	-----	93.79	34.72	10.80	37.37	0.00	109
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5134.56	49.65	74.00	-24.35	41.85	34.60	10.64	37.44	0.00	109	164 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2482.00	85.95	-----	83.39	32.43	7.33	37.20	0.00	109	164 Peak																																																																																																					
2	5310.00	101.94	-----	93.79	34.72	10.80	37.37	0.00	109	164 PEAK																																																																																																					
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.48</td><td>39.46</td><td>54.00</td><td>-14.54</td><td>31.66</td><td>34.60</td><td>10.64</td><td>37.44</td><td>0.00</td><td>109</td><td>164 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.48	39.46	54.00	-14.54	31.66	34.60	10.64	37.44	0.00	109	164 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2482.00</td><td>83.00</td><td>-----</td><td>80.44</td><td>32.43</td><td>7.33</td><td>37.20</td><td>0.00</td><td>109</td><td>164 Average</td></tr><tr><td>2</td><td>5310.00</td><td>94.34</td><td>-----</td><td>86.19</td><td>34.72</td><td>10.80</td><td>37.37</td><td>0.00</td><td>109</td><td>164 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2482.00	83.00	-----	80.44	32.43	7.33	37.20	0.00	109	164 Average	2	5310.00	94.34	-----	86.19	34.72	10.80	37.37	0.00	109
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5136.48	39.46	54.00	-14.54	31.66	34.60	10.64	37.44	0.00	109	164 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2482.00	83.00	-----	80.44	32.43	7.33	37.20	0.00	109	164 Average																																																																																																					
2	5310.00	94.34	-----	86.19	34.72	10.80	37.37	0.00	109	164 AVERAGE																																																																																																					



Mode	65										
	Band Edge - R										
	U-NII-2A_5.15-5.35_802.11ax HE40_CH62_Full RU_5310MHz										
ANT	CDD 5+7										
Pol.	Horizontal										
Peak	Level (dBuV/m)										





		65																																																																																																																											
Mode		Band Edge - L																																																																																																																											
		U-NII-2A_5.15-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																																											
ANT		CDD 5+7																																																																																																																											
Pol.	Vertical											Fundamental																																																																																																																	
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.92</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>42.80</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>100</td><td>15 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.92	50.57	74.00	-23.43	42.80	34.60	10.62	37.45	0.00	100	15 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>95.38</td><td>-----</td><td>92.82</td><td>32.43</td><td>7.33</td><td>37.20</td><td>0.00</td><td>100</td><td>15</td><td>Peak</td></tr><tr><td>2</td><td>5310.00</td><td>102.57</td><td>-----</td><td>94.40</td><td>34.73</td><td>10.80</td><td>37.36</td><td>0.00</td><td>100</td><td>15</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	95.38	-----	92.82	32.43	7.33	37.20	0.00	100	15	Peak	2	5310.00	102.57	-----	94.40	34.73	10.80	37.36	0.00	100	15
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5117.92	50.57	74.00	-23.43	42.80	34.60	10.62	37.45	0.00	100	15 PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2482.00	95.38	-----	92.82	32.43	7.33	37.20	0.00	100	15	Peak																																																																																																																		
2	5310.00	102.57	-----	94.40	34.73	10.80	37.36	0.00	100	15	PEAK																																																																																																																		
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5118.72</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>31.72</td><td>34.60</td><td>10.62</td><td>37.45</td><td>0.00</td><td>100</td><td>15 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5118.72	39.49	54.00	-14.51	31.72	34.60	10.62	37.45	0.00	100	15 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>92.46</td><td>-----</td><td>89.90</td><td>32.43</td><td>7.33</td><td>37.20</td><td>0.00</td><td>100</td><td>15</td><td>Average</td></tr><tr><td>2</td><td>5310.00</td><td>93.62</td><td>-----</td><td>85.47</td><td>34.72</td><td>10.80</td><td>37.37</td><td>0.00</td><td>100</td><td>15</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	92.46	-----	89.90	32.43	7.33	37.20	0.00	100	15	Average	2	5310.00	93.62	-----	85.47	34.72	10.80	37.37	0.00	100	15
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5118.72	39.49	54.00	-14.51	31.72	34.60	10.62	37.45	0.00	100	15 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	2482.00	92.46	-----	89.90	32.43	7.33	37.20	0.00	100	15	Average																																																																																																																		
2	5310.00	93.62	-----	85.47	34.72	10.80	37.37	0.00	100	15	AVERAGE																																																																																																																		



Mode	65																																																							
	Band Edge - R																																																							
	U-NII-2A_5.15-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																							
ANT	CDD 5+7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.60</td><td>57.97</td><td>74.00</td><td>-16.03</td><td>49.66</td><td>34.81</td><td>10.84</td><td>37.34</td><td>0.00</td><td>100</td><td>15 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.60	57.97	74.00	-16.03	49.66	34.81	10.84	37.34	0.00	100	15 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.60	57.97	74.00	-16.03	49.66	34.81	10.84	37.34	0.00	100	15 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>39.26</td><td>34.81</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>15 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	47.56	54.00	-6.44	39.26	34.81	10.84	37.35	0.00	100	15 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5354.10	47.56	54.00	-6.44	39.26	34.81	10.84	37.35	0.00	100	15 AVERAGE																																													




Mode	65																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2A_5.15-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																																																													
ANT	CDD 5+7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7440.00</td><td>40.64</td><td>74.00</td><td>-33.36</td><td>58.84</td><td>36.52</td><td>12.93</td><td>67.65</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>57.84</td><td>37.84</td><td>15.49</td><td>67.10</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7440.00	40.64	74.00	-33.36	58.84	36.52	12.93	67.65	0.00	---	PEAK	2	10620.00	44.07	74.00	-29.93	57.84	37.84	15.49	67.10	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7440.00</td><td>40.23</td><td>74.00</td><td>-33.77</td><td>58.43</td><td>36.52</td><td>12.93</td><td>67.65</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>58.80</td><td>37.84</td><td>15.49</td><td>67.10</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7440.00	40.23	74.00	-33.77	58.43	36.52	12.93	67.65	0.00	---	PEAK	2	10620.00	45.03	74.00	-28.97	58.80	37.84	15.49	67.10	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7440.00	40.64	74.00	-33.36	58.84	36.52	12.93	67.65	0.00	---	PEAK																																																																																																																			
2	10620.00	44.07	74.00	-29.93	57.84	37.84	15.49	67.10	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	7440.00	40.23	74.00	-33.77	58.43	36.52	12.93	67.65	0.00	---	PEAK																																																																																																																			
2	10620.00	45.03	74.00	-28.97	58.80	37.84	15.49	67.10	0.00	---	PEAK																																																																																																																			


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.34	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20 RU26	100	-	-	10Hz
802.11ax HE20 RU52	100	-	-	10Hz
802.11ax HE20 RU106	100	-	-	10Hz


802.11a



802.11ax HE20




802.11ax HE40







802.11ax HE80




802.11ax HE160



802.11ax HE20 RU26



802.11ax HE20 RU52



802.11ax HE20 RU106

