



















7. Frequency Stability

7.1. Test Results

7.1.1. Frequency Error Vs Voltage

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	LV	-6.90	-0.008249	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	NV	-5.40	-0.006455	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	NT	HV	-5.60	-0.006695	Pass

7.1.2. Frequency Error Vs Temperature

SCS	Bandwidth	Channel	RB Config	Modulation	Temperature	Voltage	Deviation Result		Verdict
							(Hz)	(ppm)	
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-30°C	NV	-6.30	-0.007531	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-20°C	NV	-6.00	-0.007173	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	-10°C	NV	-8.20	-0.009803	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	0°C	NV	-6.90	-0.008249	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	10°C	NV	-7.00	-0.008368	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	20°C	NV	-8.60	-0.010281	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	30°C	NV	-5.50	-0.006575	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	40°C	NV	-9.60	-0.011476	Pass
15KHz	20MHz	MCH	Outer_Full	DFT-QPSK	50°C	NV	-5.10	-0.006097	Pass

The End