


































Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant6	5745	15.07	5737.44	5752.52	0.5	PASS
		5785	14.03	5778.49	5792.52	0.5	PASS
		5825	15.11	5817.44	5832.56	0.5	PASS
11AC20SISO	Ant6	5745	15.09	5737.46	5752.56	0.5	PASS
		5785	13.85	5778.66	5792.52	0.5	PASS
		5825	15.11	5817.44	5832.56	0.5	PASS
11AC40SISO	Ant6	5755	35.10	5737.45	5772.55	0.5	PASS
		5795	35.10	5777.45	5812.55	0.5	PASS
11AC80SISO	Ant6	5775	75.08	5737.46	5812.54	0.5	PASS





Test Graphs B4











Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant6	5180	6.10	≤11.00	PASS
		5220	6.85	≤11.00	PASS
		5240	7.55	≤11.00	PASS
		5260	6.99	≤11.00	PASS
		5300	7.43	≤11.00	PASS
		5320	5.99	≤11.00	PASS
		5500	6.60	≤11.00	PASS
		5580	7.23	≤11.00	PASS
		5680	7.23	≤11.00	PASS
		5700	2.54	≤11.00	PASS
		5720_UNII-2C	7.05	≤11.00	PASS
		5720_UNII-3	2.46	≤30.00	PASS
		5745	3.88	≤30.00	PASS
		5785	4.03	≤30.00	PASS
		5825	3.56	≤30.00	PASS
11AC20SISO	Ant6	5180	5.74	≤11.00	PASS
		5220	6.41	≤11.00	PASS
		5240	7.13	≤11.00	PASS
		5260	6.65	≤11.00	PASS
		5300	7.17	≤11.00	PASS
		5320	5.22	≤11.00	PASS
		5500	5.84	≤11.00	PASS
		5580	6.97	≤11.00	PASS
		5680	6.53	≤11.00	PASS
		5700	2.21	≤11.00	PASS
		5720_UNII-2C	6.77	≤11.00	PASS
		5720_UNII-3	2.17	≤30.00	PASS
		5745	3.52	≤30.00	PASS
		5785	3.71	≤30.00	PASS
		5825	3.24	≤30.00	PASS
11AC40SISO	Ant6	5190	0.87	≤11.00	PASS
		5230	2.90	≤11.00	PASS
		5270	2.59	≤11.00	PASS
		5310	0.03	≤11.00	PASS




		5510	0.11	≤11.00	PASS
		5550	2.67	≤11.00	PASS
		5670	1.67	≤11.00	PASS
		5710_UNII-2C	3.17	≤11.00	PASS
		5710_UNII-3	-3.02	≤30.00	PASS
		5755	-0.48	≤30.00	PASS
		5795	-0.35	≤30.00	PASS
11AC80SISO	Ant6	5210	-5.02	≤11.00	PASS
		5290	-4.48	≤11.00	PASS
		5530	-4.48	≤11.00	PASS
		5610	-0.97	≤11.00	PASS
		5690_UNII-2C	-0.69	≤11.00	PASS
		5690_UNII-3	-6.89	≤30.00	PASS
		5775	-3.86	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs







































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.169	58.50	-6.49	64.99	47.80	0.25	10.45	QP
2	0.169	36.90	-18.09	54.99	26.20	0.25	10.45	Average
3	0.190	52.91	-11.11	64.02	42.20	0.25	10.46	QP
4	0.190	29.51	-24.51	54.02	18.80	0.25	10.46	Average
5	0.334	50.02	-9.33	59.35	39.21	0.33	10.48	QP
6	0.334	31.02	-18.33	49.35	20.21	0.33	10.48	Average
7	0.454	47.60	-9.20	56.80	36.80	0.36	10.44	QP
8	0.454	29.30	-17.50	46.80	18.50	0.36	10.44	Average
9	0.582	46.25	-9.75	56.00	35.50	0.37	10.38	QP
10	0.582	34.95	-11.05	46.00	24.20	0.37	10.38	Average
11	0.705	44.22	-11.78	56.00	33.50	0.38	10.34	QP
12	0.705	29.22	-16.78	46.00	18.50	0.38	10.34	Average
13	0.885	45.18	-10.82	56.00	34.50	0.39	10.29	QP
14	0.885	27.28	-18.72	46.00	16.60	0.39	10.29	Average
15	1.172	45.16	-10.84	56.00	34.50	0.40	10.26	QP
16	1.172	28.86	-17.14	46.00	18.20	0.40	10.26	Average
17	1.480	45.86	-10.14	56.00	35.20	0.41	10.25	QP
18	1.480	30.26	-15.74	46.00	19.60	0.41	10.25	Average
19	2.201	46.15	-9.85	56.00	35.49	0.42	10.24	QP
20	2.201	32.85	-13.15	46.00	22.19	0.42	10.24	Average
21	2.567	43.15	-12.85	56.00	32.50	0.42	10.23	QP
22	2.567	31.85	-14.15	46.00	21.20	0.42	10.23	Average
23	11.807	44.65	-15.35	60.00	33.79	0.60	10.26	QP
24	11.807	32.45	-17.55	50.00	21.59	0.60	10.26	Average
25	13.695	44.22	-15.78	60.00	33.20	0.75	10.27	QP
26	13.695	32.62	-17.38	50.00	21.60	0.75	10.27	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.402	47.44	-10.37	57.81	36.60	0.35	10.49	QP
2	0.402	28.04	-19.77	47.81	17.20	0.35	10.49	Average
3 *	0.499	48.25	-7.76	56.01	37.50	0.34	10.41	QP
4	0.499	30.95	-15.06	46.01	20.20	0.34	10.41	Average
5	0.637	47.93	-8.07	56.00	37.20	0.37	10.36	QP
6	0.637	31.93	-14.07	46.00	21.20	0.37	10.36	Average
7	0.788	45.88	-10.12	56.00	35.21	0.36	10.31	QP
8	0.788	28.88	-17.12	46.00	18.21	0.36	10.31	Average
9	1.223	45.42	-10.58	56.00	34.80	0.36	10.26	QP
10	1.223	29.22	-16.78	46.00	18.60	0.36	10.26	Average
11	1.585	46.23	-9.77	56.00	35.60	0.38	10.25	QP
12	1.585	30.83	-15.17	46.00	20.20	0.38	10.25	Average
13	2.099	45.13	-10.87	56.00	34.50	0.39	10.24	QP
14	2.099	30.23	-15.77	46.00	19.60	0.39	10.24	Average
15	2.435	43.12	-12.88	56.00	32.50	0.39	10.23	QP
16	2.435	29.52	-16.48	46.00	18.90	0.39	10.23	Average
17	4.202	43.91	-12.09	56.00	33.30	0.40	10.21	QP
18	4.202	33.41	-12.59	46.00	22.80	0.40	10.21	Average
19	11.198	44.06	-15.94	60.00	33.29	0.52	10.25	QP
20	11.198	36.66	-13.34	50.00	25.89	0.52	10.25	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	6	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	6	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	6	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	6	802.11ac VHT20	36	5180	MCS0	-	-
Mode 5	U-NII-1	5.15-5.25	6	802.11ac VHT20	44	5220	MCS0	-	-
Mode 6	U-NII-1	5.15-5.25	6	802.11ac VHT20	48	5240	MCS0	-	-
Mode 7	U-NII-1	5.15-5.25	6	802.11ac VHT40	38	5190	MCS0	-	-
Mode 8	U-NII-1	5.15-5.25	6	802.11ac VHT40	46	5230	MCS0	-	-
Mode 9	U-NII-1	5.15-5.25	6	802.11ac VHT80	42	5210	MCS0	-	-
Mode 10	U-NII-2A	5.25-5.35	6	802.11a	52	5260	6Mbps	-	-
Mode 11	U-NII-2A	5.25-5.35	6	802.11a	60	5300	6Mbps	-	-
Mode 12	U-NII-2A	5.25-5.35	6	802.11a	64	5320	6Mbps	-	-
Mode 13	U-NII-2A	5.25-5.35	6	802.11ac VHT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	6	802.11ac VHT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	6	802.11ac VHT20	64	5320	MCS0	-	-
Mode 16	U-NII-2A	5.25-5.35	6	802.11ac VHT40	54	5270	MCS0	-	-
Mode 17	U-NII-2A	5.25-5.35	6	802.11ac VHT40	62	5310	MCS0	-	-
Mode 18	U-NII-2A	5.25-5.35	6	802.11ac VHT80	58	5290	MCS0	-	-
Mode 19	U-NII-2C	5.47-5.725	6	802.11a	100	5500	6Mbps	-	-
Mode 20	U-NII-2C	5.47-5.725	6	802.11a	116	5580	6Mbps	-	-
Mode 21	U-NII-2C	5.47-5.725	6	802.11a	140	5700	6Mbps	-	-
Mode 22	U-NII-2C	5.47-5.725	6	802.11ac VHT20	100	5500	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	6	802.11ac VHT20	116	5580	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	6	802.11ac VHT20	140	5700	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	6	802.11ac VHT40	102	5510	MCS0	-	-
Mode 26	U-NII-2C	5.47-5.725	6	802.11ac VHT40	110	5550	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	6	802.11ac VHT40	134	5670	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	6	802.11ac VHT80	106	5530	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	6	802.11ac VHT80	122	5610	MCS0	-	-
Mode 30	U-NII-2C	5.47-5.85	6	802.11a	144	5720	6Mbps	-	-
Mode 31	U-NII-2C	5.47-5.85	6	802.11ac VHT20	144	5720	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.85	6	802.11ac VHT40	142	5710	MCS0	-	-
Mode 33	U-NII-2C	5.47-5.85	6	802.11ac VHT80	138	5690	MCS0	-	-

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-3	5.725-5.85	6	802.11a	149	5745	6Mbps	-	-
Mode 35	U-NII-3	5.725-5.85	6	802.11a	157	5785	6Mbps	-	-
Mode 36	U-NII-3	5.725-5.85	6	802.11a	165	5825	6Mbps	-	-
Mode 37	U-NII-3	5.725-5.85	6	802.11ac VHT20	149	5745	MCS0	-	-
Mode 38	U-NII-3	5.725-5.85	6	802.11ac VHT20	157	5785	MCS0	-	-
Mode 39	U-NII-3	5.725-5.85	6	802.11ac VHT20	165	5825	MCS0	-	-
Mode 40	U-NII-3	5.725-5.85	6	802.11ac VHT40	151	5755	MCS0	-	-
Mode 41	U-NII-3	5.725-5.85	6	802.11ac VHT40	159	5795	MCS0	-	-
Mode 42	U-NII-3	5.725-5.85	6	802.11ac VHT80	155	5775	MCS0	-	-
Mode 43	U-NII-2C	5.47-5.725	6	802.11a	136	5680	6Mbps	-	-
Mode 44	U-NII-2C	5.47-5.725	6	802.11ac VHT20	136	5680	MCS0	-	-

Co-location mode

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	2400-2483.5	2400-2483.5	6	Bluetooth-LE_GSFK	38	2478	2Mbps	-	-
	U-NII-1	5.15-5.25	6	802.11ac VHT20	36	5180	MCS0	-	-
	Part 24E PCS1900								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.50	50.21	54.00	-3.79	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	43.81	68.20	-24.39	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	44.53	68.20	-23.67	H	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	44.35	68.20	-23.85	H	PEAK	Pass	Harmonic
4	802.11ac VHT20	36	5150.00	50.84	54.00	-3.16	H	AVERAGE	Pass	Band Edge
4	802.11ac VHT20	36	10360.00	44.21	68.20	-23.99	H	PEAK	Pass	Harmonic
5	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
5	802.11ac VHT20	44	10440.00	44.08	68.20	-24.12	V	PEAK	Pass	Harmonic
6	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
6	802.11ac VHT20	48	10480.00	44.35	68.20	-23.85	H	PEAK	Pass	Harmonic
7	802.11ac VHT40	38	5148.64	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
7	802.11ac VHT40	38	10380.00	43.58	68.20	-24.62	V	PEAK	Pass	Harmonic
8	802.11ac VHT40	46	5149.28	46.51	54.00	-7.49	H	AVERAGE	Pass	Band Edge
8	802.11ac VHT40	46	10460.00	44.17	68.20	-24.03	V	PEAK	Pass	Harmonic
9	802.11ac VHT80	42	5149.92	50.02	54.00	-3.98	H	AVERAGE	Pass	Band Edge
9	802.11ac VHT80	42	10420.00	45.07	68.20	-23.13	V	PEAK	Pass	Harmonic
10	802.11a	52	-	-	-	-	-	-	-	Band Edge
10	802.11a	52	10520.00	44.28	68.20	-23.92	V	PEAK	Pass	Harmonic
11	802.11a	60	-	-	-	-	-	-	-	Band Edge
11	802.11a	60	10600.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
12	802.11a	64	5350.30	50.83	54.00	-3.17	H	AVERAGE	Pass	Band Edge
12	802.11a	64	10640.00	44.09	74.00	-29.91	V	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	10520.00	44.76	68.20	-23.44	V	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	10600.00	44.88	74.00	-29.12	H	PEAK	Pass	Harmonic
15	802.11ac VHT20	64	5350.00	50.71	54.00	-3.29	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	10640.00	44.23	74.00	-29.77	H	PEAK	Pass	Harmonic
16	802.11ac VHT40	54	5350.18	49.25	54.00	-4.75	H	AVERAGE	Pass	Band Edge
16	802.11ac VHT40	54	10540.00	44.43	68.20	-23.77	H	PEAK	Pass	Harmonic
17	802.11ac VHT40	62	5351.70	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
17	802.11ac VHT40	62	10620.00	44.29	74.00	-29.71	V	PEAK	Pass	Harmonic
18	802.11ac VHT80	58	5351.40	49.85	54.00	-4.15	H	AVERAGE	Pass	Band Edge
18	802.11ac VHT80	58	10580.00	44.41	68.20	-23.79	H	PEAK	Pass	Harmonic
19	802.11a	100	5464.08	64.62	68.20	-3.58	H	PEAK	Pass	Band Edge
19	802.11a	100	11000.00	44.38	74.00	-29.62	H	PEAK	Pass	Harmonic
20	802.11a	116	-	-	-	-	-	-	-	Band Edge
20	802.11a	116	11160.00	44.69	74.00	-29.31	H	PEAK	Pass	Harmonic



Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
21	802.11a	140	5727.88	60.76	68.20	-7.44	H	PEAK	Pass	Band Edge
21	802.11a	140	11400.00	44.62	74.00	-29.38	V	PEAK	Pass	Harmonic
22	802.11ac VHT20	100	5463.92	64.87	68.20	-3.33	H	PEAK	Pass	Band Edge
22	802.11ac VHT20	100	11000.00	43.65	74.00	-30.35	V	PEAK	Pass	Harmonic
23	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge
23	802.11ac VHT20	116	11160.00	44.13	74.00	-29.87	V	PEAK	Pass	Harmonic
24	802.11ac VHT20	140	5725.40	64.69	68.20	-3.51	H	Peak	Pass	Band Edge
24	802.11ac VHT20	140	11400.00	44.48	74.00	-29.52	H	PEAK	Pass	Harmonic
25	802.11ac VHT40	102	5468.56	64.44	68.20	-3.76	H	PEAK	Pass	Band Edge
25	802.11ac VHT40	102	11020.00	43.11	74.00	-30.89	V	PEAK	Pass	Harmonic
26	802.11ac VHT40	110	-	-	-	-	-	-	-	Band Edge
26	802.11ac VHT40	110	11100.00	43.73	74.00	-30.27	V	PEAK	Pass	Harmonic
27	802.11ac VHT40	134	5726.36	64.30	68.20	-3.90	H	PEAK	Pass	Band Edge
27	802.11ac VHT40	134	11340.00	44.36	74.00	-29.64	V	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5457.36	50.00	54.00	-4.00	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	44.49	74.00	-29.51	H	PEAK	Pass	Harmonic
29	802.11ac VHT80	122	5731.00	64.57	68.20	-3.63	H	PEAK	Pass	Band Edge
29	802.11ac VHT80	122	11220.00	44.33	74.00	-29.67	V	PEAK	Pass	Harmonic
30	802.11a	144	-	-	-	-	-	-	-	Band Edge
30	802.11a	144	11440.00	44.92	74.00	-29.08	V	PEAK	Pass	Harmonic
31	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
31	802.11ac VHT20	144	11440.00	45.10	74.00	-28.90	V	PEAK	Pass	Harmonic
32	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
32	802.11ac VHT40	142	11420.00	44.57	74.00	-29.43	V	PEAK	Pass	Harmonic
33	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
33	802.11ac VHT80	138	11380.00	43.55	74.00	-30.45	V	PEAK	Pass	Harmonic
34	802.11a	149	5630.00	54.03	68.20	-14.17	H	PEAK	Pass	Band Edge
34	802.11a	149	11490.00	44.78	74.00	-29.22	H	PEAK	Pass	Harmonic
35	802.11a	157	-	-	-	-	-	-	-	Band Edge
35	802.11a	157	11570.00	43.80	74.00	-30.20	H	PEAK	Pass	Harmonic
36	802.11a	165	5947.60	55.67	68.20	-12.53	V	PEAK	Pass	Band Edge
36	802.11a	165	11650.00	44.30	74.00	-29.70	H	PEAK	Pass	Harmonic
37	802.11ac VHT20	149	5634.40	53.59	68.20	-14.61	V	PEAK	Pass	Band Edge
37	802.11ac VHT20	149	11490.00	44.54	74.00	-29.46	V	PEAK	Pass	Harmonic
38	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
38	802.11ac VHT20	157	11570.00	43.98	74.00	-30.02	V	PEAK	Pass	Harmonic
39	802.11ac VHT20	165	5978.80	55.09	68.20	-13.11	V	PEAK	Pass	Band Edge
39	802.11ac VHT20	165	11650.00	44.02	74.00	-29.98	H	PEAK	Pass	Harmonic
40	802.11ac VHT40	151	5933.23	56.98	68.20	-11.22	H	PEAK	Pass	Band Edge
40	802.11ac VHT40	151	11510.00	44.07	74.00	-29.93	V	PEAK	Pass	Harmonic







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
41	802.11ac VHT40	159	5932.80	56.13	68.20	-12.07	H	PEAK	Pass	Band Edge
41	802.11ac VHT40	159	11590.00	43.53	74.00	-30.47	H	PEAK	Pass	Harmonic
42	802.11ac VHT80	155	5634.80	59.89	68.20	-8.31	H	PEAK	Pass	Band Edge
42	802.11ac VHT80	155	11550.00	44.15	74.00	-29.85	H	PEAK	Pass	Harmonic
43	802.11a	136	5726.59	63.56	68.20	-4.64	H	PEAK	Pass	Band Edge
43	802.11a	136	11360.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic
44	802.11ac VHT20	136	5727.28	63.78	68.20	-4.42	H	PEAK	Pass	Band Edge
44	802.11ac VHT20	136	11360.00	44.23	74.00	-29.77	V	PEAK	Pass	Harmonic
45	Bluetooth-LE_GSKF	38	2483.86	46.65	54.00	-7.35	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	38	4956.00	43.69	74.00	-30.31	H	PEAK	Pass	Harmonic
	802.11ac VHT20	36	5150.00	50.75	54.00	-3.25	H	AVERAGE	Pass	Band Edge
	802.11ac VHT20	36	10360.00	44.41	68.20	-23.79	V	PEAK	Pass	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	6																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.40</td><td>62.16</td><td>74.00</td><td>-11.84</td><td>50.13</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.40	62.16	74.00	-11.84	50.13	34.20	9.95	32.12	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.40	62.16	74.00	-11.84	50.13	34.20	9.95	32.12	0.00	100	311 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.56</td><td>-----</td><td>-----</td><td>93.42</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.56	-----	-----	93.42	34.26	9.99	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	105.56	-----	-----	93.42	34.26	9.99	32.11	0.00	100	311 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.50</td><td>50.21</td><td>54.00</td><td>-3.79</td><td>38.18</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.50	50.21	54.00	-3.79	38.18	34.20	9.95	32.12	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.50	50.21	54.00	-3.79	38.18	34.20	9.95	32.12	0.00	100	311 AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.87</td><td>-----</td><td>-----</td><td>85.73</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.87	-----	-----	85.73	34.26	9.99	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	97.87	-----	-----	85.73	34.26	9.99	32.11	0.00	100	311 AVERAGE																																												





Mode	1																																																																																																	
	Band Edge																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																	
ANT	6																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.80</td><td>63.79</td><td>74.00</td><td>-10.21</td><td>51.76</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>317 73 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	63.79	74.00	-10.21	51.76	34.20	9.95	32.12	0.00	317 73 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.99</td><td>-----</td><td>-----</td><td>92.87</td><td>34.25</td><td>9.98</td><td>32.11</td><td>0.00</td><td>317 73 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.99	-----	-----	92.87	34.25	9.98	32.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.80	63.79	74.00	-10.21	51.76	34.20	9.95	32.12	0.00	317 73 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	104.99	-----	-----	92.87	34.25	9.98	32.11	0.00	317 73 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.90</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>36.45</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>317 73 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	48.48	54.00	-5.52	36.45	34.20	9.95	32.12	0.00	317 73 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.58</td><td>-----</td><td>-----</td><td>84.44</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>317 73 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.58	-----	-----	84.44	34.26	9.99	32.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.90	48.48	54.00	-5.52	36.45	34.20	9.95	32.12	0.00	317 73 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5180.00	96.58	-----	-----	84.44	34.26	9.99	32.11	0.00	317 73 AVERAGE																																																																																								





Mode	1																																																																																																							
	Harmonic																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																							
ANT	6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>43.81</td><td>68.20</td><td>-24.39</td><td>59.16</td><td>37.46</td><td>14.24</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	43.81	68.20	-24.39	59.16	37.46	14.24	67.05	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>43.73</td><td>68.20</td><td>-24.47</td><td>59.09</td><td>37.45</td><td>14.24</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	43.73	68.20	-24.47	59.09	37.45	14.24	67.05	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	10360.00	43.81	68.20	-24.39	59.16	37.46	14.24	67.05	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	10360.00	43.73	68.20	-24.47	59.09	37.45	14.24	67.05	0.00	---	---	PEAK																																																																																												







Mode	2																																																																																																							
	Harmonic																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																							
ANT	6																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10448.00</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>59.73</td><td>37.59</td><td>14.29</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10448.00	44.53	68.20	-23.67	59.73	37.59	14.29	67.08	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10448.00</td><td>44.23</td><td>68.20</td><td>-23.97</td><td>59.42</td><td>37.59</td><td>14.29</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10448.00	44.23	68.20	-23.97	59.42	37.59	14.29	67.07	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10448.00	44.53	68.20	-23.67	59.73	37.59	14.29	67.08	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10448.00	44.23	68.20	-23.97	59.42	37.59	14.29	67.07	0.00	---	---	PEAK																																																																																												







		3																																																																																																															
Mode		Harmonic																																																																																																															
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																															
ANT		6																																																																																																															
Pol.		Horizontal					Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.35</td><td>68.20</td><td>-23.85</td><td>59.46</td><td>37.67</td><td>14.31</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.35	68.20	-23.85	59.46	37.67	14.31	67.09	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.07</td><td>68.20</td><td>-24.13</td><td>59.18</td><td>37.67</td><td>14.31</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	44.07	68.20	-24.13	59.18	37.67	14.31	67.09	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10480.00	44.35	68.20	-23.85	59.46	37.67	14.31	67.09	0.00	---	---	PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	10480.00	44.07	68.20	-24.13	59.18	37.67	14.31	67.09	0.00	---	---	PEAK																																																																																																					





Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																		
ANT	6																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.40</td><td>65.56</td><td>74.00</td><td>-8.44</td><td>53.52</td><td>34.21</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.40	65.56	74.00	-8.44	53.52	34.21	9.95	32.12	0.00	100	312 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.43</td><td>-----</td><td>-----</td><td>94.29</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>312 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.43	-----	-----	94.29	34.26	9.99	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5146.40	65.56	74.00	-8.44	53.52	34.21	9.95	32.12	0.00	100	312 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	106.43	-----	-----	94.29	34.26	9.99	32.11	0.00	100	312 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>38.81</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.84	54.00	-3.16	38.81	34.20	9.95	32.12	0.00	100	312 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>97.76</td><td>-----</td><td>-----</td><td>85.62</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>312 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	97.76	-----	-----	85.62	34.26	9.99	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	50.84	54.00	-3.16	38.81	34.20	9.95	32.12	0.00	100	312 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	97.76	-----	-----	85.62	34.26	9.99	32.11	0.00	100	312 AVERAGE																																																																																								





Mode	4																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																			
ANT	6																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.80</td><td>61.59</td><td>74.00</td><td>-12.41</td><td>49.56</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>318</td><td>71 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.80	61.59	74.00	-12.41	49.56	34.20	9.95	32.12	0.00	318	71 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.91</td><td>-----</td><td>-----</td><td>92.77</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>318</td><td>71 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.91	-----	-----	92.77	34.26	9.99	32.11	0.00	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5147.80	61.59	74.00	-12.41	49.56	34.20	9.95	32.12	0.00	318	71 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	104.91	-----	-----	92.77	34.26	9.99	32.11	0.00	318	71 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>36.96</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>318</td><td>71 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.99	54.00	-5.01	36.96	34.20	9.95	32.12	0.00	318	71 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.64</td><td>-----</td><td>-----</td><td>84.50</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>318</td><td>71 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.64	-----	-----	84.50	34.26	9.99	32.11	0.00	318
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5150.00	48.99	54.00	-5.01	36.96	34.20	9.95	32.12	0.00	318	71 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	96.64	-----	-----	84.50	34.26	9.99	32.11	0.00	318	71 AVERAGE																																																																																									





Mode	4																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.21</td><td>68.20</td><td>-23.99</td><td>59.56</td><td>37.46</td><td>14.24</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.21	68.20	-23.99	59.56	37.46	14.24	67.05	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.06</td><td>68.20</td><td>-24.14</td><td>59.42</td><td>37.45</td><td>14.24</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.06	68.20	-24.14	59.42	37.45	14.24	67.05	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10360.00	44.21	68.20	-23.99	59.56	37.46	14.24	67.05	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10360.00	44.06	68.20	-24.14	59.42	37.45	14.24	67.05	0.00	---	---	PEAK																																																																																													







Mode	5																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10448.00</td><td>43.79</td><td>68.20</td><td>-24.41</td><td>58.99</td><td>37.58</td><td>14.29</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10448.00	43.79	68.20	-24.41	58.99	37.58	14.29	67.07	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10448.00</td><td>44.08</td><td>68.20</td><td>-24.12</td><td>59.30</td><td>37.57</td><td>14.28</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10448.00	44.08	68.20	-24.12	59.30	37.57	14.28	67.07	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10448.00	43.79	68.20	-24.41	58.99	37.58	14.29	67.07	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10448.00	44.08	68.20	-24.12	59.30	37.57	14.28	67.07	0.00	---	---	PEAK																																																																																													



Mode	6																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz																																																																																																								
ANT	6																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.35</td><td>68.20</td><td>-23.85</td><td>59.46</td><td>37.66</td><td>14.31</td><td>67.08</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	44.35	68.20	-23.85	59.46	37.66	14.31	67.08	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>59.43</td><td>37.68</td><td>14.31</td><td>67.09</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	44.33	68.20	-23.87	59.43	37.68	14.31	67.09	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10480.00	44.35	68.20	-23.85	59.46	37.66	14.31	67.08	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	10480.00	44.33	68.20	-23.87	59.43	37.68	14.31	67.09	0.00	---	---	PEAK																																																																																													



Mode	7																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.36</td><td>62.39</td><td>74.00</td><td>-11.61</td><td>50.35</td><td>34.21</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.36	62.39	74.00	-11.61	50.35	34.21	9.95	32.12	0.00	100	311 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.48</td><td>-----</td><td>-----</td><td>89.30</td><td>34.29</td><td>10.00</td><td>32.11</td><td>0.00</td><td>100</td><td>311 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.48	-----	-----	89.30	34.29	10.00	32.11	0.00	100	311 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5147.36	62.39	74.00	-11.61	50.35	34.21	9.95	32.12	0.00	100	311 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5190.00	101.48	-----	-----	89.30	34.29	10.00	32.11	0.00	100	311 PEAK																																																																																										
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>50.70</td><td>54.00</td><td>-3.30</td><td>38.67</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	50.70	54.00	-3.30	38.67	34.20	9.95	32.12	0.00	100	311 AVERAGE	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.16</td><td>-----</td><td>-----</td><td>80.99</td><td>34.28</td><td>10.00</td><td>32.11</td><td>0.00</td><td>100</td><td>311 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.16	-----	-----	80.99	34.28	10.00	32.11	0.00	100	311 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5148.64	50.70	54.00	-3.30	38.67	34.20	9.95	32.12	0.00	100	311 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5190.00	93.16	-----	-----	80.99	34.28	10.00	32.11	0.00	100	311 AVERAGE																																																																																										