













Mode	45																																																																																																																
	Band Edge - L																																																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																
ANT	6																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.52</td><td>55.68</td><td>74.00</td><td>-18.32</td><td>42.68</td><td>32.50</td><td>6.83</td><td>32.33</td><td>6.00</td><td>106</td><td>107 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.52	55.68	74.00	-18.32	42.68	32.50	6.83	32.33	6.00	106	107 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1880.00</td><td>115.70</td><td>-----</td><td>-----</td><td>106.22</td><td>30.28</td><td>5.93</td><td>32.73</td><td>6.00</td><td>106</td><td>107 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>99.91</td><td>-----</td><td>-----</td><td>86.93</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>106</td><td>107 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1880.00	115.70	-----	-----	106.22	30.28	5.93	32.73	6.00	106	107 PEAK	2	2478.00	99.91	-----	-----	86.93	32.50	6.81	32.33	6.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2487.52	55.68	74.00	-18.32	42.68	32.50	6.83	32.33	6.00	106	107 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	1880.00	115.70	-----	-----	106.22	30.28	5.93	32.73	6.00	106	107 PEAK																																																																																																						
2	2478.00	99.91	-----	-----	86.93	32.50	6.81	32.33	6.00	106	107 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>32.99</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>106</td><td>107 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	45.98	54.00	-8.02	32.99	32.50	6.82	32.33	6.00	106	107 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1880.00</td><td>115.69</td><td>-----</td><td>-----</td><td>106.21</td><td>30.28</td><td>5.93</td><td>32.73</td><td>6.00</td><td>106</td><td>107 AVERAGE</td></tr><tr><td>2</td><td>2478.00</td><td>97.70</td><td>-----</td><td>-----</td><td>84.72</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>106</td><td>107 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1880.00	115.69	-----	-----	106.21	30.28	5.93	32.73	6.00	106	107 AVERAGE	2	2478.00	97.70	-----	-----	84.72	32.50	6.81	32.33	6.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2483.62	45.98	54.00	-8.02	32.99	32.50	6.82	32.33	6.00	106	107 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	1880.00	115.69	-----	-----	106.21	30.28	5.93	32.73	6.00	106	107 AVERAGE																																																																																																						
2	2478.00	97.70	-----	-----	84.72	32.50	6.81	32.33	6.00	106	107 AVERAGE																																																																																																						







		45																																																																																																									
Mode		Band Edge - L																																																																																																									
		2400-2483.5 2400-2483.5 Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																									
ANT		6																																																																																																									
Pol.		Vertical					Fundamental																																																																																																				
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.52</td><td>55.74</td><td>74.00</td><td>-18.26</td><td>42.73</td><td>32.50</td><td>6.84</td><td>32.33</td><td>6.00</td><td>292</td><td>37 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.52	55.74	74.00	-18.26	42.73	32.50	6.84	32.33	6.00	292	37 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1880.00</td><td>114.35</td><td>-----</td><td>-----</td><td>104.87</td><td>30.28</td><td>5.93</td><td>32.73</td><td>6.00</td><td>292</td><td>37 PEAK</td></tr><tr><td>2</td><td>2478.00</td><td>95.89</td><td>-----</td><td>-----</td><td>82.91</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>292</td><td>37 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1880.00	114.35	-----	-----	104.87	30.28	5.93	32.73	6.00	292	37 PEAK	2	2478.00	95.89	-----	-----	82.91	32.50	6.81	32.33	6.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2499.52	55.74	74.00	-18.26	42.73	32.50	6.84	32.33	6.00	292	37 PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	1880.00	114.35	-----	-----	104.87	30.28	5.93	32.73	6.00	292	37 PEAK																																																																																																
2	2478.00	95.89	-----	-----	82.91	32.50	6.81	32.33	6.00	292	37 PEAK																																																																																																
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>33.66</td><td>32.50</td><td>6.82</td><td>32.33</td><td>6.00</td><td>292</td><td>37 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	46.65	54.00	-7.35	33.66	32.50	6.82	32.33	6.00	292	37 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1880.00</td><td>114.46</td><td>-----</td><td>-----</td><td>104.98</td><td>30.28</td><td>5.93</td><td>32.73</td><td>6.00</td><td>292</td><td>37 AVERAGE</td></tr><tr><td>2</td><td>2478.00</td><td>93.65</td><td>-----</td><td>-----</td><td>80.67</td><td>32.50</td><td>6.81</td><td>32.33</td><td>6.00</td><td>292</td><td>37 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1880.00	114.46	-----	-----	104.98	30.28	5.93	32.73	6.00	292	37 AVERAGE	2	2478.00	93.65	-----	-----	80.67	32.50	6.81	32.33	6.00	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.86	46.65	54.00	-7.35	33.66	32.50	6.82	32.33	6.00	292	37 AVERAGE																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	1880.00	114.46	-----	-----	104.98	30.28	5.93	32.73	6.00	292	37 AVERAGE																																																																																																
2	2478.00	93.65	-----	-----	80.67	32.50	6.81	32.33	6.00	292	37 AVERAGE																																																																																																







Mode	45																																																																																																																																																								
	Harmonic																																																																																																																																																								
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																																																																								
ANT	6																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>66.11</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5180.00</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>79.78</td><td>34.26</td><td>9.99</td><td>66.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>59.91</td><td>35.77</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	43.69	74.00	-30.31	66.11	34.02	9.75	66.19	0.00	---	---	PEAK	2	5180.00	57.68	74.00	-16.32	79.78	34.26	9.99	66.35	0.00	---	---	PEAK	3	7434.00	41.01	74.00	-32.99	59.91	35.77	12.03	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>64.29</td><td>34.02</td><td>9.75</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5180.00</td><td>55.10</td><td>74.00</td><td>-18.90</td><td>77.20</td><td>34.26</td><td>9.99</td><td>66.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>7434.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>60.69</td><td>35.77</td><td>12.03</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4956.00	41.87	74.00	-32.13	64.29	34.02	9.75	66.19	0.00	---	---	PEAK	2	5180.00	55.10	74.00	-18.90	77.20	34.26	9.99	66.35	0.00	---	---	PEAK	3	7434.00	41.79	74.00	-32.21	60.69	35.77	12.03	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																															
1	4956.00	43.69	74.00	-30.31	66.11	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																																																																													
2	5180.00	57.68	74.00	-16.32	79.78	34.26	9.99	66.35	0.00	---	---	PEAK																																																																																																																																													
3	7434.00	41.01	74.00	-32.99	59.91	35.77	12.03	66.70	0.00	---	---	PEAK																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	4956.00	41.87	74.00	-32.13	64.29	34.02	9.75	66.19	0.00	---	---	PEAK																																																																																																																																													
2	5180.00	55.10	74.00	-18.90	77.20	34.26	9.99	66.35	0.00	---	---	PEAK																																																																																																																																													
3	7434.00	41.79	74.00	-32.21	60.69	35.77	12.03	66.70	0.00	---	---	PEAK																																																																																																																																													





		45																																																																																																																							
Mode	Band Edge																																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.80</td><td>64.78</td><td>74.00</td><td>-9.22</td><td>52.75</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.80	64.78	74.00	-9.22	52.75	34.20	9.95	32.12	0.00	100	333 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1882.00</td><td>110.22</td><td>-----</td><td>-----</td><td>106.71</td><td>30.29</td><td>5.94</td><td>32.72</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr><tr><td>2 2476.00</td><td>91.16</td><td>-----</td><td>-----</td><td>84.18</td><td>32.50</td><td>6.81</td><td>32.33</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr><tr><td>3 5180.00</td><td>106.35</td><td>-----</td><td>-----</td><td>94.21</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1882.00	110.22	-----	-----	106.71	30.29	5.94	32.72	0.00	100	333 PEAK	2 2476.00	91.16	-----	-----	84.18	32.50	6.81	32.33	0.00	100	333 PEAK	3 5180.00	106.35	-----	-----	94.21	34.26	9.99	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5149.80	64.78	74.00	-9.22	52.75	34.20	9.95	32.12	0.00	100	333 PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 1882.00	110.22	-----	-----	106.71	30.29	5.94	32.72	0.00	100	333 PEAK																																																																																																															
2 2476.00	91.16	-----	-----	84.18	32.50	6.81	32.33	0.00	100	333 PEAK																																																																																																															
3 5180.00	106.35	-----	-----	94.21	34.26	9.99	32.11	0.00	100	333 PEAK																																																																																																															
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5150.00</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>38.71</td><td>34.20</td><td>9.95</td><td>32.11</td><td>0.00</td><td>100</td><td>333 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5150.00	50.75	54.00	-3.25	38.71	34.20	9.95	32.11	0.00	100	333 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 1876.00</td><td>74.44</td><td>-----</td><td>-----</td><td>70.98</td><td>30.26</td><td>5.93</td><td>32.73</td><td>0.00</td><td>100</td><td>333 AVERAGE</td></tr><tr><td>2 2476.00</td><td>87.22</td><td>-----</td><td>-----</td><td>80.24</td><td>32.50</td><td>6.81</td><td>32.33</td><td>0.00</td><td>100</td><td>333 AVERAGE</td></tr><tr><td>3 5180.00</td><td>97.62</td><td>-----</td><td>-----</td><td>85.48</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>333 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1876.00	74.44	-----	-----	70.98	30.26	5.93	32.73	0.00	100	333 AVERAGE	2 2476.00	87.22	-----	-----	80.24	32.50	6.81	32.33	0.00	100	333 AVERAGE	3 5180.00	97.62	-----	-----	85.48	34.26	9.99	32.11	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 5150.00	50.75	54.00	-3.25	38.71	34.20	9.95	32.11	0.00	100	333 AVERAGE																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 1876.00	74.44	-----	-----	70.98	30.26	5.93	32.73	0.00	100	333 AVERAGE																																																																																																															
2 2476.00	87.22	-----	-----	80.24	32.50	6.81	32.33	0.00	100	333 AVERAGE																																																																																																															
3 5180.00	97.62	-----	-----	85.48	34.26	9.99	32.11	0.00	100	333 AVERAGE																																																																																																															



Mode	45																																																																																																																								
	Band Edge																																																																																																																								
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																																								
ANT	6																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																		
Peak																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.00</td><td>64.16</td><td>74.00</td><td>-9.84</td><td>52.13</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>340</td><td>55 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.00	64.16	74.00	-9.84	52.13	34.20	9.95	32.12	0.00	340	55 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1882.00</td><td>113.36</td><td>-----</td><td>109.85</td><td>30.29</td><td>5.94</td><td>32.72</td><td>0.00</td><td>340</td><td>55 PEAK</td></tr><tr><td>2</td><td>2476.00</td><td>91.33</td><td>-----</td><td>84.35</td><td>32.50</td><td>6.81</td><td>32.33</td><td>0.00</td><td>340</td><td>55 PEAK</td></tr><tr><td>3</td><td>5180.00</td><td>105.47</td><td>-----</td><td>93.33</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>340</td><td>55 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1882.00	113.36	-----	109.85	30.29	5.94	32.72	0.00	340	55 PEAK	2	2476.00	91.33	-----	84.35	32.50	6.81	32.33	0.00	340	55 PEAK	3	5180.00	105.47	-----	93.33	34.26	9.99	32.11	0.00	340
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5149.00	64.16	74.00	-9.84	52.13	34.20	9.95	32.12	0.00	340	55 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	1882.00	113.36	-----	109.85	30.29	5.94	32.72	0.00	340	55 PEAK																																																																																																															
2	2476.00	91.33	-----	84.35	32.50	6.81	32.33	0.00	340	55 PEAK																																																																																																															
3	5180.00	105.47	-----	93.33	34.26	9.99	32.11	0.00	340	55 PEAK																																																																																																															
Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.90</td><td>50.58</td><td>54.00</td><td>-3.42</td><td>38.55</td><td>34.20</td><td>9.95</td><td>32.12</td><td>0.00</td><td>340</td><td>55 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	50.58	54.00	-3.42	38.55	34.20	9.95	32.12	0.00	340	55 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>1882.00</td><td>112.22</td><td>-----</td><td>108.71</td><td>30.29</td><td>5.94</td><td>32.72</td><td>0.00</td><td>340</td><td>55 AVERAGE</td></tr><tr><td>2</td><td>2476.00</td><td>87.38</td><td>-----</td><td>80.40</td><td>32.50</td><td>6.81</td><td>32.33</td><td>0.00</td><td>340</td><td>55 AVERAGE</td></tr><tr><td>3</td><td>5180.00</td><td>97.30</td><td>-----</td><td>85.16</td><td>34.26</td><td>9.99</td><td>32.11</td><td>0.00</td><td>340</td><td>55 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	1882.00	112.22	-----	108.71	30.29	5.94	32.72	0.00	340	55 AVERAGE	2	2476.00	87.38	-----	80.40	32.50	6.81	32.33	0.00	340	55 AVERAGE	3	5180.00	97.30	-----	85.16	34.26	9.99	32.11	0.00	340
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	5149.90	50.58	54.00	-3.42	38.55	34.20	9.95	32.12	0.00	340	55 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	1882.00	112.22	-----	108.71	30.29	5.94	32.72	0.00	340	55 AVERAGE																																																																																																															
2	2476.00	87.38	-----	80.40	32.50	6.81	32.33	0.00	340	55 AVERAGE																																																																																																															
3	5180.00	97.30	-----	85.16	34.26	9.99	32.11	0.00	340	55 AVERAGE																																																																																																															




Mode	45																																																																																																				
	Harmonic																																																																																																				
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz																																																																																																				
ANT	6																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.37</td><td>68.20</td><td>-23.83</td><td>59.72</td><td>37.46</td><td>14.24</td><td>67.05</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.37	68.20	-23.83	59.72	37.46	14.24	67.05	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.41</td><td>68.20</td><td>-23.79</td><td>59.75</td><td>37.47</td><td>14.24</td><td>67.05</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.41	68.20	-23.79	59.75	37.47	14.24	67.05	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10360.00	44.37	68.20	-23.83	59.72	37.46	14.24	67.05	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10360.00	44.41	68.20	-23.79	59.75	37.47	14.24	67.05	0.00	---	PEAK																																																																																										



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.46	1.391	0.719	0.75KHz
802.11ac VHT20	97.31	1.312	0.762	0.82KHz
802.11ac VHT40	94.95	0.654	1.530	1.6KHz
802.11ac VHT80	84.27	0.326	3.067	3.3KHz


802.11a



Date: 31.OCT.2025 08:32:40




802.11ac VHT20



Date: 31.OCT.2025 08:35:13


802.11ac VHT40



Date: 31.OCT.2025 08:37:47



802.11ac VHT80



Date: 31.OCT.2025 08:39:09