














Mode	25																																																																																																																			
	30-1G																																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																			
ANT	7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.49</td><td>20.46</td><td>40.00</td><td>-19.54</td><td>27.40</td><td>24.65</td><td>0.48</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>54.74</td><td>17.84</td><td>40.00</td><td>-22.16</td><td>36.33</td><td>12.75</td><td>0.81</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>105.05</td><td>20.52</td><td>43.50</td><td>-22.98</td><td>34.48</td><td>16.63</td><td>1.44</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>133.31</td><td>24.33</td><td>43.50</td><td>-19.17</td><td>37.20</td><td>17.56</td><td>1.60</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>262.56</td><td>19.03</td><td>46.00</td><td>-26.97</td><td>28.58</td><td>20.24</td><td>2.27</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>596.00</td><td>26.25</td><td>46.00</td><td>-19.75</td><td>29.39</td><td>25.70</td><td>3.44</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.49	20.46	40.00	-19.54	27.40	24.65	0.48	32.07	0.00	---	---	Peak	2	54.74	17.84	40.00	-22.16	36.33	12.75	0.81	32.05	0.00	---	---	Peak	3	105.05	20.52	43.50	-22.98	34.48	16.63	1.44	32.03	0.00	---	---	Peak	4	133.31	24.33	43.50	-19.17	37.20	17.56	1.60	32.03	0.00	---	---	Peak	5	262.56	19.03	46.00	-26.97	28.58	20.24	2.27	32.06	0.00	---	---	Peak	6	596.00	26.25	46.00	-19.75	29.39	25.70	3.44	32.28	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	30.49	20.46	40.00	-19.54	27.40	24.65	0.48	32.07	0.00	---	---	Peak																																																																																																								
2	54.74	17.84	40.00	-22.16	36.33	12.75	0.81	32.05	0.00	---	---	Peak																																																																																																								
3	105.05	20.52	43.50	-22.98	34.48	16.63	1.44	32.03	0.00	---	---	Peak																																																																																																								
4	133.31	24.33	43.50	-19.17	37.20	17.56	1.60	32.03	0.00	---	---	Peak																																																																																																								
5	262.56	19.03	46.00	-26.97	28.58	20.24	2.27	32.06	0.00	---	---	Peak																																																																																																								
6	596.00	26.25	46.00	-19.75	29.39	25.70	3.44	32.28	0.00	---	---	Peak																																																																																																								
																																																																																																																				
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>34.37</td><td>22.98</td><td>40.00</td><td>-17.02</td><td>31.71</td><td>22.78</td><td>0.53</td><td>32.04</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.40</td><td>21.51</td><td>40.00</td><td>-18.49</td><td>40.52</td><td>12.20</td><td>0.85</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>129.79</td><td>21.28</td><td>43.50</td><td>-22.22</td><td>34.13</td><td>17.60</td><td>1.58</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>271.89</td><td>20.31</td><td>46.00</td><td>-25.69</td><td>31.11</td><td>18.95</td><td>2.31</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>568.35</td><td>26.03</td><td>46.00</td><td>-19.97</td><td>28.81</td><td>26.17</td><td>3.36</td><td>32.31</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>721.97</td><td>33.38</td><td>46.00</td><td>-12.62</td><td>34.44</td><td>27.43</td><td>3.79</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	34.37	22.98	40.00	-17.02	31.71	22.78	0.53	32.04	0.00	---	---	Peak	2	57.40	21.51	40.00	-18.49	40.52	12.20	0.85	32.06	0.00	---	---	Peak	3	129.79	21.28	43.50	-22.22	34.13	17.60	1.58	32.03	0.00	---	---	Peak	4	271.89	20.31	46.00	-25.69	31.11	18.95	2.31	32.06	0.00	---	---	Peak	5	568.35	26.03	46.00	-19.97	28.81	26.17	3.36	32.31	0.00	---	---	Peak	6	721.97	33.38	46.00	-12.62	34.44	27.43	3.79	32.28	0.00	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	34.37	22.98	40.00	-17.02	31.71	22.78	0.53	32.04	0.00	---	---	Peak																																																																																																								
2	57.40	21.51	40.00	-18.49	40.52	12.20	0.85	32.06	0.00	---	---	Peak																																																																																																								
3	129.79	21.28	43.50	-22.22	34.13	17.60	1.58	32.03	0.00	---	---	Peak																																																																																																								
4	271.89	20.31	46.00	-25.69	31.11	18.95	2.31	32.06	0.00	---	---	Peak																																																																																																								
5	568.35	26.03	46.00	-19.97	28.81	26.17	3.36	32.31	0.00	---	---	Peak																																																																																																								
6	721.97	33.38	46.00	-12.62	34.44	27.43	3.79	32.28	0.00	---	---	Peak																																																																																																								




Mode	26																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>59.09</td><td>37.90</td><td>14.69</td><td>66.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	44.83	74.00	-29.17	59.09	37.90	14.69	66.85	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>59.56</td><td>37.90</td><td>14.69</td><td>66.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11100.00	45.30	74.00	-28.70	59.56	37.90	14.69	66.85	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11100.00	44.83	74.00	-29.17	59.09	37.90	14.69	66.85	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11100.00	45.30	74.00	-28.70	59.56	37.90	14.69	66.85	0.00	---	---	PEAK																																																																																														







Mode	27																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																
ANT	7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.32</td><td>54.08</td><td>74.00</td><td>-19.92</td><td>41.16</td><td>34.79</td><td>10.25</td><td>32.12</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>2</td><td>5461.20</td><td>53.62</td><td>68.20</td><td>-14.58</td><td>40.70</td><td>34.78</td><td>10.26</td><td>32.12</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	54.08	74.00	-19.92	41.16	34.79	10.25	32.12	0.00	100	110 PEAK	2	5461.20	53.62	68.20	-14.58	40.70	34.78	10.26	32.12	0.00	100	110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>101.34</td><td>-----</td><td>-----</td><td>88.48</td><td>34.55</td><td>10.45</td><td>32.14</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	101.34	-----	-----	88.48	34.55	10.45	32.14	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5454.32	54.08	74.00	-19.92	41.16	34.79	10.25	32.12	0.00	100	110 PEAK																																																																																																						
2	5461.20	53.62	68.20	-14.58	40.70	34.78	10.26	32.12	0.00	100	110 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	101.34	-----	-----	88.48	34.55	10.45	32.14	0.00	100	110 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.12</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>30.59</td><td>34.78</td><td>10.25</td><td>32.12</td><td>0.00</td><td>100</td><td>110 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	43.50	54.00	-10.50	30.59	34.78	10.25	32.12	0.00	100	110 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>92.99</td><td>-----</td><td>-----</td><td>80.13</td><td>34.55</td><td>10.45</td><td>32.14</td><td>0.00</td><td>100</td><td>110 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	92.99	-----	-----	80.13	34.55	10.45	32.14	0.00	100	110 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.12	43.50	54.00	-10.50	30.59	34.78	10.25	32.12	0.00	100	110 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	92.99	-----	-----	80.13	34.55	10.45	32.14	0.00	100	110 AVERAGE																																																																																																						




Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																							
ANT	7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.36</td><td>64.18</td><td>68.20</td><td>-4.02</td><td>51.36</td><td>34.50</td><td>10.50</td><td>32.18</td><td>0.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.36	64.18	68.20	-4.02	51.36	34.50	10.50	32.18	0.00	100	110	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.36	64.18	68.20	-4.02	51.36	34.50	10.50	32.18	0.00	100	110	PEAK																																												





Mode	27																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																
ANT	7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.56</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>41.91</td><td>34.60</td><td>10.16</td><td>32.02</td><td>0.00</td><td>305</td><td>94 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>53.07</td><td>68.20</td><td>-15.13</td><td>40.17</td><td>34.76</td><td>10.26</td><td>32.12</td><td>0.00</td><td>305</td><td>94 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.56	54.65	74.00	-19.35	41.91	34.60	10.16	32.02	0.00	305	94 PEAK	2	5469.04	53.07	68.20	-15.13	40.17	34.76	10.26	32.12	0.00	305	94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.48</td><td>-----</td><td>-----</td><td>85.63</td><td>34.56</td><td>10.44</td><td>32.15</td><td>0.00</td><td>305</td><td>94 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.48	-----	-----	85.63	34.56	10.44	32.15	0.00	305	94 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5356.56	54.65	74.00	-19.35	41.91	34.60	10.16	32.02	0.00	305	94 PEAK																																																																																																						
2	5469.04	53.07	68.20	-15.13	40.17	34.76	10.26	32.12	0.00	305	94 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	98.48	-----	-----	85.63	34.56	10.44	32.15	0.00	305	94 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.52</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>30.53</td><td>34.78</td><td>10.24</td><td>32.11</td><td>0.00</td><td>305</td><td>94 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.52	43.44	54.00	-10.56	30.53	34.78	10.24	32.11	0.00	305	94 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>90.31</td><td>-----</td><td>-----</td><td>77.46</td><td>34.56</td><td>10.44</td><td>32.15</td><td>0.00</td><td>305</td><td>94 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	90.31	-----	-----	77.46	34.56	10.44	32.15	0.00	305	94 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.52	43.44	54.00	-10.56	30.53	34.78	10.24	32.11	0.00	305	94 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	90.31	-----	-----	77.46	34.56	10.44	32.15	0.00	305	94 AVERAGE																																																																																																						







Mode	27																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																							
ANT	7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.56</td><td>60.07</td><td>68.20</td><td>-8.13</td><td>47.25</td><td>34.50</td><td>10.49</td><td>32.17</td><td>0.00</td><td>305</td><td>94</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.56	60.07	68.20	-8.13	47.25	34.50	10.49	32.17	0.00	305	94	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.56	60.07	68.20	-8.13	47.25	34.50	10.49	32.17	0.00	305	94	PEAK																																												




Mode	27																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																						
ANT	7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>59.24</td><td>38.04</td><td>14.91</td><td>66.72</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	45.47	74.00	-28.53	59.24	38.04	14.91	66.72	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11340.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>66.44</td><td>38.04</td><td>14.91</td><td>66.72</td><td>0.00</td><td>100</td><td>76</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>56.79</td><td>38.04</td><td>14.91</td><td>66.72</td><td>0.00</td><td>100</td><td>76</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	52.67	74.00	-21.33	66.44	38.04	14.91	66.72	0.00	100	76	PEAK	2	11340.00	43.02	54.00	-10.98	56.79	38.04	14.91	66.72	0.00	100	76	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11340.00	45.47	74.00	-28.53	59.24	38.04	14.91	66.72	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11340.00	52.67	74.00	-21.33	66.44	38.04	14.91	66.72	0.00	100	76	PEAK																																																																																																											
2	11340.00	43.02	54.00	-10.98	56.79	38.04	14.91	66.72	0.00	100	76	AVERAGE																																																																																																											







Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	7																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>60.07</td><td>74.00</td><td>-13.93</td><td>47.15</td><td>34.79</td><td>10.25</td><td>32.12</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>64.32</td><td>68.20</td><td>-3.88</td><td>51.42</td><td>34.76</td><td>10.26</td><td>32.12</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	60.07	74.00	-13.93	47.15	34.79	10.25	32.12	0.00	100	113 PEAK	2	5469.52	64.32	68.20	-3.88	51.42	34.76	10.26	32.12	0.00	100	113 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.72</td><td>-----</td><td>-----</td><td>84.86</td><td>34.70</td><td>10.31</td><td>32.15</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.72	-----	-----	84.86	34.70	10.31	32.15	0.00	100	113 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.04	60.07	74.00	-13.93	47.15	34.79	10.25	32.12	0.00	100	113 PEAK																																																																																																						
2	5469.52	64.32	68.20	-3.88	51.42	34.76	10.26	32.12	0.00	100	113 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	97.72	-----	-----	84.86	34.70	10.31	32.15	0.00	100	113 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.00</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>35.97</td><td>34.78</td><td>10.25</td><td>32.12</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	48.88	54.00	-5.12	35.97	34.78	10.25	32.12	0.00	100	113 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>89.23</td><td>-----</td><td>-----</td><td>76.37</td><td>34.70</td><td>10.31</td><td>32.15</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.23	-----	-----	76.37	34.70	10.31	32.15	0.00	100	113 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.00	48.88	54.00	-5.12	35.97	34.78	10.25	32.12	0.00	100	113 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	89.23	-----	-----	76.37	34.70	10.31	32.15	0.00	100	113 AVERAGE																																																																																																						




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	7																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.56</td><td>55.04</td><td>68.20</td><td>-13.16</td><td>42.24</td><td>34.50</td><td>10.51</td><td>32.21</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.56	55.04	68.20	-13.16	42.24	34.50	10.51	32.21	0.00	100	113	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5747.56	55.04	68.20	-13.16	42.24	34.50	10.51	32.21	0.00	100	113	PEAK																																												



Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	7																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.28</td><td>58.24</td><td>74.00</td><td>-15.76</td><td>45.31</td><td>34.00</td><td>10.25</td><td>32.12</td><td>0.00</td><td>312</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5464.56</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>44.65</td><td>34.77</td><td>10.26</td><td>32.12</td><td>0.00</td><td>312</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.28	58.24	74.00	-15.76	45.31	34.00	10.25	32.12	0.00	312	102	PEAK	2	5464.56	57.56	68.20	-10.64	44.65	34.77	10.26	32.12	0.00	312	102	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.85</td><td>-----</td><td>-----</td><td>80.98</td><td>34.70</td><td>10.32</td><td>32.15</td><td>0.00</td><td>312</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.85	-----	-----	80.98	34.70	10.32	32.15	0.00	312	102	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.28	58.24	74.00	-15.76	45.31	34.00	10.25	32.12	0.00	312	102	PEAK																																																																																																					
2	5464.56	57.56	68.20	-10.64	44.65	34.77	10.26	32.12	0.00	312	102	PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	93.85	-----	-----	80.98	34.70	10.32	32.15	0.00	312	102	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>45.13</td><td>54.00</td><td>-8.87</td><td>32.22</td><td>34.78</td><td>10.25</td><td>32.12</td><td>0.00</td><td>312</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	45.13	54.00	-8.87	32.22	34.78	10.25	32.12	0.00	312	102	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>85.60</td><td>-----</td><td>-----</td><td>72.73</td><td>34.70</td><td>10.32</td><td>32.15</td><td>0.00</td><td>312</td><td>102</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	85.60	-----	-----	72.73	34.70	10.32	32.15	0.00	312	102	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.16	45.13	54.00	-8.87	32.22	34.78	10.25	32.12	0.00	312	102	AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	85.60	-----	-----	72.73	34.70	10.32	32.15	0.00	312	102	AVERAGE																																																																																																					



Mode	28																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																										
ANT	7																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.60</td><td>55.50</td><td>68.20</td><td>-12.70</td><td>42.65</td><td>34.55</td><td>10.53</td><td>32.23</td><td>0.00</td><td>312</td><td>102</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5762.60	55.50	68.20	-12.70	42.65	34.55	10.53	32.23	0.00	312	102	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5762.60	55.50	68.20	-12.70	42.65	34.55	10.53	32.23	0.00	312	102	PEAK																																															



Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

120

105.0

90.0

75.0

60.0

45.0

30.0

15.0

0

7000

9200

11400

13600

15800

18000

U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)

Frequency (MHz)

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 11060.00	45.50	74.00	-28.50	59.82	37.90	14.65	66.87	0.00	---	---	PEAK

Level (dBuV/m)

120

105.0

90.0

75.0

60.0

45.0

30.0

15.0

0

7000

9200

11400

13600

15800

18000





U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)


Frequency (MHz)

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1 11060.00	44.66	74.00	-29.34	58.98	37.90	14.65	66.87	0.00	---	---	PEAK







Mode	29																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																	
ANT	7																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5430.00</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>42.82</td><td>34.72</td><td>10.23</td><td>32.10</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>44.27</td><td>34.77</td><td>10.26</td><td>32.12</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.00	55.67	74.00	-18.33	42.82	34.72	10.23	32.10	0.00	100	114 PEAK	2	5466.48	57.18	68.20	-11.02	44.27	34.77	10.26	32.12	0.00	100	114 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>99.31</td><td>-----</td><td>-----</td><td>86.49</td><td>34.60</td><td>10.39</td><td>32.17</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	99.31	-----	-----	86.49	34.60	10.39	32.17	0.00	100	114 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5430.00	55.67	74.00	-18.33	42.82	34.72	10.23	32.10	0.00	100	114 PEAK																																																																																																							
2	5466.48	57.18	68.20	-11.02	44.27	34.77	10.26	32.12	0.00	100	114 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5610.00	99.31	-----	-----	86.49	34.60	10.39	32.17	0.00	100	114 PEAK																																																																																																							
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>46.91</td><td>54.00</td><td>-7.09</td><td>34.00</td><td>34.78</td><td>10.25</td><td>32.12</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	46.91	54.00	-7.09	34.00	34.78	10.25	32.12	0.00	100	114 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>90.87</td><td>-----</td><td>-----</td><td>78.06</td><td>34.60</td><td>10.39</td><td>32.18</td><td>0.00</td><td>100</td><td>114 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.87	-----	-----	78.06	34.60	10.39	32.18	0.00	100	114 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5458.64	46.91	54.00	-7.09	34.00	34.78	10.25	32.12	0.00	100	114 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5610.00	90.87	-----	-----	78.06	34.60	10.39	32.18	0.00	100	114 AVERAGE																																																																																																							




Mode	29																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																	
ANT	7																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.88</td><td>61.84</td><td>68.20</td><td>-6.36</td><td>49.02</td><td>34.50</td><td>10.50</td><td>32.18</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>114 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.88	61.84	68.20	-6.36	49.02	34.50	10.50	32.18	0.00	100											114 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5729.88	61.84	68.20	-6.36	49.02	34.50	10.50	32.18	0.00	100																																																								
										114 PEAK																																																								







Mode	29																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																															
ANT	7																																																																																																															
Pol.	Vertical					Fundamental																																																																																																										
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.08</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>40.63</td><td>34.76</td><td>10.24</td><td>32.11</td><td>0.00</td><td>332</td><td>93 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>54.16</td><td>68.20</td><td>-14.04</td><td>41.25</td><td>34.77</td><td>10.26</td><td>32.12</td><td>0.00</td><td>332</td><td>93 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.08	53.52	74.00	-20.48	40.63	34.76	10.24	32.11	0.00	332	93 PEAK	2	5466.48	54.16	68.20	-14.04	41.25	34.77	10.26	32.12	0.00	332	93 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>96.88</td><td>-----</td><td>-----</td><td>84.06</td><td>34.60</td><td>10.39</td><td>32.17</td><td>0.00</td><td>332</td><td>93 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.88	-----	-----	84.06	34.60	10.39	32.17	0.00	332	93 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5440.08	53.52	74.00	-20.48	40.63	34.76	10.24	32.11	0.00	332	93 PEAK																																																																																																					
2	5466.48	54.16	68.20	-14.04	41.25	34.77	10.26	32.12	0.00	332	93 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	96.88	-----	-----	84.06	34.60	10.39	32.17	0.00	332	93 PEAK																																																																																																					
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>44.94</td><td>54.00</td><td>-9.06</td><td>32.03</td><td>34.78</td><td>10.25</td><td>32.12</td><td>0.00</td><td>332</td><td>93 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	44.94	54.00	-9.06	32.03	34.78	10.25	32.12	0.00	332	93 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>88.76</td><td>-----</td><td>-----</td><td>75.94</td><td>34.60</td><td>10.39</td><td>32.17</td><td>0.00</td><td>332</td><td>93 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	88.76	-----	-----	75.94	34.60	10.39	32.17	0.00	332	93 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.44	44.94	54.00	-9.06	32.03	34.78	10.25	32.12	0.00	332	93 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	88.76	-----	-----	75.94	34.60	10.39	32.17	0.00	332	93 AVERAGE																																																																																																					





Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	7																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.04</td><td>58.12</td><td>68.20</td><td>-10.08</td><td>45.30</td><td>34.50</td><td>10.50</td><td>32.18</td><td>0.00</td><td>332</td><td>93</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.04	58.12	68.20	-10.08	45.30	34.50	10.50	32.18	0.00	332	93	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.04	58.12	68.20	-10.08	45.30	34.50	10.50	32.18	0.00	332	93	PEAK																																												





Mode	29	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz	
ANT	7	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	30																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																												
ANT	7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.12</td><td>74.00</td><td>-19.88</td><td>67.65</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>105</td><td>206 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.16</td><td>54.00</td><td>-9.84</td><td>57.69</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>105</td><td>206 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	54.12	74.00	-19.88	67.65	38.14	15.00	66.67	0.00	105	206 PEAK	2	11440.00	44.16	54.00	-9.84	57.69	38.14	15.00	66.67	0.00	105	206 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>59.99</td><td>74.00</td><td>-14.01</td><td>73.52</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>100</td><td>73 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>49.78</td><td>54.00</td><td>-4.22</td><td>63.32</td><td>38.14</td><td>14.99</td><td>66.67</td><td>0.00</td><td>100</td><td>73 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	59.99	74.00	-14.01	73.52	38.14	15.00	66.67	0.00	100	73 PEAK	2	11440.00	49.78	54.00	-4.22	63.32	38.14	14.99	66.67	0.00	100	73 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11440.00	54.12	74.00	-19.88	67.65	38.14	15.00	66.67	0.00	105	206 PEAK																																																																																																																		
2	11440.00	44.16	54.00	-9.84	57.69	38.14	15.00	66.67	0.00	105	206 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	11440.00	59.99	74.00	-14.01	73.52	38.14	15.00	66.67	0.00	100	73 PEAK																																																																																																																		
2	11440.00	49.78	54.00	-4.22	63.32	38.14	14.99	66.67	0.00	100	73 AVERAGE																																																																																																																		





Mode	31																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																						
ANT	7																																																																																																																																						
Pol.	Horizontal											Vertical																																																																																																																											
Peak Avg																																																																																																																																							
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>54.10</td><td>74.00</td><td>-19.90</td><td>67.63</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>101</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>57.64</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>101</td><td>207</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	54.10	74.00	-19.90	67.63	38.14	15.00	66.67	0.00	101	207	PEAK	2	11440.00	44.11	54.00	-9.89	57.64	38.14	15.00	66.67	0.00	101	207	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>59.02</td><td>74.00</td><td>-14.98</td><td>72.55</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>101</td><td>73</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>49.77</td><td>54.00</td><td>-4.23</td><td>63.30</td><td>38.14</td><td>15.00</td><td>66.67</td><td>0.00</td><td>101</td><td>73</td><td>AVERAGE</td></tr></table>				Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	59.02	74.00	-14.98	72.55	38.14	15.00	66.67	0.00	101	73	PEAK	2	11440.00	49.77	54.00	-4.23	63.30	38.14	15.00	66.67	0.00	101	73	AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11440.00	54.10	74.00	-19.90	67.63	38.14	15.00	66.67	0.00	101	207	PEAK																																																																																																																											
2	11440.00	44.11	54.00	-9.89	57.64	38.14	15.00	66.67	0.00	101	207	AVERAGE																																																																																																																											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	11440.00	59.02	74.00	-14.98	72.55	38.14	15.00	66.67	0.00	101	73	PEAK																																																																																																																											
2	11440.00	49.77	54.00	-4.23	63.30	38.14	15.00	66.67	0.00	101	73	AVERAGE																																																																																																																											






Mode	32																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																	
ANT	7																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																											
Peak Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>59.16</td><td>38.12</td><td>14.98</td><td>66.68</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.58	74.00	-28.42	59.16	38.12	14.98	66.68	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11420.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>67.20</td><td>38.12</td><td>14.98</td><td>66.68</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>58.40</td><td>38.12</td><td>14.98</td><td>66.68</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	53.62	74.00	-20.38	67.20	38.12	14.98	66.68	0.00	100	75 PEAK	2	11420.00	44.82	54.00	-9.18	58.40	38.12	14.98	66.68	0.00	100	75 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11420.00	45.58	74.00	-28.42	59.16	38.12	14.98	66.68	0.00	---	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	11420.00	53.62	74.00	-20.38	67.20	38.12	14.98	66.68	0.00	100	75 PEAK																																																																																																							
2	11420.00	44.82	54.00	-9.18	58.40	38.12	14.98	66.68	0.00	100	75 AVERAGE																																																																																																							






Mode	33																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.85_802.11ac VHT80_CH138_5690MHz																																																																																																									
ANT	7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>58.97</td><td>38.08</td><td>14.94</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	45.29	74.00	-28.71	58.97	38.08	14.94	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>59.97</td><td>38.08</td><td>14.94</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.29	74.00	-27.71	59.97	38.08	14.94	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11380.00	45.29	74.00	-28.71	58.97	38.08	14.94	66.70	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11380.00	46.29	74.00	-27.71	59.97	38.08	14.94	66.70	0.00	---	---	PEAK																																																																																														






Mode	34																																																																																																																																																			
	Band Edge																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																			
ANT	7																																																																																																																																																			
Pol.	Horizontal																																																																																																																																																			
Peak	Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.00</td><td>53.91</td><td>68.20</td><td>-14.29</td><td>41.06</td><td>34.60</td><td>10.41</td><td>32.16</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>52.06</td><td>69.09</td><td>-17.03</td><td>39.18</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3</td><td>5716.80</td><td>66.01</td><td>110.01</td><td>-44.00</td><td>53.18</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>65.28</td><td>110.90</td><td>-45.62</td><td>52.45</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.00	53.91	68.20	-14.29	41.06	34.60	10.41	32.16	0.00	100	115 PEAK	2	5651.20	52.06	69.09	-17.03	39.18	34.60	10.43	32.15	0.00	100	115 PEAK	3	5716.80	66.01	110.01	-44.00	53.18	34.50	10.49	32.16	0.00	100	115 PEAK	4	5728.00	65.28	110.90	-45.62	52.45	34.50	10.49	32.16	0.00	100	115 PEAK	Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.91</td><td>-----</td><td>-----</td><td>94.10</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.91	-----	-----	94.10	34.50	10.51	32.20	0.00	100	115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5632.00	53.91	68.20	-14.29	41.06	34.60	10.41	32.16	0.00	100	115 PEAK																																																																																																																																									
2	5651.20	52.06	69.09	-17.03	39.18	34.60	10.43	32.15	0.00	100	115 PEAK																																																																																																																																									
3	5716.80	66.01	110.01	-44.00	53.18	34.50	10.49	32.16	0.00	100	115 PEAK																																																																																																																																									
4	5728.00	65.28	110.90	-45.62	52.45	34.50	10.49	32.16	0.00	100	115 PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5745.00	106.91	-----	-----	94.10	34.50	10.51	32.20	0.00	100	115 PEAK																																																																																																																																									
Avg	Blank																																																																																																																																																			
	Level (dBuV/m)  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.74</td><td>-----</td><td>-----</td><td>86.93</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.74	-----	-----	86.93	34.50	10.51	32.20	0.00	100	115 AVERAGE																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5745.00	99.74	-----	-----	86.93	34.50	10.51	32.20	0.00	100	115 AVERAGE																																																																																																																																									





Mode	34																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5685.20</td><td>53.31</td><td>68.20</td><td>-14.89</td><td>40.51</td><td>34.60</td><td>10.38</td><td>32.18</td><td>0.00</td><td>317</td><td>87 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.00</td><td>68.20</td><td>-17.12</td><td>38.20</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>317</td><td>87 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>66.57</td><td>110.79</td><td>-44.22</td><td>53.74</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>317</td><td>87 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>66.39</td><td>113.64</td><td>-47.25</td><td>53.56</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>317</td><td>87 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5685.20	53.31	68.20	-14.89	40.51	34.60	10.38	32.18	0.00	317	87 PEAK	2	5650.00	51.00	68.20	-17.12	38.20	34.60	10.43	32.15	0.00	317	87 PEAK	3	5719.60	66.57	110.79	-44.22	53.74	34.50	10.49	32.16	0.00	317	87 PEAK	4	5721.20	66.39	113.64	-47.25	53.56	34.50	10.49	32.16	0.00	317	87 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.68</td><td>-----</td><td>-----</td><td>92.87</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>317</td><td>87 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.68	-----	-----	92.87	34.50	10.51	32.20	0.00	317	87 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5685.20	53.31	68.20	-14.89	40.51	34.60	10.38	32.18	0.00	317	87 PEAK																																																																																																																														
2	5650.00	51.00	68.20	-17.12	38.20	34.60	10.43	32.15	0.00	317	87 PEAK																																																																																																																														
3	5719.60	66.57	110.79	-44.22	53.74	34.50	10.49	32.16	0.00	317	87 PEAK																																																																																																																														
4	5721.20	66.39	113.64	-47.25	53.56	34.50	10.49	32.16	0.00	317	87 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	105.68	-----	-----	92.87	34.50	10.51	32.20	0.00	317	87 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.59</td><td>-----</td><td>-----</td><td>84.78</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>317</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.59	-----	-----	84.78	34.50	10.51	32.20	0.00	317	87 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	97.59	-----	-----	84.78	34.50	10.51	32.20	0.00	317	87 AVERAGE																																																																																																																														





Mode	34																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																				
ANT	7																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>68.07</td><td>38.19</td><td>15.04</td><td>66.65</td><td>0.00</td><td>100</td><td>203 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>57.86</td><td>38.19</td><td>15.04</td><td>66.65</td><td>0.00</td><td>100</td><td>203 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	54.65	74.00	-19.35	68.07	38.19	15.04	66.65	0.00	100	203 PEAK	2	11490.00	44.44	54.00	-9.56	57.86	38.19	15.04	66.65	0.00	100	203 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11490.00	54.65	74.00	-19.35	68.07	38.19	15.04	66.65	0.00	100	203 PEAK																																																										
2	11490.00	44.44	54.00	-9.56	57.86	38.19	15.04	66.65	0.00	100	203 AVERAGE																																																										
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>58.50</td><td>74.00</td><td>-15.50</td><td>71.92</td><td>38.19</td><td>15.04</td><td>66.65</td><td>0.00</td><td>100</td><td>71 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.04</td><td>54.00</td><td>-4.96</td><td>62.46</td><td>38.19</td><td>15.04</td><td>66.65</td><td>0.00</td><td>100</td><td>71 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	58.50	74.00	-15.50	71.92	38.19	15.04	66.65	0.00	100	71 PEAK	2	11490.00	49.04	54.00	-4.96	62.46	38.19	15.04	66.65	0.00	100	71 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11490.00	58.50	74.00	-15.50	71.92	38.19	15.04	66.65	0.00	100	71 PEAK																																																										
2	11490.00	49.04	54.00	-4.96	62.46	38.19	15.04	66.65	0.00	100	71 AVERAGE																																																										








Mode	34																																																																																																																			
	30-1G																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																			
ANT	7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>30.73</td><td>20.47</td><td>40.00</td><td>-19.53</td><td>27.52</td><td>24.54</td><td>0.48</td><td>32.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>57.28</td><td>18.57</td><td>40.00</td><td>-21.43</td><td>37.56</td><td>12.22</td><td>0.85</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>103.48</td><td>19.55</td><td>43.50</td><td>-23.95</td><td>33.69</td><td>16.46</td><td>1.43</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>136.58</td><td>23.63</td><td>43.50</td><td>-19.87</td><td>36.54</td><td>17.50</td><td>1.62</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>254.00</td><td>19.43</td><td>46.00</td><td>-26.57</td><td>29.81</td><td>19.44</td><td>2.23</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>722.22</td><td>32.09</td><td>46.00</td><td>-13.91</td><td>33.13</td><td>27.45</td><td>3.79</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	30.73	20.47	40.00	-19.53	27.52	24.54	0.48	32.07	0.00	---	---	Peak	2	57.28	18.57	40.00	-21.43	37.56	12.22	0.85	32.06	0.00	---	---	Peak	3	103.48	19.55	43.50	-23.95	33.69	16.46	1.43	32.03	0.00	---	---	Peak	4	136.58	23.63	43.50	-19.87	36.54	17.50	1.62	32.03	0.00	---	---	Peak	5	254.00	19.43	46.00	-26.57	29.81	19.44	2.23	32.05	0.00	---	---	Peak	6	722.22	32.09	46.00	-13.91	33.13	27.45	3.79	32.28	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	30.73	20.47	40.00	-19.53	27.52	24.54	0.48	32.07	0.00	---	---	Peak																																																																																																								
2	57.28	18.57	40.00	-21.43	37.56	12.22	0.85	32.06	0.00	---	---	Peak																																																																																																								
3	103.48	19.55	43.50	-23.95	33.69	16.46	1.43	32.03	0.00	---	---	Peak																																																																																																								
4	136.58	23.63	43.50	-19.87	36.54	17.50	1.62	32.03	0.00	---	---	Peak																																																																																																								
5	254.00	19.43	46.00	-26.57	29.81	19.44	2.23	32.05	0.00	---	---	Peak																																																																																																								
6	722.22	32.09	46.00	-13.91	33.13	27.45	3.79	32.28	0.00	---	---	Peak																																																																																																								
Peak																																																																																																																				
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>34.00</td><td>21.45</td><td>40.00</td><td>-18.55</td><td>29.99</td><td>22.98</td><td>0.53</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>55.22</td><td>22.18</td><td>40.00</td><td>-17.82</td><td>40.79</td><td>12.63</td><td>0.81</td><td>32.05</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>129.18</td><td>22.46</td><td>43.50</td><td>-21.04</td><td>35.32</td><td>17.59</td><td>1.58</td><td>32.03</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>272.38</td><td>20.02</td><td>46.00</td><td>-25.98</td><td>30.85</td><td>18.92</td><td>2.31</td><td>32.06</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>554.29</td><td>26.52</td><td>46.00</td><td>-19.48</td><td>29.53</td><td>26.00</td><td>3.31</td><td>32.32</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>721.97</td><td>32.36</td><td>46.00</td><td>-13.64</td><td>33.42</td><td>27.43</td><td>3.79</td><td>32.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	34.00	21.45	40.00	-18.55	29.99	22.98	0.53	32.05	0.00	---	---	Peak	2	55.22	22.18	40.00	-17.82	40.79	12.63	0.81	32.05	0.00	---	---	Peak	3	129.18	22.46	43.50	-21.04	35.32	17.59	1.58	32.03	0.00	---	---	Peak	4	272.38	20.02	46.00	-25.98	30.85	18.92	2.31	32.06	0.00	---	---	Peak	5	554.29	26.52	46.00	-19.48	29.53	26.00	3.31	32.32	0.00	---	---	Peak	6	721.97	32.36	46.00	-13.64	33.42	27.43	3.79	32.28	0.00	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	34.00	21.45	40.00	-18.55	29.99	22.98	0.53	32.05	0.00	---	---	Peak																																																																																																								
2	55.22	22.18	40.00	-17.82	40.79	12.63	0.81	32.05	0.00	---	---	Peak																																																																																																								
3	129.18	22.46	43.50	-21.04	35.32	17.59	1.58	32.03	0.00	---	---	Peak																																																																																																								
4	272.38	20.02	46.00	-25.98	30.85	18.92	2.31	32.06	0.00	---	---	Peak																																																																																																								
5	554.29	26.52	46.00	-19.48	29.53	26.00	3.31	32.32	0.00	---	---	Peak																																																																																																								
6	721.97	32.36	46.00	-13.64	33.42	27.43	3.79	32.28	0.00	---	---	Peak																																																																																																								



Mode	35																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																			
ANT	7																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>65.67</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>56.36</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	52.48	74.00	-21.52	65.67	38.27	15.11	66.57	0.00	100	206	PEAK	2	11570.00	43.17	54.00	-10.83	56.36	38.27	15.11	66.57	0.00	100	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>69.65</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>74</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.31</td><td>54.00</td><td>-7.69</td><td>59.50</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>74</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	56.46	74.00	-17.54	69.65	38.27	15.11	66.57	0.00	100	74	PEAK	2	11570.00	46.31	54.00	-7.69	59.50	38.27	15.11	66.57	0.00	100	74	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11570.00	52.48	74.00	-21.52	65.67	38.27	15.11	66.57	0.00	100	206	PEAK																																																																																																																								
2	11570.00	43.17	54.00	-10.83	56.36	38.27	15.11	66.57	0.00	100	206	AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11570.00	56.46	74.00	-17.54	69.65	38.27	15.11	66.57	0.00	100	74	PEAK																																																																																																																								
2	11570.00	46.31	54.00	-7.69	59.50	38.27	15.11	66.57	0.00	100	74	AVERAGE																																																																																																																								





Mode	36																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																						
ANT	7																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>67.13</td><td>113.18</td><td>-46.05</td><td>53.85</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr><tr><td>2</td><td>5860.00</td><td>67.26</td><td>109.27</td><td>-42.01</td><td>53.96</td><td>34.92</td><td>10.63</td><td>32.25</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>52.82</td><td>69.23</td><td>-16.41</td><td>39.26</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr><tr><td>4</td><td>5935.20</td><td>54.81</td><td>68.20</td><td>-13.39</td><td>41.20</td><td>35.07</td><td>10.72</td><td>32.18</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	67.13	113.18	-46.05	53.85	34.91	10.62	32.25	0.00	100	113 PEAK	2	5860.00	67.26	109.27	-42.01	53.96	34.92	10.63	32.25	0.00	100	113 PEAK	3	5923.60	52.82	69.23	-16.41	39.26	35.05	10.70	32.19	0.00	100	113 PEAK	4	5935.20	54.81	68.20	-13.39	41.20	35.07	10.72	32.18	0.00	100	113 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.67</td><td>-----</td><td>-----</td><td>93.55</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>100</td><td>113 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	106.67	-----	-----	93.55	34.80	10.59	32.27	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	67.13	113.18	-46.05	53.85	34.91	10.62	32.25	0.00	100	113 PEAK																																																																																																												
2	5860.00	67.26	109.27	-42.01	53.96	34.92	10.63	32.25	0.00	100	113 PEAK																																																																																																												
3	5923.60	52.82	69.23	-16.41	39.26	35.05	10.70	32.19	0.00	100	113 PEAK																																																																																																												
4	5935.20	54.81	68.20	-13.39	41.20	35.07	10.72	32.18	0.00	100	113 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	106.67	-----	-----	93.55	34.80	10.59	32.27	0.00	100	113 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.01</td><td>-----</td><td>-----</td><td>85.89</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>100</td><td>113 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	99.01	-----	-----	85.89	34.80	10.59	32.27	0.00	100	113 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	99.01	-----	-----	85.89	34.80	10.59	32.27	0.00	100	113 AVERAGE																																																																																																												






Mode	36																																																																																																																					
	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																					
ANT	7																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																															
Peak																																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	64.12	111.36	-47.24	50.84	34.91	10.62	32.25	0.00	299	68	PEAK	2	5858.40	65.69	109.95	-44.26	52.39	34.92	10.63	32.25	0.00	299	68	PEAK	3	5924.40	52.45	68.64	-16.19	38.89	35.05	10.70	32.19	0.00	299	68	PEAK	4	5988.80	54.08	68.20	-14.12	40.22	35.22	10.77	32.13	0.00	299	68	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.22</td><td>-----</td><td>-----</td><td>92.10</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>299</td><td>68</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	105.22	-----	-----	92.10	34.80	10.59	32.27	0.00	299	68
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																											
1	5854.00	64.12	111.36	-47.24	50.84	34.91	10.62	32.25	0.00	299	68	PEAK																																																																																																										
2	5858.40	65.69	109.95	-44.26	52.39	34.92	10.63	32.25	0.00	299	68	PEAK																																																																																																										
3	5924.40	52.45	68.64	-16.19	38.89	35.05	10.70	32.19	0.00	299	68	PEAK																																																																																																										
4	5988.80	54.08	68.20	-14.12	40.22	35.22	10.77	32.13	0.00	299	68	PEAK																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																											
1	5825.00	105.22	-----	-----	92.10	34.80	10.59	32.27	0.00	299	68	PEAK																																																																																																										
Avg	Blank																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.58</td><td>-----</td><td>-----</td><td>84.46</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>299</td><td>68</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	97.58	-----	-----	84.46	34.80	10.59	32.27	0.00	299	68	AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																											
1	5825.00	97.58	-----	-----	84.46	34.80	10.59	32.27	0.00	299	68	AVERAGE																																																																																																										






Mode	36																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11650.00</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>65.22</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>209 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>55.70</td><td>38.40</td><td>15.18</td><td>66.49</td><td>0.00</td><td>100</td><td>209 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	52.32	74.00	-21.68	65.22	38.40	15.19	66.49	0.00	100	209 PEAK	2	11650.00	42.79	54.00	-11.21	55.70	38.40	15.18	66.49	0.00	100	209 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11650.00</td><td>53.63</td><td>74.00</td><td>-20.37</td><td>66.53</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.02</td><td>54.00</td><td>-8.98</td><td>57.92</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	53.63	74.00	-20.37	66.53	38.40	15.19	66.49	0.00	100	75 PEAK	2	11650.00	45.02	54.00	-8.98	57.92	38.40	15.19	66.49	0.00	100	75 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11650.00	52.32	74.00	-21.68	65.22	38.40	15.19	66.49	0.00	100	209 PEAK																																																																																																																			
2	11650.00	42.79	54.00	-11.21	55.70	38.40	15.18	66.49	0.00	100	209 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11650.00	53.63	74.00	-20.37	66.53	38.40	15.19	66.49	0.00	100	75 PEAK																																																																																																																			
2	11650.00	45.02	54.00	-8.98	57.92	38.40	15.19	66.49	0.00	100	75 AVERAGE																																																																																																																			





		37																																																																																						
Mode	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																							
ANT	7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5627.60</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>40.67</td><td>34.60</td><td>10.40</td><td>32.17</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>2 5651.60</td><td>51.87</td><td>69.39</td><td>-17.52</td><td>38.99</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>3 5713.60</td><td>68.08</td><td>109.11</td><td>-41.03</td><td>55.25</td><td>34.50</td><td>10.48</td><td>32.15</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr><tr><td>4 5728.40</td><td>67.78</td><td>111.81</td><td>-44.03</td><td>54.95</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5627.60	53.50	68.20	-14.70	40.67	34.60	10.40	32.17	0.00	100	111 PEAK	2 5651.60	51.87	69.39	-17.52	38.99	34.60	10.43	32.15	0.00	100	111 PEAK	3 5713.60	68.08	109.11	-41.03	55.25	34.50	10.48	32.15	0.00	100	111 PEAK	4 5728.40	67.78	111.81	-44.03	54.95	34.50	10.49	32.16	0.00	100	111 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5627.60	53.50	68.20	-14.70	40.67	34.60	10.40	32.17	0.00	100	111 PEAK																																																																														
2 5651.60	51.87	69.39	-17.52	38.99	34.60	10.43	32.15	0.00	100	111 PEAK																																																																														
3 5713.60	68.08	109.11	-41.03	55.25	34.50	10.48	32.15	0.00	100	111 PEAK																																																																														
4 5728.40	67.78	111.81	-44.03	54.95	34.50	10.49	32.16	0.00	100	111 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>105.89</td><td>-----</td><td>-----</td><td>93.08</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>100</td><td>111 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.89	-----	-----	93.08	34.50	10.51	32.20	0.00	100	111 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	105.89	-----	-----	93.08	34.50	10.51	32.20	0.00	100	111 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>97.89</td><td>-----</td><td>-----</td><td>85.08</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>100</td><td>111 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	97.89	-----	-----	85.08	34.50	10.51	32.20	0.00	100	111 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	97.89	-----	-----	85.08	34.50	10.51	32.20	0.00	100	111 AVERAGE																																																																														





		37																																																																																																																																							
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																								
ANT	7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.00</td><td>53.28</td><td>68.20</td><td>-14.92</td><td>40.45</td><td>34.60</td><td>10.40</td><td>32.17</td><td>0.00</td><td>300</td><td>85 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>37.23</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>300</td><td>85 PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>68.52</td><td>110.23</td><td>-41.71</td><td>55.69</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>300</td><td>85 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>65.05</td><td>110.90</td><td>-45.85</td><td>52.22</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>300</td><td>85 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5622.00	53.28	68.20	-14.92	40.45	34.60	10.40	32.17	0.00	300	85 PEAK	2	5650.00	50.11	68.20	-18.09	37.23	34.60	10.43	32.15	0.00	300	85 PEAK	3	5717.60	68.52	110.23	-41.71	55.69	34.50	10.49	32.16	0.00	300	85 PEAK	4	5720.00	65.05	110.90	-45.85	52.22	34.50	10.49	32.16	0.00	300	85 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.92</td><td>-----</td><td>-----</td><td>91.11</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>300</td><td>85 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	103.92	-----	-----	91.11	34.50	10.51	32.20	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5622.00	53.28	68.20	-14.92	40.45	34.60	10.40	32.17	0.00	300	85 PEAK																																																																																																																														
2	5650.00	50.11	68.20	-18.09	37.23	34.60	10.43	32.15	0.00	300	85 PEAK																																																																																																																														
3	5717.60	68.52	110.23	-41.71	55.69	34.50	10.49	32.16	0.00	300	85 PEAK																																																																																																																														
4	5720.00	65.05	110.90	-45.85	52.22	34.50	10.49	32.16	0.00	300	85 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.92	-----	-----	91.11	34.50	10.51	32.20	0.00	300	85 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.28</td><td>-----</td><td>-----</td><td>83.47</td><td>34.50</td><td>10.51</td><td>32.20</td><td>0.00</td><td>300</td><td>85 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.28	-----	-----	83.47	34.50	10.51	32.20	0.00	300	85 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	96.28	-----	-----	83.47	34.50	10.51	32.20	0.00	300	85 AVERAGE																																																																																																																														






Mode	37																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																	
ANT	7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>67.00</td><td>38.19</td><td>15.04</td><td>66.65</td><td>0.00</td><td>100</td><td>213 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>57.50</td><td>38.19</td><td>15.04</td><td>66.64</td><td>0.00</td><td>100</td><td>213 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11490.00	53.58	74.00	-20.42	67.00	38.19	15.04	66.65	0.00	100	213 PEAK	2	11490.00	44.09	54.00	-9.91	57.50	38.19	15.04	66.64	0.00	100	213 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>70.20</td><td>38.19</td><td>15.04</td><td>66.65</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>47.12</td><td>54.00</td><td>-6.88</td><td>60.53</td><td>38.19</td><td>15.04</td><td>66.64</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11490.00	56.78	74.00	-17.22	70.20	38.19	15.04	66.65	0.00	100	75 PEAK	2	11490.00	47.12	54.00	-6.88	60.53	38.19	15.04	66.64	0.00	100	75 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																							
1	11490.00	53.58	74.00	-20.42	67.00	38.19	15.04	66.65	0.00	100	213 PEAK																																																																																																																							
2	11490.00	44.09	54.00	-9.91	57.50	38.19	15.04	66.64	0.00	100	213 AVERAGE																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																							
1	11490.00	56.78	74.00	-17.22	70.20	38.19	15.04	66.65	0.00	100	75 PEAK																																																																																																																							
2	11490.00	47.12	54.00	-6.88	60.53	38.19	15.04	66.64	0.00	100	75 AVERAGE																																																																																																																							






Mode	38																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																													
ANT	7																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>52.48</td><td>74.00</td><td>-21.52</td><td>65.67</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>206 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>55.95</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>206 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	52.48	74.00	-21.52	65.67	38.27	15.11	66.57	0.00	100	206 PEAK	2	11570.00	42.76	54.00	-11.24	55.95	38.27	15.11	66.57	0.00	100	206 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>55.89</td><td>74.00</td><td>-18.11</td><td>69.08</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>75 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>58.86</td><td>38.27</td><td>15.11</td><td>66.57</td><td>0.00</td><td>100</td><td>75 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	55.89	74.00	-18.11	69.08	38.27	15.11	66.57	0.00	100	75 PEAK	2	11570.00	45.67	54.00	-8.33	58.86	38.27	15.11	66.57	0.00	100	75 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	52.48	74.00	-21.52	65.67	38.27	15.11	66.57	0.00	100	206 PEAK																																																																																																																			
2	11570.00	42.76	54.00	-11.24	55.95	38.27	15.11	66.57	0.00	100	206 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11570.00	55.89	74.00	-18.11	69.08	38.27	15.11	66.57	0.00	100	75 PEAK																																																																																																																			
2	11570.00	45.67	54.00	-8.33	58.86	38.27	15.11	66.57	0.00	100	75 AVERAGE																																																																																																																			





Mode	39																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																		
ANT	7																																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5853.20</td><td>67.72</td><td>115.00</td><td>-47.28</td><td>54.44</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>2 5857.20</td><td>67.95</td><td>110.28</td><td>-42.33</td><td>54.66</td><td>34.91</td><td>10.63</td><td>32.25</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>3 5923.60</td><td>54.05</td><td>69.23</td><td>-15.18</td><td>40.49</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr><tr><td>4 5982.00</td><td>54.74</td><td>68.20</td><td>-13.46</td><td>40.87</td><td>35.23</td><td>10.77</td><td>32.13</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5853.20	67.72	115.00	-47.28	54.44	34.91	10.62	32.25	0.00	100	116 PEAK	2 5857.20	67.95	110.28	-42.33	54.66	34.91	10.63	32.25	0.00	100	116 PEAK	3 5923.60	54.05	69.23	-15.18	40.49	35.05	10.70	32.19	0.00	100	116 PEAK	4 5982.00	54.74	68.20	-13.46	40.87	35.23	10.77	32.13	0.00	100	116 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>106.62</td><td>-----</td><td>-----</td><td>93.50</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>100</td><td>116 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	106.62	-----	-----	93.50	34.80	10.59	32.27	0.00	100	116 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5853.20	67.72	115.00	-47.28	54.44	34.91	10.62	32.25	0.00	100	116 PEAK																																																																																																																									
2 5857.20	67.95	110.28	-42.33	54.66	34.91	10.63	32.25	0.00	100	116 PEAK																																																																																																																									
3 5923.60	54.05	69.23	-15.18	40.49	35.05	10.70	32.19	0.00	100	116 PEAK																																																																																																																									
4 5982.00	54.74	68.20	-13.46	40.87	35.23	10.77	32.13	0.00	100	116 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	106.62	-----	-----	93.50	34.80	10.59	32.27	0.00	100	116 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.11</td><td>-----</td><td>-----</td><td>85.99</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>100</td><td>116 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.11	-----	-----	85.99	34.80	10.59	32.27	0.00	100	116 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	99.11	-----	-----	85.99	34.80	10.59	32.27	0.00	100	116 AVERAGE																																																																																																																									






Mode	39																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																													
ANT	7																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>66.03</td><td>111.36</td><td>-45.33</td><td>52.75</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>322</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>67.90</td><td>110.51</td><td>-42.61</td><td>54.62</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>322</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>53.17</td><td>69.53</td><td>-16.36</td><td>39.61</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>322</td><td>88</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>54.19</td><td>68.20</td><td>-14.01</td><td>40.61</td><td>35.06</td><td>10.71</td><td>32.19</td><td>0.00</td><td>322</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	66.03	111.36	-45.33	52.75	34.91	10.62	32.25	0.00	322	88	PEAK	2	5856.40	67.90	110.51	-42.61	54.62	34.91	10.62	32.25	0.00	322	88	PEAK	3	5923.20	53.17	69.53	-16.36	39.61	35.05	10.70	32.19	0.00	322	88	PEAK	4	5929.60	54.19	68.20	-14.01	40.61	35.06	10.71	32.19	0.00	322	88	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.26</td><td>-----</td><td>-----</td><td>92.14</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>322</td><td>88</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.26	-----	-----	92.14	34.80	10.59	32.27	0.00	322	88
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.00	66.03	111.36	-45.33	52.75	34.91	10.62	32.25	0.00	322	88	PEAK																																																																																																																																		
2	5856.40	67.90	110.51	-42.61	54.62	34.91	10.62	32.25	0.00	322	88	PEAK																																																																																																																																		
3	5923.20	53.17	69.53	-16.36	39.61	35.05	10.70	32.19	0.00	322	88	PEAK																																																																																																																																		
4	5929.60	54.19	68.20	-14.01	40.61	35.06	10.71	32.19	0.00	322	88	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	105.26	-----	-----	92.14	34.80	10.59	32.27	0.00	322	88	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.75</td><td>-----</td><td>-----</td><td>84.63</td><td>34.80</td><td>10.59</td><td>32.27</td><td>0.00</td><td>322</td><td>88</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	97.75	-----	-----	84.63	34.80	10.59	32.27	0.00	322	88	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	97.75	-----	-----	84.63	34.80	10.59	32.27	0.00	322	88	AVERAGE																																																																																																																																		




Mode	39																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																	
ANT	7																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>51.62</td><td>74.00</td><td>-22.38</td><td>64.52</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>207 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>55.36</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>207 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	51.62	74.00	-22.38	64.52	38.40	15.19	66.49	0.00	100	207 PEAK	2	11650.00	42.46	54.00	-11.54	55.36	38.40	15.19	66.49	0.00	100	207 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>54.51</td><td>74.00</td><td>-19.49</td><td>67.41</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>72 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.63</td><td>54.00</td><td>-9.37</td><td>57.53</td><td>38.40</td><td>15.19</td><td>66.49</td><td>0.00</td><td>100</td><td>72 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11650.00	54.51	74.00	-19.49	67.41	38.40	15.19	66.49	0.00	100	72 PEAK	2	11650.00	44.63	54.00	-9.37	57.53	38.40	15.19	66.49	0.00	100	72 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11650.00	51.62	74.00	-22.38	64.52	38.40	15.19	66.49	0.00	100	207 PEAK																																																																																																																							
2	11650.00	42.46	54.00	-11.54	55.36	38.40	15.19	66.49	0.00	100	207 AVERAGE																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	11650.00	54.51	74.00	-19.49	67.41	38.40	15.19	66.49	0.00	100	72 PEAK																																																																																																																							
2	11650.00	44.63	54.00	-9.37	57.53	38.40	15.19	66.49	0.00	100	72 AVERAGE																																																																																																																							






Mode	40																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																							
ANT	7																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5641.85</td><td>54.16</td><td>68.20</td><td>-14.04</td><td>41.30</td><td>34.60</td><td>10.42</td><td>32.16</td><td>0.00</td><td>109 115 PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>52.65</td><td>68.94</td><td>-16.29</td><td>39.77</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>109 115 PEAK</td></tr><tr><td>3</td><td>5718.89</td><td>74.40</td><td>110.59</td><td>-36.19</td><td>61.57</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>109 115 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>72.18</td><td>111.19</td><td>-39.01</td><td>59.35</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>109 115 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.85	54.16	68.20	-14.04	41.30	34.60	10.42	32.16	0.00	109 115 PEAK	2	5651.00	52.65	68.94	-16.29	39.77	34.60	10.43	32.15	0.00	109 115 PEAK	3	5718.89	74.40	110.59	-36.19	61.57	34.50	10.49	32.16	0.00	109 115 PEAK	4	5720.13	72.18	111.19	-39.01	59.35	34.50	10.49	32.16	0.00	109 115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5641.85	54.16	68.20	-14.04	41.30	34.60	10.42	32.16	0.00	109 115 PEAK																																																																														
2	5651.00	52.65	68.94	-16.29	39.77	34.60	10.43	32.15	0.00	109 115 PEAK																																																																														
3	5718.89	74.40	110.59	-36.19	61.57	34.50	10.49	32.16	0.00	109 115 PEAK																																																																														
4	5720.13	72.18	111.19	-39.01	59.35	34.50	10.49	32.16	0.00	109 115 PEAK																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.84</td><td>-----</td><td>90.02</td><td>34.51</td><td>10.52</td><td>32.21</td><td>0.00</td><td>109</td><td>115 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	102.84	-----	90.02	34.51	10.52	32.21	0.00	109	115 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5755.00	102.84	-----	90.02	34.51	10.52	32.21	0.00	109	115 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>95.02</td><td>-----</td><td>82.19</td><td>34.53</td><td>10.52</td><td>32.22</td><td>0.00</td><td>109</td><td>115 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.02	-----	82.19	34.53	10.52	32.22	0.00	109	115 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5755.00	95.02	-----	82.19	34.53	10.52	32.22	0.00	109	115 AVERAGE																																																																														




Mode	40																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																		
ANT	7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.64</td><td>111.26</td><td>-57.62</td><td>40.36</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>109</td><td>115 PEAK</td></tr><tr><td>2</td><td>5874.34</td><td>53.81</td><td>105.48</td><td>-51.67</td><td>40.45</td><td>34.95</td><td>10.65</td><td>32.24</td><td>0.00</td><td>109</td><td>115 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>52.69</td><td>68.31</td><td>-15.62</td><td>39.13</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>109</td><td>115 PEAK</td></tr><tr><td>4</td><td>5925.04</td><td>54.38</td><td>68.20</td><td>-13.82</td><td>40.82</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>109</td><td>115 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	53.64	111.26	-57.62	40.36	34.91	10.62	32.25	0.00	109	115 PEAK	2	5874.34	53.81	105.48	-51.67	40.45	34.95	10.65	32.24	0.00	109	115 PEAK	3	5924.85	52.69	68.31	-15.62	39.13	35.05	10.70	32.19	0.00	109	115 PEAK	4	5925.04	54.38	68.20	-13.82	40.82	35.05	10.70	32.19	0.00	109	115 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	53.64	111.26	-57.62	40.36	34.91	10.62	32.25	0.00	109	115 PEAK																																																																								
2	5874.34	53.81	105.48	-51.67	40.45	34.95	10.65	32.24	0.00	109	115 PEAK																																																																								
3	5924.85	52.69	68.31	-15.62	39.13	35.05	10.70	32.19	0.00	109	115 PEAK																																																																								
4	5925.04	54.38	68.20	-13.82	40.82	35.05	10.70	32.19	0.00	109	115 PEAK																																																																								





Mode	40																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																														
ANT	7																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.32</td><td>53.91</td><td>68.20</td><td>-14.29</td><td>41.05</td><td>34.60</td><td>10.42</td><td>32.16</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>50.75</td><td>68.25</td><td>-17.50</td><td>37.87</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5719.82</td><td>75.22</td><td>110.85</td><td>-35.63</td><td>62.39</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5723.38</td><td>78.32</td><td>118.61</td><td>-40.29</td><td>65.50</td><td>34.50</td><td>10.49</td><td>32.17</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.32	53.91	68.20	-14.29	41.05	34.60	10.42	32.16	0.00	300	86	PEAK	2	5650.07	50.75	68.25	-17.50	37.87	34.60	10.43	32.15	0.00	300	86	PEAK	3	5719.82	75.22	110.85	-35.63	62.39	34.50	10.49	32.16	0.00	300	86	PEAK	4	5723.38	78.32	118.61	-40.29	65.50	34.50	10.49	32.17	0.00	300	86	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.15</td><td>-----</td><td>-----</td><td>88.32</td><td>34.53</td><td>10.52</td><td>32.22</td><td>0.00</td><td>300</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.15	-----	-----	88.32	34.53	10.52	32.22	0.00	300	86	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5642.32	53.91	68.20	-14.29	41.05	34.60	10.42	32.16	0.00	300	86	PEAK																																																																																																																																			
2	5650.07	50.75	68.25	-17.50	37.87	34.60	10.43	32.15	0.00	300	86	PEAK																																																																																																																																			
3	5719.82	75.22	110.85	-35.63	62.39	34.50	10.49	32.16	0.00	300	86	PEAK																																																																																																																																			
4	5723.38	78.32	118.61	-40.29	65.50	34.50	10.49	32.17	0.00	300	86	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5755.00	101.15	-----	-----	88.32	34.53	10.52	32.22	0.00	300	86	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>93.03</td><td>-----</td><td>-----</td><td>80.20</td><td>34.53</td><td>10.52</td><td>32.22</td><td>0.00</td><td>300</td><td>86</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	93.03	-----	-----	80.20	34.53	10.52	32.22	0.00	300	86	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5755.00	93.03	-----	-----	80.20	34.53	10.52	32.22	0.00	300	86	AVERAGE																																																																																																																																			






Mode	40																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																		
ANT	7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>53.77</td><td>111.26</td><td>-57.49</td><td>40.49</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>300</td><td>86 PEAK</td></tr><tr><td>2</td><td>5873.37</td><td>55.46</td><td>105.76</td><td>-50.30</td><td>42.11</td><td>34.95</td><td>10.64</td><td>32.24</td><td>0.00</td><td>300</td><td>86 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>51.75</td><td>68.31</td><td>-16.56</td><td>38.19</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>300</td><td>86 PEAK</td></tr><tr><td>4</td><td>5931.09</td><td>54.61</td><td>68.20</td><td>-13.59</td><td>41.03</td><td>35.06</td><td>10.71</td><td>32.19</td><td>0.00</td><td>300</td><td>86 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	53.77	111.26	-57.49	40.49	34.91	10.62	32.25	0.00	300	86 PEAK	2	5873.37	55.46	105.76	-50.30	42.11	34.95	10.64	32.24	0.00	300	86 PEAK	3	5924.85	51.75	68.31	-16.56	38.19	35.05	10.70	32.19	0.00	300	86 PEAK	4	5931.09	54.61	68.20	-13.59	41.03	35.06	10.71	32.19	0.00	300	86 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.84	53.77	111.26	-57.49	40.49	34.91	10.62	32.25	0.00	300	86 PEAK																																																																								
2	5873.37	55.46	105.76	-50.30	42.11	34.95	10.64	32.24	0.00	300	86 PEAK																																																																								
3	5924.85	51.75	68.31	-16.56	38.19	35.05	10.70	32.19	0.00	300	86 PEAK																																																																								
4	5931.09	54.61	68.20	-13.59	41.03	35.06	10.71	32.19	0.00	300	86 PEAK																																																																								




Mode	40																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																						
ANT	7																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>58.02</td><td>38.21</td><td>15.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.66	74.00	-29.34	58.02	38.21	15.06	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>66.39</td><td>38.21</td><td>15.06</td><td>66.63</td><td>0.00</td><td>100</td><td>72</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>44.39</td><td>54.00</td><td>-9.61</td><td>57.75</td><td>38.21</td><td>15.06</td><td>66.63</td><td>0.00</td><td>100</td><td>72</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	53.03	74.00	-20.97	66.39	38.21	15.06	66.63	0.00	100	72	PEAK	2	11510.00	44.39	54.00	-9.61	57.75	38.21	15.06	66.63	0.00	100	72	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11510.00	44.66	74.00	-29.34	58.02	38.21	15.06	66.63	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11510.00	53.03	74.00	-20.97	66.39	38.21	15.06	66.63	0.00	100	72	PEAK																																																																																																											
2	11510.00	44.39	54.00	-9.61	57.75	38.21	15.06	66.63	0.00	100	72	AVERAGE																																																																																																											






Mode	41																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																							
ANT	7																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5600.40</td><td>53.24</td><td>68.20</td><td>-14.96</td><td>40.44</td><td>34.60</td><td>10.38</td><td>32.18</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>51.07</td><td>68.50</td><td>-17.43</td><td>38.19</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>3</td><td>5704.40</td><td>57.30</td><td>106.53</td><td>-49.23</td><td>44.47</td><td>34.50</td><td>10.47</td><td>32.14</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>59.60</td><td>111.81</td><td>-52.21</td><td>46.77</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5600.40	53.24	68.20	-14.96	40.44	34.60	10.38	32.18	0.00	100	115 PEAK	2	5650.40	51.07	68.50	-17.43	38.19	34.60	10.43	32.15	0.00	100	115 PEAK	3	5704.40	57.30	106.53	-49.23	44.47	34.50	10.47	32.14	0.00	100	115 PEAK	4	5720.40	59.60	111.81	-52.21	46.77	34.50	10.49	32.16	0.00	100	115 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>103.36</td><td>-----</td><td>-----</td><td>90.39</td><td>34.70</td><td>10.56</td><td>32.29</td><td>0.00</td><td>100</td><td>115 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	103.36	-----	-----	90.39	34.70	10.56	32.29	0.00	100	115 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	1	5600.40	53.24	68.20	-14.96	40.44	34.60	10.38	32.18	0.00	100	115 PEAK																																																																																																												
2	5650.40	51.07	68.50	-17.43	38.19	34.60	10.43	32.15	0.00	100	115 PEAK																																																																																																													
3	5704.40	57.30	106.53	-49.23	44.47	34.50	10.47	32.14	0.00	100	115 PEAK																																																																																																													
4	5720.40	59.60	111.81	-52.21	46.77	34.50	10.49	32.16	0.00	100	115 PEAK																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																													
1	5795.00	103.36	-----	-----	90.39	34.70	10.56	32.29	0.00	100	115 PEAK																																																																																																													
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>95.24</td><td>-----</td><td>-----</td><td>82.27</td><td>34.70</td><td>10.56</td><td>32.29</td><td>0.00</td><td>100</td><td>115 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	95.24	-----	-----	82.27	34.70	10.56	32.29	0.00	100	115 AVERAGE																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	1	5795.00	95.24	-----	-----	82.27	34.70	10.56	32.29	0.00	100	115 AVERAGE																																																																																																												




Mode	41																																																																											
	Band Edge - R																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																											
ANT	7																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>62.89</td><td>111.36</td><td>-48.47</td><td>49.61</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>62.42</td><td>107.93</td><td>-45.51</td><td>49.09</td><td>34.93</td><td>10.64</td><td>32.24</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>53.39</td><td>69.53</td><td>-16.14</td><td>39.83</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>40.74</td><td>35.08</td><td>10.72</td><td>32.17</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	62.89	111.36	-48.47	49.61	34.91	10.62	32.25	0.00	100	115	PEAK	2	5865.60	62.42	107.93	-45.51	49.09	34.93	10.64	32.24	0.00	100	115	PEAK	3	5923.20	53.39	69.53	-16.14	39.83	35.05	10.70	32.19	0.00	100	115	PEAK	4	5942.00	54.37	68.20	-13.83	40.74	35.08	10.72	32.17	0.00	100	115	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	5854.00	62.89	111.36	-48.47	49.61	34.91	10.62	32.25	0.00	100	115	PEAK																																																																
2	5865.60	62.42	107.93	-45.51	49.09	34.93	10.64	32.24	0.00	100	115	PEAK																																																																
3	5923.20	53.39	69.53	-16.14	39.83	35.05	10.70	32.19	0.00	100	115	PEAK																																																																
4	5942.00	54.37	68.20	-13.83	40.74	35.08	10.72	32.17	0.00	100	115	PEAK																																																																





Mode	41																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																								
ANT	7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5604.00</td><td>53.72</td><td>68.20</td><td>-14.48</td><td>40.92</td><td>34.60</td><td>10.38</td><td>32.18</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>51.34</td><td>69.09</td><td>-17.75</td><td>38.46</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr><tr><td>3</td><td>5703.60</td><td>53.43</td><td>106.31</td><td>-52.88</td><td>40.60</td><td>34.50</td><td>10.47</td><td>32.14</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>56.06</td><td>113.64</td><td>-57.58</td><td>43.23</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5604.00	53.72	68.20	-14.48	40.92	34.60	10.38	32.18	0.00	300	70 PEAK	2	5651.20	51.34	69.09	-17.75	38.46	34.60	10.43	32.15	0.00	300	70 PEAK	3	5703.60	53.43	106.31	-52.88	40.60	34.50	10.47	32.14	0.00	300	70 PEAK	4	5721.20	56.06	113.64	-57.58	43.23	34.50	10.49	32.16	0.00	300	70 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.54</td><td>-----</td><td>-----</td><td>88.59</td><td>34.68</td><td>10.55</td><td>32.28</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.54	-----	-----	88.59	34.68	10.55	32.28	0.00	300	70 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5604.00	53.72	68.20	-14.48	40.92	34.60	10.38	32.18	0.00	300	70 PEAK																																																																																																																														
2	5651.20	51.34	69.09	-17.75	38.46	34.60	10.43	32.15	0.00	300	70 PEAK																																																																																																																														
3	5703.60	53.43	106.31	-52.88	40.60	34.50	10.47	32.14	0.00	300	70 PEAK																																																																																																																														
4	5721.20	56.06	113.64	-57.58	43.23	34.50	10.49	32.16	0.00	300	70 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	101.54	-----	-----	88.59	34.68	10.55	32.28	0.00	300	70 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.65</td><td>-----</td><td>-----</td><td>80.70</td><td>34.68</td><td>10.55</td><td>32.28</td><td>0.00</td><td>300</td><td>70 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.65	-----	-----	80.70	34.68	10.55	32.28	0.00	300	70 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	93.65	-----	-----	80.70	34.68	10.55	32.28	0.00	300	70 AVERAGE																																																																																																																														






Mode	41																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																		
ANT	7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>60.36</td><td>112.27</td><td>-51.91</td><td>47.00</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>64.92</td><td>110.73</td><td>-45.81</td><td>51.64</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.04</td><td>68.35</td><td>-15.31</td><td>39.48</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>40.84</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>300</td><td>70 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	60.36	112.27	-51.91	47.00	34.91	10.62	32.25	0.00	300	70 PEAK	2	5855.60	64.92	110.73	-45.81	51.64	34.91	10.62	32.25	0.00	300	70 PEAK	3	5924.80	53.04	68.35	-15.31	39.48	35.05	10.70	32.19	0.00	300	70 PEAK	4	5925.60	54.40	68.20	-13.80	40.84	35.05	10.70	32.19	0.00	300	70 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.40	60.36	112.27	-51.91	47.00	34.91	10.62	32.25	0.00	300	70 PEAK																																																																								
2	5855.60	64.92	110.73	-45.81	51.64	34.91	10.62	32.25	0.00	300	70 PEAK																																																																								
3	5924.80	53.04	68.35	-15.31	39.48	35.05	10.70	32.19	0.00	300	70 PEAK																																																																								
4	5925.60	54.40	68.20	-13.80	40.84	35.05	10.70	32.19	0.00	300	70 PEAK																																																																								




Mode	41																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																							
ANT	7																																																																																																																							
Pol.	Horizontal											Vertical																																																																																																												
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>57.54</td><td>38.29</td><td>15.13</td><td>66.55</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	44.41	74.00	-29.59	57.54	38.29	15.13	66.55	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>65.33</td><td>38.29</td><td>15.13</td><td>66.55</td><td>0.00</td><td>100</td><td>75</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>55.93</td><td>38.29</td><td>15.13</td><td>66.55</td><td>0.00</td><td>100</td><td>75</td><td>AVERAGE</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	52.20	74.00	-21.80	65.33	38.29	15.13	66.55	0.00	100	75	PEAK	2	11590.00	42.80	54.00	-11.20	55.93	38.29	15.13	66.55	0.00	100	75	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	11590.00	44.41	74.00	-29.59	57.54	38.29	15.13	66.55	0.00	---	---	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	11590.00	52.20	74.00	-21.80	65.33	38.29	15.13	66.55	0.00	100	75	PEAK																																																																																																												
2	11590.00	42.80	54.00	-11.20	55.93	38.29	15.13	66.55	0.00	100	75	AVERAGE																																																																																																												






Mode	42																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																								
ANT	7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue measured signal. The signal is flat at approximately 65 dBuV/m until 5646 MHz, then rises to a peak of 115 dBuV/m at 5775 MHz, and then falls back to 65 dBuV/m. The limit line follows this profile. The plot is labeled 'U-NII-3'. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5646.00</td><td>56.85</td><td>68.20</td><td>-11.35</td><td>43.99</td><td>34.60</td><td>10.42</td><td>32.16</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.89</td><td>68.20</td><td>-12.31</td><td>43.01</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr><tr><td>3</td><td>5705.60</td><td>69.20</td><td>106.87</td><td>-37.67</td><td>56.36</td><td>34.50</td><td>10.48</td><td>32.14</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.77</td><td>110.90</td><td>-46.13</td><td>51.94</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.00	56.85	68.20	-11.35	43.99	34.60	10.42	32.16	0.00	103	115 PEAK	2	5650.00	55.89	68.20	-12.31	43.01	34.60	10.43	32.15	0.00	103	115 PEAK	3	5705.60	69.20	106.87	-37.67	56.36	34.50	10.48	32.14	0.00	103	115 PEAK	4	5720.00	64.77	110.90	-46.13	51.94	34.50	10.49	32.16	0.00	103	115 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue measured signal. The signal is flat at approximately 65 dBuV/m until 5775 MHz, then rises to a peak of 115 dBuV/m at 5775 MHz, and then falls back to 65 dBuV/m. The limit line follows this profile. The plot is labeled 'U-NII-3'. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>99.01</td><td>-----</td><td>-----</td><td>86.10</td><td>34.63</td><td>10.54</td><td>32.26</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	99.01	-----	-----	86.10	34.63	10.54	32.26	0.00	103	115 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5646.00	56.85	68.20	-11.35	43.99	34.60	10.42	32.16	0.00	103	115 PEAK																																																																																																																														
2	5650.00	55.89	68.20	-12.31	43.01	34.60	10.43	32.15	0.00	103	115 PEAK																																																																																																																														
3	5705.60	69.20	106.87	-37.67	56.36	34.50	10.48	32.14	0.00	103	115 PEAK																																																																																																																														
4	5720.00	64.77	110.90	-46.13	51.94	34.50	10.49	32.16	0.00	103	115 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	99.01	-----	-----	86.10	34.63	10.54	32.26	0.00	103	115 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue measured signal. The signal is flat at approximately 65 dBuV/m until 5775 MHz, then rises to a peak of 115 dBuV/m at 5775 MHz, and then falls back to 65 dBuV/m. The limit line follows this profile. The plot is labeled 'U-NII-3(AVG)'. <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>89.98</td><td>-----</td><td>-----</td><td>77.07</td><td>34.63</td><td>10.54</td><td>32.26</td><td>0.00</td><td>103</td><td>115 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	89.98	-----	-----	77.07	34.63	10.54	32.26	0.00	103	115 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	89.98	-----	-----	77.07	34.63	10.54	32.26	0.00	103	115 AVERAGE																																																																																																																														




Mode	42																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>66.18</td><td>111.36</td><td>-45.18</td><td>52.90</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>65.62</td><td>105.69</td><td>-40.07</td><td>52.27</td><td>34.95</td><td>10.64</td><td>32.24</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.23</td><td>68.35</td><td>-13.12</td><td>41.67</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>42.75</td><td>35.05</td><td>10.71</td><td>32.19</td><td>0.00</td><td>103</td><td>115 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	66.18	111.36	-45.18	52.90	34.91	10.62	32.25	0.00	103	115 PEAK	2	5873.60	65.62	105.69	-40.07	52.27	34.95	10.64	32.24	0.00	103	115 PEAK	3	5924.80	55.23	68.35	-13.12	41.67	35.05	10.70	32.19	0.00	103	115 PEAK	4	5926.40	56.32	68.20	-11.88	42.75	35.05	10.71	32.19	0.00	103	115 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	66.18	111.36	-45.18	52.90	34.91	10.62	32.25	0.00	103	115 PEAK																																																																								
2	5873.60	65.62	105.69	-40.07	52.27	34.95	10.64	32.24	0.00	103	115 PEAK																																																																								
3	5924.80	55.23	68.35	-13.12	41.67	35.05	10.70	32.19	0.00	103	115 PEAK																																																																								
4	5926.40	56.32	68.20	-11.88	42.75	35.05	10.71	32.19	0.00	103	115 PEAK																																																																								





Mode	42																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																							
ANT	7																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Three peaks are labeled 1, 2, and 3. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.80</td><td>55.09</td><td>68.20</td><td>-13.11</td><td>42.24</td><td>34.60</td><td>10.41</td><td>32.16</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.56</td><td>68.00</td><td>-13.24</td><td>42.68</td><td>34.60</td><td>10.43</td><td>32.15</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>64.76</td><td>105.30</td><td>-40.54</td><td>51.92</td><td>34.50</td><td>10.47</td><td>32.13</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.89</td><td>110.90</td><td>-48.01</td><td>50.06</td><td>34.50</td><td>10.49</td><td>32.16</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.80	55.09	68.20	-13.11	42.24	34.60	10.41	32.16	0.00	300	71 PEAK	2	5650.00	55.56	68.00	-13.24	42.68	34.60	10.43	32.15	0.00	300	71 PEAK	3	5700.00	64.76	105.30	-40.54	51.92	34.50	10.47	32.13	0.00	300	71 PEAK	4	5720.00	62.89	110.90	-48.01	50.06	34.50	10.49	32.16	0.00	300	71 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.68</td><td>-----</td><td>84.81</td><td>34.58</td><td>10.53</td><td>32.24</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.68	-----	84.81	34.58	10.53	32.24	0.00	300	71 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5636.80	55.09	68.20	-13.11	42.24	34.60	10.41	32.16	0.00	300	71 PEAK																																																																																																																													
2	5650.00	55.56	68.00	-13.24	42.68	34.60	10.43	32.15	0.00	300	71 PEAK																																																																																																																													
3	5700.00	64.76	105.30	-40.54	51.92	34.50	10.47	32.13	0.00	300	71 PEAK																																																																																																																													
4	5720.00	62.89	110.90	-48.01	50.06	34.50	10.49	32.16	0.00	300	71 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	97.68	-----	84.81	34.58	10.53	32.24	0.00	300	71 PEAK																																																																																																																														
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.00</td><td>-----</td><td>75.91</td><td>34.60</td><td>10.54</td><td>32.25</td><td>0.00</td><td>300</td><td>71 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	88.00	-----	75.91	34.60	10.54	32.25	0.00	300	71 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	88.00	-----	75.91	34.60	10.54	32.25	0.00	300	71 AVERAGE																																																																																																																														







Mode	42																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																		
ANT	7																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>62.67</td><td>111.36</td><td>-48.69</td><td>49.39</td><td>34.91</td><td>10.62</td><td>32.25</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr><tr><td>2</td><td>5861.20</td><td>65.89</td><td>109.16</td><td>-43.27</td><td>52.59</td><td>34.92</td><td>10.63</td><td>32.25</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>58.01</td><td>69.53</td><td>-11.52</td><td>44.45</td><td>35.05</td><td>10.70</td><td>32.19</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr><tr><td>4</td><td>5932.00</td><td>56.78</td><td>68.20</td><td>-11.42</td><td>43.19</td><td>35.06</td><td>10.71</td><td>32.18</td><td>0.00</td><td>300</td><td>71 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	62.67	111.36	-48.69	49.39	34.91	10.62	32.25	0.00	300	71 PEAK	2	5861.20	65.89	109.16	-43.27	52.59	34.92	10.63	32.25	0.00	300	71 PEAK	3	5923.20	58.01	69.53	-11.52	44.45	35.05	10.70	32.19	0.00	300	71 PEAK	4	5932.00	56.78	68.20	-11.42	43.19	35.06	10.71	32.18	0.00	300	71 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	62.67	111.36	-48.69	49.39	34.91	10.62	32.25	0.00	300	71 PEAK																																																																								
2	5861.20	65.89	109.16	-43.27	52.59	34.92	10.63	32.25	0.00	300	71 PEAK																																																																								
3	5923.20	58.01	69.53	-11.52	44.45	35.05	10.70	32.19	0.00	300	71 PEAK																																																																								
4	5932.00	56.78	68.20	-11.42	43.19	35.06	10.71	32.18	0.00	300	71 PEAK																																																																								



Mode	42																																																										
	Harmonic																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																										
ANT	7																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>57.36</td><td>38.25</td><td>15.10</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	44.12	74.00	-29.88	57.36	38.25	15.10	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11550.00	44.12	74.00	-29.88	57.36	38.25	15.10	66.59	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>59.62</td><td>38.25</td><td>15.10</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	46.38	74.00	-27.62	59.62	38.25	15.10	66.59	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11550.00	46.38	74.00	-27.62	59.62	38.25	15.10	66.59	0.00	---	---	PEAK																																															





Co-location

Mode	43																																																																																																		
	BE																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH1_2404MHz																																																																																																		
ANT	6																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.38</td><td>-----</td><td>87.68</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>137</td><td>300 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	100.38	-----	87.68	32.32	6.71	32.33	6.00	137	300 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>93.30</td><td>-----</td><td>80.60</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>396</td><td>51 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	93.30	-----	80.60	32.32	6.71	32.33	6.00	396
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	100.38	-----	87.68	32.32	6.71	32.33	6.00	137	300 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	93.30	-----	80.60	32.32	6.71	32.33	6.00	396	51 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>98.12</td><td>-----</td><td>85.42</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>137</td><td>300 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	98.12	-----	85.42	32.32	6.71	32.33	6.00	137	300 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>91.04</td><td>-----</td><td>78.34</td><td>32.32</td><td>6.71</td><td>32.33</td><td>6.00</td><td>396</td><td>51 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	91.04	-----	78.34	32.32	6.71	32.33	6.00	396
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	98.12	-----	85.42	32.32	6.71	32.33	6.00	137	300 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2404.00	91.04	-----	78.34	32.32	6.71	32.33	6.00	396	51 AVERAGE																																																																																									



Mode	43																																																																																				
	Harmonic																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH1_2404MHz																																																																																				
ANT	6																																																																																				
Pol.	Horizontal																																																																																				
Peak Avg																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>62.96</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5510.00</td><td>57.89</td><td>-----</td><td>79.29</td><td>34.70</td><td>10.30</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7212.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>59.49</td><td>35.68</td><td>11.87</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4888.00	40.53	74.00	-33.47	62.96	34.10	9.63	66.16	0.00	---	---	PEAK	2	5510.00	57.89	-----	79.29	34.70	10.30	66.40	0.00	---	---	---	Peak	3	7212.00	40.35	74.00	-33.65	59.49	35.68	11.87	66.69	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1	4888.00	40.53	74.00	-33.47	62.96	34.10	9.63	66.16	0.00	---	---	PEAK																																																																									
2	5510.00	57.89	-----	79.29	34.70	10.30	66.40	0.00	---	---	---	Peak																																																																									
3	7212.00	40.35	74.00	-33.65	59.49	35.68	11.87	66.69	0.00	---	---	PEAK																																																																									
Vertical																																																																																					
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>39.81</td><td>74.00</td><td>-34.19</td><td>62.24</td><td>34.10</td><td>9.63</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5510.00</td><td>55.38</td><td>-----</td><td>76.78</td><td>34.70</td><td>10.30</td><td>66.40</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>7212.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>60.08</td><td>35.68</td><td>11.87</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4888.00	39.81	74.00	-34.19	62.24	34.10	9.63	66.16	0.00	---	---	PEAK	2	5510.00	55.38	-----	76.78	34.70	10.30	66.40	0.00	---	---	---	Peak	3	7212.00	40.94	74.00	-33.06	60.08	35.68	11.87	66.69	0.00	---	---	PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																										
1	4888.00	39.81	74.00	-34.19	62.24	34.10	9.63	66.16	0.00	---	---	PEAK																																																																									
2	5510.00	55.38	-----	76.78	34.70	10.30	66.40	0.00	---	---	---	Peak																																																																									
3	7212.00	40.94	74.00	-33.06	60.08	35.68	11.87	66.69	0.00	---	---	PEAK																																																																									




Mode	43																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																								
ANT	7																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>58.00</td><td>37.90</td><td>14.62</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	43.63	74.00	-30.37	58.00	37.90	14.62	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>58.38</td><td>37.90</td><td>14.62</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	44.01	74.00	-29.99	58.38	37.90	14.62	66.89	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11020.00	43.63	74.00	-30.37	58.00	37.90	14.62	66.89	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11020.00	44.01	74.00	-29.99	58.38	37.90	14.62	66.89	0.00	---	---	PEAK																																																																																													


Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.54	1.39	0.719	0.75kHz
802.11n HT20	96.63	1.29	0.775	0.82KHz
802.11n HT40	94.30	0.645	1.550	1.6KHz
802.11ac VHT80	83.94	0.324	3.086	3.3KHz

802.11a



802.11n HT20





802.11ac VHT80

